

Declassified E.O. 12356 Section 3.3/NND No. 785020

ACC

10000 | 120 | 3518

RE 601

Jan.

Declassified E.O. 12356 Section 3.3/NND No. 785020

10000 | 120 | 3518

RE 601

Minefield Records

Jan. - Feb. 1945

1642
1661

1867

Declassified E.O. 12356 Section 3.3/NND No. 785020

IN FIELD RECORD

NOT SECRET

Serial

Copy

L. I. B. 1st. Platoon Unit 13th Fld Coy. Div. "Crimson" TOTAL NUMBER OF LINES Laid 21/twenty1. Officer i/c laying S. Ten. Pasquale DonatoAuthority for laying 3th Bn. 22 Inf. Regt.2. DATE OF LAYING 7 Feb. 45 Time 1100-14003. 25000 ft. with ref no. and sheet 89 IV SE Scale 25000Map reference 497514Description 1st Corner of poultry-yard4. LINE 1 TO DATUM POINT ②Distance 58 Magnetic bearing 115° esDescription of datum point Tree with white tape5. DATUM LINE ② Length 16 yardsMagnetic bearing from datum point 142° es6. ROW distance from datum point to first row 16 es

Distance between subsequent rows es

Number of rows one

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over

Landmark to datum point ②
 Distance 73 yards - Magnetic bearing 56° degrees
 Description of datum point ② - small stake of the fence with white tape
 Datum Line ② - Length 4 yards - Magnetic bearing 10° degrees

8. APPROXIMATE OF STATE 1/15 IN

9. GAPS. Width of gap es
 Leaving through gap es
 Distance from datum point on es
 Location of es
 (if any)

10. APPROXIMATE OF STATE 1/15 IN
The mines are all A.P. with trip

Signature S. Ten. Pasquale
 Unit 13th Fld Coy
 Date 7 Feb. 45

Serial 3, 4, 5, 6, 9, 10 es

On the accuracy of these particulars with the lives on our men who have to lift it or clear a lane through it.

1868

Declassified E.O. 12356 Section 3.3/NND No. 785020

Unit 13th Fld Coy "Cremona"
S. Ten. Parquale Donato
3th Btn. 22 Inf. Regt.
Feb. 45 1400-1400
89 IV SE 25000
7544
ner of poultry-yard
(2)
115°
Tree with white
16
142°
16
one

earing 56° degrees
stake of the fence with white tape
Magnetic bearing 100 degrees

SECRET

Serial No. C/11
Copy No. 3

1. TOTAL NUMBER OF MINES 21 (twenty one)
2. APPROX. DENSITY OF MINES 1/15 INB per yd. of front.
3. CAPS. Width of gap 4 Height of gap 6
Bearing through gap 6 on degree 6
Distance from datum point on a bearing of 6
Location of 6 mine to close gap
(if any) 6

4. TYPE AND DENSITY OF MINES. TYPE OF BOOBY TRAP.
The mines are all A.P. with trip wire.


Signature S. Ten. Parquale
Unit 13th Fld. Coy
Date 7. Feb. 45

Series 3, 4, 5, 6, 7, 10. MINES as shown on sketch

On the accuracy of these particulars will the safety and
the lives of our men who have to lift minefields, make a gap
or clear a line through it.

B Minefield Chart (Must accompany "A")

Most Secret




Declassified E.O. 12356 Section 3.3/NND No. 785020

(Must accompany "A")

Most Secret

Serial N° C/11
Copy N° 3



A MINEFIELD RECORD

MOST SECRET

Ser
Col

LAI D BY 1st Platoon Unit 13th Fld Coy Div "Cremona"

1. Officer i/c laying S. Ten. Pasquale Donato
Authority for laying 3th Bn. 22. Inf Regt.

2. DATE OF LAYING 13th Feb. 45 Time 900 - 1300

3. LANDMARK With ref. to map sheet n. 89 IV S.E. Scale 1:25000

Map reference 496497

Description N.W. Corner of poultry-yard

4. LANDMARK TO DATUM POINT

Distance 68 yards. Magnetic bearing 248° degrees

Description of Datum Point Tree with white tape

5. DATUM LINE

Length 18 yards.

Magnetic bearing from Datum Point 265° degrees.

6. ROWS Distance from Datum Point to first row 18 yd.

Distance between subsequent rows yd.

Number of Rows one

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used see over.

7. TOTAL NUMBER OF MINES LAID 23

8. APPROX. DENSITY OF FIELD 1/15

9. GAPS. Width of gap N. 1.6 x N. 2.10 Length
Bearing through gap
Distance from Datum Point on
Location of spare
(if any)

10. N° AND DETAILS OF A. PER. MINES OF
The mines are all A.P. type with

11. Signature
Unit 13th Fld Coy
Date 13 Feb. 45

Serial 3,4,5,6,9,10. MUST be shown

REMEMBER

On the accuracy of these particulars with the lives of our men who have to lie make a gap, or clear a lane through it.

Declassified E.O. 12356 Section 3.3/NND No. 785020

MOST SECRET

Serial n. C/10

Copy n. 3

Unit 13th Fld. Coy. Div. "Cremona"

Com. Pasquale Donato

Bn. 22 Inf. Regt.

Time 400 - 1200

Map Sheet n. 89 IV S.E. Scale 1:25,000

et. of poultry-yard

Magnetic bearing 248° degrees

ant Tree with white tape

at 18 yards.

m Datum Point 265° degrees.

m Point to first row 18 yd.

ubsequent rows one yd.

direction of rows must be

ted wire method was used

7. TOTAL NUMBER OF MINES LAID 23 (twentythree)

8. APPROX. DENSITY OF FIRED 23/45 Mines per yd. of front.

9. GAPS. Width of gap Nº 1 6y - Nº 2 10y Length of gap Nº 1 10y - Nº 2 10y
Bearing through gap degrees
Distance from Datum Point on a bearing of
Location of spare mines to close gap
(if any)

10. N° AND DETAILS OF A. PER. MINES OR BOOBY TRAPS.

The mines are all A.P. type with trip wire

11. Signature
Unit 13th Fld. Coy

Date 13 Feb. 45

Serial 3,4,5,6,9,10. MUST be shown on sketch

REMEMBER


On the accuracy of these particulars will depend the safety and the lives of our men who have to lift this minefield, make a gap, or clear a lane through it.

Declassified E.O. 12356 Section 3.3/NND No. 785020

B Minefield Chart

(Not accompany 'A')

Most Secret




Signature

J. Ten. J. Gasqually

Unit 430th Flt. Coy

Declassified E.O. 12356 Section 3.3/NND No. 785020



Unit 13th Flt. Coy

Date 13 Feb. 45

1873

Declassified E.O. 12356 Section 3.3/NND No. 785020

MINFIELD RECORD

TOP SECRET

Serial
Copy

Laid by 1st Platoon

Unit 13th Fld Coy Div. "Cremona"

7. TOTAL NUMBER OF MINES LAID 24

1. Officer in laying S. Ten. Pasquale Donato
Authority for laying 3th Btn, 22nd Inf Regt.

8. APPROX. DENSITY OF FIELD 1/45

2. DATE OF LAYING 11 Feb 45 Time 1000 - 1200

9. GAPS. Width of gap 6 yards long

3. LANDMARK with ref? to map sheet No. 89 IV SE Scale 1:25000

Bearing through gap

Map Reference 498500

Distance from Datum point on a

Description N.W. Corner of house

Location of — (if any)

4. LANDMARK TO DATUM POINT

10. 30' AND VARIATION OF A.P. TYPE

Distance 65 yards. Magnetic bearing 268° degrees.

Description of Datum Point 1st tree North of road

The mine are all A.P. type

5. DATUM LINE Length 98 yards.

Signature S. Ten. J. Pasquale

Magnetic bearing from Datum Point 335° degrees.

11. Unit 13th Fld Coy

6. ROWS Distance from Datum Point to first row 98 yard.

Date 11 Feb 45

Distance between subsequent rows — yard.

Number of rows one

Serial 3,4,5,6,9,10. MUST be

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

Serial 3,4,5,6,9,10. MUST be

HOST GROUND

Serial n° 0/9
Copy n° 3

Unit 13th Fld Coy Div. "Cremona"

7. TOTAL NUMBER OF MINES LAID 21 (twenty one)

Pasquale Donato
Btn. 22° Inf. Regt.

8. APPROX. DENSITY OF FIELD 1/15 mines per yd. of front.

Time 1000-1200

9. GAPS. Width of gap 6 yards Length of gap 10 yards
Bearing through gap _____ degrees.
Distance from datum point on a bearing of _____

at n° 89 IV SE Scale 1:25000

Location of _____ spare mines to close gap (if any)

et of house

10. n° and DETAILS OF A. P. MINE. LINE OF BOOBY TRAPS

Magnetic bearing 268° degrees.
at 1st tree North of road

The mine are all A.P. type with trip wire

ight 98 yards.

Signature I. Ten. J. Pasquale

Datum Point 335° degrees.

11. Unit 13th Fld Coy

int to first row 98 yard.

Date 11 Feb. 45

quent rows _____ yard.

Serial 3,4,5,6,9,10. MUST be shown on sketch.


of direction of rows must be
re knotted wire method was

On the accuracy of these particulars will depend the safety and the lives of our men who have to lift this minefield, make a gap, or clear a lane through it.

Declassified E.O. 12356 Section 3.3/NND No. 785020

B Minefield Chart (Must accompany "A")

Most Secret



785020

Most Secret

Serial N° C/9

Сору №

3

307

52 y

44y

377

1456

285

28x

Ditch

white tape

One chord of wire barbed

Garolin P. 499-00

N° 21 mines with trip wire

-ROAD

S. Alberto 89/V J.E

C. MONTU
CHI

Unit: 13th Fld Coy

1- Landmark: N.W. Corner of house

2. Datum point: 1st Tree North of road

Date 11 Feb. 45

Declassified E.O. 12356 Section 3.3/NND No. 785020

A. MINIMUM RECORD

1001 20012

Serial
Copy

1. Unit 1st Platoon Unit 13th Fld Coy Div "Cremona"

1. Officer in charge S. Ten. Pasquale Donato

Authority for laying 3th Btn 22 Inf Regt

2. Date of laying 10 Feb. 45 Time 1000 - 1300

3. Map with ref. to map sheet n. 89 IV SE Scale 1:25,000

Map reference 500503

Description N.E. Corner of house

4. Distance to datum point

Distance 93 Yards Bearing 6°

Description of datum point

Tree corner of barbed wire

5. Width of gap 35 Yards

Bearing from datum point 320°

6. Distance from datum point to first row 35 Yds.

Distance between subsequent rows Yds.

Number of rows one

7. Total number of mines laid 24/Twentyfour

8. Approx. density of field 1/15

9. Gap width of gap Nº1 6x Nº2 6x

Bearing through gap

Distance from datum point on a line

Location of

(if any)

10. Remarks

The mines are all A.P. type with trip

11. Signature 13th Fld Coy

Unit

Date 10 Feb. 45

Serial 3, 4, 5, 6, 9, 10.

On the accuracy of these particulars will be the lives of our men who have to lift or make a gap, or clear a lane through it.

11880

Declassified E.O. 12356 Section 3.3/NND No. 785020

Serial n. C/8

Copy n. 3

Unit 13th Flt Coy "Cremona"

Ten. Pasquale Donato

3th Btn 22 Inf Regt

Feb 45 Time 1000-1300

Map Sheet n. 89 IV SE 1:25000

er of house

Magnetic bearing 6°

ed wire

35 yards

to datum point 320°

to point to first row 35 yd.

subsequent rows one yd.

direction of rows must be
traced wire method was used

7. TOTAL NUMBER OF MINES Laid 24 (twenty four)

8. APPROX. DENSITY OF MINES 1/15 mines per yd. of front.

9. GAP. Width of gap Nº1 6y Nº2 6y Length of gap Nº1 10y Nº2 10y
Bearing through gap degrees
Distance from datum point on a bearing of
Location of bare mines to close gap
(if any)

10. NO AND DENSITY OF MINES ON BOUNDARY LINE

The mines are all A.P. type with trip wire


Signature 13th Flt Coy

Date 10 Feb. 45


Serial 1,4,5,6,9,10 must be shown on sketch

on the accuracy of these particulars will depend the safety
and the lives of our men who have to lift this minefield,
make a gap, or clear a lane through it.

Declassified E.O. 12356 Section 3.3/NND No. 785020



Declassified E.O. 12356 Section 3.3/NND No. 785020



Unit 13th. Fld Coy

Data 10 Feb. 45

1883

Declassified E.O. 12356 Section 3.3/NND No. 785020

MINEFIELD RECORD

NOT SECRET

Ser
Cop

Laid by 1st Platoon Unit 131st Fld Coy Div. "Cremona"

1. Officer i/c laying S. Ten. Pasquale Donato
Authority for laying 1st Btn. 22 Inf. Regt.

2. DATE OF LAYING 9 Feb 45 Time 900 - 1300

3. LANDMARK With ref? to Map Sheet No 89 IV S.E. Scale 1:25'000
Map Reference 497509
Description S.E. Corner of shed. (Main landmark) (1)

4. LANDMARK TO DATUM POINT
Distance 69 yards. Magnetic bearing 63° degrees.
Description of Datum Point Tree corner of the barbed wire (1)

5. DATUM LINE North Length 16 yards.
Magnetic bearing from Datum Point 45 degrees.
Datum Line South - Length 16 yards - Magnetic bearing 60° degrees

6. ROWS Distance from Datum Point to first row 16 yard.
Distance between subsequent rows = yard.
Number of rows one

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.

(1) Description of secondary datum point (1)
N.W. Corner of C. Matteucci
Landmark to secondary datum point
Distance 55 yards - Magnetic bearing 323° degrees
Datum line - Length 15 yards - Magnetic bearing 304° degrees

7. TOTAL NUMBER 3 OF MINES LAID 9

8. APPROX. DENSITY OF FIELD 1/1

9. GAPS. Width of gap 4 yards. Bearing through gap 54°
Distance from Datum Point on 16 yards
Location of = spar (if any)

10. NO AND DETAILS OF A.PERS. M
The mines are all A.P. type

Signature S. Ten. J. Pasquale
11. Unit 131st Fld Coy
Date 9 Feb 45

Serial 3,4,5,6,9,10. MUST b

REMEMBER

On the accuracy of these pa
pend the safety and the liv
have to lift this minofiel,
a lane through it.

RD MOST SECRET

Serial no C/5
Copy no 3

Unit 13th Fld Coy Div. Cremona

7. TOTAL NUMBER 21 MINES LAID (twenty one)

Parquale Donato
Btn 22 Inf Regt.

8. APPROX. DENSITY OF FIELD 1/15 mines per yd. of front.

45 Time 900 - 1300

9. GAPS. Width of gap 4 yards Length of gap —
Bearing through gap 54° degrees.

Sheet No 89 IV S.E. Scale 1:25,000

Distance from Datum Point on a bearing of —

509
ner of shed. (Main landmark) (1)

16 yards
Location of — spare mines to close gap (if any)

Magnetic bearing 63° degrees.
int Tree corner of the barbed

10. NO AND DETAILS OF A.PERS. MINES OR BOOBY TRAPS

The mines are all A.P. type with trip wire

Length 16 yards.
m Datum Point 45 degrees.
16 yards - Magnetic bearing 60° degrees
Point to first row 16 yard.
sequent rows — yard.
one

Signature I. Ten. J. Parquale
11. Unit 13th Fld Coy
Date 9 Feb 45

Serial 3,4,5,6,9,10. MUST be shown on sketch.

REMEMBER


On the accuracy of these particulars will depend the safety and the lives of our men who have to lift this minefield, make a gap, or clear a lane through it.

of direction of rows must be
here knotted wire method was

point (1)
point
bearing 282° degrees
- Magnetic bearing 301° degrees

Declassified E.O. 12356 Section 3.3/NND No. 785020


Minefield Chart (Must accompany A: Most Secret



Declassified E.O. 12356 Section 3.3/NND No. 785020

(Must accompany A) Most Secret

Copy n 3 Serial 1 C/5



Declassified E.O. 12356 Section 3.3/NND No. 785020

1. Laid by 1st Platoon Unit 13th Fld Coy Div. "Cremona" 7. TOTAL NUMBER OF MINES LAID 20
1. Officer in Charge S. Ten Pasquale Donato
Authority for laying 1st Btn 22 Inf Regt 8. APPROVED BY 1/12
2. DATE OF LAYING 7 Feb. 45 Time 1100 - 1400 9. TYPE AP Width of gap 10
3. LANDMARK with ref. to map, sheet n. 89 IV S.E. scale 1:25 000
Map reference 502544
Description N.E. Corner of house
4. LANDMARK TO DATUM POINT No 2
Distance 103 yards Magnetic bearing 245° degrees.
Description of datum point Tree with white tape
5. DATUM LINE No 2 Length 16 yards.
Magnetic bearing from datum point 338° degrees. 11. Unit 13th
6. ROW Distance from datum point to first row 16 yards.
Distance between subsequent rows 16 yards.
Number of rows one

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where an obston wire method was used, make a gap, or clear a line through it.

4. LANDMARK TO DATUM POINT No 2
Distance 69 yards Magnetic bearing 339° degrees
Description of datum point No 2
Tree with white tape

5. DATUM LINE No 2 Length 9 yards
Magnetic bearing from datum point No 2 319° degrees

Declassified E.O. 12356 Section 3.3/NND No. 785020

SECRET

Serial Nr. C/3

Copy Nr. 3

13th Flt. Coy. Div. "Cremona" 7. TOTAL NUMBER OF MINES Laid

20 (twenty)

Pasquale Donato

Btn 22 Inf. Regt

8. APPROXIMATE TYPE OF MINES 1/12 Mines per sq. of front.

Time 1100 - 1400

9. TYPE. Width of gap Length of gap
Bearing through gap degrees.

Sheet n. 89 IV S.E. scale 1:25000

Distance from known point or a bearing of

ner of house

location of mine to close gap
(if any)


N° 2

10. N. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000. 1001. 1002. 1003. 1004. 1005. 1006. 1007. 1008. 1009. 1010. 1011. 1012. 1013. 1014. 1015. 1016. 1017. 1018. 1019. 1020. 1021. 1022. 1023. 1024. 1025. 1026. 1027. 1028. 1029. 1030. 1031. 1032. 1033. 1034. 1035. 1036. 1037. 1038. 1039. 1040. 1041. 1042. 1043. 1044. 1045. 1046. 1047. 1048. 1049. 1050. 1051. 1052. 1053. 1054. 1055. 1056. 1057. 1058. 1059. 1060. 1061. 1062. 1063. 1064. 1065. 1066. 1067. 1068. 1069. 1070. 1071. 1072. 1073. 1074. 1075. 1076. 1077. 1078. 1079. 1080. 1081. 1082. 1083. 1084. 1085. 1086. 1087. 1088. 1089. 1090. 1091. 1092. 1093. 1094. 1095. 1096. 1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108. 1109. 1110. 1111. 1112. 1113. 1114. 1115. 1116. 1117. 1118. 1119. 1120. 1121. 1122. 1123. 1124. 1125. 1126. 1127. 1128. 1129. 1130. 1131. 1132. 1133. 1134. 1135. 1136. 1137. 1138. 1139. 1140. 1141. 1142. 1143. 1144. 1145. 1146. 1147. 1148. 1149. 1150. 1151. 1152. 1153. 1154. 1155. 1156. 1157. 1158. 1159. 1160. 1161. 1162. 1163. 1164. 1165. 1166. 1167. 1168. 1169. 1170. 1171. 1172. 1173. 1174. 1175. 1176. 1177. 1178. 1179. 1180. 1181. 1182. 1183. 1184. 1185. 1186. 1187. 1188. 1189. 1190. 1191. 1192. 1193. 1194. 1195. 1196. 1197. 1198. 1199. 1200. 1201. 1202. 1203. 1204. 1205. 1206. 1207. 1208. 1209. 1210. 1211. 1212. 1213. 1214. 1215. 1216. 1217. 1218. 1219. 1220. 1221. 1222. 1223. 1224. 1225. 1226. 1227. 1228. 1229. 1230. 1231. 1232. 1233. 1234. 1235. 1236. 1237. 1238. 1239. 1240. 1241. 1242. 1243. 1244. 1245. 1246. 1247. 1248. 1249. 1250. 1251. 1252. 1253. 1254. 1255. 1256. 1257. 1258. 1259. 1260. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271. 1272. 1273. 1274. 1275. 1276. 1277. 1278. 1279. 1280. 1281. 1282. 1283. 1284. 1285. 1286. 1287. 1288. 1289. 1290. 1291. 1292. 1293. 1294. 1295. 1296. 1297. 1298. 1299. 1300. 1301. 1302. 1303. 1304. 1305. 1306. 1307. 1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1330. 1331. 1332. 1333. 1334. 1335. 1336. 1337. 1338. 1339. 1340. 1341. 1342. 1343. 1344. 1345. 1346. 1347. 1348. 1349. 1350. 1351. 1352. 1353. 1354. 1355. 1356. 1357. 1358. 1359. 1360. 1361. 1362. 1363. 1364. 1365. 1366. 1367. 1368. 1369. 1370. 1371. 1372. 1373. 1374. 1375. 1376. 1377. 1378. 1379. 1380. 1381. 1382. 1383. 1384. 1385. 1386. 1387. 1388. 1389. 1390. 1391. 1392. 1393. 1394. 1395. 1396. 1397. 1398. 1399. 1400. 1401. 1402. 1403. 1404. 1405. 1406. 1407. 1408. 1409. 1410. 1411. 1412. 1413. 1414. 1415. 1416. 1417. 1418. 1419. 1420. 1421. 1422. 1423. 1424. 1425. 1426. 1427. 1428. 1429. 1430. 1431. 1432. 1433. 1434. 1435. 1436. 1437. 1438. 1439. 1440. 1441. 1442. 1443. 1444. 1445. 1446. 1447. 1448. 1449. 1450. 1451. 1452. 1453. 1454. 1455. 1456. 1457. 1458. 1459. 1460. 1461. 1462. 1463. 1464. 1465. 1466. 1467. 1468. 1469. 1470. 1471. 1472. 1473. 1474. 1475. 1476. 1477. 1478. 1479. 1480. 1481. 1482. 1483. 1484. 1485. 1486. 1487. 1488. 1489. 1490. 1491. 1492. 1493. 1494. 1495. 1496. 1497. 1498. 1499. 1500. 1501. 1502. 1503. 1504. 1505. 1506. 1507. 1508. 1509. 1510. 1511. 1512. 1513. 1514. 1515. 1516. 1517. 1518. 1519. 1520. 1521. 1522. 1523. 1524. 1525. 1526. 1527. 1528. 1529. 1530. 1531. 1532. 1533. 1534. 1535. 1536. 1537. 1538. 1539. 1540. 1541. 1542. 1543. 1544. 1545. 1546. 1547. 1548. 1549. 1550. 1551. 1552. 1553. 1554. 1555. 1556. 1557. 1558. 1559. 1560. 1561. 1562. 1563. 1564. 1565. 1566. 1567. 1568. 1569. 1570. 1571. 1572. 1573. 1574. 1575. 1576. 1577. 1578. 1579. 1580. 1581. 1582. 1583. 1584. 1585. 1586. 1587. 1588. 1589. 1590. 1591. 1592. 1593. 1594. 1595. 1596. 1597. 1598. 1599. 1600. 1601. 1602. 1603. 1604. 1605. 1606. 1607. 1608. 1609. 1610. 1611. 1612. 1613. 1614. 1615. 1616. 1617. 1618. 1619. 1620. 1621. 1622. 1623. 1624. 1625. 1626. 1627. 1628. 1629. 1630. 1631. 1632. 1633. 1634. 1635. 1636. 1637. 1638. 1639. 1640. 1641. 1642. 1643. 1644. 1645. 1646. 1647. 1648. 1649. 1650. 1651. 1652. 1653. 1654. 1655. 1656. 1657. 1658. 1659. 1660. 1661. 1662. 1663. 1664. 1665. 1666. 1667. 1668. 1669. 1670. 1671. 1672. 1673. 1674. 1675. 1676. 1677. 1678. 1679. 1680. 1681. 1682. 1683. 1684. 1685. 1686. 1687. 1688. 1689. 1690. 1691. 1692. 1693. 1694. 1695. 1696. 1697. 1698. 1699. 1700. 1701. 1702. 1703. 1704. 1705. 1706. 1707. 1708. 1709. 1710. 1711. 1712. 1713. 1714. 1715. 1716. 1717. 1718. 1719. 1720. 1721. 1722. 1723. 1724. 1725. 1726. 1727. 1728. 1729. 1730. 1731. 1732. 1733. 1734. 1735. 1736. 1737. 1738. 1739. 1740. 1741. 1742. 1743. 1744. 1745. 1746. 1747. 1748. 1749. 1750. 1751. 1752. 1753. 1754. 1755. 1756. 1757. 1758. 1759. 1760. 1761. 1762. 1763. 1764. 1765. 1766. 1767. 1768. 1769. 1770. 1771. 1772. 1773. 1774. 1775. 1776. 1777. 1778. 1779. 1780. 1781. 1782. 1783. 1784. 1785. 1786. 1787. 1788. 1789. 1790. 1791. 1792. 1793. 1794. 1795. 1796. 1797. 1798. 1799. 1800. 1801. 1802. 1803. 1804. 1805. 1806. 1807. 1808. 1809. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820. 1821. 1822. 1823. 1824. 1825. 1826. 1827. 1828. 1829. 1830. 1831. 1832. 1833. 1834. 1835. 1836. 1837. 1838. 1839. 1840. 1841. 1842. 1843. 1844. 1845. 1846. 1847. 1848. 1849. 1850. 1851. 1852. 1853. 1854. 1855. 1856. 1857. 1858. 1859. 1860. 1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. 1925. 1926. 1927. 1928. 1929. 1930. 1931. 1932. 1933. 1934. 1935. 1936. 1937. 1938. 1939. 1940. 1941. 1942. 1943. 1944. 1945. 1946. 1947. 1948. 1949. 1950. 1951. 1952. 1953. 1954. 1955. 1956. 1957. 1958. 1959. 1960. 1961. 1962. 1963. 1964. 1965. 1966. 1967. 1968. 1969. 1970. 1971. 1972. 1973. 1974. 1975. 1976. 1977. 1978. 1979. 1980. 1981. 1982. 1983. 1984. 1985. 1986. 1987. 1988. 1989. 1990. 1991. 1992. 1993. 1994. 1995. 1996. 1997. 1998. 1999. 2000. 2001. 2002. 2003. 2004. 2005. 2006. 2007. 2008. 2009. 2010. 2011. 2012. 2013. 2014. 2015. 2016. 2017. 2018. 2019. 2020. 2021. 2022. 2023. 2024. 2025. 2026. 2027. 2028. 2029. 2030. 2031. 2032. 2033. 2034. 2035. 2036. 2037. 2038. 2039. 2040. 2041. 2042. 2043. 2044. 2045. 2046. 2047. 2048. 2049. 2050. 2051. 2052. 2053. 2054. 2055. 2056. 2057. 2058. 2059. 2060. 2061. 2062. 2063. 2064. 2065. 2066. 2067. 2068. 2069. 2070. 2071. 2072. 2073. 2074. 2075. 2076. 2077. 2078. 2079. 2080. 2081. 2082. 2083. 2084. 2085. 2086. 2087. 2088. 2089. 2090. 2091. 2092. 2093. 2094. 2095. 2096. 2097. 2098. 2099. 2100. 2101. 2102. 2103. 2104. 2105. 2106. 2107. 2108. 2109. 2110. 2111. 2112. 2113. 2114

Declassified E.O. 12356 Section 3.3/NND No. 785020

B Minefield Chart (Must accompany "A")

Most Secret



~Legend
1: Landmark: M
2: Datum point: T

Signature J. Ten. J. Ranzum

Unit 13 Comp. Artillery



Date 7-2

Declassified E.O. 12356 Section 3.3/NND No. 785020

Must accompany "A")

Most Secret

Serial No. C/3 W/1
Copy No. 3



~ Legend ~

- 1: Landmark: N.E. Corner of house
- 2: Datum point: Tree with white tape

Tree Fallen

Unit 13 Comp. Artillery

Date 7-2-45

Declassified E.O. 12356 Section 3.3/NND No. 785020

MINEFIELD RECORD

POST SECRET

Serial
Copy

Laid BY 1st Platoon Unit 13 Fld. Coy Div. "Cremona"

1. Officer i/c laying S. Ten. Pasquale Donato

Authority for laying 3 Btn. 22 Inf. Regt.

2. DATE OF LAYING 6 Feb. 45 Time 1000 - 1300

3. LANDMARK With ref. to Map. Sheet F. 89 IV S.E. scale 1:25,000

Map reference 497514

Description S.E. Corner of poultry yard

4. LANDMARK TO DATUM POINT

Distance 53 yards. Magnetic bearing 115° degrees

Description of Datum Point Tree with white tape

5. DATUM LINE

Length 16 yards

Magnetic bearing from Datum Point 142 degrees

6. ROWS

Distance from Datum Point to first row 16 yd.

Distance between subsequent rows == yd.

Number of rows one

7. TOTAL NUMBER OF MINES LAID 7

8. APPROX. DENSITY OF FIELD 1/12

9. GAPS Width of gap _____ Length _____

Bearing through gap _____

Distance from Datum Point on a bearing of _____

Location of _____ spare mines _____ (if any)

10. N. AND DETAILS OF A. PERS. MINES

The mines are all A.P. type _____

Signature S. Ten. J. Pasquale

11. Unit 13 Fld. Coy

Date 6/2/45

Serial 3, 4, 5, 6, 9, 10. MUST be shown

REMEMBER

NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.

On the accuracy of these particulars safety and the lives of our men have to be considered. Make a gap, or clear a lane

Declassified E.O. 12356 Section 3.3/NND No. 785020

NOT SECRET

Serial No 42

Copy No 3

Unit. 13 Fld. Coy Div. "Cremona"
Pasquale Donato
22 Inf. Regt.

7. TOTAL NUMBER OF MINES LAID 7 (seven)

8. APPROX. DENSITY OF FIELD 1/42 Mines per yd. of front.

Time 1000 - 1300

9. GAPS Width of gap _____ Length of gap _____
Bearing through gap _____ degrees.

Sheet No. 89 IV S.E. Scale 1:25,000

Distance from Datum Point on a bearing of _____

of poultry yard low

Location of _____ spare mines to close gap
(if any) _____

Magnetic bearing 1150 degrees

10. N. AND DETAILS OF A. PERS. MINES OR POORLY TRAFFIC

The mines are all A.P. type "3" with trip wire

Tree with white tape

16 yards

Datum Point 142 degrees

Signature P. Ten. J. Pasquale

11. Unit 13 Fld. Coy

Date 6/2/45

Point to first row 16 yd.

Subsequent rows == yd.

one

Serial 3,4,5,6,9,10. MUST be shown on sketch.

REMEMBER


direction of rows must be
the knotted wire method was

On the accuracy of these particulars will depend the
safety and the lives of our men have to lift this mi-
nefield, make a gap, or clear a lane through it.

Declassified E.O. 12356 Section 3.3/NND No. 785020

B Minefield Chart (Must accompany "A")
This sketch must be full and detailed

Most secret



Signature L. Ten. J. Gaspard

Unit 13th Tld Coy



Date

Declassified E.O. 12356 Section 3.3/NND No. 785020

st accompany "A"
st be full and detailed

Most secret

Serial n° C/1
Copy n° 3



Legend

- 1 Landmark: Corner SE by house
- 2 Datum Point: Picket with white tape

Unit 13th Tld Coy

Date 6-2-45

Declassified E.O. 12356 Section 3.3/NND No. 785020

MINEFIELD RECORD

MOST SECRET

LAI D BY 1st Plt 13th Eng Coy Unit Green Div.

Officer i/c laying 2/Lt Pasquale Iacono

Authority for laying 2nd Lt 22nd Infantry

2. DATE OF LAYING 22/4/45 Time 1400-1600 hrs

3. LANDMARK With ref to. Map Sheet No. 89 IV Scale 1 : 25,000

Map Reference 503516

Description S E corner of shed near the house

4. LANDMARK TO DATUM POINT

Distance 27 metres yards. Magnetic bearing 45 degrees.

Description of Datum Point 2nd mail pole of the wire

to the North of the dyke

5. DATUM LINE Length 2 metres yards.

Magnetic bearing from Datum Point 90 degrees.

6. ROWS Distance from Datum Point to first row 2 metres yards.

Distance between subsequent rows yards.

Number of rows 1 (one)

NOTE : Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.

PSS/NA/4/44/6,000 Pairs (50) AFHQ 1800

7. TOTAL NUMBER OF MINES LAID

8. APPROX. DENSITY OF FIELD 1/1

9. GAPS. Width of gap L

Bearing through gap

Distance from Datum Point on a

Location of

(if any)

10. No. AND DETAILS OF A PER MI

The mines are all anti-personnel

"Stunners."

Signature S. TEN PASO

11. Unit 13th Eng Coy

Date Jan 22, 1945

Serials 3, 4, 5, 6, 9, 10. MUST be shown

REMEMBER

On the accuracy of these particulars we
the lives of our men who have to lift the
or clear a lane through

Declassified E.O. 12356 Section 3.3/NND No. 785020

RECORD

MOST SECRET

121
Serial No. 115
Copy No. E/3

Unit Gravon Div.

Reg. 1st to

22nd Infantry

Time 1100-1600 hrs

No. 89 IV Scale 1 : 25,000

and near the house

magnetic bearing 45 degrees.

Ball pole of the wire

length 2 meters yards

point 90 degrees.

to first row 2 meters yards

nt rows 1 yards.

section of rows must be shown in

d was used, see over.

7. TOTAL NUMBER OF MINES LAID 11 (eleven)

8. APPROX. DENSITY OF FIELD 1/15 Mines per yd. of front.

9. GAPS. Width of gap _____ Length of gap _____

Bearing through gap _____ degrees.

Distance from Datum Point on a bearing of _____

Location of _____ spare mines to close gap
(if any) _____

10. No. AND DETAILS OF A. PER MINES OR BOOBY TRAPS.

The mines are all anti-personnel, English, type
"Shrapnel."

Signature S. TEN PASQUALE

11. Unit 13th Inf Coy

Date Jan 22, 1945

Serials 3, 4, 5, 6, 9, 10. MUST be shown on sketch.

REMEMBER

On the accuracy of these particulars will depend the safety and
the lives of our men who have to lift this minefield, make a gap,
or clear a lane through it.

785020

785020

Picket

letter

Linn Point

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

No. 785020

~~SECRET~~

PLAN OF MINEFIELD (Must be attached to "A").

B SOTTIVA DEL CAMPO MINATO (Deve essere unito ad "A")

(Serie Nr.


(Copy to Mr.

This diagram to be complete and in detail.

- LEGGENDA- LEGEND

- (1) Albero con fascetta bianca (Tree with small white band)
- (2) Picchetto con fascetta bianca (Picket with small white band)
- (3) Striscia di nastro bianco (Strip of white tape)
- (4) Picchetto del reticolato (Grid picket)
- (5) Spigolo della tettoia (Roof ridge)
- (6) Secondo paletto a N. del fosso. (Second, small pole to North of

(Corner of shed)



Scale: 1:100

Signature - P. Ten. Pargual

Unit - Unità **GRUPPO DI COMBATTIMENTO "CREMONA"** *Info*
COMANDO 13° CORP GENIO ARTIG.

COMANDO 13' COLP' GENIO APTADO

Declassified E.O. 12356 Section 3.3/NND No. 785020

SECRET.
SEGRETO

(Must be attached to "A").


(ove essere unito ad "A")

completo e dattilato
complete and in detail.

(Serie Nr. 121)


(Copia Nr. 115)

E/3



North (North)

Sheet 89 IV S.E.
foglio 89 IV S.Est
S. ALBERTO



Scala 1:1000
Scale:- 1:1000.

Unit - Unita

GRUPPO DI COMBATTIMENTO "CREMONA"

COMANDO 13° COMP GENIO ARTIGIANI

Date - Data 22-1-1945

Declassified E.O. 12356 Section 3.3/NND No. 785020

A

MINEFIELD RECORD

MOST SECRET

- LAI D BY 1st. Plat. 13th Fd. Coy Unit Grenada Div.
1. Officer i/c laying Sgt. P. B. B. L. Donato
Authority for laying 2020n/220 Inf. Regt.
2. DATE OF LAYING 23 Jan/1945 Time 1015 hrs.
3. LANDMARK With ref. to Map Sheet No. 83/IV Scale 1: 25000
Map Reference 503914
Description North East corner of a rick of Straw
behind the house.
4. LANDMARK TO DATUM POINT
Distance 11 yards. Magnetic bearing 315 degrees.
Description of Datum Point A tree at North of barbed wire
fence near the rick of straw
5. DATUM LINE Length 11 yards.
Magnetic bearing from Datum Point 315 degrees
6. ROWS Distance from Datum Point to first row 10 yards.
Distance between subsequent rows 1/2 yards.
Number of rows one
- NOTE: Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.
7. TOTAL NUMBER OF MINES
8. APPROX. DENSITY OF FIELD
9. GAPS. Width of gap
Bearing through gap
Distance from Datum
Location of
(if any)
10. No. AND DETAILS OF MINES
The mines are all
- Signature P. B. B. L. Donato
11. Unit 13th Fd. Eng. Coy
Date 23/1/1945
- Serials 3, 4, 5, 6, 9, 10. MUS
REMEMBER
On the accuracy of these particulars
the lives of our men who have
or clear a

Declassified E.O. 12356 Section 3.3/NND No. 785020

CORD

MOST SECRET

Serial No. 119

Copy No. _____

Coy Unit Cremona Div.

7. TOTAL NUMBER OF MINES LAID eight (8) A.P. type "S"

Donato

8. APPROX. DENSITY OF FIELD 1/15 Mines per yd. of front.

2nd Inf. Regt.

1945 Time 1015 hrs.

9. GAPS. Width of gap _____ Length of gap _____

No. 89/IV Scale 1:25000

Bearing through gap _____ degrees.

corner of a rick of straw

Distance from Datum Point on a bearing of _____

Location of _____ spare mines to close gap
(if any) _____

10. No. AND DETAILS OF A.PERS MINES OR BOOBY TRAPS

magnetic bearing 315 degrees.

The mines are all A.P. type "S".

A tree at North of barbed wire

of straw

Signature Gen. Boudo Piquet

Length 11 yards.

11. Unit 13th Fd. Eng. Coy

Point 315 degrees

Date 23/1/1945

Point to first row 10 yards.

Serials 3, 4, 5, 6, 9, 10. MUST be shown on sketch.

sequent rows 1/2 yards.

REMEMBER

direction of rows must be shown

method was used, see over.

On the accuracy of these particulars will depend the safety and
the lives of our men who have to lift this minefield, make a gap,
or clear a lane through it.

785020

Picket

[illegible]

Datum Point

Distance between Datum Point and first row of mines

Declassified E.O. 12356 Section 3.3/NND No. 785020

MINESWEEP RECORD

Picket

Spacing of Mines

Distance
between wire

No. of
mines in row


Distance between Datum Point and first row of mines

No. 785020

MINEFIELD CHART. (Must accompany "A")

This sketch must be full and detailed.

Trees with tracing tape



Unit 13: Eng. Coy.

PSS/NA/11/43/1

Declassified E.O. 12356 Section 3.3/NND No. 785020


ART. (Must accompany "A")

MOST SECRET

This sketch must be full and detailed.

Serial No. 119
Copy No. _____

Scale _____



Unit 13" Eng. Coy.

Date 23-1-65

Declassified E.O. 12356 Section 3.3/NND No. 785020

A

MINEFIELD RECORD

MOST SECRET

LAI BY 1st Platoon, 13th Ingr Coy Unit Ozama Div.

1. Officer i/c laying 2/Lt Pasquale Donato

Authority for laying 2nd Bn 22nd Inf

2. DATE OF LAYING 21/1/45 Time 1000-1600 hrs

3. LANDMARK With ref to. Map Sheet No. 89 IV S E Scale 1 : 25,000

Map Reference 197509

Description SE corner of garage in front of house

4. LANDMARK TO DATUM POINT

Distance 34 metres yards. Magnetic bearing 135 degrees.

Description of Datum Point Small pole West of the gap in the wire

5. DATUM LINE Length 12 metres yards.

Magnetic bearing from Datum Point 135 degrees.

6. ROWS Distance from Datum Point to first row 35 metres yards.

Distance between subsequent rows " yards.

Number of rows One

NOTE : Subsequent changes of direction of rows must be shown in sketch. Where knotted wire method was used, see over.

PSS/NA/4/44/5,000 Pads (50) AFHQ 1860

7. TOTAL NUMBER OF MINES LAID

8. APPROX. DENSITY OF FIELD 1

9. GAPS. Width of gap 4 metres

Bearing through gap

Distance from Datum Point on

Location of

(if any)

10. No. AND DETAILS OF A. PER M

The mines are all anti-personnel type "Blowdown."

Signature

11. Unit 13th Ingr Coy

Date Jan 22, 1945

Serials 3, 4, 5, 6, 9, 10. MUST be sh

REMEMBER

On the accuracy of these particulars the lives of our men who have to live or clear a lane th

Declassified E.O. 12356 Section 3.3/NND No. 785020

D RECORD

MOST SECRET

Serial No. 114

Copy No. E/3

Eng Coy Unit Company Div.

Panquele Dorato

In 22nd In

Time 1000-1600 1228

Sheet No. 89 IV B E Scale 1 : 25,000

of garage in front of house

INT

Magnetic bearing 135 degrees.

Small pole West of the gap

Length 12 metres yards.

Point 135 degrees.

Point to first row 35 metres yards.

Subsequent rows - yards.

One

direction of rows must be shown in
method was used, see over.

7. TOTAL NUMBER OF MINES LAID 20 (twenty)

8. APPROX. DENSITY OF FIELD 1/15 Mines per yd. of front.

9. GAPS. Width of gap 4 metres Length of gap 2 metres
Bearing through gap SE degrees.

Distance from Datum Point on a bearing of _____

Location of _____ spare mines to close gap
(if any) _____

10. No. AND DETAILS OF A. PER MINES OR BOOBY TRAPS.

The mines are all anti-personnel, English,
type "Chargol."

Signature _____

11. Unit 13th Engr Coy

Date Jan 22, 1945

Serials 3, 4, 5, 6, 9, 10. MUST be shown on sketch.

REMEMBER

On the accuracy of these particulars will depend the safety and
the lives of our men who have to lift this minefield, make a gap,
or clear a lane through it.

785020

Picket

[illegible]

Distance between Datum Point and first row of mines

785020

Picket

[illegible]Datum Point Distance between Datum Point and first row of mines

1914

Unità GRUPPO DI COMBATTIMENTO "CRISTINA" Data 22. 11. 71
 { Unit. Comando 13^a Comp. Genio Artieri Date -



Declassified E.O. 12356 Section 3.3/NND No. 785020

SECRET.
SEGRETO

MINIFIELD. Must be attached to "A".
CAMPO MINATO (Leve essere unito ad "A")
Disegno deve essere completo e dettagliato.
must be complete and in detail.

(Serie Nr. 114)
(Copia Nr. 10/2 E/3)

Scala _____



- LEGGENDA- LEGEND
- (1) Spigolo della rimessa (Corner of garage).
 - (2) Paletto ovest nel varco del reticolato (Small pole west of gap in wire).
 - (3) Picchetto con nastro bianco e 1° picchetto (Picket with white tape and 1st picket).
 - (4) Striscia di nastro bianco e delimitazione del varco. (Strip of white tape and boundary of gap).

GRUPPO DI COMBATTIMENTO "COLONNA". Data 21. 1. 45
Comando 13° Comp. Genio Artieri Date -

11913