

ACC

10000 | 120 | 3807

020

10000/120/3807

ORD/12/A

Industrial Handed

5730
5857

Oct. 1944 - Nov. 1945

Subject: Industrial Gases.

52 British Liaison Unit.
C.M.F.
ORD/12(58)
November 1945.

D.D.O.S.
H.Q. 2 District,
C.M.F.

Reference your ORD/1030 dated 18th. July '45.

1. Estimated requirements of Oxygen and Acetylene Gases for the month of December 1945, are as stated below:-

Oxygen..... 10,000 cubic feet.

Acetylene..... 5,000 cubic feet.

5851

Capt.
(W.P.J. Smith.)
Ordnance Officer 52 B.L.U.

Subject: Industrial Gases.

52 British Liaison Unit.

C.M.F.

ORD/12(57)

10 October 1945.

O.O.

Parco Mobile,

'Legnano'.

1. D.O.S. Circ. No. 157 dated 15th. Oct. '44 has been cancelled.

2. Accordingly, it is no longer necessary for you to render the "Weekly Situation of Industrial Gas Cylinders."

5850


S/Cdr.
(W. Lyon.)
for O.O. 52 B.L.U.

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F. (56)
ORD/12 October 1945.

~~DISPATCHED BY C.M.F. DISTRICT~~
A.D.O.S. , D.D.O.S., L of C., C.M.F.
D.D.O.S. District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	ACETYLENE	OXYGEN
Total authorised float (full plus empty cylinders held and in transit)	26	45
Full cylinders held	4	20
Refills received during week	6	7
Refills issued during week - Bulk	NIL	NIL
" " " " - Detail		12

584911


XXXXXXXXXXXX
(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.
XXXXX/car.
(E. Lyon.)

GRUPPO DI COMBATTIMENTO "Legnano"
- Parco Mobile "A.G.A." -
COMANDO

Prot. n° 4884/p.

Bergamo, P.M. 155 = 5/10/45.-

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -


A.D.O.S.

= P.M. 155 =

OGGETTO: Situazione settimanale Bombole Gas Industriale - alla data del 5/10/1945.-

5848

Quantità autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana.		Bombole piene distribuite durante la settimana ai Reparti.-	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
46	26	20	4	7	6	12	11	Mech Eng W/S 5 250TR. 3 3° Gr. PA. Genio 4	Mech Eng W/S 7 250TR. 2 3° Gr. PA. Genio 2



IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
- Cap. Walter U. Bedon-

Cap. Bedon

Subject: Industrial Gases.

52 British Liaison Unit.
C.M.F.
ORD/12(53)
/ October 1945.

D.D.O.S.
H.Q. 2 District,
C.M.F.

Reference your ORD/1030 dated 18th. July 1945.

1. Estimated requirements of Oxygen and Acetylene Gases for the month of November 1945, are as stated below:-

Oxygen..... 10,000 cubic feet.

Acetylene..... 5,000 cubic feet.


S/Cdr.
(W. Lyon.)
for O.O. 52 BLU.

■ 5847

5846

(51)

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco mobile "A.G.A."-
COMANDO

Prot. n° 4811/P.

Bergamo, P.M. 155 = 28/9/1945.-

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di commissariato -

D.A.D.O.S.

= P.M. 155 =

OGGETTO: Situazione settimanale Bombe Gas Industriale - alla data del 30/9/1945.-

Quantità autorizzata		Bombe piene esistenti		Bombe piene ricevute durante la settimana		Bombe piene distribuite durante la settimana		Bombe piene distribuite durante la settimana ai Reparti.-	
Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossigeno	Acetilene
46	26	25	9	7	6	8	7	Mech Eng W/S 3	Mech Eng W/S 3
								1°LAD -1	1°LAD 1
								6°LAD 3	5°LAD 1
								5°LAD -2	6°LAD 2
5845									



IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
-Cap. Walter U. Bedon-

[Handwritten signature]

[Handwritten signature]

GRUPPO DI COMBATTIMENTO "Legnano"
- Parco Mobile "I.G.A." Comando -
-----000-----

Prot. n° 4731/P.

P .M. 155 = 22/9/1945. =

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -

D.A.D.O.S.

= D.M. 155 =

OGGETTO: Situazione settimanale Bombole Gas Industriale - alla data del 22/9/1945. =

Quantità Autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti	
Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossi- geno	Aceti- lene	Ossigeno	Acetilene
46	26	26	10	10	7	9	8	Mech Eng W/S 6	Mech Eng W/S 6
								1° LAD 1	1° LAD 1
								3° LAD 1	2° LAD 1
								2° LAD 1	



IL COMANDANTE
DEL PARCO MOBILE "I.G.A."
- Cap. Walter U. Bedon -

5844

Bedon

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

ORD/12 (49)

22 Sept. 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	10	26
Refills received during week	7	10
Refills issued during week - Bulk	NIL	XX
" " " - Detail	8	9


(W.P.J. SMITH) Capt.
for D.A.D.O.S. 52 B.L.U.

5843

Subject :- Distilled Water.

S/Capt. R.E.M.E. 52 B.L.U.

Copy to:- C.M.E. H.Q. "Legnano"

52 British Liaison Unit,
C.M.F.

ORD/12 (48)

19 September 1945

Reference S/Capt R.E.M.E. letter
EME/15/23 dated 18 Sept., and C.M.E. H.Q. "Legnano" letter 07/3564
dated 9th Sept.

1/. Distilled water in any quantity
desired is available from A.D.O.S. 59 Area, I have instructed both
O.F.P. and W/Shops Stores Section to submit indents forthwith to
this office.

 5842
(W. LYON) S/Cdr R.A.O.C.
for Ordnance Officer 52 B.L.U.

Subject:- Accumulator Maintenance.

DADOS 52 BLU

Copy to:- CME HQ Legnano

SC REME

52 British Liaison Unit

CME

Ref No:- EME/15/23

Date:- 18 Sep 45

1. We enclose copy of CME letter ref 07/3564 dated 9 Sep 45.
2. I am in entire agreement with the contents of this letter and if we are unable to obtain distilled water from Ord sources or by local purchase a distilling plant should be obtained for the OFP.
3. Surely Distilled water is obtainable through local purchase.

P. Nelson

SC REME

5841

GRUPPO DI COMBATTIMENTO "Legnano"
-Perso Mobile "A.G.A."Comando-

-----203-----

Prot. no 4631/Coma.

P.M. 195 - 15/9/1945.-

AL GRANDE GRUPPO DI COMBATTIMENTO "Legnano"
- ufficio di Comando -

- P.M. 195 -

OCCORRENZA: cambio bombola ossigeno - Acetilene -

pregasi autorizzare il cambio - presso il camp 597
Aerea Milano-della sottostazione bombola vuota con altrettante
piene:

- bombola ossigeno.....n° 22.-
- bombola acetilene.....n° 14.-

■ 5840

IL COMANDANTE
DEL PERSO MOBILE "A.G.A."
-Cap. M. "A.G.A."

Cap. Lepetit



Lepetit

GRUPPO DI COMBATTIMENTO "Legnano"
- Parco Mobile "A.S.I." Comando -

---pop-000---

Prot. n° 4627/P.

P.M. 155 = 15/9/1945.

AL QUANTO GRUPPO DI COMBATTIMENTO "Legnano"

- Ufficio di Commissariato -

D.A.D.O.S.

= P.M. 155 =

OGGETTO: situazione settimanale bombole Gas Industriale - alla data del 15/9/45.

Quantità autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti.	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
46	26	24	10	00	00	9	5	1 ^a LAB 1	1 ^a LAB 1
								2 ^a LAB 1	2 ^a LAB 1
								3 ^a LAB 1	3 ^a LAB 1
								4 ^a LAB 1	4 ^a LAB 1
								5 ^a LAB 1	5 ^a LAB 1
								6 ^a LAB 1	6 ^a LAB 1
								7 ^a LAB 1	7 ^a LAB 1
								8 ^a LAB 1	8 ^a LAB 1
								9 ^a LAB 1	9 ^a LAB 1
								10 ^a LAB 1	10 ^a LAB 1
								11 ^a LAB 1	11 ^a LAB 1
								12 ^a LAB 1	12 ^a LAB 1

Luposi



IL COMITANTE
DEL PARCO MOBILE "A.S.I." a p.s.

Cap. Flapokan

5839

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

OLD/12 (45)

Sept. 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	10	24
Refills received during week	NIL	NIL
Refills issued during week - Bulk	NIL	NIL
" " " " - Detail	5	9


(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.
O.O.

CHIEF S/Cdr.
(W. Lyon.)

5038

C O P Y
HQ Legnano (MT Office)

Subject:- Accumulator Maintenance.

Ref 07/3564

To SC REME

9 Sep 45. ■ 5837

1. As is known, Accumulator Maintenance is not as high a standard as might be desired.

But even though this be true, it is also true that their maintenance consists for the most part in topping up with distilled water, which evaporates fairly easily.

2. Distilled water for Units should be provided by the OGP. The OGP is not being supplied with distilled water from the normal Ordnance Supply Sources and is not, as might logically be presumed, provided with distillation apparatus with which it might distill water for itself.

It is true that in case of need it can resort to rain water but this temporary recourse is not an entirely satisfactory one.

3. Therefore it appears quite obvious that the OGP should be provided with distillation apparatus of a convenient capacity.

I think especially now that the War is over that the calls upon Allied Units have considerably diminished, that it will not be very difficult to get the apparatus in question released to us.

4. As always, I trust that SC REME will take up this matter with his usual courtesy.

(Sgd) Magg. P. CATALANA
OC MT Office.

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

ORD/12 (44)

9th September 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	19	33
Refills received during week	Nil	Nil
Refills during week - Bulk	Nil	Nil
" " " " - Detail	5	9

[Signature]
 (WIPRXXXSMITH) ~~Major~~ ^{Capt.}
 D.A.D.O.S. 52 B.L.U.

5836

GRUPPO DI COMBATTIMENTO "Legnano"
- parco mobile "A.C.A." comando -

-----000-----

Prot. n° 4557/2.

P.M. 155 = 12, 8/9/1945.

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- ufficio di commissariato -

D.A.D.C.S.

= P.M. 155 =

OGGETTO: situazione settimanale bombole gas industriale - alla data del 8/9/45.

Anzietà autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti.	
Ossige- geno	Aceti- lene	Ossige- no	Acetile- ne	Ossige- no	Aceti- lene	Ossige- no	Aceti- lene	Ossigeno	Acetilene
46	26	33	15	=	=	9	5	6° LAD n°3 Sch Eng W/S n°3	6° LAD n°1 Sch Eng W/S n°2
								1° LAD n°1	3° LAD n°1
								3° LAD n°1	2° LAD n°1
								2° LAD n°1	"Bentova"
								"Bentova"	



IL COMANDANTE
DEL PARCO MOBILE "A.C.A."
- Cap. Walter H. Deich -

Walter H. Deich

5835

a.p.2.

Subject:- Industrial Gases.

D.D.O.S.,
2 District,
C.M.F.

52, British Liaison Unit,
C.M.F.

ORD/12 (43)

1st September 1945.

Reference your ORD/1030 dated 18th July 1945.

1. Estimated requirements of Oxygen and Acetylene Gases for the month of October 1945, are as stated below:-

Oxygen.	10,000 cubic feet
Acetylene	5,000 cubic feet

W.P.J.
Capt.
(W.P.J. SMITH)
for DADOS/52 BLW/

5834

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

ORD/12 (42)

2nd September 1945.

D.O.S., A.P.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	21	41
Refills received during week	24	6
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	5	5

W.P.J.
Capt.
(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

5833

GRUPPO DI COMBATTIMENTO "Loggiano"
-Parco Mobile "A.G.A." Comando-

Prot. n° 4444/P.

P.M. 155 - 31/8/1945.-

AL COMANDO GRUPPO DI COMBATTIMENTO "Loggiano"
- Ufficio di Commissariato-

P.A.D.O.S.

P.M. 255

OGGETTO: Situazione Settimanale Bombole Gas Industriale - alla data del 31/8/1945.-

Quantità autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti.-	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
46	26	41	21	6	24	5	5	Mech Eng n°3	Mech Eng n°4
								2° LAD n°1	2° LAD n°1
								3° LAD n°1	
								Tot. n°5	Tot. n°5



IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
-Cap. Walter U. Redon-

Foru

5832

(41)

Subject: Float of Industrial Gas Cylinders.52 British Liaison Unit,
C.M.F.

ORD/12 (41)

26th August 1945.

D.O.S., A.F.H.Q., C.M.F.


A.D.O.S. (P), D.D.O.S., L of C., C.M.F.

D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	Nil	41
Refills received during week	Nil	31
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	2	2



Capt.

(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

5831

COPIA

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A" Comando-

SITUAZIONE SETTIMANALE BOMBOLE - ALLA DATA DEL 25/8/1945.-

Quantita Autorizzata,=		Bombole piene esistenti,=		Bombole piene ricevute durante la settimana,=		Bombole piene distribuite durante la settimana,=		Bombole piene distribuite durante la settimana ai Reparti,=	
Ossi- geno	Acetile- ne	Ossige- no	Acetile- ne	Ossige- no	Acetile- ne	Ossige- no	Acetile- ne	Ossige- no	Acetile- ne
46	24 (1)	41	=	31	=	2	2	Tech Eng W/S...r ¹²	T-LAD...1 Tech Eng W/S.....1

(1)- di cui 18 non ancora restituite dalla 59^a Aerea - 5^o O.R.D. =
Tutte presso cui sono state trattenuate in attesa di cambio .-

P.M. 155 - 11 25/8/1945.-

IL COMANDANTE
DEL PARCO MOBILE "A.G.A"
F.to-cap. Walter U. Bedon-



5830

Subject:- Industrial Gas Cylinders.

52, British Liaison Unit,
C.M.F.

ORD/12 (40)

26th August 1945.

H.Q.,
No.2 District,
C.M.F.

Ref. your ORD/1030 dated 21 August '45.

1. The number of British pattern cylinders, held in the Gruppo, as at 1800 hours 25 August 1945, is as follows:-

OXYGEN

6

ACETYLENE

6

2. There are 18 acetylene cylinders being held by ADOS.59 AREA, type unknown.


W.P.J. SMITH
Capt.
(W.P.J. SMITH)
for D.A.D.O.S.52 BLU.

Subject:- Industrial Gas Cylinders.

Ufficio Commissariato.
To:- O.F.P. "Legnano"

(39)
52, British Liaison Unit,
C.M.F.
ORD/12 (39)
23rd August 1945.

1. Reference DOS.Circular No.220.
2. Please advise this office the number of British type cylinders held as at 1800 hours 25th August 1945.
3. This will include authorised float and cylinders held by units under G.1098.


Capt.
(W.P.J. SMITH)
D.A.D.O.S. 52 B.L.U.

■ 5827

Subject: Industrial Cases

ADQT 6 (SA) Arm'd Div
 ADOS 59 Area
 ADOS 217 Area
 DADOS 60 Sub Area
 " 214 Sub Area
 " 50 BLU
 " 51 BLU
 " 52 BLU
 " 55 BLU
 " 56 BLU
 OO 7 AGRA

HQ No 2 District CMF

Tel Ext: 115

ORD/1030

21 Aug 45

Reference DOS Circular No 220.

1. In accordance with para 7 of the a/m DOS Circular information is required as to the actual number of British pattern cylinders in circulation within 2 District.
2. Addressees will, therefore, submit a return to this office by 28 Aug 45, stating the number of British pattern cylinders in their possession at 1800 hrs 25 Aug 45.
3. ADOS 59 Area, DADOS 60 Sub Area and OO 7 AGRA will be held responsible for providing the required information in respect of cylinders at the factories at MILAN, GENOA & TURIN, respectively, as at the time stated in para 2 above.
4. It is essential that this instruction be strictly adhered to in order that the greatest possible accuracy may be attained.

/MLS.

Copy to: DOS AFHQ
 DOS 1 District

lt Col,
 (JW CAPT)
 for 5826
 DEB.

through JWC.
 D.F.P.
 to advise
 to advise

to advise
 to advise

to advise
 to advise

Reference DOS Circular No 220.

1. In accordance with para 7 of the a/m DOS Circular information is required as to the actual number of British pattern cylinders in circulation within 2 District.
2. Addressees will, therefore, submit a return to this office by 28 Aug 45, stating the number of British pattern cylinders in their possession at 1800 hrs 25 Aug 45.
3. ADCS 59 Area, DDOS 60 Sub Area and OO 7 AGRA will be held responsible for providing the required information in respect of cylinders at the Factories at MILAN, GENOA & TURIN, respectively, as at the time stated in para 2 above.
4. It is essential that this instruction be strictly adhered to in order that the greatest possible accuracy may be attained.

/MLS.

Copy to: DOS AFHQ
DDOS 1 District

gi tan
Lt Col,
(JW CL 177)
for 5826
DDOS.

C.

through J.P. to advise to of British field

(37)

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

ORD/12 (37)

12 August 1949.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 10.00 hours

	ACETYLENE	OXYGEN
Total authorised float (full plus empty cylinders held and in transit)	26	46
Full cylinders held	2	12
Refills received during week	Nil	Nil
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	4	2

(W.P.J. SMITH) *W.P.J.*
for D.A.D.O.S. 52 B.L.U. *04325*

One cylinder previously returned as an acetylene has now been identified as an oxygen cylinder, the relevant quantities shown in 'total authorised float held and in transit' have accordingly been altered since last return.

GRUPPO DI COMBATTIMENTO "Legnano"
- Parco Mobile "A.C.A." Comando -

Prot. n° 4289/P.

P.M.155 = 18/7/1945.=

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -

- D.A.D.O.S. -

P.M.155

OGGETTO: Situazione settimanale Bombole Gas Industriale.=
----- - alla data del 18/8/1945 -

Si trasmette, in allegato, la situazione set-
timanale - Bombole Gas Industriale - alla data del 18/
8/1945.=

IL COMANDANTE
DEL PARCO MOBILE "A.C.A."
- Cap. Walter U. Bedon -



[Handwritten signature]
5824

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.I." Comando-

SITUAZIONE SETTIMANALE BOMBOLE = ALLA DATA DEL 18/8/1945.=

Quantità autorizzata.=		Bombole piene esistenti.=		Bombole piene ricevute durante la settimana.=		Bombole piene distribuite durante la settimana.=		Bombole piene distribuite durante la settimana ai Reparti.=	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
45 + 1 46	(1) 27 - 1 26 - 2 24	12	2	-	-	2	4	Mech Eng W/S...n°2	5 ¹ AD...1 Mech Eng W/S...n°3

- (1) Avuta dal 4 O.M.D. per errore in costituzione di 1^a di acetilene.=
(2) Distribuite al W/S Ploton come prima dotazione (autorizzazione DADOS).=

P.M.155 = 18/8/1945.=



IL COMANDANTE
DEL PARCO MOBILE "A.G.I."
-Cap. Walter U. Pedon-

WU

5823

Subject:- Repairable Cylinders.
(INDUSTRIAL GASES)

UFFICIO COMMISSARIATO.

52, British Liaison Unit,
C.M.F.
ORD/12 (36)
18th August 1945.

1. Repairs to cylinders will, as far as possible, be carried out by the civilian contractor. Should the contractor require spares, i.e. Valves, Adaptors, etc. these may be obtained ex BOD or AOD and the cost adjusted accordingly. The object should be to create facilities to cover all local repairs without recourse to outside sources.

2. To assist Troopers to cover other Overseas commitments it is proposed that where possible all cylinders of British pattern will be withdrawn from circulation and be exchanged for those of Italian or German pattern. This should create no hardship to users in this Theatre, as local plants can refill this type of cylinder without difficulty. DDOS Army and Districts will give instructions accordingly and advise DOS AFHQ the quantity which requires exchanging.

W.P.J. *rk*
Capt.

(W.P.J. SMITH)
for D.A.D.O.3.52 BLU.

■ 5822

ARMY FORM C 2136 (Large)

MESSAGE FORM

Register No. 264

Priority

Srl. No.

548

Transmission Instructions

QVR5.

ad/r.

ABOVE THIS LINE FOR SIGNALS USE ONLY

FROM (A)


DISTWO

Originator

Date-Time of Origin

16/6/258.

ADJUT. GSA ARMY DIV - DADOS 51 BLU-
 00 66 AREA - DADOS 59 AREA - DADOS 52 BLU-
 TO 00 YAGRA - DADOS 60 SUB AREA - DADOS 56 BLU-)



(W) For Information (INFO)

Message Instructions

GR

98X

29.

Originator's No.

05/147 O Rejected O For your information

TERNI GDC ceased to exist as an

installation as from 14 aug. O No.

further backloading of cylinders after

that date will be made

5821

Originator's No.

05/147 O Restricted O For your information
TERNI GDC ceased to exist as an
installation as from 14 aug. O No
further backloading of intercepts after
that date will be made

5821

No action.

17/8/45
Ben [Signature]

This message may be sent
AS WRITTEN by any means
except } WIRELESS

If liable to be intercepted or to fall
into enemy hands this message must
be sent IN CIPHER.

Originator's Instructions
Degree of Priority.

Time THI or TOR	System	Op
0083	F.	K.B.
Time cleared		

Signed

Signed

17 AUG 1945

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F. 34
ORD/12(53)
12 August 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of G., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders
as at 18.00 hours

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	27	45
Full cylinders held	6	14
Refills received during week	Nil	Nil
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	7	4

W.P.J. Smith
(W.P.J. SMITH) Capt.
for D.A.D.O.S. 52 B.L.U.

5820

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A." Comando-

=====

Prot. n° 4242/P.

P.M.155 = 11/8/1945.=

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -

P.A.D.O.S.

P.M.155

Oggetto: Situazione settimanale Bombole Gas Industriale.=
- alla data del 11/8/1945 -

Si trasmette, in allegato, la situazione settimanale Bombole
Gas Industriale - alla data dell'11/8/1945.=

IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
-Cap. Walter H. Redon-



5819

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A. Comando-

RECEIVED

SITUAZIONE SETTIMANALE BOMBELE - ALLA DATA DELL'11/8/1945

Quantità autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
46	24	14	6	-	-	4	7	13 LAD Mech Eng W/S	113 LAD Mech Eng 3 W/S W/S Flo- ton
									1 4 2

= P.M. 155 = 11/8/1945. =



IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
-Cap. Walter U. Bedon-

5818

Subject: Distilled Water.

(32)
52 British Liaison Unit,
C.M.F.
ORD/12(32)
8 August 1945.

S.O., R.E.M.E.,
52 B.L.U.

31
Reference your EME/9A/69 dated 6 August '45.

1. A 33-1/3% increase has been effected in production of Distilled Water within the Gruppo, and this should prove sufficient to meet all requirements.
2. It would be appreciated if you would keep this office informed of the position should production fall below requirements.


Capt.
(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

5817

Subject:- Distilled Water.

DADOS 52 B.L.U.

SC 233

52 British Liaison Unit

CMF

Ref No:- EM/9A/69.

Date:- 6 Aug 45

(3)

1. The acute shortage in Regts of the above is causing considerable difficulties and will eventually lead to an excessive demand for Accumulators and increased V.O.Rs.
2. In order to avoid the above, could steps be taken to ensure that ample supplies of distilled water and Electrolyte are available to Units through the CMF.
3. If Distilled Water is unobtainable through ORD Channels, supplies could easily be obtained by local purchases.
4. Similar arrangements have been made by ME Wasp for Electrolyte and this is now obtained from FABRICA SALI di BARIO, CALOLZIOCORTE (BERGAMO) and it is considered that Distilled Water could also be obtained from here.

ORD/12

P.H. Major

SC 233

5816

Subject: - Distilled Water.

DADOS 52 B.I.U.

SC TMS

52 British Liaison Unit

OM

Ref No: - TMS/2A/69.

Date: - 6 Aug 65

31

1. The acute shortage in Regts of the above is causing considerable difficulties and will eventually lead to an excessive demand for Accumulators and increased V.C.Rs.
2. In order to avoid the above, could steps be taken to ensure that ample supplies of distilled water and Electrolyte are available to Units through the OFF.
3. If Distilled Water is unobtainable through ORD Channels, supplies could easily be obtained by local purchase.
4. Similar arrangements have been made by ME Wisp for Electrolyte and this is now obtained from FABRICA SALI di BARIO, CALCELEICORTE (BERGAMO) and it is considered that Distilled Water could also be obtained from here.

020/12

P.H. MESS 5816

Subject: Float of Industrial Gas Cylinders.

(3)

52 British Liaison Unit,
C.M.F.
ORD/12(30)
5 August 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith Return of Float of Industrial Gas Cylinders as
at 18.00 hours 4 July 1945:-

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	27	45
Full cylinders held	13	18
Refills received during week	Nil	Nil
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	4	9

W.P.J. Smith

(W.P.J. SMITH) Capt.
for D.A.D.O.S. 52 B.L.U.

5815

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.C.A." Comando-
=====

#2.
29

Prot/ 4167/P.
=====

P.M.155 = 4/8/1945.=

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -

- D.A.D.O.S. -

P.M.155
=====

OGGETTO: situazione settimanale Bombe Gas Industriale -
----- alla data del 4/8/1945.=

~~~~~  
Si trasmette, in allegato, la situazione settimanale  
Bombe Gas Industriale - alla data del 4/8/1945.=  
~~~~~



IL COMANDANTE
DEL PARCO MOBILE "A.C.A."
-Cap. Walter U. Bedon-

5814

4 AUG 1945

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A." Comando-

SITUAZIONE SETTIMANALE BOMBOLE = ALLA DATA DEL 4/8/1945.=

Quantità Autorizzata		Bombole piene esistenti		Bombole piene ricevute durante la settimana		Bombole piene distribuite durante la settimana		Bombole piene distribuite durante la settimana ai Reparti	
Ossige- no	Aceti- lene	Ossige- no	Aceti- lene	Ossige- no	Aceti- lene	Ossige- no	Aceti- lene	Ossigeno	Acetilene
45	27	18	13	-	-	9	4	5:LLAD 1:LLAD Mech Eng W/S	2:LLAD 1:Mech Eng W/S 6

= P.M. 155 = 4/8/1945.=



IL COMANDANTE
DEL PARCO MOBILE "A.G.A."
-Cap. Walter U. Bedon-

5813

Subject: Industrial Gases.

52 British Liaison Unit,
C.M.F.
ORD/12(28)
2 August 1945.


D.D.O.S.,
2 District,
C.M.F.

Reference your ORD/1030 dated 18 July 1945.

1. Estimated requirements of Oxygen and Acetylene Gases for the month of September '45, are as stated below:-

Oxygen
Acetylene

10,000 cub. ft.
5,000 cub. ft.



Capt.

(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

5812

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile M.A.G.A. Comando-
-----O-----

ad/12

(27)

Prot. n° 4150/Ord.

P.M.155 - 2/8/1945.-

AL D.A.D.O.S. 52° B.L.U.

P.M.155

OGGETTO: Richiesta Ossigeno Acetilene.-
- Mese di Settembre 1945 -

Presumibile fabbisogno di Ossigeno e Acetilene per
il mese di Settembre 1945:

= Ossigeno = bombole.....n° 50
= Acetilene = bombole.....n° 25 =



IL COMANDANTE
DEL PARCO MOBILE "M.A.G.A."
-Cap. Walter U. Sedon-

J. M. U.

5811

Subject:- Float of Industrial Gas Cylinders.

52 B.L.U.,
C.M.F.
ORD/12(26).
29 July 1945.

D.O.S., A.F.H.Q., C.M.F.
A.D.O.S. (P), D.D.O.S., L of C., C.M.F.
D.D.O.S., 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Dec. 1944.

1 Herewith Return of Float of Industrial Gas Cylinders as at
18.00 hours 28 July 1945:-

	<u>ACETYLENE.</u>	<u>OXYGEN.</u>
Total authorised float(full plus empty cylinders held and in transit)	27	45
Full cylinders held	17	27
Refills received during week	Nil	Nil
Refills issued during week - Bulk	Nil	Nil
" " " " - Detail	6	9

5810
Capt.

(W.P.J. Smith.)
for D.A.D.O.S., 52 B.L.U.

GRUPPO DI COMBATTIMENTO "Legnano"
 "Parco Mobile "A.G.A." Comando"

=====

P.M.155 = 28/7/1945.=

Prot. no 4094/P.

Allegati no 1.=

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
 = Ufficio di Commissariato =
 =D.A.D.O.S.=

P.M.155
 =====

=====

OGGETTO: Situazione=settimanale Bombe Gas Industriale = alla data del
 ===== 28/7/1945.=

Si trasmette, in allegato, la Situazione "settimanale
 Bombe Gas Industriale = alla data del 28/7/1945.=

P. IL COMANDANTE
 DEL PARCO MOBILE "A.G.A." a.p.l.
 =Cap. Walter U. Bedon=



5809

GRUPPO DI COMBATTIMENTO "Legnano"
 "Parco Mobile "A.G.A." Comando"
 =====

SITUAZIONE SETTIMANALE BOMBOLE = ALLA DATA DEL 28/7/1945
 =====

Quantità Autorizzata ****		Bombole piene esistenti ***		Bombole piene ricevute durante la Settimana ***		Bombole piene distribuite durante la Settimana ***		Bombole piene distribuite durante la Settimana ai Reparti ***	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
ne	ne	ne	ne	ne	ne	ne	ne	ne	ne
45	27	27	17	=	=	9	6	3LAD Mech Eng W/S 2LAD	13LAD Mech Eng W/S 12LAD
									1 4 1

P/M. 155 = 28/7/1945.
 =====



IL COMANDANTE
 DEL PARCO MOBILE "A.G.A." a.p.l.
 "Cap. Walter U. Pedon"

Walter U. Pedon

SEE ORD/12

5808

Subject: Float of Industrial Gas Cylinders.

(26)

52 British Liaison Unit,
C.M.F.

ORD/12(26)

23 July 1945.

D.O.S., A.F.H.Q., C.M.F.

A.D.O.S. (P), D.D.O.S. L off C., C.M.F.

D.D.O.S. 2 District, C.M.F.

Reference D.O.S. Circular No. 157 dated 15 Oct. '44.

1. Herewith return of float of Industrial Gas Cylinders as
at 18.00 hours 21 July 1945:-

	<u>ACETYLENE</u>	<u>OXYGEN</u>
Total authorised float (full plus empty cylinders held and in transit)	27	45
Full cylinders held	23	36
Refills received during week	15	24
Refills issued during week - bulk	NIL	NIL
" " " " - detail	3	9

Refills received from A.D.O.S. Dump, 59 Area.

(W.P.J. SMITH)

for D.A.D.O.S. 52 B.L.U.

Capt.

5807

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A" Comando-
-----00-----

9085

Prot. n° 4044/Ord.

P.M. 155 - 22/7/1945

AL COMANDO GRUPPO DI COMBATTIMENTO "Legnano"
- Ufficio di Commissariato -
(D.A.D.O.S.)

P.M.155

OGGETTO: Situazione Bombole gas.-

A seguito richiesta telefonica odierna,
si trasmette la situazione di cui all'oggetto, alla
data del 22/7/1945.~

IL COMANDANTE
DEL PARCO MOBILE "A.G.A"
-Cap. Walter U. Bedon-



Cap. Bedon

Cap. Smith

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A" Comando-

---00---

SPECCHIO - SITUAZIONE				BOMBOLE		SETTIMANALE		ALLA DATA DEL	
Quantità Autoriz- zata.-		Bombole piene esisten- ti.-		Bombole piene ricevu- te durante la setti- mana.-		Bombole, piene distribu- te durante la settimana			
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene		
45	27	36	23	24	15	9	3		

- P.M. 155 - 22/7/1945.-

IL COME
DEL PARCO MO
-Cap. Walter

Capo

GRUPPO DI COMBATTIMENTO "Legnano"
-Parco Mobile "A.G.A" Comando-

---00---

100800

ECCHIO - SITUAZIONE BOMBOLE SETTIMANALE ALLA DATA DEL 22/7/945

le piene esistenti		Bombole piene ricevute durante la settimana.		Bombole, piene distribuite durante la settimana.		Bombole piene distribuite durante la settimana ai Reparti.	
Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene	Ossigeno	Acetilene
23		24	15	9	3	Mech. Eng. W/S 7 6 Lad 2	Mech. Eng. W/S 2 6 Lad 1

IL COMANDANTE
DEL PARCO MOBILE "A.G.A"
-Cap. Walter U. Bedon-

Cap. Flapeta

Subject: Oxygen & Acetylene.

52 British Liaison Unit,
C.M.F.

ORD/12(24)

20 July 1945.

Ufficio Commissariato.

1. Herewith copy of A.D.O.S. 59 Area letter, reference ORD/1404/6 dated 17 July 45, for onward transmission to O.F.P. "Legnano".


(W.F.J. SMITH)

Capt.

for D.A.D. O.S. 52 B.L.U.

5804

Subject: Industrial Gases.

52 British Liaison Unit,
C.M.F.

ORD/12(23)

20 July 1945.

A.D.O.S.,
59 Area,
C.M.F.

Reference your ORD/1404/6 dated 17 July 1945.

1. Exchange of Industrial Gas Cylinders is carried out on behalf of DADOS 52 B.L.U. by Parco Mobile only, an integral part of the DADOS installation within this formation.
2. Individual units draw from Parco Mobile. To avoid confusion, indents on you from Parco Mobile will always be headed address for stores, DADOS 52 B.L.U. Any correspondence arising should be addressed to this office in the usual manner.

(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

Capt.

5803

Subject: Industrial Section

ADMS 25 Area
ADMS 6 (SA) Area Div
ADMS 60 Sub Area
ADMS 215 Sub Area
ADMS 51 Area
ADMS 52 Area
ADMS 152 Sub Area

Hq Co 2 District Ave

Tel Art: 113

Date: 10/30

18 Jul 45

1. Supplies of oxygen and acetylene for the month of August and subsequent months will be drawn from the following plants by formations and areas

Area	Sub Area	Sub Area
50 Area	6 (SA) Area Div	60 Sub Area
215 Sub Area	151 Sub Area	
52 Area	51 Area	

2. Attached at Appendix 'A' is a list showing estimated requirements after including estimates received from "Transportation and Works". Will 1st, 2nd and last addresses please confirm that the plant output will be sufficient to cover these requirements. It is understood that contractors have been or are in the process of being made with local contractors for the supply of oxygen and acetylene.

3. In order to ensure continuity of supply ADMS have agreed to supply a quantity of raw materials which it is proposed to hold in 5 (SA) Area at my disposal. Issues will only be made on the authority of ADMS 2 District and application for release should be made to this office by Area or Sub Area concerned. Where it is necessary to draw raw materials from AD sources it must be made perfectly clear to contractors that they must only be used for the production of gas for the British Army. Regard is in short supply and every economy must be exercised in its use, eg, the requirements after use by drying in the sub.

4. Each addressee will notify this office by the 5th of each month, their requirements of oxygen and acetylene for the month following. These will include estimates for "works", but not "Transportation" from when a separate estimate is received.

5. All previous instructions are cancelled.

77

30 Area

6 (34) Area

103 Sub Area

51 HLE

30 Area

215 Sub Area

52 HLE

2. Attached at Appendix 'A' is a list showing estimated requirements of raw materials received from "Transportation" and "Stores". All list, and last addresses please confirm that this plant output will be sufficient to cover these requirements. It is understood that contracts have been or are in the process of being made with local contractors for the supply of oxygen and acetylene.

3. In order to ensure continuity of supply and have agreed to supply a quantity of raw materials which it is proposed to hold in 3 (34) Area at my disposal. Issues will only be made on the authority of HKS & Material and application for release should be made to this office by Area or Sub Area concerned. There is no necessary connection between the two. It must be made perfectly clear to all raw materials that they must only be used for the production of gas for the British Army. Regarded in its short supply and every economy must be exercised in its use, eg, the requirements after use by drying in the sun.

4. Each addressee will notify this office by the 5th of each month, their requirements of oxygen and acetylene for the month following. These will include estimates for "Stores", but not "Transportation" from whom a separate estimate is received.

5. All previous instructions are cancelled.

W. Selby
Major,
for Col, D.C.

/M.A.

Copy to: 30 Area - To note para 3. Please notify this office on Saturday of each week giving stocks of raw materials, giving receipts and issues during week.

(22a)

Appendix 'A' to ORD/1030
dated 18 Jul 45.

ESTIMATED REQUIREMENTS OF OXYGEN AND ACETYLENE FOR
AREAS AND SUB AREAS IN 2 DISTRICT (INCLUSIVE OF
ESTIMATES FROM "WORKS" AND "TRANSPORTATION") FOR
MONTH OF AUGUST 1945

<u>Source of Supply</u>	<u>Oxygen</u> <u>Cu Ft</u>	<u>Acetylene</u> <u>Cu Ft</u>
MILAN	141,500	71,330
TURIN	127,160	63,450
GENOA	163,500	53,000

5801

Subject:-- Industrial Gases.

D.A.D.O.S.
52 British Liaison Unit,
C. M. F.

59 Area.
Tel Ext 12550.
ORD/1404/6.

17 Jul 45

Reference your ORD/12 dated 14 Jul 45.

There appears to be a misunderstanding with reference D.A.D.O.S. conversation with Capt. Bradley.

1. D.A.D.O.S. can exchange cylinders direct with my A.D.O.S. Dump without prior reference to this office, but individual units under administration 52 B.L.U. must draw from D.A.D.O.S. 52 B.L.U.

2. This is necessary for the correctness of returns etc.

Refreeds
Lieut. Col.
A.D.O.S.

Exchange of indust gas cylinders is carried out by Parc Mobiler essential part of the DADOS install. within this firm. Individual units draws from Parc Mobiler. To avoid confusion from lat. 1 indents on form will always be headed DADOS 52 B.L.U.

20 JUL 1945

5800

(20)

Subject:- Oxygen & Acetylene.

md/12

59 Area.
Tel Ext 12550.
OED/1204/6.

17 Jul 45.

245 59 Area.
51 B.L.U.
52 B.L.U.

The policy laid down for the issue and receipt of Oxygen and Acetylene is as follows:-

- (1) A.D.O.S. 59 Area will draw the necessary gases from the contractor.
- (2) Units and formations supplied by A.D.O.S. 59 Area will draw from his Dump. Under no circumstances will individual units draw from the contractor.
- (3) The system has been in the past, to exchange bottles at the factory. In future, the policy will be to have bottles refilled.
- (4) D.D.O.S. 2 District has been asked to augment this Directorate's fleet of cylinders to enable me to carry out the policy in para three.
- (5) Addressees will, in future, inform this office 48 hours in advance of their intended exchange, and the amount involved, so that stocks can be prepared or provision action taken. Any discrepancies should be reported direct to this office.


Ident. Col.
A.D.O.S.

Copy to: A.D.O.S. Dump.

Copy to Commission
for transmission to off.

5799

20 JUL 1945

Subject: Float of Industrial Gas Cylinders.

52 British Liaison Unit,
C.M.F.

ORD/12(19)

20 July 1945.

O.C.,
O.F.P.,
"Leopold"

1. A return is required by D.O.S., A.F.H.Q. of floats of Industrial Gas Cylinders, as at 1800 hrs each Saturday. D.O.S. Circular 157 refers.

2. Will you please forward the following information to reach this office by Sunday of each week:-

Total authorised float (full plus empty cylinders held and in transit)

Full cylinders held

Refills received during week

Refills issued during week - bulk

" " " - detail

ACETYLENE OXYGEN

X	X
X	X
X	X
X	X
X	X

The source of the refills received will be stated.

(W.P.J. SMITH)
for D.A.D. O.S. 53798
Capt. L.U.

Subject: Fleet of Industrial
Cylinders

HQ No 2 District CEF

Tel No: 113

(18)

DADOS 60 Sub Area (Last Return copy of
which received from ADOS 57
Area was for we 16 June).

QED/1024

16 Jul 45

DADOS 215 Sub Area
DADOS 52 ELM

rd/12

Reference DCS Circular No 157 of 15 Oct 44,

para 6.

1. Will you please ensure that copies of weekly
returns relating to fleet of gas cylinders are sent to
this office as well as to DCS AFHQ and ADOS (P).

C.C.
known off
to start this
return
W.H.

[Signature]

/MLC.

16 JUL 1945

Major, DCS.

5797

Subject:- Industrial Gases.

Farco Mobile.

No. 52 British Liaison Unit,
C.F.F.
ORD/12.
14th. July 1945. (17)

1. Oxygen and Acetylene Cylinders may now be exchanged
on a one for one basis at A.D.O.S. Dump, 59 Area, Milan. Map Ref;
K2875.

Copy to:-

Ufficio Commissariato.
A.D.O.S., 59 Area.

Capt.
for P.A.D.O.S., 52 B.L.U.

(Conversation Major Gordon -
Capt. Bradley refers.)

5796

MESSAGE FORM

Register No.

ARMY FORM 2136 (Small)

Form Instructions

Call
52 B LURef. No.
539

Page

ABOVE THIS LINE FOR SIGNALS USE ONLY

FROM

DDOS DIST NO

Date/Time of Origin

131600B

For Action

DDOS 52 B LU

TO

(W) For Information (INFO)

OFFICE DATA STAMP



Message Instructions

CR

27

Originator's No.

05/956 @ Restricted @ Ref my ORD/1024
 of 30 June @ Arrange with ADDS 89 AREA
 to receive oxygen acetylene cylinders
 at SOCITOSLEGNO VIA VC22A P 09110
 14 MILAN

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS EXCEPTIT IS LIABE TO BE INTERCEPTED OR TO
FALL INTO ENEMY HANDS. THIS MES-
SAGE MUST BE SENT IN CIPHERORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Time

System

Cl.

THI or TOR

1025

Time cleared

4

4

5795

RECEIVED

SIGNED

Subject: Industrial Gases.

(15)
52 British Liaison Unit,
C.M.F.
ORD/12
12 July 1945.


D.D.O.S.,
2 District,
C.M.F.

Reference your ORD/1024 dated 10 July 1945.

1. Estimated requirements of Oxygen and Acetylene Gases for the month of August '45, are as stated below:-

Oxygen 8,000 cub. ft.

Acetylene 4,000 cub. ft.


Capt.
(W.P.J. SMITH)
for D.A.D.O.S. 52 B.L.U.

5794

Subject: Industrial Gases

ADPT 6 (BA) And Div
 DADOS 215 Sub Area
 DADOS 60 Sub Area
 OO 151 Sub Area
 DADOS 52 HAU

Reg. 2 District CMT

Tel Ext: 115

ORD/1024

10 July 45

Please furnish to this office at the earliest date possible
 an estimate, in cu ft, of your requirements of Oxygen and Acetylene
 Gases for the month of August 45.

The estimate should include all In, Series, HAU and S & T
 installations which are NOT AFM controlled requirements for such
 Controlled installations to be stated individually.

/MS.

Col, DDCS.

11 JUL 1945

5793

14

SUBJECT: Industrial Gases.-

Ufficio Commissariato.-

"LEGNANO".-

N° 2149 di prot.-

30 June 1945.-

D.A.D.O.S. 52 B.L.U. - C.M.F.-

Ref. your ORD/12 dated 27th June 45.-

1. It is notified that 26 Oxygen cylinders and 18 Acetylene cylinders have been collected at 4 O.B.D. Piacenza by O.F.P. "LEGNANO".-

Maj

Ufficio Commissariato.

5792

5461 700 3 2 JUL 1945

SUBJECT:- Industrial Gas

HQ No 2 Div Lot CMF
Ext 81
ORD/1024.
30 June 45

(12)

ADOS 59 Area

1. Ref my ORD/1024 dated 25 June '45.
2. Lt Collong of AFLRS states that there should be no difficulty in placing a contract with S.I.O. Milan for the supply of oxygen and acetylene gases. The excessive prices already charged are being investigated by AFLRS.
3. The high prices charged by S.I.O. are attributed to the fact that only small quantities of the gases were ordered whereas the lower figures quoted by them were operative for large requirements.
4. Will you please arrange a firm contract with S.I.O. as soon as possible based on your estimated monthly requirement of each gas, taking into consideration the estimates of Transportation and Works.
5. Estimated requirements as under must also be included in your monthly figures :-

	<u>Oxygen</u>	<u>Acetylene</u>
215 Sub Area.....	4,500 cu.ft.	1,500 cu. ft.
52 B.L.U.	3,500 cu.ft.	1,500 cu. ft.

for S. J. Belcher Capt
Col D.D.C.S. ■ 5791

/100

Copy to:- DADOS 215 Sub Area
DADOS 52 B.L.U.

21 JUL 1945

Subject:- Industrial C es.

52 British Liaison unit
C.M.F.
ORD/12
27 June 45.

Ufficio Commissariato.
Copy to:- Parco Mobile.

Further to my ORD/12 of 26 June;


1. The reserve of gas cylinders held by C.F.P. is to be increased by:-

Oxygen 26.

Acetylene 18.

2. These have been released and are available for collection at 4.O.B.D.Piacenza. Authority for collection D.D.O.S. DISTWO.03/837 of 26th June 1945. Please report when collection completed.

3. Address of gas plant in Milan and date when you may commence exchange of cylinders will be notified as soon as notified to this office.


Capt.
(W.P.J. Smith)
for D.A.D.O.S. 52 B.L.U.

■ 5790

ARMY FORM C 2136 (Large)

MESSAGE FORM

Register No.

653

Cell	Vol. No.	Priority	Transmission Instructions
2	260553		QVR1

10

ABOVE THIS LINE FOR SIGNALS USE ONLY.

Office Date Signed

FROM

D.D.Os. D.35 No

For Action

Originator

Date-Time of Origin

25, 1848. B.

10

DA 005 52 B L U

(H) For Information (INFO)

5080 PIACENZA ADDS 57 BRCH

100% RO IMP-5 BRN OC 5' OGD DET

Originator's No.

05/837. Reconstructed, Kpl 1900s. 88 inch 5.00000

5. 8/05/2/21 of 20 @ Arrange take over and removal of gear

Send your fourth address following that of your last one

Oxygen 9th 26 acet. have 9th 180. Report when completed.

Address of gas plant in Milan and date commenced

of cylinder exchange will be notified as soon as

5789

them to do
interesting
address if poss

Drinks: 0 drinks
of! full ex am

10. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$ Pick up

Originator's No.

03/837. Restricted. Ref 8005 BR INCR 5. 15. 2/05/2/21 of 20. 2. Change take over and removal to your dump from fourth addressee following first of gas cylinders. Oxygen gas 26 rectifier gas 18. 2. What was completed. Address of gas plant in Milan and date connection of cylinder exchange will be notified as soon as possible.

5789

Write O.F.P. instructions them to do above (pick up full cylinders if possible) Recommend them to pick up electricity requirements at same time 27/11

This message may be sent AS WRITTEN by any means except

WIRELESS

Signed

If liable to be intercepted or to fall into enemy hands this message must be sent IN CIPHER

Signed

Originator's Instructions Degree of Priority.

Time System Op.

THI or TOR

2135 F.M.D.

Time Cleared

Subject: Industrial Gas Cylinders -
Maintenance.

(9)
52 British Liaison Unit,
C.M.F.
ORD/12
26 June 1945.

Ufficio Commissariato.
Parco Mobile, Gruppo "Legnano".

1. In future, no further gas cylinders will be collected from 4 O.B.D.
2. Location of factory in Milan where these are to be collected will be notified as and when known.

W.P.J. Smith
Capt.
(W.P.J. SMITH)
for D.A.D.O.S. 52 B.U. 5788

SUBJECT: Industrial Gas Cylinders -
Maintenance.

Industrial Gas Cylinders (or Gas or Branch)
near the District Office
C.H.F.

Phone : 100-1000 100

Ref : 54/CA/2/21

Date : 23 June 45

To :- ICS 2 District
ICS 1 District
CC 5 C.D.

100/12

1. The following estimated monthly requirements of gas cylinders are passed for your information :-

Formation	Oxygen	Acetylene	Factory
6 (SA) and 14V	120	60	Nuria
215 Sub Area	26	100	Millon
52 BH (Agguero)	20	10	Millon

2. G.O. 3 (23) will release immediately and forward to the nearest for collection by ICS 2 District, two thirds of the total 521 Army float of oxygen and acetylene cylinders including cylinders now held at the nearest and at Florence factories. Position transferred and date of collection will be notified direct to ICS 2 and 2 Districts, only the 14V and 14V, 3787

3. The above formations should be advised by 2 District addresses of Gas Plants and date cylinder exchange may be commenced.

4. Notifying one third of float will remain in use at 5 BH as at present, but will be administered by 1 District from 25 June for maintenance of following formations :-

50 BH (Agguero)

50 BH (Volgore)

216 Sub Area

100/12

ARMY FORM C2128 (Small)

MESSAGE FORM

Register No.

①

Call

Srl. No.

Priority

Transmission Instructions

ABOVE THIS LINE FOR SIGNALS USE ONLY

FROM
(A)

Originator

Date/Time of Origin

Office Date Stamp

DABOS 52 8 L U

17. 13/15

For Action

ADCS ERIT OVER 5 GARY

TO

(W) For Information (INFO)

Message Instructions

GP

6

Originator's No.

OS/126 ① RESTRICTED YOUR SA/OS/2/21 DATED
12 JUNE REFERS ① ESTIMATES MONTHLY REQUIREMENT
OF INDUSTRIAL GAS CYLINDERS ~~ATTEMPT~~ ① OXYGEN
~~ATTEMPT~~ TWENTY ① ACETYLENE ~~ATTEMPT~~ TEN ①
MILAN MORE CONVENIENT ①

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS EXCEPT

WIRELESS

IF LIABLE TO BE INTERCEPTED OR TO
FALL INTO ENEMY HANDS, THIS MES-
SAGE MUST BE SENT IN CIPHER

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

5786

THI or TOR

System

Of

Time cleared

SIGNED

ADCS 52 8 L U

SIGNED

(6)

SUBJECT: Industrial Gas Cylinders - Maintenance.

British Increment (Ordnance Branch)
HQ Fifth Army, C.M.F.

Phone: LIGHTNING 160

5A/OS/2/21

13 June, 45.

To: ADQT 6 (SA) Armd Div
DADOS 52 B.L.U.
DADOS 215 Sub-Area

1. Future plans necessitate certain changes in present arrangements for maintenance of Industrial Gas Cylinders. To this end, will you submit by return your estimated monthly requirements in cylinders (Oxygen and Acetylene) to this HQ.
2. With the possibility that contracts may be placed with civilian firms to maintain your floats, please say whether MILAN or TURIN is most convenient for you to draw from.
3. Please signal returns earliest.

Field.

W.D. Timmerman
W.D. TIMMERMAN, Capt.,
for Lt-Colonel, A.D.O.S.,
Brit. Incr., FIFTH ARMY.

Copy to: D.O.S., AMHQ.

13 JUN 1945

5785

*for Lyon to ascertain
from W/shops.
Milan most convenient
W/ 16/11*

Subject: Industrial Gases.

52 British Liaison Unit,
C.M.F.

ORD/12

30 May 1945.

O.C.,
No. 4 O.B.D.,
C.M.F.

1. In accordance with ADOS Fifth Army letter Ref. 5A/OS/2/21 dated 19 May 1945. Please exchange 18 Oxygen Cylinders, and 8 Acetylene Cylinders.

Wey Major.
(G.W. GORDON)
D.A.D.O.S. 52 B.L.U.

5784

Subject: Oxygen and Acetylene.

3 District
Ext 61.
OS2/2006/1
1. Dec. 14.

DADOS	50	HLA
"	51	"
"	52	"
"	53	"
"	54	"

1. The following allotments of Oxygen and Acetylene have been made to Italian Combat Groups.

L.A.Ps. (6 per Group.) Number of Cylinders per
Combat Group - 1 Oxy. and 1 Acet. Authy SEL 130/1.

Mechanical Engineer Workshops (1 per Group)
2 Oxy and 2 Acet Cylinders per workshop.
Authy SEL. 129/1.

2. Cylinders will be demanded in the normal manner by DADOS concerned.

UP.
L.A. L.A. L.A.
L.A. L.A. L.A.
L.A. L.A. L.A.

[Signature]
Col
EDOS
(M.E.J. PRUWER)

5783

Subject: Intent for the Crisis Cases.

52 British Liaison Unit,
J.A.P.

ED/13/1.

27th Nov. 1944.

Ufficio Meccaniche,
Gruppo Di Combattimento,
"Azzurro".

1. Returned herewith your intent No. 517/44, approved for issue.
2. This intent should be presented to C. I/c 517 B.C.D. Transit Section, Castellammare.
3. Empty cylinders for the quantity required must accompany the intent, as all issues are on a "one for one" basis.

WHI/MSB.

(C. V. GORDON)

D.A.D.O. 52 B.C.D.

Major.

5782

Subject: Distribution of Industrial Gases.

D.D.O.S.,
3 District,
C.M.F.

52 Brit. Liaison Unit,
C.M.F.
ORD/3/3.
28 Oct. 1944.

Reference your 082/2006/1 dated 21st Oct. 1944.

1. The total entitlement for the Gruppo Di Combattimento, "Legnano" is eight cylinders Acetylene, and nine cylinders Oxygen.
2. No float is held, but one will be necessary when the Gruppo is in a forward area, as per D.O.S. Circular No. 157, para. 2. At present no cylinders are held by entitled units, but indents have been submitted.
3. It is not possible at this stage, to estimate the number of cylinders required as a float to cover average five days exchanges.

JMG/LAB.

(J.E.C. MANSON),
D.A.D.O.S. 52 B.L.U.

5781
Major.

Law Ind. Insurance
RB

SUBJECT:- Distribution of Industrial Gases

3 District
 Ext 114
 OS2/2006/1
 21 Oct 44

ADOS 52 Area	DADOS 50 BLU
" 54 Area	" 51 BLU
" 56 Area	" 52 BLU
DADOS 94 Sub Area	" 53 BLU
" 64 Garrison	
O.O. 67 Garrison	

Copy to:- DADOS 63 Sub Area

1. Reference DOS Circular No. 157.
2. Please report --
 - (a) If a float of gas cylinders is held by you and its size and the Authority therefor.
 - (b) If no float is held, whether you consider one necessary stating your reasons.
 - (c) If a float is held, whether it is adequate.
3. In certain areas, it is known that major users are collecting their gases direct from Gas Distribution Depots. Please give details and comment on the success of arrangement.

tb

cc. What is number of cylinders for the

R. G. B. Gregains
 Lt Col
 ADOS
 for Col DDOS
 (R. G. B. GREGGAINS)

5780

0401