

ACC

10000/143/113

10000/143/113

CIVIL DEFENCE, CALTANISSETTA
SEPT., OCT. 1943

AMGOT/1074/PS 12

CIVIL DEFENCE -

CALTANISSETTA

CIVIL DEFENCE-

CALTANISSETTA

10000 143

113

THIS FOLDER

CONTAINS PAPERS

FROM SEPT 1943

TO OCT 1943

CATALOGUE-

MINUTE SHEET

File No. /PS...
 Sheet No.

Folio No.	Ref.	Date.	To/From.	Subject.
1/2			Report Caltanissetta	
3	1074/PS	7 Sep	SCAO Caltanissetta	Recommendations - Caltanissetta
4/5			Report - Gela	
6	1074/PS	7 Sep	SCAO Caltanissetta	Recommendations - Gela
7		13 Oct		Reports ARP Caltanissetta

2990

130rd
7
Reports A RP Callanissetta

2980

13 October 1963

1155/PS 7

Report on A.R.P.

Commune of Caltanissetta

Province of Caltanissetta

During our inspection tour of the commune of Caltanissetta I conferred with C.A.C. Capt. O'Hara on organizing a Civil Defence System for this commune.

Capt. O'Hara informed me that he would call a meeting of the Mayor, Carabinieri and fire chief for the purpose of organizing such a system.

Comandante Figi, Senior Civilian fire officer accompanied me on this inspection tour.

Frank Bramigan

FRANK BRAMIGAN
Captain, T.C.
Fire and Civil Defence.

10
SUBJECT: Civil Defence Sta.

AMPT/1074/PS

REPT H. Q., Sicily.

7 September 1943.

July 6
#7

TO : S.C.A.O. CALTANISSETTA.

In view of attached report from inspecting officers from this H. Q., it is felt that some simple form of warning might well be improvised such as the use of church bells or whistles.

The pill boxes referred to could be utilised as shelters as far as is possible.

G. Johnson
for Colonel Inf.,
COMMISSIONER OF PUBLIC SAFETY.

Copies to :-

S.C.A.O. GSA.
Civil Defence File.

PA
3984

CIVIL DEFENCE 6214

According to the Marshiella of the Carabinieri there was no system organized at any time. 98 5

However, due to the special target prescribed by the very large Allied Airport surrounding the town believe that some system of Air Raid warning should be organized. There are a few pill boxes that the Italian Army constructed near the Port Area and roads leading into town that could be used as Air Raid Shelters. At least by the people living near them.

The port is not being used except by small fishing craft.

The construction of public shelters would not be warranted as a health hazard would be created due to sanitation facilities. The town is very dirty and filthy due to it being used to house a great number of mules used in the cultivation of near by farms.

to hold it
2: 27 Aug 1943
Hanson Publishing Co 171 NE
4A

PROGRAM FOR CIVIL DEFENSE REPORT BY C.A.P.O.

(To be submitted in duplicate - 1 Copy for S.C.A.O. - 1 Copy for H.Q. WAGOT.)

NAME OF COMPANY S.S.A. PROVINCE La. Province

ARE THE FOLLOWING C.D. SERVICES FUNCTIONING & TO WHAT EXTENT?

- 1) CONTROL
- 2) WARDENS
- NUMBER OF WARDENS POSIS & FREQUENCY
- 3) RESCUE (With description of Service & Numbers:)
- 4) PUBLIC SHELTERS (Numbers and Capacity) N.A.S.
- 5) SANITATION IN PUBLIC SHELTERS
- 6) GENERAL POSITION REGARDING PRIVATE SHELTERS 3882
- 7) REST CENTERS FOR HOMELESS

- 1) CONTROL
- 2) WARDENS
- NUMBER OF WARDENS POSIS & FREQUENCY
- 3) RESCUES (With description of Service & Numbers:)
.....
.....
.....
- 4) PUBLIC SHELTERS (Numbers and Capacity) *None*.....
.....
.....
- 5) SANITATION IN PUBLIC SHELTERS
.....
9999
- 6) GENERAL POSITION REGARDING PRIVATE SHELTERS
.....
.....
- 7) REST CENTRES FOR HOMELESS
.....
.....
- 8) FEEDING ARRANGEMENTS AT REST CENTRES
.....
.....
- 9) AMBULANCE SERVICE (Including Number of Ambulances)
One Ambulance being used by C.I.C.
.....

(CIVIL DEFENCE - continued)

10) HOSPITAL ACCOMMODATION *There are civilian hospitals in the area. The hospital has been taken over by the Army. Civilian hospital has been established in a school. However, the hospital is not at present a great source of problems.*

MEANS OF COMMUNICATION AND SYSTEM OF AIR RAID WARNING

METHOD OF TRACING RELATIVES AFTER RAID *Proposed*

ANY SPECIAL TARGETS *One Civil hospital about 1 1/2 miles from town. Road area not being used at present.*

ARRANGEMENTS FOR MUTUAL ASSISTANCE WITH NEIGHBOURING COMMUNES

EXTENT OF MUTUAL ASSISTANCE

ARE STURPUP PUMPS SUPPLIED AND TO WHAT EXTENT

HAS ANY P.A.D. OFFICER BEEN IN CONSULTATION

IS ANY P.A.D. SERVICE MAINTAINING CONTROL
RECOMMENDATIONS *No. civilians of any Civil Police in City - City Marshal is said to be in charge of any organization set up.*

METHOD OF TRACING RELATIVES AFTER PAID

ANY SPECIAL TARGETS .. *Post. Co. located about 1 1/2 miles from town - Post. Assn. not being used. Not present.*

ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Companies

EXTENT OF MUTUAL ASSISTANCE

ARE SWIRUP PUMPS SUPPLIED AND TO WHAT EXTENT

HAS ARMY P.A.D. OFFICER BEEN IN CONSULTATION

IS ARMY P.A.D. SERVICE MAINTAINING CONTROL

RECOMMENDATIONS .. *No residence of Mrs. Cecil. Refuse in City - City Marshal said that they never had any organized setup.*

GENERAL HELPS (action taken, etc.)

DATE SIGNED

File 3
[initials]

SUBJECT: Civil Defence - CALTANISSETTA.

ARGOT/1074/53

ARGOT T.C., Sicily.

7 September 1953.

TO: [illegible]

In view of report from the Inspecting Officers of this W.C., it is felt that the following points should be considered.

1. The possible completion of the Air Raid shelters and the provision of earth closets therein.
2. Relieving and emergency feeding scheme be formulated.
3. Provision of temporary hospital accommodation.
4. Organisation of some Air Raid Warning System. Church Bells or whistles might be considered if sirens are not available.

[Signature]

Copies to :-

Colonel Inf.,
COMMISSIONER OF PUBLIC SAFETY.

C.A.C.
C.A.P.O.
Civil Defence File.

3981

REPORT OF FIRE AND CIVIL DEFENSE
CORPORATION OF CALIFORNIA

CO 2
1/24

The Brigade is functioning although some equipment has been lost. The engine suffered heavy damage from air attack. Three static tanks are available in the company but require repairs at present.

A fairly large R.R. yards are in the company and has been the target of recent air attacks.

The commandant was arrested recently on the charge of concealing fire arms but was released. In our opinion he seems capable of running the Brigade.

Recommendations: None
Civil Defense : None.

Lt. Col. Francis - C.A.A.G.

1/23

PROGRAMA FOR CIVIL DEFENCE REPORT BY C.A.A.G.

(To be submitted in duplicate - 1 Copy for S.C.A.O. - 1 Copy for H.Q. AACT:)

NAME OF COMMUNE PROVINCE

ARE THE FOLLOWING C.D. SERVICES FUNCTIONING & TO WHAT EXTENT?

1) CONTROL U.N.R.A. HAS BEEN DISBANDED BY THE S.A.O.

2) WARDENS

NUMBER OF WARDENS POSTS & FREQUENCY

3) RESCUE (With description of Service & Numbers:)

CAPABILITY AND WITH MILITARY

4) PUBLIC SHELTERS (Numbers and Capacity) NONE - ONE WAS UNDER CONSTRUCTION AT TIME OF OCCUPATION.

5) SANITATION IN PUBLIC SHELTERS

6) GENERAL POSITION REGARDING PRIVATE SHELTERS, NONE

6379

ARE THE FOLLOWING C.D. SERVICES FUNCTIONING & TO WHAT EXTENT?

- 1) CONTROL U.S.P.H. FAR FROM ESTABLISHED H.W.F. C.A.O.
- 2) WARDENS
NUMBER OF WARDENS POSTS & FREQUENCY
- 3) RESCUE (With description of Service & Numbers:)
CAPABILITY AND WITH BRIGADE.....
- 4) PUBLIC SHELTERS (Numbers and Capacity) NOTE - ONE WAS UNDER
CONSTRUCTION AT TIME OF OCCUPATION.
- 5) SANITATION IN PUBLIC SHELTERS
.....
- 6) GENERAL POSITION REGARDING PRIVATE SHELTERS , NOWR
.....
- 7) REST CENTRES FOR HOMELESS NOTE - HOWEVER HOMELESS PEOPLE HAVE
BEEN PUT UP IN OTHER PLACES.....
- 8) FEEDING ARRANGEMENTS AT REST CENTRES
- 9) AMBULANCE SERVICE (Including Number of Ambulances)

2289

(CIVIL DEFENCE - continued)

NAME - HOSPITAL BARRACKS

10) HOSPITAL ACCOMMODATION

.....

.....

.....

MEANS OF COMMUNICATION AND SYSTEM OF AIR RAID WARNING

.....

.....

METHOD OF TRACING RELATIVES AFTER RAID

.....

.....

ANY SPECIAL TARGETS

.....

.....

.....

ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Communes

.....

.....

.....

EXTENT OF MUTUAL ASSISTANCE

.....

ARE STIRRUP PUMPS SUPPLIED AND TO WHAT EXTENT

.....

HAS ARMY P.A.D. OFFICER BEEN IN CONSULTATION

IS ARMY P.A.D. SERVICE MAINTAINING CONTROL

RECOMMENDATIONS

METHOD OF TRACING RELATIVES AFTER PAID

.....

.....

ANY SPECIAL TARGETS

.....

.....

.....

ARRANGEMENTS FOR MUTUAL ASSISTANCE WITH NEIGHBOURING COMPANIES

.....

.....

.....

EXTENT OF MUTUAL ASSISTANCE

.....

ARE STIRPUP PUMPS SUPPLIED AND TO WHAT EXTENT

.....

HAS ARMY P.A.D. OFFICER BEEN IN CONSULTATION

IS ARMY P.A.D. SERVICE MAINTAINING CONTROL

RECOMMENDATIONS

.....

.....

.....

.....

GENERAL REMARKS (Action taken, etc.)

.....

.....

DATE

SIGNED

Joseph W. Wallace
Captain, Infantry

