

ACC

10000/143/161

10000/143/161

FIRE SERVICE, CALTANISSETTA
AUG. 1943 - JAN. 1944

AMGOT/1155/PS

FIRE SERVICE -

CALTANISSETTA

FIRE SERVICE -

CALTANISSETTA

10000/143/161

THIS FOLDER

CONTAINS PAPERS

FROM Aug 1943

TO Jan 1944

CATALOGUE.

MINUTE SHEET 1. FILE No. 1155/PS

1-6			lists of Materials	)
7			" - Personnel Callanissetta	
8			Proforma F. Rep. CAPO Callanissetta	
9-10 1073/PS	7 Sep. 43	To SCAO. Call.	Five Service - Callanissetta	
11			Proforma F. Report CAPO - Gela	
12-13			Report of F & C D Commune Gela	
14-15 1073/PS	23 Sep. 43	To SCAPO Call.	Five Service - Gela	
16 8345111/PS	18 Dec 43	From SFO.		
17	11 Oct 43	" F & C D. Sectn. Five Brigade Callanissetta		
18	14 Oct 43	" " " Gela		

273

785016

16	8345111/18 Dec 43	From Sgt O.
17	11 Oct 43	" 7th D. Sectn. Five Brigade Cultivator
18	14 Oct 43	" " " Golan

333

ALLIED MILITARY GOVERNMENT

REGION NO. 1.

FIRE AND CIVIL DEFENCE.

27 JAN. 1944.

Subject: Report on Inspection of Fire Brigades.

To: C. P. S. Region No. 1.

Communes of Caltanissetta -- Mussomeli -- and
Gela were inspected on the above date by Commandante Luigi
Bigi, senior Fire Officer for Region No. 1.

The Fire Apparatus and Equipment of the brigades
in the above mentioned communes were found in good condition.

Fire Brigades were found to be functioning good.

Moral of the personnel appeared to be high.

The firemen appeared to be well drilled in the
duties required of them.

5344

Frank Brannigan

FRANK BRANNIGAN
Supt. Fire & Civil Defence.
Region No. 1.

(1)

Object = Inspection at the Corp of Fire and Civil Defence
of Caltanissetta.

On Jan. 27, 1944 the undersigned inspected the Corp of
Fire and Civil Defence of Caltanissetta, knowing beside: -
-- Personal --

The Corp is ordered interim by the Volunteer Officer Geom.
Viola Calogero, who has already in a brief period of time
proved his good way of manage, conduct and service, giving
the personal good example of seriousness and activity.

The present Force is of 80 men, as it was prescribed by the 1st
Allied organic. More exact the Corp is composed of 4
permanent corporal Fire men, 2 Permanent Fire men, 9 Volunteer
ordinary Fire men, and 65 Temporary Volunteer Fire men.

The distribution of the Personal is the following: -

Caltanissetta	62
Mussomeli	8
Gela	10
	<u>80</u>

5343

The Commandant has made known that the Detach-
ment of Gela needs a Sub-Officer for reinforcement.
The personal observes the turn every two days of 24 hours.
but it doesn't provide of a mess, and neither, it's correspon-
ded of a correspondent Cash. Such situation

(2)

has taken place since July 9, 1943. The Commandant has assured that in a short time the mess will be retaken. The equipment of the personal is not sufficient and the one in dotation has need of much repairing.

The practice is in course for the promotions that will be examined by the judgeship commission of Palermo.

The teaching of phisic education will be retaken soon, also the religious help will be renewed in case of the Chaplain of the Corp as it was before.

The Sanitary assistance continue's regular under the care of Doctor Scipilone. The health conditions of the personal are satisfying. The undersigned has known how in front of the Brigade there isn't ordered a watchman or sentinal. For that its been provided quick.

Brigade and Locals

The Brigade of Galtanisetta and the one of Mussomeli Detachment at the present time ^{are} ~~are~~ ⁱⁿ good state of conditions and convenient for the service. In Gela they are going to settle the service in a better local, because the one actually occupied is ~~not~~ convenient, because the garage is far away. (seperated from the Brigade)

The rents of the Locals of Galtanisetta and Mussomeli

5342

(3)

are in charge of the Province, while the one of Gela is in charge of the Corps, since the date of August 20, 1940.

The telephone service is made by the numbers - 1222 - 1267 1552, but yet they don't operate.

The telephone 1671 also exist, in the Commandante's residence in Corso Umberto 119 II p.

Apparatus and Rigging

In Galtanissetta the following machines exist:

Pumper Spa 35 V F 365	good conditions
Water tank vehicle - pumper Spa 30.000 V F 2147	good conditions
Water tank with pump Spa 30.000 - 2022	" " "
Service truck Bianchi V F 886	defect of tires
Car Fiat 1150 V F 1914	" " "
3 wheeled motorcycle Guzzi 500	V F 335 - out of use for corona
I Portable Pump. In the Brigade is 2 more portable pumps out of use.	

(Gela): Water tank vehicle Spa 35 R.F. with portable pump. 5361

(Mussomeli) Service truck Fiat 618 V F 604 with portable pump.

(Plants)

The Hydrants of Galtanissetta and of the 2 Detachments

(4)

are not controlled as its prescript. The Commandant has had orders to prove them frequently.

The actually situation is as follows: -

Galtanissetta	60 da m/m - 35
Gela	30 " " " 35
Mussomeli	20 of small diameter

Organization and Duty

Beside the service of institution, the Corp is called to make different service such as ~~Water~~ supply and other orders from the local Authority. Actually the monthly consume of gasoline is of nearly 2000 liters. It's necessary that such consume will be reduced, also because from Feb. 1st the Italian committee of Petroleum will increase the cost of gasoline.

The P.A.A. Service needs a re-organization.

(Administration)

At such Office are convenient the Book-keeper Cagnina Vittorio and the Teacher Roscoe Antuino. The Treasurer of the Corp is the Bank of Sicily, ~~but~~ since July to December has operated the Bank of Italy. The service works regular. The balance of 1944 is nearly in the way of end. The undersigned has conferred with the Vice Prefect

(5)

and with Capt. Porroa Allied Officer) in charge of the local Finance. The monthly medium needs is of 300.000 L and the authorization has been requested for Jan and Feb. 1944. The firm rule is of Lire 75.000

With deliberation of Dec. 3. 1943 the administration Council has granted a recompense to the members of council as follows.

Vice Prefect	2500
Chief Book-keeper of Prefecture	1500
Commandant	1000
Roscar	1000
Recorder	500
	7000

With the Treasurer of the Corps an open ^{capital} congelate exist of 186.000 Lire, of which the payment of the ^{interest} amount ^{gain} to 8600.

(Various)

5339

The undersigned also conferred with Capt. N'bare C.I.S. of Caltanissetta and with ^{the} Major of the Policy

The first is called satisfied, and the second said that the service of gela should be more settled (improved).

(6)

For the Nation of Tobacco, the sufficient ration doesn't arrive. (1 package for each Fire-man)

From the Maj. of Policy, the Commandant obtained the authorization to give in charge 75 pistols, being that the particular situation of Caltanisetta and especially in the Province is very bad.

In conclusion the service is sure and promises good improvements.

The (conduct) of the personal is high.
moral

Palermo, 31 GENNAIO 1944



58° Corpo Vigili del Fuoco

PALERMO

-IN PERICOLO VITA! AGERE-

Al SIG. CAPO SEZIONE

DIFESA CIVILE REGIONALE N°1

Cat.

Fuss.

N.

606

Risposta al foglio del

N.

PALERMO

OGGETTO: ISPEZIONE AL CORPO VIGILI DEL FUOCO DI CALTANISSETTA.

Il giorno 27 Gennaio 1944 il sottoscritto ha ispezionato il Corpo dei Vigili del Fuoco di Caltanissetta rilevando quanto appresso:

PERSONALE

Il Corpo é comandato interinalmente dall'Ufficiale volontario Geom. VIOLA

Calogero il quale ha già dimostrato in questo breve periodo di tempo di sapere ben dirigere il servizio dando al personale buon esempio di serietà e di attività.

La forza presente é di 80 elementi come é prescritto dal I° organico Alleato. Più precisamente il Corpo si compone di 4 Vigili scelti permanenti, 2 Vigili permanenti, 9 Vigili volontari ordinari e 65 Vigili volontari provvisori.

La ripartizione del personale é la seguente:

Caltanissetta	62
Mussomeli	8
Gela	10
	<u>80</u>

Il Comandante ha fatto presente che al distaccamento di Gela occorrerebbe un sottufficiale di rinforzo.

5337

Il sottoscritto non usufruisce della

OGGETTO: ISPEZIONE AL CORPO VIGILI DEL FUOCO DI CALTANISSETTA.

Il giorno 27 Gennaio 1944 il sottoscritto ha ispezionato il Corpo dei Vigili del Fuoco di Caltanissetta rilevando quanto appresso:

PERSONALE

Il Corpo é comandato interinalmente dall'Ufficiale volontario Geom. VIOLO Calogero il quale ha già dimostrato in questo breve periodo di tempo di sapere ben dirigere il servizio dando al personale buon esempio di serietà e di attività.

La forza presente é di 80 elementi come é prescritto dal I° organico Alleato. Più precisamente il Corpo si compone di 4 Vigili scelti permanenti, 2 Vigili permanenti, 9 Vigili volontari ordinari e 65 Vigili volontari provvisori.

La ripartizione del personale é la seguente:

Caltanissetta	62
Mussomeli	8
Gela	10
	<u>80</u>

Il Comandante ha fatto presente che al distaccamento di Gela occorrerebbe un sottufficiale di rinforzo.

5337

Il personale osserva il turno alternato di 24 ore ma non usufruisce della mensa e neanche gli vien corrisposto il contante corrispondente.

Tale situazione risale al 9 Luglio 1943. Il Comandante ha assicurato che in breve tempo la mensa verrà ricostituita.

L'equipaggiamento del personale é insufficiente e quello in dotazione necessaria di molte riparazioni.

E' in corso la pratica per le promozioni che verrà presa in esame dalla Commissione giudicatrice di Palermo.

L'insegnamento di educazione fisica verrà ripresa subito.

Anche l'assistenza religiosa sarà ripresa subito a cura del Cappellano del Corpo come per il passato.

L'assistenza sanitaria continua regolarmente sotto la cura del Dott.

Scighilone. Le condizioni di salute del personale sono soddisfacenti.

Il sottoscritto ha rilevato come dinnanzi alla Caserma non vi fosse comandato in piantone o la sentinella.

E' stato subito provveduto.

CASERMA E LOCALI

La Caserma di Caltanissetta e quella del distaccamento di Mussomeli si presentano per ora sufficienti e adatte al servizio. A Gela si sta sistemando il servizio in un locale migliore perché quello attualmente occupato presenta l'inconveniente di essere distante dalla autorimessa.

Gli affitti dei locali di Caltanissetta e Mussomeli sono a carico della Provincia mentre quello di Gela è a carico del Corpo-fin dalla data della sua istituzione 20 Agosto 1940.

Il servizio telefonico è costituito dai numeri 1222 = 1269 = 1552 che però ancora non funzionano.

Esiste pure il telefono 1671 nell'alloggio del Comandante in Corso Umberto 119 II p.

MACCHINARIO E ATTREZZATURA

CALTANISSETTA: esistono le seguenti macchine:

Autopompa Spa 38	VV.F. 365	Buona
Autobotte=pompa SPA 30.000	V.F. 2147	Buona
Autocisterna Spa 30.000	2022	Buona
Autocarro=attrezzi Bianchi	V.F. 896	difetta di gomme
Autovettura Fiat 1100	V.F. 1914	difetta di gomme
Motofurgone Cuzzi 500	V.F. 335	Fuori uso per corone
Una motopompa.		
In Caserma vi sono altre due motopompe fuori uso.		

G E L A:

Autobotte Spa 38 R.M. con motopompa

MUSSOMELI:

Autocarro attrezzi Fiat 618 V.F. 604 con motopompa.

5336

L'assistenza sanitaria continua regolarmente sotto la cura del Dott. Scighilone. Le condizioni di salute del personale sono soddisfacenti. Il sottoscritto ha rilevato come dinanzi alla Caserma non vi fosse comandato in piantone o la sentinella. E' stato subito provveduto.

CASERMA E LOCALI

La Caserma di Caltanissetta e quella del distaccamento di Mussomeli si presentano per ora sufficienti e adatte al servizio. A Gela si sta sistemando il servizio in un locale migliore perché quello attualmente occupato presenta l'inconveniente di essere distante dalla autorimessa. Gli affitti dei locali di Caltanissetta e Mussomeli sono a carico della Provincia mentre quello di Gela è a carico del Corpo fin dalla data della sua istituzione 20 Agosto 1940. Il servizio telefonico è costituito dai numeri 1222 = 1269 = 1552 che però ancora non funzionano. Esiste pure il telefono 1671 nell'alloggio del Comandante in Corso Umberto 119 II p.

MACCHINARIO E ATTREZZATURA

CALTANISSETTA: esistono le seguenti macchine:

Autopompa Spa 38	VV.F. 365	Buona
Autobotte=pompa Spa 30.000	V.F. 2147	Buona
Autocisterna Spa 30.000	2022	Buona
Autocarro=attrezzi Bianchi	V.F. 896	difetta di gomme
Autovettura Fiat 1100	V.F. 1914	difetta di gomme
Motofurgone Guzzù 500	V.F. 335	Fuori uso per corone
Una motopompa.		

In Caserma vi sono altre due motopompe fuori uso.

G E L A:

Autobotte Spa 38 R.M. con motopompa

MUSSOMELI:

Autocarro attrezzi Fiat 618 V.F. 604 con motopompa. 5336

IMPIANTI

Gli idranti di Caltanissetta e dei due distaccamenti non sono stati controllati come è prescritto. Il Comandante ha avuto l'ordine di fare delle prove frequenti.

La situazione presente è la seguente:

CAITANISSETTA	60	da m/m	35
GELA	30	" "	35
MUSSOMELI	20	da piccolo diametro.	

ORGANIZZAZIONE E FUNZIONAMENTO

Oltre i servizi d'istituto il Corpo é chiamato a prestare servizi di vario genere come rifornimento idrico ed altri analoghi comandati dalle autorità locali.

Attualmente il consumo mensile medio di carburante é di circa litri 2000. E' necessario che tale consumo venga sensibilmente ridotto anche perché col 1 Febbraio il Comitato Italiano dei Petroli eleverà di molto il costo della benzina.

Il servizio di P.A.A. necessita di una riorganizzazione.

AMMINISTRAZIONE

Sono addetti a tale ufficio il Rag. Cagnina Vittorio e il Maestro Roscas Antonino. Il Tesoriere del Corpo é il Banco di Sicilia mentre dal Luglio al Dicembre ha funzionato la Banca d'Italia. Il servizio funziona regolarmente. Il Bilancio 1944 é già in via di ultimazione. Il sottoscritto ha conferito con il Vice Prefetto e con il Capitano Perrera Ufficiale Alleato Addetto alla Finanza locale. Il fabbisogno medio mensile é di circa 300.000 e l'autorizzazione é già stata chiesta per gennaio e febbraio 1944. Il canone consolidato é di lire 75.000.

Con deliberazione del 3 Dicembre 1943 il Consiglio di Amministrazione ha concesso una gratifica ai componenti il Consiglio come segue:

Vice Prefetto	2500
Rag. capo Prefettura	1500
Comandante	1000
Roscas	1000
Archivista	500
	7000

Con il Tesoriere del Corpo esiste uno scoperto congelato di lire 186.000 il cui pagamento degli interessi ammonta a lire 8600.

Oltre i servizi d'istituto il Corpo é chiamato a prestare servizi di vario genere come rifornimento idrico ed altri analoghi comandati dalle autorità locali.

Attualmente il consumo mensile medio di carburante é di circa litri 2000. E' necessario che tale consumo venga sensibilmente ridotto anche perché col 1 Febbraio il Comitato Italiano dei Petroli eleverà di molto il costo della benzina.

Il servizio di P.A.A. necessita di una riorganizzazione.

AMMINISTRAZIONE

Sono addetti a tale ufficio il Rag. Cagnina Vittorio e il Maestro Roscas Antonino. Il Tesoriere del Corpo é il Banco di Sicilia mentre dal Luglio al Dicembre ha funzionato la Banca d'Italia. Il servizio funziona regolarmente. Il Bilancio 1944 é già in via di ultimazione. Il sottoscritto ha conferito con il Vice Prefetto e con il Capitano Perrera Ufficiale Alleato Addetto alla Finanza locale. Il fabbisogno medio mensile é di circa 300.000 e l'autorizzazione é già stata chiesta per gennaio e febbraio 1944.

Il canone consolidato é di lire 75.000.

Con deliberazione del 3 Dicembre 1943 il Consiglio di Amministrazione ha concesso una gratifica ai componenti il Consiglio come segue:

Vice Prefetto	2500
Rag. capo Prefettura	1500
Comandante	1000
Roscas	1000
Archivista	500
	7000

Con il Tesoriere del Corpo esiste uno scoperto congelato di lire 186.000 il cui pagamento degli interessi ammonta a lire 8600.

VARIE


Il sottoscritto ha pure conferito con il Capitano H'OARE addetto agli Affari Civili di Caltanissetta e con il Maggiore addetto alla Polizia. Il primo si é dichiarato soddisfatto ed il secondo ha rilevato che a Gela il servizio venga maggiormente sistemato.

Quanto alla razione dei tabacchi non arriva la razione sufficiente di un

pacchetto per vigile.

Dal Maggiore della Polizia il Comandante ha ottenuto l'autorizzazione e quanto prima la consegna di circa 75 pistole data la situazione particolare di Caltanissetta specialmente in Provincia. In complesso il servizio é rassicurante e promette un buon miglioramento. Il morale del personale é abbastanza alto.

IL COMANDANTE
(DOTT. ING. LUIGI BIGI)




colare di Caltanissetta specialmente in Provincia.

In complesso il servizio é rassicurante e promette un buon miglioramento.

Il morale del personale é abbastanza alto.

IL COMANDANTE
(DOTT. ING. LUIGI BIGI)



18th October 1943

Major Mason

OBJECT: Inspection of 19th Corp Fire Brigade of Caltanissetta.

The 12th October 1943 the undersigned Comm. Luigi Bigi with Capt. Brannigan of the AMGOT of Palermo has inspected the 19th Corp of the Fire Brigade of Caltanissetta noticing what follows:

Men

Caltanissetta: (headtown) Ing. Lunetta Francesco di Lorenzo Commandant of that Corp since 1938. Permanent Officer rank X.

Geometra ~~Kunz~~ Viola Calogero (Voluntary Officer) in continuous service since 1 April 1942.

The two Officers have showed that they are very able in the performance of their duty according to the needs of the moment with such initiative and activity worth of praises.

Their relations between them and the Local Authority and the Allied Government are very good.

They belong to the Corp as well:

- 3 Firemen chosen permanent
- 2 Firemen permanent
- 6 Firemen ordinary voluntary
- 41 Firemen Provvisory voluntary.

The Rag. Cagnina is attending to the administration of the Corp and has as collaborator the Sig. Roscas Antonino. The administrative office works regularly.

The personnels of the Corp is on duty alternatively of 24 hours on 24 hours.

The little repairing work-room has been build by the firemen with materials supplied by the Provincial Administration.

About 20 Firemen have only one uniform so it is necessary to provide more uniforms. For shoes it is needed to provide some hide for necessary repairs.

The Sanitary assistance is given by Doct. Seighilone Giacinto who by call visit as well the families of the Firemen. There is in the barrack an infirmary and an ambulatory.

DETACHMENT OF GELA

A n ordinary voluntary firemen

7 provisory voluntary firemen

This detachment is about to be reorganised. The undersigned after a meeting with the Prefect and Vice Prefect of Caltanissetta has gone, with Capt.

Caltanissetta: (headtown) Ing. Lunetta Francesco di Lorenzo Commandant of that Corp since 1938. Permanent Officer rank X.

Geometra ~~XXXXXX~~ Viola Calogero (Voluntary Officer) in continuous service since 1 April 1942.

The two Officers have showed that they are very able in the performance of their duty according to the needs of the moment with such initiative and activity worth of praises.

Their relatione between them and the Local Authority and the Allied Government are very good.

They belong to the Corp as well:

3 Firemen chosen permanent

2 Firemen permanent

6 Firemen ordinary voluntary

41 Firemen Provvisory voluntary.

The Rag. Cagnina is attending to the administration of the Corp and has as collaborator the Sig. Roscas Antonino.

The administrative office works regularly.

The personnels of the Corp is on duty alternatively of 24 hours on 24 hours.

The little repairing work-room has been build by the firemen with materials supplied by the Provincial Administration.

About 20 Firemen have only one uniform so it is necessary to provide more uniforms. For shoes it is needed to provide some hide for necessary repairs.

The Sahitary assistance is given by Doct. Seighilone Giacinto who by call visit as well the families of the Firemen. There is in the barrack an infirmary and an ambulatory.

DETACHMENT OF GELA

A n ordinary voluntary firemen

7 provisory voluntary firemen

This detachment is about to be reorganised. The undersigned after a mating with the Prefect and Vice Prefect of Caltanissetta has gone, with Capt. Brannigan to see Capt. Hoare, is Officer in charge of AMGOT. 5333

Barracks.

CALTANISSETTA

For the moment, the barrack is sufficient. The telephonic Service works with the numbers:

1222 Alarm telephon

1269 Office of the Commandant

1947 quarters of the Commandant

1552 Subsidiary.--

Arrangement have been made with the Director of the Telephones to establish the communications which temporary are suspended the lodging of the Commandant is in Corso Umberto n° 204.

The lodgings of the men are sufficient the two garages can accomodate the vehicles of the Corp.

The rapair shop build by the firemen is nusnering to the necessity of the service there is a little wauhouse for uniforms and other matirial belonging to the Corp. The lounng is used as well as dining room.

The ambulatory is provided by a bed and Sanitary chest.

In the ywrd there is a drill tower in wood with windows three stairs and two inside ladders. It is hing 15 metres. The yard is big enough for the personell to exercise.

GELA The garage is 500 metres away from the barrack and this is very inconvenient to the Service. Capt.Brannigan has arranged with the local Offices of AMGOT, to have new lodgings for that detachment. In the warcheose there is a big ~~ext of work~~ ~~is~~ chest mihing.

The telephon which for the moment is out of work is N° 68.

The sleeping room can cpntain 8 men the garage is sufficient for two vehicles

MUSSOMELI : The small barrack is somposed by 5 places on the ground-floor used as lodging and office and the garage is near by. It is needed in this ditachment a big chest for the warchouse.

There is no telephone. In the garage there is place for a vehicle.

MACHINES AND OTHER MATERIALS

There is the following matirial in use:

Autopomps SPA 38 number plate V.F.365

Autotank-pomp SPA 30.000 number plate V.F.2147

Autocistern SPA 30.000 N.P. V.F. 2022

service there is a little warehouse for uniforms and other material belonging to the Corp. The lounge is used as well as dining room. The ambulatory is provided by a bed and Sanitary chest. In the yard there is a drill tower in wood with windows three stairs and two inside ladders. It is hing 15 metres. The yard is big enough for the personell to exercise.

CELA The garage is 500 metres away from the barrack and this is very inconvenient to the Service. Capt.Brannigan has arranged with the local Offices of AMGOT, to have new lodgings for that detachment. In the warehouse there is a big ~~box~~ ~~of~~ ~~wood~~ ~~in~~ chest mihing.

The telephon which for the moment is out of work is No 68.

The sleeping room can cpntain 8 men the garage is sufficient for two vehicles

MUSSOMELI : The small barrack is composed by 5 places on the ground-floor used as lodging and office and the garage is near by. It is needed in this ditachment a big chest for the warehouse.

There is no telephone. In the garage there is place for a vehicle.

MACHINES AND OTHER MATERIALS

There is the following matirial in use:

Autopomps SPA 38 number plate V.F.365

Autotank-pomp SPA 30.000 number plate V.F.2147

Autocistern SPA 30.000 N.P. V.F. 2022

Autocar with utensil BIANCHI number plate V.F. 896

Autoca FIAT 1100 number plate V.F. 1914

Trycicle GUZZI 500 number plate 335

A motorpomp.

There are in the headtown barrack two motorpomps ont of service for need of repairetion.

During the period before and after the occupation of the town, the following matirials has been taken by the American Trups.

5332

14 October 1943

18

1135/15

Report on Fire BrigadeCommune of GelaProvince of Caltanissetta

The fire brigade at Gela was inspected on the above date by Capt. F. Brannigan and Comandante Bigi, Senior Civilian Fire Officer.

The fire brigade at present is separated into two separate buildings, each separated by about 700 metres distance. The living quarters in one building and the apparatus in another.

Result is that a fire is reported to living quarters of firemen who in turn have to go a distance of 700 metres to get fire apparatus and respond to fire.

Due to the above conditions a girl of 18 years old was burned to death on 15 October 1943.

Fire Brigade consists of personnel 8 Fireman, one tank truck with pump, capacity of tank truck 2000 litres.

Remarks: I suggested to officer in charge of fire brigade to locate a more suitable building where the personnel and fire apparatus could be housed in the same building. And when a new building was selected to contact the C.A.O. of this commune to requisition same for the fire brigade. 5331

Frank Brannigan

FRANK BRANNIGAN

Capt. T.C.

Fire and Civil Defence Section

1155/PS 17

11 October 1943

Report on Fire Brigade:

Commune of Caltanissetta. - Province of Caltanissetta.

The fire brigade at Caltanissetta was inspected on the above date by Capt. F. Brannigan and Comandante Bigi, Senior Civilian Fire Officer.

The fire brigade was found to be functioning efficiently.

Fire apparatus and equipment are in good condition.

For the present time fire station is without telephone or electricity.

I contacted C.A.O. Capt. O'Hara on above and he informed me that telephone and electricity would be furnished fire station in the near future.

It is necessary that the above mentioned items be furnished the fire brigade as soon as possible so that alarms of fire may be received by fire brigade much quicker than at present and also that fire apparatus will respond to fires much quicker. 5330

Frank Brannigan

FRANK BRANNIGAN
Captain, T.C.,
Fire and Civil Defence Section.

Circolare n. 5
N° 8345.III/1

Palermo 18 Ottobre 1943

AL COMANDO DEL 51° CORPO VV.F.

Caltanissetta
MESSINA

e per conoscenza

ALL'ECCELLENZA IL PREFETTO *Caltanissetta*

ALL'UFFICIALE ADDETTO AGLI AFFARI

CIVILI DI

Caltanissetta
MESSINA

CELEBRAZIONE S. BARBARA = In occasione della celebrazione della S. Barbara 4 Dicembre 1943 i Corpi dei Vigili del Fuoco della Sicilia organizzeranno nell'ambito delle loro caserme un breve programma di manovre antincendi che dovrà mettere in evidenza il grado di efficienza dei loro mezzi.

Sarà pure celebrata una Messa al Campo.

I Sigg. Comandanti inviteranno personalmente il Prefetto, il Sindaco e l'Ufficiale addetto agli Affari Civili del Governo Alleato.

Procurare che il personale sia tempestivamente addestrato e che i locali e le macchine siano degni della visita da parte delle Autorità.

BRACCIALE = Il bracciale messo sulle uniformi dei vigili può essere tolto.
TELEFONI = I Comandanti si interessino che le comunicazioni telefoniche siano al più presto ripristinate.

MACCHINE = Durante l'occupazione allenta alcuni automezzi e motomeccanismi passati alle Truppe Americane.

I Comandanti mi mandino subito un elenco esatto indicando anche in quale località e circostanze è avvenuto il fatto.

RIPRISTINO DEI SERVIZI = Durante le mie visite ai Corpi della Sicilia ho constatato che alcuni distaccamenti prima e dopo l'occupazione sono stati trascurati dai Comandanti. Occorre interessarsi anche della periferia in modo particolare.

VISITA AI CORPI = Con la ispezione ai Corpi di Messina, Siracusa e Ragusa terminerò la prossima settimana il giro di ispezioni dei Corpi della Sicilia.

Ho fiducia che in breve, grazie alla collaborazione dei Sigg. Comandanti, il lavoro di riorganizzazione dei vari servizi potrà dare buoni primi frutti.

SENIOR CIVIL FIRE OFFICER
SICILY

ALL'UFFICIALE ADDETTO AGLI AFFARI
CIVILI DI

Caltanissetta
ME 58184

CELEBRAZIONE S. BARBARA - In occasione della celebrazione della S. Barbara 4 Dicembre 1943 i Corpi dei Vigili del Fuoco della Sicilia organizzeranno nell'ambito delle loro caserme un breve programma di manovre antincendi che dovrà mettere in evidenza il grado di efficienza dei loro mezzi.

Sarà pure celebrata una Messa al Campo.

I Sigg. Comandanti inviteranno personalmente il Prefetto, il Sindaco e l'Ufficiale addetto agli Affari Civili del Governo Alleato.

Procurare che il personale sia tempestivamente addestrato e che i locali e le macchine siano degni della visita da parte delle Autorità.

BRACCIALE - Il bracciale messo sulle uniformi dei vigili può essere tolto.

TELEFONI - I Comandanti si interessino che le comunicazioni telefoniche siano al più presto ripristinate.

MACCHINE - Durante l'occupazione alleata alcuni automezzi e motomissioni passati alle Truppe Americane.

I Comandanti mi mandino subito un elenco esatto indicando anche in quale località e circostanze è avvenuto il fatto.

RIPRISTINO DEI SERVIZI - Durante le mie visite ai Corpi della Sicilia ho constatato che alcuni distaccamenti prima e dopo l'occupazione sono stati trascurati dai Comandanti. Occorre interessarsi anche della periferia in modo particolare.

VISITA AI CORPI - Con la ispezione ai Corpi di Messina, Siracusa e Ragusa terminerò la prossima settimana il giro di ispezioni dei Corpi della Sicilia.

Ho fiducia che in breve, grazie alla collaborazione dei Sigg. Comandanti, il lavoro di riorganizzazione dei vari servizi potrà dare i primi frutti.

SENIOR CIVIL FIRE OFFICER
SICILY
(Luigi Bigli)

SUBJECT: Fire Service - GELA.

AMGOT/1073/PS

AMGOT H.Q., SICILY.

23 September 1943.

TO : S.C.A.P.O. (Through S.C.A.O. CATTANISSETTA Province).

Reference your letter dated 17 Sept with S.C.A.O.'s. endorsement dated 20 Sept.

1. The view expressed in paras. 1 and 2 are well appreciated.
2. The appliance from GELA was taken to CATTANISSETTA on account of greater risk and shortage of equipment.
3. In the opinion of the H.Q. Officers who visited the Province it would be unwise at present to move the appliance from CATTANISSETTA to GELA.
4. The remark in AMGOT/1073/PS dated 7 Sept that no action was called for at present was made because provision has been made in the number of trailer pumps asked for from U.K. or U.S.A. for one to be stationed at GELA.
5. As soon as the trailer pumps arrive one will be sent to GELA and arrangements made for the training of the necessary crew.
6. Should you still decide that it is necessary to have immediate cover at GELA it is quite competent for you to remove the appliance from CATTANISSETTA if you wish, bearing in mind para. 3.
7. A useful move at the present time would be the acquisition of a large truck and the fitting out of it as a "tanker". When the Trailer Pump arrived you would then have the necessary mobile water supply ready.

[Signature]

G.H.L. MASON,

5328

23 September 1943.

TO : S.C.A.P.O. (Through S.C.A.O. CALTANISSETTA Province).

Reference your letter dated 17 Sept with S.C.A.O's. endorsement dated 20 Sept.

1. The view expressed in paras. 1 and 2 are well appreciated.
2. The appliance from GELA was taken to CALTANISSETTA on account of greater risk and shortage of equipment.
3. In the opinion of the H.Q. Officers who visited the Province it would be unwise at present to move the appliance from CALTANISSETTA to GELA.
4. The remark in AMGOT/1073/FS dated 7 Sept that no action was called for at present was made because provision has been made in the number of trailer pumps asked for from U.K. or U.S.A. for one to be stationed at GELA.
5. As soon as the trailer pumps arrive one will be sent to GELA and arrangements made for the training of the necessary crew.
6. Should you still decide that it is necessary to have immediate cover at GELA it is quite competent for you to remove the appliance from CALTANISSETTA if you wish, bearing in mind para. 3.
7. A useful move at the present time would be the acquisition of a large truck and the fitting out of it as a "tanker". When the Trailer Pump arrived you would then have the necessary mobile water supply ready.

5328

G.H.L. MASON,
Major,
for Commissioner of Public Safety.


A. M. G. O. T.

119/121 refer
15
17
14

Office of Chief Civil Affairs Police Officer
PROVINCE OF CALTANISSETTA

SUBJECT: Reference to the attached.

TO : S.C.A.O., Caltanissetta Province.



1. I am not happy in my mind with regard to the decision of the Fire Section, H.Q., AMGOT.

2. Gela is a port of no mean importance and has a fair population. In addition there is a special target in the area in the existence of a large Allied Airport.

3. Under normal conditions an attempt was made to make some provision for fire fighting as the town was provided with one pump and four personnel. In view of the present existing circumstances it seems all the more desirable that at least the ordinary arrangements should be reinstated. It is stated that Caltanissetta can furnish the necessary fire protection. Considering the distance from the provincial town to Gela, a serious outbreak of fire at the latter place would result in a large portion of the place being destroyed before the fire party could arrive from Caltanissetta.

4. In the interests of public safety and in accordance with the general arrangements for fire fighting in most occupied areas, I suggest that it is vitally necessary to provide at least one pump and the necessary personnel.

E Aust

Major,
 Provincial C.A.P.O.

Fire Service: GELA

II HQRS AMGOT

Reference the above and AMGOT/1073/PS dated 7 Sept 43. It is **5327** very strongly urged that course recommended in para 4 be carried out.

Caltanissetta
 2 Sept 43

H. R. Inis
 Lt. Col.,
 S.C.A.O. Caltanissetta Province.

SUBJECT: Fire Service - GELA.

ANGOT/1073/PS

ANGOT H.Q., Sicily.

7 September 1943.

TO : S.C.A.C. CATANISSETTA.

In view of attached report from Inspecting Officers from this H.Q., it is felt that no action is called for at present.

G. H. Mason
for Colonel Inf.,
COMMISSIONER OF PUBLIC SAFETY.

Copies to :-

S.C.A.C.
Fire File.

5326

REPORT OF FIRE AND CIVIL DEFENCE
COMMUNE GELA, PROVINCE OF CALTANISSETTA

The fire brigade that was existing in Gela has been moved to Caltanissetta apparently it was only a small station manned by four men with of one pumper. However, could find the men's quarters but not quarters for apparatus. The Marshiella of the local Carabinieri stated that they did have one pump in normal times.

Recommendation: Since there is no special fire risk in the city and they have been getting along without a Fire Brigade for some time believe that Caltanissetta can furnish the necessary fire protection.

120
5325

11/87
PROFORMA FOR FIRE REPORT BY C.A.P.O.

(To be submitted in duplicate - 1 copy for S.C.A.O. - 1 copy for P.A. AMCOI:).

NAME OF COMMUNE **CELIA** PROVINCE **Caltanissetta**

IS FIRE FIGHTING: YES OR NO

IS THERE AN EXISTING FIRE BRIGADE? **No**

STRENGTH OF FIRE BRIGADE OFFICERS MEN:

IS THE FIRE BRIGADE FUNCTIONING?

NAME & RANK OF CHIEF OFFICER

NUMBER OF AUXILIARY FIREMEN AVAILABLE

ARE THEY UNIFORMED & EQUIPPED?

WHAT FIRE FIGHTING APPLIANCES ARE IN WORKING ORDER?

- 1) MOTOR PUMPS (self propelling - State capacity if known)
- 2) MOTOR PUMPS carrying escape ladders
- 3) Motor Turntable EXTENSION LADDERS
- 4) MOTOR ESCAPE CARRYING VEHICLES (non-pumping)
- 5) MOTOR FIRE TENDERS, RESCUE VANS, CANTEENS, etc.
- 6) HORSE DRAWN STEAM OR MANUAL PUMPS
- 7) TRAILER PUMPS (state capacity - if known)
- 8) TOWING VEHICLES AVAILABLE
- 9) MANUAL PUMPS CAPABLE OF BEING TOWED

WHAT IS THE WATER SUPPLY?

- 1) SUFFICIENT OR INSUFFICIENT

IS THE FIRE BRIGADE FUNCTIONING?
NAME & RANK OF CHIEF OFFICER
NUMBER OF AUXILIARY FIREFIGHTERS AVAILABLE
ARE THEY INFORMED & EQUIPPED?

WHAT FIRE FIGHTING APPLIANCES ARE IN WORKING ORDER

- 1) MOTOR PUMPS (self propelling - State capacity if known)
- 2) MOTOR PUMPS carrying escape ladders
- 3) Motor turntable extension ladders
- 4) MOTOR ESCAPE CARRYING VEHICLES (non-pumping)
- 5) MOTOR FIRE TENDERS, RESCUE VANS, CRANES, etc.
- 6) HORSE DRAWN STEAM OR MANUAL PUMPS
- 7) TRAILER PUMPS (state capacity - if known)
- 8) TOWING VEHICLES AVAILABLE
- 9) MANUAL PUMPS CAPABLE OF BEING TOWED

WHAT IS THE WATER SUPPLY?

- 1) SUFFICIENT OF INSUFFICIENT 5324
- 2) HYDRANTS IN STREETS?
- 3) DISTANCE BETWEEN HYDRANTS
- 4) APPROXIMATE PRESSURE IN HYDRANT & OUTPUT IN GALLONS PER MINUTE:
- 5) IS WATER MAINS SYSTEM FUNCTIONING?
- 6) NUMBER OF STATIC TANKS IF ANY
- 7) NUMBER OF STATIC TANKS under construction or recommended
- 8) CAPACITY OF (6) & (7)

WATER SUPPLY - continued

9) OTHER MEANS OF SUPPLY (RIVER, SEA, WELLS, etc.).....

.....

10) WATER CARRYING VEHICLES & CAPACITY

.....

ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Communes

.....

EXTENT OF MUTUAL ASSISTANCE (Appliances, etc.)

.....

NUMBER OF PRIVATE FIRE BRIGADES IN COMMUNE

BRIEF DESCRIPTION OF PRIVATE BRIGADES

.....

.....

GENERAL APPRECIATION OF FIRE RISK

.....

.....

ANY SPECIAL FIRE RISKS

HAS ARMY FIRE SERVICE OFFICER BEEN IN CONSULTATION

IS ARMY FIRE SERVICE MAINTAINING CONTROL

RECOMMENDATIONS

.....

.....

GENERAL REMARKS

10) WATER CARRYING VEHICLES & CAPACITY

ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Communes

EXTENT OF MUTUAL ASSISTANCE (Appliances, etc.)

NUMBER OF PRIVATE FIRE BRIGADES IN COMMUNE

BRIEF DESCRIPTION OF PRIVATE BRIGADES

GENERAL APPRECIATION OF FIRE RISK

ANY SPECIAL FIRE RISKS

HAS ARMY FIRE SERVICE OFFICER BEEN IN CONSULTATION

IS ARMY FIRE SERVICE MAINTAINING CONTROL

RECOMMENDATIONS

GENERAL REMARKS

IS FIRE WATCHING CARRIED OUT & TO WHAT EXTENT

DATE

SIGNED *Kenneth W. Wallace*
Captain, Infantry

N.B. COPIES OF FIRE BRIGADE ANNUAL REPORTS SHOULD BE ATTACHED IF AVAILABLE:

SUBJECT: Fire service - CANTANISSETTAAMGOT/1073/FSAMGOT R.O., Sicily.7 September 1943.TO : C.A.C.

In view of report from the Inspecting Officers of this R.O., copy of which is enclosed, it is recommended that the following matters receive attention.

1. The static tanks be repaired.
2. The list of spare parts, tyres, etc., required be submitted to your Civil Supply Section with the exception of items marked x on enclosed copy.

The provision of pumps will be considered later.

With regard to the small car needed it may be possible for you to provide one.
3. The list of personnel might be examined with a view of possible reduction in light of present circumstances.
4. The rates of pay should be kept as heretofore pending a decision of higher authorities.

Copies to :-
C.A.C.
C.A.P.O.
Fire File.

Colonel Inf.

COMMISSIONER OF PUBLIC SAFETY.

5323

REPORT OF FIRE AND CIVIL DEFENSE.COMMUNE OF CAVALANISSETEA.

FIRE FILE

97

The Brigade is functioning although some equipment has been lost. The commune suffered heavy damage from air attack. Three static tanks are available in the commune but require repairs at present.

A fairly large R.R. yards are in the commune and has been the target of recent air attacks.

The commandante was arrested recently on the charge of concealing fire arms but was released. In our opinion he seems capable of running the Brigade.

Recommendations: None

Civil Defense : None.

5324

8

PROFORMA FOR FIRE REPORT BY C.A.P.O.

(To be submitted in duplicate - 1 Copy for S.C.A.O. - 1 Copy for HQ AMCOT:)

NAME OF COMMUNE CALTAUISSE PROVINCE

FIRE FIGHTING:

IS THERE AN EXISTING FIRE BRIGADE? YES

STRENGTH OF FIRE BRIGADE 2 OFFICERS 55 MEN:

IS THE FIRE BRIGADE FUNCTIONING? YES

NAME & RANK OF CHIEF OFFICER MAJOR J. J. FRANCIS

NUMBER OF AUXILIARY FIREMEN AVAILABLE

ARE THEY UNIFORMED & EQUIPPED?

WHAT FIRE FIGHTING APPLIANCES ARE IN WORKING ORDER

1) MOTOR PUMPS (Self propelling - State capacity if known)

.....

2) MOTOR PUMPS carrying escape ladders

3) Motor Turntable EXTENSION LADDERS

4) MOTOR ESCAPE CARRYING VEHICLES (non-pumping)

5) MOTOR FIRE TENDERS, RESCUE VANS, CANTEENS, etc.

.....

6) HORSE DRAWN STEAM OR MANUAL PUMPS

.....

7) TRAILER PUMPS (state CAPACITY - if known)

8) TOWING VEHICLES AVAILABLE

9) MANUAL PUMPS CAPABLE OF BEING TOWED

WHAT IS THE WATER SUPPLY?

IS THERE AN EXISTING FIRE BRIGADE? MEN:

STRENGTH OF FIRE BRIGADE 2 OFFICERS 55

IS THE FIRE BRIGADE FUNCTIONING? YES

NAME & RANK OF CHIEF OFFICER LANCE SERGEANT JAMES J. SPANGLER

NUMBER OF AUXILIARY FIREFIGHTERS AVAILABLE 10

ARE THEY UNIFORMED & EQUIPPED? YES

WHAT FIRE FIGHTING APPLIANCES ARE IN WORKING ORDER

1) MOTOR PUMPS (Self propelling - State capacity if known) 1000 G.P.M.

..... 1000 G.P.M.

2) MOTOR PUMPS carrying escape ladders 1000 G.P.M.

3) Motor Turntable EXTENSION LADDERS 1000 G.P.M.

4) MOTOR ESCAPE CARRYING VEHICLES (non-pumping) 1000 G.P.M.

5) MOTOR PIPE TENDERS, RESCUE VANS, CANNONS, etc.

.....

6) HORSE DRAWN STEEL OR MANUAL PUMPS 1000 G.P.M.

.....

7) TRAILER PUMPS (state capacity - if known) 1000 G.P.M.

8) TOWING VEHICLES AVAILABLE 1000 G.P.M.

9) MANUAL PUMPS CAPABLE OF BEING TOWED 1000 G.P.M.

WHAT IS THE WATER SUPPLY?

5321

1) SUFFICIENT NO AT INSUFFICIENT

2) HYDRANTS IN STREETS? YES

3) DISTANCE BETWEEN HYDRANTS 1000 FT.

4) APPROXIMATE PRESSURE IN HYDRANT & OUTPUT IN GALLONS PER MINUTE:

..... 1000 G.P.M.

5) IS WATER MAINS SYSTEM FUNCTIONING? NO

6) NUMBER OF STATIC TANKS IF ANY? - TANKS AVAILABLE BUT AT THE WATER TOWER THEY ARE EMPTY.

7) NUMBER OF STATIC TANKS under construction or recommended 1000 G.P.M.

8) CAPACITY OF (6) & (7) 1. MILLION GALLONS PER TANK

WATER SUPPLY - continued

9) OTHER MEANS OF SUPPLY (RIVER, SEA, WELLS, etc.).....19.....
.....
10) WATER CARRYING VEHICLES & CAPACITY
.....
ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Communes
.....
EXTENT OF MUTUAL ASSISTANCE (Appliances, etc.)
.....
NUMBER OF PRIVATE FIRE BRIGADES IN COMMUNE ..NOTE.....
BRIEF DESCRIPTION OF PRIVATE BRIGADES
.....
.....
GENERAL APPRECIATION OF FIRE RISK FIRE RISK IS LOW DUE TO CONSTRUCTION OF
BUILDINGS.....
.....
ANY SPECIAL FIRE RISKS ..NO.....
HAS ARMY FIRE SERVICE OFFICER BEEN IN CONSULTATIONNO.....
IS ARMY FIRE SERVICE MAINTAINING CONTROLNO.....
RECOMMENDATIONS
.....
.....
GENERAL REMARKS
.....

ARRANGEMENTS FOR MUTUAL ASSISTANCE with neighbouring Communes

EXTENT OF MUTUAL ASSISTANCE (appliances, etc.)

NUMBER OF PRIVATE FIRE BRIGADES IN COMMUNE

BRIEF DESCRIPTION OF PRIVATE BRIGADES

GENERAL APPRECIATION OF FIRE RISK FIRE RISK IS LOW DUE TO CONSTRUCTION OF

BUILDINGS

ANY SPECIAL FIRE RISKS

HAS ARMY FIRE SERVICE OFFICER BEEN IN CONSULTATION

IS ARMY FIRE SERVICE MAINTAINING CONTROL

RECOMMENDATIONS

GENERAL REMARKS

IS FIRE WATCHING CARRIED OUT & TO WHAT EXTENT

DATE

SIGNED *Thomson Wallace*
Captain, Infantry

N.B. COPIES OF FIRE BRIGADE ANNUAL REPORTS SHOULD BE ATTACHED IF AVAILABLE:

MUNICIPIO DI CALTANISSETTA

=====

Forza del Corpo dei Vigili del Fuoco.-

- 1°) Comandante Dott. Ing. Lunetta Francesco di Lorenzo Luigi
- 2°) Ufficiale in servizio continuativo Geom. Viola Calogero su Vincenzo
- 3°) Ufficiale non in servizio continuativo Geom. Siliotti Stefano
- 4°) Forza del Corpo residente in Caltanissetta Vigili N.52.

5°) Forza del distaccamento di Mussomeli " " 8

6°) Distaccamento di Gela in atto sciolto in quanto l'automezzo del

Distaccamento è andato distrutto dalle truppe tedesche durante la fase dei combattimenti nelle zone viciniori la piana di Gela. Non appena sarà possibile disporre di un automezzo sarà ripristinato

il Distaccamento con la forza di 8 uomini.

Macchine di cui in atto dispone il Corpo.-

- a) N.1 autopompa SPA 38 R.A. - condizione mediocre
- b) N.1 autocisterna SPA 30.000 - condizione mediocre
- c) N.1 autobotte - pompa SPA 30.000 - condizione pessima da non potere effettuare servizio
- d) N.1 autocarro Bianchi - condizione mediocri
- e) N.1 autiveettura Fiat 1100 - condizioni mediocri - a disposizione del Vice Prefetto e del Sindaco di Caltanissetta.

f) N.1 motofurgone Guzzi 500 - condizioni mediocre di pertinenza dell'U

N.P.A. ceduto per ordine del Prefetto di Caltanissetta al 19°

Corpo Vigili del Fuoco

g) Macchina in dotazione al Distaccamento di Mussomeli;

N.1 autocarro -attrezzi Fiat 618 - condizione mediocre

N.B. Prima dell'occupazione da parte delle Truppe Alleate il Corpo disponeva dei seguenti automezzi i quali sono stati presi da militi

Americani:

a) N.1 motocicletta Guzzi 500

b) N.1 motocarrozzetta Guzzi 500

5320

4°) Forza del Corpo residente in Caltanissetta Vigili N.52.

5°) Forza del distaccamento di Mussomeli " " 8

6°) Distaccamento di Gela in atto sciolto in quanto l'automezzo del

Distaccamento è andato distrutto dalle truppe tedesche durante la fase dei combattimenti nelle zone viciniori la piana di Gela. Non appena sarà possibile disporre di un automezzo sarà ripristinato il Distaccamento con la forza di 8 uomini.

Macchine di cui in atto dispone il Corpo.-

- a) N.1 autopompa SPA 38 R.A. - condizione mediocre
- b) N.1 autocisterna SPA 30.000 - condizione mediocre
- c) N.1 autobotta - pompa SPA 30.000 - condizione pessima da non potere effettuare servizio
- d) N.1 autocarro Bianchi - condizione mediocri
- e) N.1 autiveettura Fiat 1100 - condizioni mediocri - a disposizione del Vice Prefetto e del Sindaco di Caltanissetta.
- f) N.1 motofurgone Guzzi 500 - condizioni mediocre di pertinenza dell'U

N.P.A. ceduto per ordine del Prefetto di Caltanissetta al 19°
Corpo Vigili del Fuoco

g) Macchina in dotazione al Distaccamento di Mussomeli;

N.1 autocarro -attrezzi Fiat 618 - condizione mediocre

N.B. Prima dell'occupazione da parte delle Truppe Alleate il Corpo disponeva dei seguenti automezzi i quali sono stati presi da militi
Americani:

- a) N.1 motocicletta Guzzi 500
- b) N.1 motocarrozzeria Guzzi 500
- c) N.1 motofurgone Benelli 500
- d) N.1 autocarro Fiat 1100 di cui il corpo è in possesso di regolare ricevuta.=

Caltanissetta 17/8/943.-

IL SINDACO



• Elenco dei materiali mancanti alle macchine (come) presso

- No. 1 = Fiat 1200 No. 5 capertani e carriere d'aria 5.00 x 15
 " 2 = " 621 " 6 capertani e carriere d'aria 30 x 5
 " 3 = " 503F. " 8 capertani e carriere d'aria 30 x 5
 " 4 = " 521 " 8 capertani e carriere d'aria 32 x 5
 " 5 = Benelli 500 (motocicletta) No. 3 capertani e carriere d'aria 300 - 19
 " 6 = Fiat 1100 No. 5 capertani e carriere d'aria 500 x 15
 " 7 = Benelli (motocarro schiumoggero) No. 3 capertani e carriere d'aria e
 No. 2 capertani e carriere d'aria.
 " 8 = Bianchi a ciclo diesel No. 2 capertani e carriere d'aria 34 x 7.
 e No. 1 motorino di avviamento impianto Bosch per motore di 50 cavalli.
 " 9 = Fiat autocarro 621 = No. 6 bronzine con 6 cuscinetti di bronzo, sfinter-
 gono completo di bobina, cinghie di ventilatore carburatore tipo roles.
 " 10 = No. 2 batterie per autotreno; No. 3 batterie per Fiat 621 da volts 12
 No. 2 copie da 6 volts per 38 ma R.A.; No. 2 batterie per autocarro
 No. 1 per motocicletta, No. 2 batterie da 12 volts per Fiat 1100.

5319

Utensili per l'officina meccanica del corpo.

Macchinario Antincendi del 19° Corpo Vigili Fuoco
CALTANISSETTA.

1.) N.1 Autopompa SPA 38 P.A. condizioni buona
2.) N.1 Autocarro - Attrezzi - Dischi S.9 - Ottorino
3.) N.1 Autobotte-pompa SPA 30,000 - condizioni Ottima.
4.) N.1 Autocisterna SPA 30,000 - condizione - Passiva.
5.) N.1 Autorettera Fiat 1100 - condizioni - mediocre.
6.) N.1 Motofurgone fusini 500 ceduto al Corpo dall' U.M.P.A. condizioni Iscritte
7.) N.1 Autocarro - Attrezzi Fiat 618 in dotazione al distaccoamento & Razzonelli.
8.) N.5 Motopompe & cui ad efficienza completa N.3. Il rimanente questo per
manicina & pezzi di ricambio.

Caltanissetta 31/ /1943.

IL COMANDANTE.
Francesco Janetta

5310

Macchinario acquistato del 19° Corpo 4
Vigili del Fuoco - Calaveras

- 1°) N°1 Motopompa SPH 38 R.H. con giacca Becora
- 2°) N°1 Autocarro - Attrezzi - ~~di~~ Bisacchi S. 9 - Ottimo
- 3°) N°1 Autobotte-pompa SPH 30000 - con giacca Ottimo
- 4°) N°1 Autocintura SPH 30.000 - con giacca pezzina
- 5°) N°1 Autovettura Fiat 1100 - con giacca mediocre
- 6°) N°1 Motopompa Suzz 500 ceduto al Corpo
dell'U.N.P.A. con giacca discrete
- 7°) N°1 autocarro-attrezzo Fiat 618 in dotazione
al Distaccamento di Messone
- 8°) N°5 motopompe 8 cm in officina
completate n°3. Il rimanente quarto per
manomonta 8 pezzi di ricambio

3) N°1 Autobotte-pompia SPA. 30.000 - condizione Ottima

1) N°1 Autocisterna SPA. 30.000 - condizione pessima

5) N°1 Autorecattura Fiat 1100 - condizione mediocre

6) N°1 Motofurgone fuozz 500 sedili al corpo
dell'U.N. P.A. condizione buona

4) N°1 autocarro-attezzo Fiat 618 in condizione
al disaccamento & meccanico.

8) N°5 motopompia 8 cm in officina
completata n°3. Il rimanente quarto per
manicava & pezzi & ricambi

5317

Autocisterna 31/8/1943

Il Comandante
U. Paccanelli

✓
Materiale occorrente al Corpo per il completo ed efficiente
espletamento dei Servizi Antincendi -

3

N. 2 motociclette
N. 1 motocarrozzetta
N. 1 motofurgone
N. 1 autocarro leggero
N. 4 motopompe
m. 1000 di tubazione da 70/mm. con relativi raccordi
m. 1000 " " 45/mm. " "
m. 50 " " 25/mm. " "
N. 1 pompa a mano cilindrica
N. 4 lance da mm. 70 con relativa scorta di bocchelli di mm. 18 a mm. 22
N. 4 ripartitori di mm. 70 in 45 mm. e due vie
N. 2 " " mm. 70 in 70 mm. " "
N. 40 piccozze
N. 30 elmi da incendio
N. 40 cinture di salvataggio completi di moschettoni
N. 40 funi di salvataggio della lungherie di m. 30 ciascuna
N. 60 giubbetti di fetica con n. 50 pantaloni da fetica
N. 70 camicie color kaki regolamentare
N. 50 lenzuoli
N. 50 materassi
n. 100 coperte
N. 60 paia di stivaloni
N. 60 paia di scarpe
N. 3 pelli di vitello per le riparazioni delle calzature
Kg. 3 di chiodi per calzature
N. 30 cappotte impermeabili
N. 50 maglioni neri
N. 7 vasche a telo di mc. 1 ciascuna
N. 8 fanali Bosch portatili per illuminazione

m. 1000 " " 45/mm. " " "
 m. 50 " " 25/mm. " " "
 N. 1 pompe a mano cilindrica
 N. 4 lenze da mm. 70 con relativa scorta di bocchelli di mm. 13 a mm. 22
 N. 4 ripetitori di mm. 70 in 45 mm. e due vie
 N. 2 " mm. 70 in 70 mm. " "
 N. 40 piccozze
 N. 30 elmi da incendio
 N. 40 cinture di salvataggio completi di moschetti
 N. 40 funi di salvataggio della lunghezza di m. 30 ciascuna
 N. 60 giubbetti di fatica con n. 60 pantaloni da fatica
 N. 70 camicia color kaki regolamentare
 N. 50 lenzuoli
 N. 50 materassi
 n. 100 coperte
 N. 60 paia di stivaloni
 N. 60 paia di scarpe
 N. 3 pelli di vitello per le riparazioni delle calzature
 Kg. 3 di chiodi per calzature
 N. 30 cappotte impermeabili
 N. 50 maglioni neri
 N. 7 vasche a telo di mc. 1 ciascuna
 N. 8 fanali Bosch portatili per illuminazione
 N. 3 scale all'Italiana complete di 4 pezzi
 N. 3 scale a gancio
 N. 5 coperture con camera d'aria 5.00-15 per Fiat 1100.
 N. 1 macchina da scrivere a doppio carrello
 N. 1 addizionale.

5310

IL COMANDANTE

(ing. Francesco Lunetta)



FORO DAL 190 CORPO VIGILI DEL FUOCO ✓

CALTANISSETTA

- 1) Dott. Ing. Francesco Lunetta - Comandante
 2) Geom. Viola Calogero - Ufficiale Volontario in servizio continuativo
 3) Geom. Sililiti Stefano - Impiegato all'Amministrazione Provinciale di Caltanissetta, Ufficiale Volontario non in

servizio continuativo

- 4) Vig. Sc. permanente Mennella Antonio - qualifica : ottimo

5) " " Vitale Salvatore - " "

6) " " Burgio Salvatore - " "

7) " " Messina Giuseppe - " "

8) Vigile " " Arcorisi Pietro - " "

9) " " Volontario Ringo Calogero - " "

10) " " Micciché Giuseppe - " "

11) " " Cardinale Pietro - " "

12) " " Spataro Giuseppe - " "

13) " " Termini Mario - " "

14) " " Giallombardo Giuseppe - " "

15) " " Di Salvo Calogero - " "

16) " " Russo Filippo - " "

17) " " Lo Coco Luigi - " "

18) " " Wagerri Carmelo - " "

19) " " Vitale Nicola - " "

20) " " Cocciodiferno Francesco - " "

21) " " Prenzana Guglielmo - " "

22) " " Trapano Vincenzo - " "

23) " " Garrubba Salvatore - " "

24) " " Notarigo Vito - " "

25) " " Esclillo Ernesto - " "

26) " " Marotta Vincenzo - " "

5315

5)	"	"	Vitale Salvatore -	"	"
6)	"	"	Burgio Salvatore -	"	"
7)	"	"	Messina Giuseppe -	"	"
8) Vigile	"	"	Arcaresi Pietro -	"	"
9)	"	Volenterio	Ringo Calogero -	"	"
10)	"	"	Micciché Giuseppe	"	"
11)	"	"	Cardinale Pietro	"	"
12)	"	"	Spatarza Giuseppe	"	"
13)	"	"	Termini Mario	"	"
14)	"	"	Giallombardo Giuseppe	"	"
15)	"	"	Di Salvo Calogero	"	"
16)	"	"	Russo Filippo	"	"
17)	"	"	Lo Coco Luigi	"	"
18)	"	"	Zagerri Carmelo	"	"
19)	"	"	Vitale Nicola	"	"
20)	"	"	Cocciodiferno Francesco	"	"
21)	"	"	Frenzone Guglielmo	"	"
22)	"	"	Tragno Vincenzo	"	"
23)	"	"	Gerrubba Salvatore	"	"
24)	"	"	Notarrigo Vito	"	"
25)	"	"	Paolillo Ernesto	"	"
26)	"	"	Marotta Vincenzo	"	"
27)	"	"	Arena Giuseppe	"	"
28)	"	"	Di Benedetto Calogero	"	"
29)	"	"	Olindo Salvatore	"	"
30)	"	"	Di Maria Vincenzo	"	buono
31)	"	"	Montalto Michela	"	"
32)	"	"	Cacciatore Beniamino	"	"
33)	"	"	Armatore Salvatore	"	"

33) Vigile Volontario Felizai Gastano - qualifica: buono

35) " " Scarlate Liborio " " " "

36) " " Petralia Francesco " " " "

37) " " D'Antoni Francesco " " " "

38) " " Nicosis Michele " " " "

39) " " Vancheri Antonio " " " "

40) " " Fraziano Rocco " " " "

41) " " Micciché Angelo " " " "

42) " " Riviera Enrico " " " "

43) " " Rossi Giuseppe " " " "

44) " " Mastrosimone Giovanni " " " "

45) " " Mastrosimone Tommaso " " " "

46) " " Scontrino Emanuele " " " "

47) " " Ferrigno Michele " " " "

48) " " Giannara Santo " " " "

49) " " Giannocaro Alfonso " " " "

50) " " Cimino Croce " " " "

51) " " Versaggio Vincenzo " " " "

52) " " Esposito Antonio " " " "

53) " " Tomassello Giuseppe " " " "

54) " " Grimaldi Pasquale " " " "

55) " " Russo Ernesto " " " "

DISACCAAMENTO DI LUSSOMELI

1) Capo Squadra Fileccia Nicolò - qualifica: ottimo

2) Vigile Volont. Minnello Antonio " " " "

3) " " Genuardi Antonio " " " "

4) " " Minnello Alfonso " " " "

5) " " Plado Salvatore " " " "

6) " " Barba Vincenzo " " " "

41)	"	"	Micciaché Angelo	"	"
42)	"	"	Riviera Enrico	"	"
43)	"	"	Rossi Giuseppe	"	"
44)	"	"	Mastrosimone Giovanni	"	"
45)	"	"	Mastrosimone Tommaso	"	"
46)	"	"	Scontrino Emanuele	"	"
47)	"	"	Ferrigno Michele	"	"
48)	"	"	Giannara Santo	"	"
49)	"	"	Giannocero Alfonso	"	"
50)	"	"	Cimino Croce	"	"
51)	"	"	Versaggio Vincenzo	"	"
52)	"	"	Esposito Antonio	"	"
53)	"	"	Tomassello Giuseppe	"	"
54)	"	"	Grimaldi Pasquale	"	"
55)	"	"	Russo Ernesto	"	"

5314

DISSTACAMENTO DI MUSSONELLI

1)	Capo Squadra	Fileccia Nicolò	- qualifica : ottimo
2)	Vigile Volont.	Minnelle Antonio	"
3)	"	Gennardi Antonio	"
4)	"	Minnella Alfonso	"
5)	"	Plado Salvatore	"
6)	"	Barba Vincenzo	"
7)	"	Mancuso Salvatore	buono
8)	"	Saviano Giuseppe	"

IL COMANDANTE
(ing. Francesco Minnetta)
F. Minnetta

