

ACC

10000/143/175

10000/143/175

CIVIL DEFENCE, PALERMO
AUG. - NOV. 1943

0 1 2 3

Declassified E.O. 12356 Section 3.3/NND No. 785016

AMGOT/1174/PS

CIVIL DEFENCE -

PALEMO

0124

CIVIL DEFENCE -

PALERMO

10000 / 43/175

THIS FOLDER CONTAINS PAPERS	
FROM AUG.	1943
TO NOV	1943
CATEGORIE	

[illegible]

CONFIDENTIAL

HEADQUARTERS
ISLAND BASE SECTION
A.P.O. 550

24 September 1943

SUBJECT: Palermo District Passive Air Defense Plan
TO : See Distribution.

1. Transmitted herewith is one copy of the Passive Air Defense Plan (PAD) for the Palermo Area.
2. This plan goes into effect at 1700 hrs on 25 September 1943.
3. Organizations vacating bivouac areas or billets shall notify the P.A.D. Controller immediately. Units leaving the Palermo Area shall hand in their copies of the P.A.D. plan to P.A.D. Controller.
4. It is requested that receipt of this communication be acknowledged, giving the following information:

Name of unit, type of installation, location by address and map coordinates (provide overlay showing area limits if large area or areas are occupied) and telephone number of the unit.
5. Questions on P.A.D. matters should be referred to the P.A.D. Controller.

For the Coordinating Officer:

F. T. Bonsteel

F. T. BONSTEEL,
Colonel, AGD,
Adjutant General.

- 1 Incl:
Palermo District Passive Air Defense Plan.

DISTRIBUTION:
Special

5758

HEADQUARTERS
ISLAND BASE SECTION
A.P.O. #550

U.S. PATENT DISTRICT

REF. MAP - TOWN PLAN OF PALERMO.

1. MISSION. The mission of (Positive In Defense) P.I.D., is:-

- (a) To minimize the effect of enemy air attack on military installations and personnel. (Same procedure would apply in event of naval bombardment of the city.
- (b) To ensure the continuation of the normal activities of the area by coordination of resources of military and naval establishments in the area.
- (c) To provide mutual assistance between Military and Civil authorities.

2. CONTROL ORGANIZATION.

- (a) Central Control. The F.A.D. of Palermo and vicinity shall be under the supervision of the F.A.D. Controller. The F.A.D. Controller shall be responsible for inspecting Unit F.A.D. trainings in the District.

P.A.D. Control is located at #38 Via Bari (Cor. Via Empeda and Via Bari).

P. A. D. Controller - Lt. Col. EDWARD H. IRSE.

Asst. P.A.D. Controly - Contx. ~~E. W. Davies~~ E. W. Davies.

Phone Number - ~~246-5555~~ (titan ~~books~~) or dial 15546.

RESTON

BROADWAY

- (b) Sectors. The Palawan District is divided into five (5) sectors, each under a Sector Controller, who is directly responsible to the P.A.D. Controller. Rescue and work parties and messengers with motorcycles or 1 ton trucks shall be furnished Sector Controllers by the units in their respective sectors, subject to the approval of the P.A.D. Controller. Sectors are established as follows (See Appendix "A"):

Sector

NOTES

P.A.D. Sector Controller - Lt. C. G. Day

Location: Hq. Navy Construction Bn.

52 Via Aquasanta (04.71 - 07.34)

Phoné - May 15

Notes

II. Part Ares.

P.H.D. Sueter Controller -- Major J. G. FLETCHER

Location: Fort near the North Side of
Great Salt Lake

Tricocidoles (47.3% = 17.5%)

Sector III

Plano: ~~Challenger Road~~ Bayview 135

60XC#B-133

P.A.D. Sector Controller - Mr. GARDNER M. WATSON

1841

- (a) To minimize the effect of enemy air attack on military installations and personnel. (Same procedure would apply in event of naval bombardment of the city.
- (b) To ensure the continuation of the normal activity in the area by coordination of resources of military and naval establishments in the area.
- (c) To provide mutual assistance between military and civil authorities.

2. CONTROL ORGANIZATION.

(a) General Control. The P.A.D. of Palermo and vicinity shall be under the supervision of the P.A.D. Controller. The P.A.D. Controller shall be responsible for inspecting that P.A.D. training in the District.

P.A.D. Control is located at #33 Via Bari (Cor Via Maguoin and Via Bari).

P.A.D. Controller - Lt. Col. FRANKLIN W. NISB.

Asst. P.A.D. Controller - Capt. ~~W. C. DAVIS~~ A. E. DAVIS.

Phone Number - ~~CLAYTON~~ (then ~~CLAYTON~~) or dial 15546.

BOSTON

BROADWAY

(b) Sectors. The Palermo District is divided into five (5) sectors, each under a Sector Controller, who is directly responsible to the P.A.D. Controller. Rescue and work parties and messengers with motorcycles or 4 ton trucks shall be furnished Sector Controllers by the units in their respective sectors, subject to the approval of the P.A.D. Controller. Sectors are established as follows (See Appendix 4A):

- | | |
|------------|---|
| Sector I | Navy Area. |
| | P.A.D. Sector Controller - Lt. C. G. DAY |
| | Location: Hq. Navy Construction Co. |
| | 52 Via Agasanta (14.44 - 4.44) |
| | Phone - Navy 15 |
| Sector II | Port Area. |
| | P.A.D. Sector Controller - Major J. R. FLETCHER |
| | Location: Port Area on North Side of Mole |
| | Trapezoidal (14.30 - 17.55) |
| | Phone: Challenge ~~Boxcar-135~~ BOXCAR-135 |
| | Team area south of Corso Vittorio Emanuele 17 BEAUGAS 5957 |
| Sector III | P.A.D. Sector Controller - Lt. ~~W. C. DAVIS~~ (Cap Day). |
| | Location: all Depot between Via Oreta and Via S. Boccari |
| | (14.8 - 45.3). |
| | Phone - 11679 |
| Sector IV | Central town area between Corso Vittorio Emanuele and Via Emanuele Notturno - Via Duca di Verdura - Via Cantieri. |
| | P.A.D. Sector Controller - Major CLAY |
| | Asst. P.A.D. Sector Controller - Lt. ~~CANTIERI~~ |
| | Location: Hq. 10th Port D. |
| | Day Phone - Challenge ~~Boxcar-135~~ BOXCAR-135 |
| | Night Phone - ~~Boxcar-113~~ BOXCAR-113 - Via Duca di Verdura - Via Cantieri, to including Misdell. |
| Sector V | Area North of Via Emanuele Notturno - Via Duca di Verdura - Via Cantieri, to including Misdell. |
| | P.A.D. Sector Controller - ~~CLAY~~ CLAY |
| | Location: Hq. 43d Ord. Bn., Artillery Barracks, |
| | (15.8 - 50.0) |
| | Phone - 10718 |

3. COMMUNICATIONS.

- (a) Telephones will be used whenever possible. The Signal Corps shall give priority to P.M.D. calls. Lines shall be tested frequently when not being used. Specialist "B" shorts shall be maintained with (b) messengers. Sector Controllers shall have messengers with motorcycles or 1/2 ton trucks available for use in the event of a breakdown in tele/home communications. The Island Base Section shall provide two (2) messengers with motorcycles or 1/2 ton trucks, who shall report to the P.M.D. Controller at Control Headquarters. In the event of an alert, the motor transportation officer shall immediately dispatch the messengers and vehicles to the P.M.D. Controller.

4. STAFFING AND EQUIPMENT.

- (a) Light Reserve Parties shall be provided by the various organizations bivouacked in the Palermo District. They will be controlled by the Sector Controllers in their respective sectors, but may be ordered to assist in any other sector by the P.M.D. District Controller. Appendix "B" lists personnel and equipment for a Light Reserve Party. (b) Heavy Reserve Parties shall be furnished by the P.M.D. District Controller by organizations in the Palermo District capable of furnishing such parties. Heavy Reserve Parties will be under the control of the P.M.D. Controller. Heavy Reserve heavy weapons party, with special lifting equipment will be available on shore notices. Appendix "C" lists the personnel and scale of equipment for a Heavy Reserve Party. (c) Working Parties at disposal of P.M.D. District Controller. One Party of one officer and approximately twenty men, with motor transport, shall be provided in each of the five (5) Sectors, to furnish parties for the purpose of salvage of military stores and securing off sites of damage, etc. (d) ambulance bivouacking in the area shall be under the direct control of the P.M.D. District Controller during air raid and the emergency period immediately after the raid. Ambulances are located as follows:

1. 59th and 1st AND 34 STATION BOYCAR
and Via Filadelfia. Phone - Campus - Evacuation Office.
(44.1 - 45.3)
2. 15th Port Dispensary, 101 Via Roma. Phone -
(43.0 - 47.0)
3. Navy Aid Station, 119 Via Flaminia. Phone Navy 21
(43.35 - 43.6)
4. Navy Aid Station, Via Cassanese, 1 block north of Via Cantieri. Phone - Navy 23 (44.8 - 45.05)
5. 56th MED BN VIA 25 PAPA FERDIO-PHANE CASTER

- (a) Normal fire prevention. The prevention of fires in each sector is the responsibility of the command. Officers of each unit occupying the sector. Fire guards and fire watchers of such units shall proceed to their respective posts on the sounding of the alert, guns opening fire, or bomb dropping, whichever is earliest. Upon sounding of the alert, the Fire Marshal will report to the P.M.D. Center and coordinate fire fighting activities. Fire guards in command of three, shall be equipped with one stirrup pump, two or more buckets, one hand axe, one wrecking bar. Evacuation shall be made by the unit to deal with the fire before calling for the assistance of the city.

6, MEDICAL.

- (a) First aid Stations are located at:
1. 464 Via Roma (old number 52)
 2. 19 Via Finestrande Pope
 3. Via -Quintana, 1 block north of Via Carliani
 4. ~~Via -Sottol 1 km. on Corso Garibaldi~~
 5. 56th National Inn. on Mondello Road near Mondello
 6. Between Red Cross Recreation Club and Bank of Italy on Via -Torre
- (b) The 59th ~~and 94th~~ ^{AND 34th 67th} ~~Infantry~~ ^{Regiment} is located at the corner of Via Dei Vesperi and Via Filippina (Coordinated 44.1 - 45.3).
- (c) Fatal Casualties. Sector Controllers shall arrange for burial casualties to be placed in a temporary resting place near the scene of the incident, but screened from public view. It is the responsibility of the unit to assist in identifying casualties and to arrange for the body to be properly covered before removal to the mortuary. It will be the responsibility of the 45th and 48th M.A. Groups to arrange with company to arrange for personnel efforts to be rendered. A temporary mortuary has been established at the Red Crossed Division Sanctuary on Via Roma at about 5 miles N.W. of Piazza Vittorio Veneto (Coast 44.1). Units shall notify the Senior Chaplain at the Island Base Section of all fatal casualties, so that burials may be arranged. (Phone - Clover 19).

7. REPORTING OF LOSSES AND DEBITING WITH CLOSING ENTRIES.

When high explosive bombs fell, the Sector Controller, in his last reason to believe that casualties have occurred in his sector, will:

- (c) Send our own Light Rescue Party immediately.
 - (d) Ask P...D. Controller for an ambulance to be sent to the scene of the incident.
 - (e) Ask P...D. control for further assistance if necessary.
- III. INCIDENTS WHEN AN REPORTED
- Military Police to the P...D. Sector Controller. As soon as immediate action has been taken, the Sector Controller will communicate a detailed report to the P...D. Controller as soon as possible, by messenger or by telephone, on form shown in Appendix "D".

ROUTING OPERATIONS

- (a) At 1930 hours each day, Sector Controllers shall report state of readiness of parties, vehicles and equipment. On receipt of reports from Sector Controllers, the P.O.D. Controller shall verify status of readiness of ambulance and heavy rescue parties. The A.I. shall post him tallyboard accordingly.
- (b) Sector Controllers shall man their posts immediately on sounding of the alert, guns opening fire, or bombs dropped.
- (c) P.O.D. Control shall be manned continuously.

2. MILITARY FOLIO.

In the event of damage to military buildings, and upon the request of the P.L.A.D. Controller to the CO, Palawan Military District, Military Police shall proceed to the site and conduct repairs, except to personnel and equipment.

(c) Public Communication. Sector Controllers shall arrange for local casualties to be placed in a temporary resting place near the scene of the incident, but removed from public view. If in the responsibility of the unit to assist in identifying casualties, it is arranged for the body to be properly covered before removal to the mortuary. It will be the responsibility of the 4th and 10th Air Divisions to arrange for the removal of the body to the mortuary. A temporary mortuary has been established at the Out-Forward Division Cemetery on Via Roma, about 1 mile N.W. of Piazza Vittorio Veneto (Caldesi Hill). Units shall notify the Sector Controller at the Island Base Section of all causal casualties, so that burials may be arranged. (Phone - Clowen 19).

7. REPORTING OF INCIDENTS AND DEATHS AND CASUALTIES

When high explosive bombs fall, the Sector Controller, if he has reason to believe that casualties have occurred in his sector, will:

- (a) Sound out the Island Rescue Party immediately.
 - (b) Ask P.M.D. Control for an ambulance to be sent to the scene of the incident.
 - (c) Ask P.M.D. Control for further assistance if necessary.
- ALL INCIDENTS MUST BE REPORTED IMMEDIATELY by Unit Commanders and Military Police to the P.M.D. Sector Controller. As soon as immediate action has been taken, the Sector Controller will communicate a detailed report to the P.M.D. Controller as soon as possible, by messenger or by telephone, on form shown in Appendix "D".

8. ROUTINE OPERATIONS

- (a) At 1930 hours each day, Sector Controllers shall report status of readiness of parties, vehicles and equipment. On receipt of reports from Sector Controllers, the P.M.D. Controller shall verify status of readiness of ambulances and heavy rescue parties. He shall then post his tallyboard accordingly.
- (b) Sector Controllers shall man their posts immediately on sounding of the alert, thus opening fire, or bombs dropped.
- (c) P.M.D. Control shall be warned continuously.

9. MILITARY POLICE

In the event of damage to military buildings, and upon the request of the P.M.D. Controller to the CG, Palermo Military District, Military Police shall proceed to the site and provide security, except to personnel on duty.

10. CRASHED AIRCRAFT

Sector Controllers shall inform P.M.D. Control as to the exact location of crashed aircraft.

11. UNEXPLODED BOMBS

The location of unexploded bombs and other objects shall be reported with the least possible delay to the P.M.D. Controller, who is responsible for informing Bomb Disposal units.

12. AIR RAID WARNING.

- Alert - A series of unidulating signals from the sirens, guns opening fire or bells ringing, whichever is earliest.
- All Clear - Continuous signal on the sirens, lasting one minute.

13. BOISEN GAS.

(a) Reporting. In the event of a suspected or actual gas attack, units shall immediately inform the Sector Controller, who will notify the P.D. Controller. The P.D. Controller will inform other Sector Controllers and the Civil Defense Controller.

(b) Unit Responsibility. If gas is reported, normal unit anti-gas routine will be carried out. Decontamination of personnel, vehicles, etc. is a unit responsibility. Contaminated areas shall be marked and reported.

14. PERSONNEL PROTECTION AND ORDERS FOR SHELTERING.

Unit Commanders are responsible for orders being issued as to where to be taken for sheltering during air raids. All units not performing specific duties shall remain under cover during an air raid.

15. LIAISON WITH CIVIL DEFENSE.

The P.D. Controller shall contact the Civil Defense Controller, who is responsible for the civilian P.D. organization. Should assistance be requested by the Civil Defense authorities, help should be given to the extent possible.

The Civil Defense Controller will, as far as possible, assist in reporting fall of bombs.

14. PERSONNEL PROTECTION AND COUNSELING.
Unit commanders are responsible for orders being issued. It is their
to be taken for scattering during air raids. All rules not previously issued.
duties shall remain under cover during an air raid.

15. RELATION WITH CIVIL DEFENSE.

The F...D. Controller shall contact the Civil Defense Controller,
who is responsible for the civilian F...D. organization. Should a situation
arise as requested by the Civil Defense authorities, help should be given
to the extent possible.

The Civil Defense Controller will act as far as possible, assist in
reporting fall of bombs.

PALESTINE PASSIVE AIR DEFENSE PLAN

SECTION 01. SUMMARIES

Reference 1 pp: Italy 1:25,000 Sheet 249 II VR

A 30 IDEAS


SECTION IV


STAT OF III

575

APPENDIX "B"

PASSIVE AIR DEFENSE TELEPHONE SYSTEM





5754

APPENDIX "C".

(F.A.B. Scheme - Palermo Area)

Equipment of Rescue Parties.

1. Light Rescue Parties.
- 1 M.O.C. and 6 men with a 3/4 ton truck.
 - Shell and Field Dressings, 2 stretchers, and 4 blankets per party.
 - 3 picks, 3 shovels, 2 axes, 2 back-saws, 1 short ladder, 1 medium ladder 2 crowbars, 1 iron shod lever.
2. Heavy Rescue Parties.
- 1 M.O.C. & 7 men with 1-2 1/2 ton truck

Scale of Equipment for Heavy Rescue Parties.

12x12x12, Iron Shed, 12' with blocks for Pulleys.....	2
30 cwt Chain Tackle for set of rope blocks, Tackle U.C. Cordage.....	2
5 inch Chain Tackle.....	2
3 Ton Chain Tackle.....	1
Shear Legs, Light Set.....	1
Snatch Block, Single Sheaf (To take a 3 inch rope).....	1
Jacks, Hydraulic, 10 ton lift.....	2
Jacks, Hydraulic, 20 ton lift.....	1
Ladder, Extending 30 feet.....	1
Ladder, Extending 13 feet.....	1
Cable, outfit, Acetylene, Portable, with Oxygen and Acetylene (1 Hour).....	1
Flared, Acetylene.....	2
Crowbars, 5 feet.....	3
Axes, Picks, heads of Helves.....	4
Shovels, G.B.....	4
Hammers, 4 lb.....	1
Hammers, Sledge, 7 lb.....	1
Axes, Felling (carved helve).....	2
Axes, Hand.....	2
Saws, Cross Cut, 2 Hurdles.....	1
Saws, Spearhead, No. 36.....	1
Saws, Hack (with 6 blades).....	1
Chisels, Hand, Cold.....	2
Whetstones, Iron.....	2
Rope, Manila, 12 in, 40 ft lengths.....	3
Rope, Manila, 3 inches, 100 ft lengths.....	1
Hooks, ceiling.....	2
Ropes, Drag, Pairs, Heavy.....	1
Slings, Rope, white, without thimble, 3 inch.....	1
Slings, Rope, white, without thimble, 1 inch.....	1

First Aid Equipment.

2 Shell and T4 Aid Dressings,
2 splint sticks, and 4 blankets per
party.

Light Rescue Equipment

3 picks, 3 shovels, 2 axes, 2 back-
saws, 1 short ladder, 1 medium ladder
2 crowbars, 1 iron shod lever.

2. Heavy Rescue Parties.

1 M.C.O. & 2 men with 1-2 1/2 ton truck

Scale of Equipment for Heavy Rescue Parties.

12' ladders, Iron Sled, 12' with blocks for Pulleys.....	2
30 cwt Chain Tackle for set of rope blocks, Tackle 4-6. Cordage.....	2
3 inch Chain Tackle.....	2
3 Ton Chain Tackle.....	1
Shear Legs, Light Set.....	1
Snatch Block, Single Sheaf (To take a 3 inch rope).....	1
Jacks, Hydraulic, 10 ton lift.....	2
Jacks, Hydraulic, 20 ton lift.....	1
Ladders, Extending 30 feet.....	1
Ladders, Extending 13 feet.....	1
Cutting outfit, Acetylene, Portable, with Oxygen and Acetylene (1 hour).....	1
Picks, Acetylene.....	1
Crowbars, 5 foot.....	2
Axes, Picks, heads of Helms.....	3
Shovels, 4 ft.....	4
Hammers, 4 lb.....	4
Hammers, Sledge, 7 lb.....	1
Axes, Felling (curved blade).....	1
Axes, Hand.....	2
Saws, Cross Cut, 2 Handles.....	2
Saws, Serrated, No. 30.....	1
Saws, Hack, (with 6 blades).....	1
Chisels, Hand, Coll.....	1
Wheelparrows, Iron.....	2
Rope, Manila, 1 1/2 in, 40 ft lengths.....	2
Rope, Manila, 3 inches, 100 ft lengths.....	3
Hooks, coiling.....	1
Ropes, Drag, Pairs, Heavy.....	2
Slings, Rope, White, without thimble, 3 inch.....	1
Slings, Rope, White, without thimble, 3 inch.....	1
Lamps, electric, No. 1.....	1
Batteries, Lamp, Electric, No. 1.....	6
Batteries, Lamp, Electric (Spares).....	6
Lamps, 2.5 volt, c. (Spares).....	6
Lamps, Hurricane.....	6
Corrugated, Galvanized, Iron Sheets.....	6
Gloves, Rubber, Pairs.....	2
Cutters, wire.....	2

PRINTER "D"

P. 1. D. INCIDENT REPORT FORM

1. Exact location of incident and any reference.....
2. Type of bomb (M.D., incendiary, gas).....
3. Approximate No. of casualties: Fatal..... Wounded.....
4. Whether any persons trapped and approximate numbers.....
5. Damage to mains (Gas, Water, Electricity).....
6. Was a fire caused by incident?.....
7. Was Army Fire Service informed?.....
8. Time and date of incident.....
9. Place and telephone number from which report was transmitted.....
10. Remarks.....

(Name - Signed)

(Name - Printed)

(Grade - Organization)

HEADQUARTERS
ALLIED MILITARY GOVERNMENT

AMG/44501/1/PS

November 10, 1943.

SUBJECT : Air Raid Warning System - PALERMO.

TO : Controller, P.A.D., I.B.S., PALERMO.

1. With reference to the visit of the Acting Capt. Fire and Civil Defense to P.A.D. CONTROL ROOM last night, when acting on behalf of the S.C.A.F.O. PALERMO, he concluded the following arrangements with you:-

- (1) After 2000 hours 9/11/43 the raid warnings will come from P.A.D. CONTROL and will be "Difesa Antiaerea Siren" and "Difesa Antiaerea - Cease".
- (2) No warnings will come from G.O.R., except as in para. 3.
- (3) In the event of P.A.D. direct line to the Fire Station being out of order, Civil Defense (at Fire Station) will be notified of the fault over the public line and the alert and all other signals will be sent by G.O.R. over their direct line to Fire Station.
- (4) The line from P.A.D. to Fire Station will be tested daily at 0800, 1300, 1900 hrs. by P.A.D. personnel. The line from G.O.R. to Fire Station will be tested daily 3 times at hours to be arranged through P.A.D..
- (5) An Italian speaking operator to be available at P.A.D. control.

2. It is requested that you will be good enough to confirm these arrangements with all concerned, and make any further arrangements direct with S.C.A.F.O. of PALERMO.


G.E.L. MASON

Major,
for PAUL G. KIRK,
Chief, Public Safety
Sub-Commission.

Copy to:

S.C.A.F.O. PALERMO.
Fire & C.B. OFFICER, REGION I
S.C.A.F.O. PALERMO.
Comandante Migi, C.B. CONTROLLER.
Officer i/c G.O.R..

5722

HEADQUARTERS
ALLIED MILITARY GOVERNMENT
Public Safety Sub-Commission.

November 11, 1943


AMG/14502/1/PS

SUBJECT : Demolition of dangerous structures.

TO : G.A.O. ~~PALESTINE~~

1. Attached is a copy of the report of the Commandante of the PALESTINE Fire Service on the collapse of part of a building at 1415 hrs. 10 November, 1943.

2. The last paragraph contains a suggestion that more careful supervision of the demolition work is needed and is forwarded for your information.


G.H.L. MASON,
Major,
for Chief, Public Safety
Sub-Commission.

Copy to:

File.

Fire and Civil Defence Officer No. 1 Region.


5781

Object: Siren of Alarm operating.

The office of Public-works informs that the 22 sirens of this city are in operating conditions.

It's necessary to have accordance with the Allied Government to prove them at 12:00 clock for 3 days continually, and to publish an addition on the "Licilia Liberata" - newspaper.

5750



Palermo, 8 DICEMBRE 1943

58° Corpo Vigili del Fuoco

PALERMO

IN PERICULO VITAM AGERE

Al SIG. CAPITANO

BRANNIGAN

Cat. Fasc.

N. 9205 All.

Risposta al foglio del

N.

PALERMO

OGGETTO: FUNZIONAMENTO SIRENE DI ALLARME

L'Ufficio dei lavori pubblici mi ha informato che le 22 sirene della città sono in funzione.

E' necessario prendere accordi con il Comando Alleato per fare una prova alle ore 12 di 3 giorni consecutivi, mettendo un avviso sul giornale di "Sicilia liberata".

IL COMANDANTE
(DOTT. ING. LUIGI BIGI)



5719

Old Siren System

10.05 A.M. each day.

Electric on from 5 P.M.
to 7.30 P.M.

RELATIONS OF THE PRESENT CONDITIONS OF PUBLIC SHELTERS IN PALERMO:

TO THIS COMMAND WAS GIVEN THE CHARGE OF INSPECTING PUBLIC SHELTERS ON AUGUST 11. 1943 IN OCCASION FROM THE DISSOLUTION OF COMMITTEE ON PROVINCIAL ANTI-AER PROTECTION.

ON SEPTEMBER 6 THIS COMMAND TO THE HIGH OFFICER OF CIVIL AFFAIRS A FIRST RELATION WITH SEVERAL PROPOSES, AFTER AN ACCORDANCE WITH THE PUBLIC WORK OFFICE OF THE 190 SHELTERS ASSISTING IN PALERMO. FOR EACH ONE NOTICE WAS GIVEN, FOR STATE OF CLEANING, CUSTODIAN, ELE CTIC LIGHT. ONE COPY OF THIS NOTICE WAS ALSO GIVEN TO THE PUBLIC WORK OFFICE, TO PROVIDE FOR THESE CONDITIONS. IN THE MEAN TIME THE CUSTODIAN WAS ABOLISHED, MOST BECAUSE THEY WERE NOT PAID STEADY AND WERE NOT NAMED.

IT WAS PROVIDED TO CLEAR MOST OF THESE SHELTERS BY CIVILIAN THAT THAT LIVED AND SLEPT THEREIN, OCCUPYING NEARLY 7000 SQ. METERS. BY DEMAND OF THIS COMMAND 12 HAVE BEEN ABOLISHED THAT WERE IN A VERY IMPOSSIBLE STATE, THEY WERE VERY DIRTY AND NOT STRONG ENOUGH. IT HAS ALSO BEEN SUGGESTED TO ABOLISH THE ONE STORY SHELTERS (walls) BY THE HIGH AUTHORITY (18 IN NUMBER) BELIEVED VERY UNUSEFUL.

Actually the situation of the shelters are in need of doors, electric light, care and cleaning and water service.

A rapid inspection made to-day by the undersigned, believes the following:--- DOORS:-- For very little care, by the custodians, and for abandoned care of several shelters, the doors have been carried away, by bad intentioned people, so that actually 54 doors are missing, they cost L.",000 each, so in all for the doors L.162,000 will be needed. If this work is provided for the shelters can be opened only in care of custodians in case of an alarm. So there will be no reason for people to be allowed to live or sleep in shelters.

(ELECTRIC LIGHT) Even before the Party Antiaerea Protection was disbanded it was known that in the Public Shelters, nearly all the lamps disappeared, roughly about 1730 lamps are missing, each lamp will cost about L.100, for all the total expence of L.173,000 is required.

This command thinks best to arrange the lights in shelters so that the custodian will place lamps in shelters only on air raid signal and remove them after the all clear is given.

(WATER APPLIANCE AND CLOSETS.) The number of shelters in useful condition is about 160, to repair electric--water--faucets--unloading ~~minimum~~ cases and closets an expence of L.250 for each is required., in all L.40,000.

(SEWAGE) It is necessary to clean up parts of sewage, and take out of the shelters several closets, and repair 10 shelters, hit by bombs. For this work, the sum of L.30,000.

A Total Expence of L.675,000 is needed to put recoveries in

ABOLISHED, MOST BECAUSE THEY WERE NOT PAID STEADY AND WERE NOT NAMED.

IT WAS PROVIDED TO CLEAR MOST OF THESE SHELTERS BY CIVILIAN THAT THAT LIVED AND SLEPT THEREIN, OCCUPYING NEARLY 7000 SQ. METERS. BY DEMAND OF THIS COMMAND 12 HAVE BEEN ABOLISHED THAT WERE IN A VERY IMPOSSIBLE STATE, THEY WERE VERY DIRTY AND NOT STRONG ENOUGH. IT HAS ALSO BEEN SUGGESTED TO ABOLISH THE ONE STORY SHELTERS (walls) BY THE HIGH AUTHORITY (18 IN NUMBER) BELIEVED VERY UNUSEFUL.

Actually the situation of the shelters are in need of doors, electric light, care and cleaning and water service.

A rapid inspection made to-day by the undersigned, believes the following:--- DOORS:- For very little care, by the custodians, and for abandoned care of several shelters, the doors have been carried away, by bad intentioned people, so that actually 54 doors are missing, they cost L. 1,000 each, so in all for the doors L. 162,000 will be needed. If this work is provided for the shelters can be opened only in care of custodians in case of an alarm. So there will be no reason for people to be allowed to live or sleep in shelters.

(ELECTRIC LIGHT) Even before the Party Antiaerea Protection was disbanded it was known that in the Public Shelters, nearly all the lamps disappeared, roughly about 1730 lamps are missing, each lamp will cost about L. 100, for all the total expense of L. 173,000 is required.

This command thinks best to arrange the lights in shelters so that the custodian will place lamps in shelters only on air raid signal and remove them after the all clear is given.

(WATER APPLIANCE AND CLOSETS.) The number of shelters in useful condition is about 160, to repair electric--water--faucets--unloading ~~shelters~~ cases and closets an expense of L. 250 for each is required., in all L. 40,000.

(SEWAGE) It is necessary to clean up parts of sewage, and take out of the shelters several closets, and repair 10 shelters, hit by bombs. For this work, the sum of L. 30,000.

A Total Expense of L. 675,000 is needed to put ⁱⁿ ~~recovery~~ ³⁷⁴⁸ proper condition.

The salary or capital of nearly L. 25,000 a month will be sufficient.

(CUSTODIANS) Actually after the re)order made by this Command regular results of custodians in service are only 31, at head as Chief of Inspection is the person named STOCCI FERDINANDO, retained by the Mayor, after a letter was sent the 23 of Dec. 1943. Its necessary that said deliberation will be made, keeping present that the named STOCCI, will be on duty, with good effect.

To be sure of complete inspection of the shelters, most important in Palermo, other 20 Custodians will be required, chosen among intelligent people, and that their residence can be in the same building of the shelter. The high authority will have to authorize employing this personnel.

OVER:

CIVIL DEFENCE CONTINUED:-----

(CONCLUSION) The situation of public shelters, even not in good condition, presents the possibility of getting better. Naturally this improvement requires a necessary expense, being that the state of War continues. Enemy air attacks can be possible.

This Command will continue, to be interested, to prepare comfortable situation for the population., surely that the Public Work Office will make ready collaboration, and also the Personnel Office and Polite Policy.

It would not be out of place to arrange a meeting among different society at your office, after examination of present relation.

Palermo, 7 GENNAIO 1944

58° Corpo Vigili del Fuoco

PALERMO

- IN PERICOLO VITA M. AGERE -

Cat. Fasc.

N. All.

Risposta al foglio del

N.

Al MAJOR GEORGE W. HALEY

C.M.P. CIVIL AFFAIRS OFFICER

PALERMO

e p.c.

UFFICIO LAVORI PUBBLICI

CAP. BRANNICAN

Ufficio Difesa Civile Regione I.

OGGETTO: RELAZIONE SULLE ATTUALI CONDIZIONI DEI RICOVERI PUBBLICI DI
PALERMO.

A questo Comando fu affidato l'incarico della sorveglianza dei ricoveri pubblici in data 11 Agosto 1943, in occasione dello scioglimento del Comitato Provinciale Protezione Antiaerea.

In data 5 Settembre questo Comando presentava all'Ufficiale Superiore addetto agli Affari Civili una prima relazione con alcune proposte dopo aver fatto un sopralluogo in accordo con l'Ufficio Lavori Pubblici ai 190 ricoveri esistenti in Palermo.

Per ciascuno di essi si prese nota delle superficie in mq, delle caratteristiche di frequenza, stato di conservazione, uso, igiene, illuminazione e custodia.

Una copia di questa tabella riassuntiva è stata pure consegnata all'Ufficio Lavori Pubblici per i provvedimenti del caso. Successivamente è stata riveduta l'abolizione di tutti i custodi molti dei quali risultavano non pagati e non regolarmente nominati.

Si è provveduto a fare sgomberare molti ricoveri da popolazione civile che in quella epoca alloggiava e pernottava occupando un totale di quasi 7000 metri quadrati.

Su proposta di questo Comando sono state abolite le trincee coperte in numero di 12 date il loro stato improprio di ricoverare il pubblico per mancanza di igiene e per insufficiente protezione costruttiva.

E' pure stata inoltrata proposta all'Autorità superiore di abolire i ricoveri pianterreni parascagge in numero di 18 perchè ritenuti adatti a tale uso.

3147

e p.c.

UFFICIO LAVORI PUBBLICI

CAP. BRANNIGAN

Ufficio Difesa Civile Regione 1.

OGGETTO: RELAZIONE SULLE ATTUALI CONDIZIONI DEI RICOVERI PUBBLICI DI

PALERMO.

A questo Comando fu affidato l'incarico della sorveglianza dei ricoveri pubblici in data 11 Agosto 943, in occasione dello scioglimento del Comitato Provinciale Protezione Antiaerea.

In data 6 Settembre questo Comando presentava all'Ufficio Superiore addetto agli Affari Civili una prima relazione con alcune proposte dopo aver fatto un sopralluogo in accordo con l'Ufficio Lavori Pubblici ai 190 ricoveri esistenti in Palermo.

Per ciascuno di essi si prese nota della superficie in mq, delle caratteristiche di frequenza, stato di conservazione, uso, igiene, illuminazione e custodia.

Una copia di questa tabella riassuntiva è stata pure consegnata all'Ufficio Lavori Pubblici per i provvedimenti del caso. Successivamente è stata riveduta l'abolizione di tutti i casati molti dei quali risultavano non pagati e non regolarmente nominati.

Si è provveduto a fare sgomberare molti ricoveri da popolazione civile che in quella epoca alloggiava e permetteva occupare un totale di quasi 7000 metri quadrati.

Su proposta di questo Comando sono state abolite le trincee coperte in numero di 12 dato il loro stato impossibile di ricoverare il pubblico per mancanza di igiene e per insufficiente protezione costruttiva.

E' pure stata inoltrata proposta all'Autorità superiore di abolire i ricoveri pianterreni parascagge in numero di 18 perchè ^{5/47}

ritenuti adatti a tale uso.

Attualmente la situazione dei ricoveri lascia ancora a desiderare per la mancanza di porte, illuminazione, servizi idraulici e manutenzione.

Un rapido esame fatto oggi stesso dal sottoscritto permette di segnalare quanto appresso:



58 Corpo Vigili del Fuoco

PALERMO

IN PERICOLO VITA' AGERE.

Cat.

Fav.

N.

All.

Risposta al foglio del

N.

Palermo,

511

OGGETTO:

SERRAMENTI: Per negligenza da parte di qualche custode e per abbandono di molti ricoveri parecchie porte sono state asportate da malintenzionati per cui attualmente risultano mancanti specialmente nelle gallerie multiple circa 54 porte la cui pesa inopera al prezzo di circa £.3000 l'una fa prevedere la spesa di lire 162.000

Nell'eventualità che si provveda a tale lavoro occorre disporre che d'ora innanzi i ricoveri pubblici vengano aperti dai custodi soltanto in caso di allarme e che per nessun motivo entrino borghesi per alloggiare, pernottare ecc.

ILLUMINAZIONE: Anche prima che il Comitato di Protezione Antaerea fosse sciolto era stato rilevato che nei ricoveri pubblici quasi tutte le lampadine erano scomparse. Si calcola che attualmente ne mancano complessivamente 1730. Considerando per ogni lampadina, comprese le condutture, un costo di lire 100 si può prevedere una spesa di lire 173.000

Questo Comando suggerisce di ripristinare l'illuminazione nei ricoveri consegnando ad ogni custode ed incaricato un numero limitato di lampadine trasportabili da usare soltanto in caso di allarme a mezzo di tre o quattro prese di corrente per ogni ricovero.

PIANTO IDRAULICO E DI DECENSA: Considerando che con l'abolizione delle trincee coperte e dei pianterreni paraschegge in numero di quelli disponibili come ricoveri pubblici si ridurrebbe a 160; prevedendo per rare tubazioni d'acquedotto, rubinetti, cassette di scarico e gabinetti una spesa media di lire 250 per ciascuna si prevede una spesa di lire 40.000

OGGETTO:

SERRAMENTI: Per negligenza da parte di qualche custode e per abbandono di molti ricoveri parecchie porte sono state asportate da malintenzionati per cui attualmente risultano mancanti specialmente nelle gallerie multiple circa 54 porte la cui pesa inopera al prezzo di circa L.3000 l'una fa prevedere la spesa di lire 162.000

Nell'eventualità che si provveda a tale lavoro occorre disporre che d'ora innanzi i ricoveri pubblici vengano aperti dai custodi soltanto in caso di allarme e che per nessun motivo entrino borghesi per alloggiare, pernottare ecc.

ILLUMINAZIONI: Anche prima che il Comitato di Protezione Antaerea fosse sciolto era stato rilevato che nei ricoveri pubblici quasi tutte le lampadine erano scomparse. Si calcola che attualmente ne mancano complessivamente 1730. Considerando per ogni lampadina, comprese le condutture, un costo di lire 100 si può prevedere una spesa di lire 173.000

Questo Comando suggerisce di ripristinare l'illuminazione nei ricoveri consegnando ad ogni custode ed incaricato un numero limitato di lampadine trasportabili da usare soltanto in caso di allarme a mezzogiorno o quattro prese di corrente per ogni ricovero.

PIANTO IDRAULICO E DI DEGENZA: Considerando che con l'abolizione delle trincee coperte e dei pianterreni paraschegge in numero di quelli disponibili come ricoveri pubblici si ridurrebbe a 160; prevedendo per riparare tubazioni d'acquedotto, rubinetti, cassette di scarico e gabinetti una spesa media di lire 250 per ciascuno si prevede una spesa di lire 40.000

OPERE MURARIE: Occorre pure espurgare parecchi tratti di fognatura trasportare fuori dei ricoveri alcuni gabinetti di latrina e riparare circa una decina di ricoveri colpiti da bombardamento. Per tali lavori si prevede una spesa di lire 100.000

Totale spese preventive lire 372.000

Sistemati così i ricoveri potrà essere sufficiente la disponibilità di un fondo di manutenzione di circa 25.000 lire al mese.

Palermo

58° Corpo Vigili del Fuoco

PALERMO

IN PERICOLO VITAM AGERE.

Cat.

Fasc.

N.

Ill.

Risposti al foglio del

N.

OGGETTO:

QUESTODI: Attualmente dopo il riordino fatto da questo Comando risultano regolarmente in servizio 31 custodi a capo dei quali si è ritenuto di proporre con lettera indirizzata al Sindaco il 23.12.943 un servigliante nella persona di certo Stocchi Ferdinando.

Occorre che detta deliberazione venga adottata tenendo presente che il nominato Stocchi data l'urgenza disimpegna già il servizio con effettivo rendimento.

Per potere assicurare una sorveglianza completa nei ricoveri più importanti esistenti in Palermo occorrerebbe una nomina di altri 20 custodi opportunamente scelti fra personale diligente con domicilio nelle adiacenze dei ricoveri stessi.

Occorre che l'Autorità Superiore autorizzi di massima l'assunzione di questo personale.

Concludendo: la situazione dei ricoveri pubblici per quante non brillanti presenta la possibilità di un immediato miglioramento. Naturalmente tale miglioramento richiede spese non indifferenti ma comunque necessarie in quantotocchè lo stato di guerra permane con tutte le possibilità di eventuali attacchi aerei nemici. Questo Comando continuerà ad interessarsi della cosa con la massima diligenza ed otterrà nell'interesse della popolazione risultati confortevoli se potrà contare, come ne è certo, sulla pronta collaborazione dell'Ufficio Lavori Pubblici, Ufficio Personale e Polizia Urbana.

Non sarebbe fuori luogo convocare una riunione fra i vari Enti presso l'Ufficio della S.V. dopo l'esame della presente relazione.

5743

OGGETTO:

CUSTODI: Attualmente dopo il riordino fatto da questo Comando risultano regolarmente in servizio 31 custodi a capo dei quali si è ritenuto di proporre con lettera indirizzata al Sindaco il 23.12.943 un sorvegliante nella persona di certo Stocchi Ferdinando. Occorre che detta deliberazione venga adottata tenendo presente che il nominato Stocchi data l'urgenza disimpegna già il servizio con effettive rendimenti. Per potere assicurare una sorveglianza completa nei ricevimenti più importanti esistenti in Palermo occorrerebbe una nomina di altri 20 custodi opportunamente scelti fra personale diligente con domicilio nelle adiacenze dei ricoveri stessi. Occorre che l'Autorità Superiore autorizzi di massima l'assunzione di questo personale. Concludendo: la situazione dei ricevimenti pubblici per quanto non brillante presenta la possibilità di un immediato miglioramento. Naturalmente tale miglioramento richiede spese non indifferenti ma comunque necessarie in quantotanto lo stato di guerra permane con tutte le possibilità di eventuali attacchi aerei nemici. Questo Comando continuerà ad interessarsi della cosa con la massima diligenza ed otterrà nell'interesse della popolazione risultati confortevoli se potrà contare, come ne è certo, sulla pronta collaborazione dell'Ufficio Lavori Pubblici, Ufficio Personale e Polizia Urbana. Non sarebbe fuori luogo convocare una riunione fra i vari Enti presso l'Ufficio della S.V. dopo l'esame della presente relazione.

5743

ING. LUIGI BICI
Comandante della Difesa Civile
di

Palermo

Luigi Bici

ALLIED MILITARY GOVERNMENT
Palermo Province

CP/CFH/pm

9 September 1943

CIVIL DEFENCE SCHEME1. WARNING SYSTEM

The Air Raid warning system will be by means of 24 sirens situated in various parts of the town to provide the maximum audibility. At the date of this report 20 sirens are working order.

The Air Raid warning message will be transmitted by Gun Operations Room (G.O.R.) by direct telephone line to the Fire Station and thence by direct line to the Siren Operation Centre "SIELTE."

AIR RAID WARNING SIGNAL

The Air Raid warning signal will be by means of 6 blasts on the Sirens with 15 seconds interval between each blast.

ALL CLEAR

The All Clear Signal will be by means of one blast of the Siren of 60 seconds duration.

Note: Owing to difficulty of electric supply, the air raid warning system will only operate between the hours of 20 hrs. and 7 hrs on the next day following.

2. AIR RAID SHELTERS - PUBLIC AND PRIVATE

Summary showing number of Public Air Raid Shelters and accommodation provided:

No. of Shelters fit for use	109	
No. of Shelters unfit for use	<u>74</u>	183
Superficial Area		33,414 sq. meters
Estimated Capacity		100,500 persons

TYPES

Railway Tunnels	13,000
Multiple Galleries	12,000
Covered Shelters (Trench Type)	4,500
Natural Caves	24,000
Basements of Public Buildings, Schools	<u>47,000</u>
Total	<u>100,500</u>

5744

In addition shelters on private property being vaults, cellars, caves, etc. accommodate about 16,000 person.

SCHOOLS

28 Multiple tunnel type shelters are provided at schools providing accommodations for 15,000 scholars during school hours. After school hours these shelters are available as additional accommodation for the general population. The use of ground floor rooms as Air Raid Shelters should be discontinued.

PRIVATE BUILDINGS

18 public shelters are provided on ground floors of private houses. These shelters are not protective against blast and arrangements are on hand for their use to be discontinued. As a result of an inspection made of the above shelters by Commandante Bigi, Chief of Civil Defence, it was found that many of the Public Shelters were in a dirty condition and that some 7,000 homeless persons are living in the 14 undermentioned shelters:-

1. Corso Alberto Amedeo, Caves
2. Acquasanta - Cristofaro
3. " - Caverna Scalici
4. " - " 2nd of Cristofaro
5. " - " Le Chiavi
6. Piazzetta Acquasanta
7. " Corso all'Arenella
8. 126 Via Cardinale Massaia
9. Via Imperatore Federico - fondo Brusco
10. Via Montepelli - grotta danna
11. Piano Ranchibile - fondo Botata
12. Via Guadagna Salita
13. Mare Dolce
14. Via Del Pante - Villa Mazzarino

In view of the danger to Public Health, arrangements have been made with Major Haley, CAO, Palermo City, for the above persons to be removed as soon as possible from shelters, thorough cleansing and disinfection and for doors capable of being locked to be provided.

The janitors at present employed have in many cases been found to be unsuitable and arrangements have been made for these to be replaced.

When the above arrangements have been completed, Public Shelters will remain closed until the sounding of the Air Raid warning at which time the doors will be opened by the janitors.

3. WARDEN SYSTEM

The City has been divided into 94 sectors which will be patrolled continuously by Carabinieri, Metropolitana Police, agents of Public Security in the normal course of their duty. Copies of the plan showing the various sectors are to be exhibited at each Police Station. The foregoing Police Departments are to consult together and so arrange duties and patrols to ensure that each sector is continuously covered. As far as possible police using cycles or motor cycles will be used for this purpose.

During air raids the wardens will patrol their sector continuously and in the event of an incident occurring where assistance is required, will communicate with the Fire Station by means of telephone or the quickest available means, giving brief details of the incident and stating if any or all of the following services are required. (a) Fire Engines (b) Ambulances (c) Heavy or light reserve services.

Upon receipt of the above information the Civil Defence Controller will dispatch the necessary services to the incident having due regard to the nature and size of the incident and extent of the raid. Care should be taken not to dissipate the resources of the organization on minor incidents at the expense of major incidents.

4. FIRST AID SERVICES

These services will be under the direction of the "Red Cross". The Air Raid Controller is to confirm with the Municipal Authorities and Red Cross the arrangements made for transportation of casualties to the various hospitals. Vehicles and officials of the UNPA at present at the disposal of the Municipal Authorities will be used for this purpose. During air raids two ambulances will be stationed at the Fire Station.

5. RESCUE SQUADS

These services will be under the direction of the Civil Engineers and Genio Civile will be responsible for rescue work, salvage, demolition, clearance of streets, etc. The work to be performed by officials and laborers as required.

6. FIRES

The Fire Department under the direction of Commandante will perform all duties in connection with the extinction of fires, and will other sections in rescue work, salvage and first aid to the fullest extent.

7. BOMB DISPOSAL

Cases of unexploded bombs will be reported to the Civil Affairs Officer Prefettura Palermo immediately. Reports should show the date, time and place the U x B was discovered. In the meantime steps must be taken to evacuate residents from houses in the vicinity and to direct traffic both vehicle and pedestrian from the scene until the bomb has been removed or made safe by the military authorities. The "Genio Civile" will also stand by in the vicinity to deal with any case of collapse.

8. TELEPHONES

Telephones are available at most of the undermentioned authorities. Fire and Civil Defense Controller, Genio Civile, City Hall, Carabinieri and Questura Police Stations, Agents of Public Security, Red Cross, Water Supply Office, Telephone Society, General Electric Company, and Senior Civil Affairs Office, AMGOT.

In cases where telephone lines are out of order arrangements should be made by the Civil Defense Controller for runners, using cycles or motorcycles to be employed.

At a later date steps should be taken to provide a central switchboard at the office of the Civil Defense Controller.

9. GENERAL

The foregoing constitutes the framework of a Civil Defense Scheme for the City of Palermo. The scheme will be operated by Commandante Bigi, who has been appointed Fire Commander and Civil Defense Controller.

The scheme will be developed in detail by the Civil Defense Controller in consultation with representatives of all the organizations and departments concerned. Any case of difficulty to be referred to Senior Civil Affairs Officer through Civil Affairs Police Office, Prefettura, Palermo.

CHARLES POLETTI
Lt. Colonel
Senior Civil Affairs
Officer

ALLIED MILITARY GOVERNMENT
SICILY REGION HEADQUARTERS
APO 394

OFFICIAL ORDER:
NO 53:

7.12.43

Considering that it is necessary to appoint a Regional Director (Italian) of Fire Brigade and Civil Defence Services;

In Virtue of Power conferred on me, I, CHARLES POLETTI, Lt. Colonel, Regional Civil Affairs Officer

O R D E R

1. That there is established an office of Regional Director (Italian) of Corpo Vigili di Fuoco, who shall be head of these services throughout Sicily.
2. The Regional Director ~~will~~ will be responsible for the organization and control of Fire Brigade and Civil Defence Measures throughout the Island and for the submission to the Chief, Public Safety Division, Allied Military Government, Sicily of recommendation for the more efficient administration of the aforesaid services.
3. The Regional Director will perform such other duties as may be assigned to him by the Chief Public Safety Division and will issue such orders and instructions as may be approved by him.
4. Dott. Ing. Luigi Bigi, Commandante 58° Corpo Vigili del Fuoco, is appointed Senior Fire Officer and Inspector with jurisdiction over the Region. His promotion to the rank of Colonel (unpaid) is hereby confirmed.

CHARLES POLETTI
Lt. Colonel
Regional Civil Affairs Officer 5740

DISTRIBUTION:

B.
Prefectis
Commandante Bigi

7.12.43

Considering that it is necessary to appoint a Regional Director (Italian) of Fire Brigade and Civil Defence Services;

In Virtue of Power conferred on me, I, CHARLES POLETTI, Lt. Colonel, Regional Civil Affairs Officer

O R D E R

1. That there is established an office of Regional Director (Italian) of Corpo Vigili di Fuoco, who shall be head of these services throughout Sicily.
2. The Regional Director ~~will~~ will be responsible for the organization and control of Fire Brigade and Civil Defence Measures throughout the Island and for the submission to the Chief, Public Safety Division, Allied Military Government, Sicily of recommendation for the more efficient administration of the aforesaid services.
3. The Regional Director will perform such other duties as may be assigned to him by the Chief Public Safety Division and will issue such orders and instructions as may be approved by him.
4. Dett. Ing. Luigi Bigi, Commandante 58° Corpo Vigili del Fuoco, is appointed Senior Fire Officer and Inspector with jurisdiction over the Region. His promotion to the rank of Colonel (unpaid) is hereby confirmed.

CHARLES POLETTI
Lt. Colonel
Regional Civil Affairs Officer

DISTRIBUTION:

B.
Prefectis
Commandante Bigi
Public Safety Div. - 10
Spare - 35

GOVERNO MILITARE ALLIATO
QUARTIERE GENERALE REGIONALE
DELLA SICILIA

APQ 394

ORDINE UFFICIALE:
N° 53:

9.12.943

Visto la necessità di assegnare un Direttore Regionale (Italiano) del
Corpo Vigili di Fuoco e della Difesa Civile:

In virtù di poteri conferitimi, io, CHARLES POLETTI, Tenente Colonnello,
Ufficiale Regionale degli Affari Civili,

ORDINE

- 1° Di stabilire un ufficio del Direttore Regionale (Italiano) del Corpo
Vigili di Fuoco, che sarà il capo di questi servizi per tutta la Sicilia.
- 2° Il Direttore Regionale sarà responsabile per l'organizzazione ed il
controllo del Corpo Vigili del Fuoco e della Difesa Civile per tutta
la Sicilia e dovrà sottoporre al Capo della Divisione Pubblica
Sicurezza, Governo Militare Allente, in Sicilia le raccomandazioni per
la più efficiente amministrazione dei predetti servizi.
- 3° Il Direttore Regionale compirà altre mansioni che potranno essere
a lui assegnate dal Capo della Divisione Pubblica Sicurezza e darà
quali ordini e istruzioni che saranno approvati da lui.
- 4° Il Dott. Ing. Luigi Bigi, Comandante 58° Corpo Vigili del Fuoco, è
nominato Capo Ufficiale del Fuoco e Ispettore con giurisdizione di tutti
tutta la Regione. La sua promozione al grado di Colonnello (~~senza~~
senza retribuzione) è confermata.

CHARLES POLETTI
Tenente Colonnello
Ufficiale Capo degli Affari Civili
della Sicilia

5729

DISTRIBUTION:

B.
Prefectis

ORDINE UFFICIALE:

N° 53:

9.12.943

Viste la necessità di assegnare un Direttore Regionale (Italiano) del Corpo Vigili di Fuoco e della Difesa Civile:

In virtù di poteri conferitimi, io, CHARLES POLETTI, Tenente Colonnello, Ufficiale Regionale degli Affari Civili,

O R D I N O

- 1° Di stabilire un ufficio del Direttore Regionale (Italiano) del Corpo Vigili di Fuoco, che sarà il capo di questi servizi per tutta la Sicilia.
- 2° Il Direttore Regionale sarà responsabile per l'organizzazione ed il controllo del Corpo Vigili del Fuoco e della Difesa Civile per tutta la Sicilia e dovrà sottoporre al Capo della Divisione Pubblica Sicurezza, Governo Militare Allente, in Sicilia le raccomandazioni per la più efficiente amministrazione dei predetti servizi.
- 3° Il Direttore Regionale compierà altre mansioni che potranno essere a lui assegnate dal Capo della Divisione Pubblica Sicurezza e darà quali ordini e istruzioni che saranno approvati da lui.
- 4° Il Dott. Ing. Luigi Bigi, Comandante 58° Corpo Vigili del Fuoco, è nominato Capo Ufficiale del Fuoco e Ispettore con giurisdizione di tutta la Regione. La sua promozione al grado di Colonnello (senza retribuzione) è confermata.

CHARLES POLETTI
Tenente Colonnello
Ufficiale Capo degli Affari Civili
della Sicilia

5729

DISTRIBUTION:

D.
Prefectis
Comandante Bigi
Divisione Pubblica Sicurezza - 10
Spares - 35

ALLIED MILITARY GOVERNMENT.
SICILY REGION No. 1.
FIRE AND CIVIL DEFENCE SECTION.

7 January 1944.

SUBJECT: RECOVERIES IN COMMUNE OF PALERMO.
TO: C. F. S. D. REGION No. 1.

The condition of all the Recoveri in the
Commune of Palermo is as follows:-

Most of the recoveri are in need of a thorough
cleaning for the reason that the public have been using
them for toilets.

There are about 54 doors missing from recoveri;
Doors that were on have been stolen.

Roughly there are about 1730 electric bulbs
missing having been stolen.

Nearly all are in need of repairs to the electric
wiring system.

At present there are about 31 custodians em-
ployed to guard recoveri. An additional 20 are required.

Except for the above mentioned items the recoveri
to be used in case of an air raid are in good condition.

Comandante Luigi Sigi in charge of Civil Defence
for Region 1 has this date forwarded to the C.F.S.D. of
Palermo and to the Ufficio Lavori Pubblici of Palermo a
report stating the repairs needed and the amount of money
necessary to make such repairs.

Frank Brannigan.

FRANK BRANNIGAN

Supt. Fire & Civil Defence.
Region No. 1.

5738

ALLIED MILITARY GOVERNMENT.
SICILY REGION NO. 1.
FIRE AND CIVIL DEFENSE SECTION.

17 JANUARY 1944.

SUBJECT: Inspection of Recoveri's in the Commune, Palermo.
TO: C. P. S. D. Region No. 1. (Information)

On the above date the undersigned accompanied by Commandante Bigi and El Sig. Stocchi head custodian of recoveri's, made an inspection of recoveri's in Palermo.

In recoveri located at Del Littorio the body of an unidentified citizen was found; The custodian claims that this individual frequently visited around the recoveri in a drunken condition.

In recoveri located at Via Sampolo the body of the custodian of this shelter was found. On questioning two men present in the recoveri, they said the man laid down to rest and apparently had died from some unknown cause.

The office of R. Questore Di Palermo was notified by Comandante Bigi via Phonogram by messenger for the removal of above mentioned bodies.

Frank Brannigan
FRANK BRANNIGAN
Supt. Fire & Civil Defence.
Region No. 1.

5737



58° Corpo Vigili del Fuoco

PALERMO

- IN PERICOLO VITA AGERE -

Cal. Fasc. 8/123 gll.

Risposta al foglio del 76

AL PREFETTO DI PALERMO
AL SIG. MAGGIORE VIGILIBORIAN

Al SIG. MAGGIORE VIGILIBORIAN
ALL'UFFICIO DEL GENIO CIVILE

PALERMO

*file
Palermo CP*

OGGETTO: CROLLO DI UNA PARETE NEL VICINO CALIC PER ALL'ALBERGHERIA.

Alle ore 6,30 di mattina 4 vigili del fuoco soccorrevano in vicolo Galle nel 1° piano all'albergheria per portare soccorso in seguito al crollo di una parete che travolgeva sotto le macerie certa signora Canalicchio di anni 50.

Dopo la rimozione delle macerie veniva estratto il cadavere della donna che venne lasciato sul posto a disposizione dell'autorità giudiziaria.

Si fa invito all'ingegnere capo del Genio Civile a disporre per una verifica di tutte quelle località nelle quali maggiormente si ravvisa l'esistenza di muri pericolanti.

IL COMANDANTE
SIG. ING. LUIGI (MIST)
[Signature]



58° Corpo Vigili del Fuoco

PALERMO

• IN PERICULO VITAM AGERE •

Cat. 8/24 Fasc. _____N. 8/24 Att. _____

Risposta al foglio del _____

N. _____

File
 Palermo, 1 OTTOBRE 1943 31

AL PREFETTO DI PALERMO

Al SIG. MAGGIORE
HICKINDOTHAN

Al SIG. MAGGIORE

HASON

PALERMO

OGGETTO: ALLARME AEREO.

Dalle ore 24,15 alle ore 24,53 della notte
 dal 30 settembre al 1 ottobre è stato dato in città
 il segnale di allarme aereo.

Nessuna novità da segnalare.

IL COMANDANTE
PT. ING. LUIGI BIGI

Translation:

At 24.15 hr. 30p till 24.53 hr on the same night
 a Red warning was in force in Palermo.
 There are no incidents to report

5735

P 54 No 21

30

CONFIDENTIAL

HEADQUARTERS
ISLAND BASE SECTION
A.P.O. 550

24 September 1943

SUBJECT: Palermo District Passive Air Defense Plan

TO : See Distribution.

1. Transmitted herewith is one copy of the Passive Air Defense Plan (P.A.D.) for the Palermo Area.
2. This plan goes into effect at 1700 hrs on 25 September 1943.
3. Organizations vacating bivouac areas or billets shall notify the P.A.D. Controller immediately. Units leaving the Palermo Area shall hand in their copies of the P.A.D. plan to P.A.D. Controller.
4. It is requested that receipt of this communication be acknowledged, giving the following information:

Name of unit, type of installation, location by address and map coordinates (provide overlay showing area limits if large area or areas are occupied) and telephone number of the unit.


5. Questions on P.A.D. matters should be referred to the P.A.D. Controller.

For the Controlling Officer:

F. T. Bonsteel

F. T. BONSTEEL,
Colonel, AGD,
Adjutant General.

- 1 Incl:
Palermo District Passive Air Defense Plan.

DISTRIBUTION:
Special

Copies recd 5734
21-25 (inc.)
F. T. Bonsteel

PUBLIC SAFETY DIVISION.

ROUTING SLIP.

TO SEE :- 25-30

~~C.I.S.~~.....

D.G.P.S. *Plur*

~~PRISON SECTION.~~.....

~~CIVIL POLICE SECTION.~~.....

X FIRE AND CIVIL DEFENCE
SECTION. *M. L. Singh*

LICENSING AND REGISTRATION
SECTION.

HEADQUARTERS
ISLAND BASE SECTION
APO 550

P.A.D. PLAN FOR PALERMO DISTRICT

REF. MAP - TOWN PLAN OF PALERMO.

1. MISSION. The mission of (Passive Air Defence) P.A.D. is:-

- (a) To minimize the effect of enemy air attack on military installations and personnel. (Same procedure would apply in event of naval bombardment of the city.
- (b) To ensure the continuation of the normal activities of the area by coordination of resources of military and naval establishments in the area.
- (c) To provide mutual assistance between Military and Civil Authorities.

2. CONTROL ORGANIZATION.

(a) Central Control. The P.A.D. of Palermo and vicinity shall be under the supervision of the P.A.D. Controller, The P.A.D. Controller shall be responsible for inspecting Unit P.A.D. training in the District.

P.A.D. Control is located at #38 Via Bari (Cor Via Marquedia and Via Bari).
P.A.D. Controller - Lt. Col. FRANKLIN W. FISH.
Asst. P.A.D. Controller - Capt THOMAS H. CARTER.
Phone Number - Clover Green (turu Cadet) or dial 15546.

(b) Sectors. The Palermo District is divided into five (5) sectors, each under a Sector Controller, who is directly responsible to the P.A.D. Controller. Rescue and work parties and messengers with motor-cycles or 1 ton trucks shall be furnished Sector Controllers by the units in their respective sectors, subject to the approval of the P.A.D. Controller. Sectors are established as follows (See Appendix "A"):

- | | |
|------------|--|
| Sector I | Navy Area.
P.A.D. Sector Controller - Lt. C. G. DAY
Location: Hq. Navy Construction Bn,
52 Via Agnesanta (44.54 - 49.14)
Phone - Navy 15 |
| Sector II | Port Area.
P.A.D. Sector Controller - Major J. G. FLETCHER
Location: Port Area on North Side of Mole
Trapezoidale (44.38 - 47.55)
Phone: Challenge Red, 120
Town area south of Corso Vittorio Emanuele. |
| Sector III | P.A.D. Sector Controller - Lt. V. VAN UTT, Hq 334 C.M.
Co. (Dep Sup). 5723
Location - QM Depot between Via Orato and Via S. Boccoconi
(44.8 - 45.3).
Phone - 11679 |

naval bombardment of the city.

(b) To ensure the continuation of the normal activities of the area by coordination of resources of military and naval establishments in the area.

(c) To provide mutual assistance between Military and Civil Authorities.

2. CONTROL ORGANIZATION.

(a) Central Control. The P.A.D. of Palermo and vicinity shall be under the supervision of the P.A.D. Controller, The P.A.D. Controller shall be responsible for inspecting Unit P.A.D. training in the District.

P.A.D. Control is located at 738 Via Bari (Cor Via Margueda and Via Bari).
P.A.D. Controller - Lt. Col. FRANKLIN W. FISH.
Asst. P.A.D. Controller - Capt THOMAS H. CARTER.
Phone Number - Clover Green (thru Cadet) on dial 15546.

(b) Sectors. The Palermo District is divided into five (5) sectors, each under a Sector Controller, who is directly responsible to the P.A.D. Controller. Rescue and work parties and messengers with motor-cycles or 1/2 ton trucks shall be furnished Sector Controllers by the units in their respective sectors, subject to the approval of the P.A.D. Controller. Sectors are established as follows (See Appendix "A"):

Sector I Navy Area.

P.A.D. Sector Controller - Lt. C. G. D.Y
Location: Hq. Navy Construction Bn,
52 Via Aguesanta (44.54 - 49.14)

Phone - Navy 15

Sector II Port Area.

P.A.D. Sector Controller - Major J. G. FLETCHER
Location: Port Area on North Side of Mole
Trapezoidale (44.38 - 47.55)

Phone: Challenge Red, 120

Town area south of Corso Vittorio Emanuele.

P.A.D. Sector Controller - Lt. V. VAN UYT, Hq 334 C.M.
Co. (Dep Sup). 5733

Location - MM Depot between Via Oretto and Via S. Doconci
(44.8 - 45.3).

Phone - 11679

Sector IV

Central town area between Corso Vittorio Emanuele
and Via Emanuele Notarbartolo - Via Duca di Verdura -
Via Cantieri.

P.A.D. Sector Controller - Lt. H. R. GREEN.

Location - Hq. 382nd Port Bn., Corner Corso Scina
and Via I. Lumia (43.65 - 47.65).

Phone - Challenge 31.

Sector V

Area North of Via Emanuele Notarbartolo-Via Duca
di Verdura - Via Cantieri, to and including Mondello.
P.A.D. Sector Controller - Maj. J. J. L. PLACE.

Location - Hq. 43rd Ord. Bn., Artillery Barracks,
(43.8 - 50.0)

Phone - 10718

3. COMMUNICATIONS.

- (a) Telephones will be used whenever possible. The Signal Corps shall give priority to P...D. calls. Lines shall be tested frequently when not being used. Appendix "B" shows the P...D. telephone system.
- (b) Messengers. Sector Controllers shall have messengers with motorcycles or 4 ton trucks available for use in the event of a breakdown in telephone communications. The Island Base Section shall provide two (2) messengers with motorcycles or 4 ton trucks, who shall report to the P...D. Controller at Control Headquarters. In the event of an alert, the motor transportation officer shall immediately dispatch the messengers and vehicles to the P...D. Controller.

4. SERVICE AVAILABLE.

- (a) Light Rescue Parties shall be provided by the various organizations bivouaced in the Palermo District. They will be controlled by the Sector Controllers in their respective sectors, but may be ordered to assist in any other sector by the P...D. District Controller.

- (b) Heavy Rescue Parties shall be furnished the P...D. District Controller by organizations in the Palermo District capable of furnishing such parties. Heavy Rescue parties will be under the control of the P...D. Controller. A reserve heavy rescue party, with special lifting equipment will be available on short notice. Appendix "C" lists the personnel and scale of equipment for a Heavy Rescue Party.

- (c) Working Parties at disposal of P...D. District Controller. One party of one officer and approximately twenty men, with motor transportation, shall be provided in each of the five (5) Sectors, as working parties for the purpose of salvage of military stores and cordoning off sites of damage, etc.

- (d) Ambulance dispatching in the area shall be under the direct control of the P...D. District Controller during an air raid and the emergency period immediately after the raid. Ambulances are located as follows:

1. 59th and 91st Evacuation Hospitals, Cor Via Dei Vespri and Via Filicruza. Phone - Campus - Evacuation Office. (44.1 - 45.3)
2. 10th Port Dispensary, 404 Via Roma. Phone - Challenge 29, (45.8 - 47.45)
3. Navy 11th Station, #19 Via Florestano Pepe. Phone Navy 21, (43.35 - 46.0)
4. Navy 12th Station, Via Aquasanta, 1 block north of Via Cantieri. Phone - Navy 13 (44.6 - 49.05)

5. FIRE PREVENTION AND FIRE FIGHTING SERVICE.

- (a) Normal fire prevention. The prevention of fires in each sector is the responsibility of the commanding officer of each unit occupying the sector. Fire guards and fire watchers of such units shall proceed to their respective posts on the sounding of the alert, guns opening fire, or bombs dropping, whichever is earliest. Upon sounding of the alert, the Fire Marshal will report to the P...D. Control Room and coordinate fire fighting activities. Fire guards in teams of three, shall be equipped with one stirrup pump, two or more buckets, one hand axe, one wrecking bar. Every effort shall be made by the unit to deal with the fire before calling for the assistance of the army.

4. SERVICES - FIRE.

(a) Light Rescue Parties shall be provided by the various organizations bivouaced in the Palermo District. They will be controlled by the Sector Controllers in their respective sectors, but may be ordered to assist in any other sector by the P.D.D. District Controller.

(b) Heavy Rescue Parties shall be furnished the P.D.D. District Controller by organizations in the Palermo District capable of furnishing such parties. Heavy Rescue parties will be under the control of the P.D.D. Controller. A reserve heavy rescue party, with special lifting equipment will be available on short notice. Appendix "C" lists the personnel and scale of equipment for a Heavy Rescue Party.

(c) Working Parties at Disposal of P.D.D. District Controller. One party of one officer and approximately twenty men, with motor transportation, shall be provided in each of the five (5) Sectors, as working parties for the purpose of salvage of Military stores and cordoning off sites of damage, etc.

(d) Ambulance Dispatching in the area shall be under the direct control of the P.D.D. District Controller during an air raid and the emergency period immediately after the raid. Ambulances are located as follows:

1. 59th and 91st Evacuation Hospitals, Cor. Via Dei Vespri and Via Filiciuzza. Phone - Campus - Evacuation Office. (44.1 - 45.3)
2. 10th Port Dispensary, 404 Via Roma. Phone - Challenge 29, (43.6 - 47.45)
3. Navy ~~1st~~ Station, #19 Via Florestano Pepe. Phone Navy 21, (43.35 - 48.0)
4. Navy Aid Station, Via Gussauto, 1 block north of Via Cantieri. Phone - Navy 13 (44.6 - 49.05)

5. FIRE PREVENTION AND FIRE SERVICE.

(a) Normal fire prevention. The prevention of fires in each sector is the responsibility of the commanding officer of each unit occupying the sector. Fire guards and fire watchers of such units shall proceed to their respective posts on the sounding of the alert, guns opening fire, or bombs dropping, whichever is earliest. Upon sounding of the alert, the Fire Marshal will report to the P.D.D. Control Room and coordinate fire fighting activities. Fire guards in teams of three, shall be equipped with one stirrup pump, two or more buckets, one hand axe, one wrecking bar. Every effort shall be made by the unit to deal with the fire before calling for the assistance of the Army Fire Service.

(b) Location of Army Fire Stations:

1. 6th Engr. Fire Fighting Det.
Caserno Calatafini on Corso Vittorio Emanuele,
(43.4 - 46.2)
Phone - 15938.
2. 8th Engr. Fire Fighting Det.
.94 Via E. Albanese, (43.5 - 48.1)
Phone - 12361.

Reports of fire, which cannot be extinguished by local means, shall be made to the Fire Control Station at No. 38 Via Bari by telephoning Clover Green (Tiru Cadet or dial 15546).

6. MEDICAL.

(a) First Aid Stations are located at:

1. 404 Via Roma (old number 52) Map Ref 43.8 - 47.45
2. 19 Via Florestano Pope " " 43.35 - 43.0
3. Via Guasanti, 1 block north of " " 44.6 - 48.95
4. 51st Medical Bn. on Corso Calata- " " 41.5 - 45.0
5. 56th Medical Bn. on Mondello " " 41.5 - 55.0
6. Between Red Cross Recreation " " 43.82 - 47.13

(b) The 56th and 91st Evacuation Hospitals are located at the corner of Via Dei Vesperi and Via Filiciana (Coordinates 44.1 - 45.3).

(c) Fatal Casualties. Sector Controllers shall arrange for fatal casualties to be placed in a temporary resting place near the scene of the incident, but screened from public gaze. It is the responsibility of the unit to assist in identifying casualties and to arrange for the body to be properly covered before removal to the mortuary. It will be the responsibility of the 46th and 48th S.M. Grave Registration companies to arrange for personal effects to be removed. A temporary mortuary has been established at the 2nd Armored Division Cemetery on Via Resuttan about 3 miles N.W. of Piazza Vittorio Veneto (Grid 44). Units shall notify the Senior Chaplain at the Island Base Section of all fatal casualties, so that burials may be arranged. (Phone - Clover 19).

7. REPORTING OF INCIDENTS AND DEALING WITH CASUALTIES.

When high explosive bombs fall, the Sector Controller, if he has reason to believe that casualties have occurred in his sector, will:

- (a) Sound out one Light Rescue Party immediately.
 - (b) Ask P.M.D. Control for an ambulance to be sent to the scene of the incident.
 - (c) Ask P.M.D. control for further assistance if necessary.
- ALL INCIDENTS MUST BE REPORTED IMMEDIATELY by Unit Commanders and Military Police to the P.M.D. Sector Controller. As soon as immediate action has been taken, the Sector Controller will communicate a detailed report to the P.M.D. Controller as soon as possible, by messenger or by telephone, on form shown in Appendix "D".

8. ROUTINE OPERATIONS.

- (a) At 1930 hours each day, Sector Controllers shall report status of readiness of parties, vehicles and equipment. On receipt of reports from Sector Controllers, the P.M.D. Controller shall verify status of readiness of ambulance and heavy rescue parties. He shall then post his tallyboard accordingly.
- (b) Sector Controllers shall man their posts immediately on coming of the alert, guns opening fire, or bombs dropping.
- (c) P.M.D. Control shall be manned continuously.

9. MILITARY POLICE.

In the event of damage to military buildings, and upon the request of the P.M.D. Controller to the CO, Palermo Military District, Military

3732

(b) The ...
 corner of Via Dei Vespri and Via Filicruza (Coordinated 44.1 - 45.3).
 (c) Fatal Casualties. Sector Controllers shall arrange for fatal casualties to be placed in a temporary resting place near the scene of the incident, but removed from public gaze. It is the responsibility of the unit to assist in identifying casualties and to arrange for the body to be properly covered before removal to the mortuary. It will be the responsibility of the 46th and 48th M. Grave Registration companies to arrange for personnel efforts to be removed. A temporary mortuary has been established at the 2nd Armored Division Cemetery on Via Rosettan about 3 miles N.W. of Piazza Vittorio Veneto (Cadet Hill). Units shall notify the Senior Chaplain at the Island Base Section of all fatal casualties, so that burials may be arranged. (Phone - Clover 19).

7. REPORTING OF INCIDENTS AND DEALING WITH CASUALTIES.

When high explosive bombs fall, the Sector Controller, if he has reason to believe that casualties have occurred in his sector, will:

- (a) Send out one Light Rescue Party immediately.
 - (b) Ask P.A.D. Control for an ambulance to be sent to the scene of the incident.
 - (c) Ask P.A.D. control for further assistance if necessary.
- ALL INCIDENTS MUST BE REPORTED immediately by Unit Commanders and Military Police to the P.A.D. Sector Controller. As soon as immediate action has been taken, the Sector Controller will communicate a detailed report to the P.A.D. Controller as soon as possible, by messenger or by telephone, on form shown in Appendix "D".

8. ROUTINE OPERATIONS.

(a) At 1930 hours each day, Sector Controllers shall report state of readiness of parties, vehicles and equipment. On receipt of reports from Sector Controllers, the P.A.D. Controller shall verify status of readiness of ambulance and heavy rescue parties. He shall then post his tallyboard accordingly.

(b) Sector Controllers shall man their posts immediately on sounding of the alert, guns opening fire, or bombs dropping.

(c) P.A.D. Control shall be manned continuously.

9. MILITARY POLICE.

In the event of damage to military buildings, and upon the request of the P.A.D. Controller to the CC, Palermo Military District, Military Police shall proceed to the site and prohibit access, except to personnel on duty.

10. CRASHED AIRCRAFT.

Sector Controllers shall inform P.A.D. Control as to the exact location of crashed aircraft.

11. UNEXPLODED BOMBS.

The location of unexploded bombs and other objects shall be reported with the least possible delay to the P.A.D. Controller, who is responsible for immediate Post Disposal units.

12. AIR RAID WARNING.

Alert - A series of undulating signals from the sirens, guns opening fire or bombs dropping, whichever is earliest.
All Clear - Continuous signal on the sirens, lasting one minute.

13. POISON GAS.

(a) Reporting. In the event of a suspected or actual gas attack, units shall immediately inform the Sector Controller, who will notify the P...D. Controller. The P...D. Controller will inform other Sector Controllers and the Civil Defense Controller.

(b) Unit Responsibility. If gas is reported, normal unit anti-gas routine will be carried out. Decontamination of personnel, vehicles, etc. is a unit responsibility. Contaminated areas shall be marked and reported.

14. PERSONNEL PROTECTION AND ORDERS FOR SHELTERING.

Unit Commanders are responsible for orders being issued as to action to be taken for sheltering during air raids. All ranks not performing specific duties shall remain under cover during an air raid.

15. LIAISON WITH CIVIL DEFENSE.

The P...D. Controller shall contact the Civil Defense Controller, who is responsible for the civilian P...D. organization. Should assistance be requested by the Civil Defense authorities, help should be given to the extent possible.

The Civil Defense Controller will as far as possible, assist in reporting fall of bombs.

14. PERSONNEL PROTECTION AND ORDERS FOR SHELTERING.

Unit Commanders are responsible for orders being issued as to action to be taken for sheltering during air raids. All ranks not performing specific duties shall remain under cover during an air raid.

15. RELATION WITH CIVIL DEFENSE.


The P...D. Controller shall contact the Civil Defense Controller, who is responsible for the civilian P...D. organization. Should assistance be requested by the Civil Defense authorities, help should be given to the extent possible.

The Civil Defense Controller will as far as possible, assist in reporting fall of bombs.

APPENDIX "A"

PALESTINE PASSIVE AIR DEFENSE PLAN

SECTOR BOUNDARIES



Reference Map: Italy 1:25,000 Sheet 249 II NE

SECTOR V

SECTOR I

SECTOR II

SECTOR IV

5731

Via Cambieri

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

Via Tuen di

SECTOR V

SECTOR I

SECTOR II

SECTOR IV

SECTOR III

Via Carliardi

Via Duca di

Vercelli

Via Trivulzio


Via Trivulzio

Via Francesco Crispi

5731


Corso Vittorio Emanuele


Corso Calatafimi



APPENDIX "B"

PASSIVE AIR DEFENSE TELEPHONE SYSTEM





APPENDIX "C".

(P.O.D. Scheme - Palermo Area)

Equipment of Rescue Parties.

1. Light Rescue Parties.
 - 1 M.C.C. and 6 men with a 3/4 ton truck
 - Shell and Field Dressings, 2 stretchers, and 4 blankets per party.
 - 3 picks, 3 shovels, 2 axes, 2 hammers, 1 short ladder, 1 medium ladder, 2 crowbars, 1 iron shod lever.
2. Heavy Rescue Parties.
 - 1 M.C.C. and 9 men with 1-2 1/2 ton truck

Scale of Equipment for Heavy Rescue Parties.

LEVERS, Iron Shod, 12' with blocks for Fulcrums.....	2
30 cwt Chain Tackle for set of rope blocks, Tackle G.C. Cordage.....	2
3 inch Chain Tackle.....	2
3 Ton Chain Tackle.....	1
Sheer Legs, Light Set.....	1
Snatch Block, Single Shear (To take a 3 inch rope).....	1
Jacks, Hydraulic, 10 ton lift.....	2
Jacks, Hydraulic, 20 ton lift.....	1
Ladder, Extending 30 feet.....	1
Ladder, Extending 13 feet.....	1
Cutting outfit, Acetylene, Portable, with Oxygen and Acetylene (1 Hour).....	1
Flares, Acetylene.....	2
Crowbars, 5 feet.....	3
Axes, Picks, heads of helves.....	4
Shovels, G.S.....	4
Hammers, 4 lb.....	1
Hammers, Sledge, 7 lb.....	1
Axes, Felling (carved halve).....	2
Axes, Hand.....	2
Saws, Cross Cut, 2 Handles.....	1
Saws, Spearfast, No. 38.....	1
Saws, Hack, (with 6 blades).....	1
Chisels, Hand, Cold.....	2
Wheelbarrows, Iron.....	2
Rope, Manila, 1 1/2 in, 40 ft lengths.....	3
Rope, Manila, 3 inches, 100-ft lengths.....	1
Hooks, ceiling.....	2
Ropes, Drag, Pains, Heavy.....	1
Slings, Rope, white, without thimble, 3 inch.....	1
Slings, Rope, white, without thimble, 6 inch.....	1

57291

Shall and Field Dressings,
2 stretchers, and 4 blankets per
party.

Light Rescue Equipment

3 picks, 3 shovels, 2 axes, 2 back-
saws, 1 short ladder, 1 medium ladder
2 crowbars, 1 iron shod lever.

2. Heavy Rescue Parties.

1 H.C.O. & 9 men with 1-2 1/2 ton truck

Scale of Equipment for Heavy Rescue Parties.

LEADERS, Iron Shod, 12' with blocks for Pulleys.....	2
30 cwt Chain Tackle for set of rope blocks, Tackle 4-6. Cordage.....	2
3 inch Chain Tackle.....	2
3 Ton Chain Tackle.....	1
Shear Legs, Light Set.....	1
Snatch Block, Single Sheaf (To take a 3 inch rope).....	1
Jacks, Hydraulic, 10 ton lift.....	2
Jacks, Hydraulic, 20 ton lift.....	1
Ladder, Extending 30 feet.....	1
Ladder, Extending 13 feet.....	1
Cutting outfit, acetylene, Portable, with Oxygen and acetylene (1 Hour).....	1
Flares, acetylene.....	2
Crowbars, 5 foot.....	3
Axes, Picks, heads of Helves.....	4
Shovels, G.S.....	4
Hammers, 4 lb.....	1
Hammers, Sledge, 7 lb.....	1
Axes, Felling (curved blade).....	2
Axes, Hand.....	2
Saws, Cross Cut, 2 Handles.....	1
Saws, Spearhead, No. 38.....	1
Saws, Back, (with 6 blades).....	1
Chisels, Hand, Coll.....	2
Uncolbarrows, Iron.....	2
Rope, Manila, 1 1/2 in, 40 ft lengths.....	3
Rope, Manila, 3 inches, 100-ft lengths.....	1
Hooks, ceiling.....	2
Ropes, Drag, Pains, Heavy.....	1
Slings, Rope, white, without thimble, 3 inch.....	57231
Slings, Rope, white, without thimble, 6 inch.....	1
Lamps, electric, No. 1.....	6
Batteries, Lamp, Electric, No. 1.....	6
Batteries, Lamp, Electric (Spares).....	6
Balls, 2.5 volt. c. (Spares).....	6
Lamps, Hurricane.....	6
Corrugated, Galvanized, Iron Sheets.....	6
Gloves, Rubber, Pairs.....	2
Cutters, wire.....	2

APPENDIX "D"

P.D.D. INCIDENT REPORT FORM

1. Exact location of incident and map reference.....
2. Type of bomb (U.S., Incendiary, Gas).....
3. Approximate No. of casualties: Fatal..... Wounded.....
4. Whether any persons trapped and approximate numbers.....
5. Damage to mains (Gas, Water, Electricity).....
6. Was a fire caused by incident?.....
7. Was Army Fire Service involved?.....
8. Time and date of incident.....
9. Place and telephone number from which report was transmitted.....
10. Remarks.....

(Name - Signed)

(Name - Printed)

(Grade - Organization)



ALLIED MILITARY GOVERNMENT
Palermo Province

CP/CHH/dm

11 September 43

SUBJECT: Civil Defense Schemes for the town of Palermo

TO : Chief Staff Officer - AMGOT HEADQUARTERS

1. Reference memorandum from Lt. Colonel L. J. Martin, Deputy Commissioner of Public Safety dated 8/8/43 AMGOT/1201/PS.

2. The basic scheme suggested has been discussed with Comandante Bigi, and after consultation with the Departments concerned, the attached scheme has been approved.

3. It is agreed that the time is not opportune to equip all wardens with bicycles, but this difficulty can be overcome by using Police Cyclists and motor cyclists as far as possible.

4. No decision has yet been received from Chief Staff Officer with regard to the question of paroling of officer prisoners of war.

Charles Falletti
CHARLES FALLETTI
Lt. Colonel
Senior Civil Affairs Officer

Copy to: CAG - Palermo City
ENCL - 1

Supp (7 C.S.) Section.

Any comment?

Diffy

14/9

Major Drake's attention has been called to this memorandum & he will take it up with St. Col. P. Letti.

St. Col. P. Letti.

C.P.S. AMGOT

no

A good scheme but mention of welfare Div re Rest Centres, Emergency feeding or re-housing.

5728

SUBJECT: Civil Defense Scheme for the town of Palermo

TO : Chief Staff Officer - AMCOT HEADQUARTERS

1. Reference memorandum from Lt. Colonel M. J. Martin, Deputy Commissioner of Public Safety dated 8/3/43 AMCOT/1204/RS.

2. The basic scheme suggested has been discussed with Comandante Bigi, and after consultation with the Departments concerned, the attached scheme has been approved.

3. It is agreed that the time is not opportune to equip all wardens with bicycles, but this difficulty can be overcome by using Police Cyclists and motor cyclists as far as possible.

4. No decision has yet been received from Chief Staff Officer with regard to the question of paroling of officer prisoners of war.

*Charles Falletti*CHARLES FALLETTI
Lt. Colonel
Senior Civil Affairs Officer

Copy to: CAO - Palermo City

ENCL - 1

*Sept (7 C.S.) Section.**Any comment?*
*Duffy**14/9*

C.P.S. AMCOT

*no**A good scheme but mention of Welfare Div re 5728
Rest Centres, Emergency feeding or re-housing.**14/9**St. Cal. Palletti**Majr Drake's attention has
been called to this summary**& he will take it up with**St. Cal. Palletti.**St. Cal. Palletti**Carol May**Drake's
Civil Defense
Scheme*

ARMED MILITARY GOVERNMENT
Palermo Province

CP/GRH/IM

9 September 1943

CIVIL DEFENCE SCHEDULE

1. WARNING SYSTEM

The Air Raid warning system will be by means of 24 sirens situated in various parts of the town to provide the maximum audibility. At the date of this report 20 sirens are in working order.

The Air Raid warning message will be transmitted by Gun Operations Room (G.O.R.) by direct telephone line to the Fire Station and thence by direct line to the Siren Operation Centre "SIRENE".

AIR RAID WARNING SIGNAL

The Air Raid warning signal will be by means of 6 blasts on the Sirens with 15 seconds interval between each blast.

ALL CLEAR

The All Clear Signal will be by means of one blast of the siren of 60 seconds duration.

Note: Owing to difficulty of electric supply, the air raid warning system will only operate between the hours of 20 hrs. and 7 hrs on the next day following.

2. AIR RAID SHELTERS - PUBLIC AND PRIVATE

Summary showing number of Public Air Raid Shelters and accommodation provided:

No. of Shelters fit for use	109	183
No. of Shelters unfit for use	74	
Superficial Area	33,424 sq. meters	
Estimated Capacity	100,500 persons	

TYPES

Railway Tunnels	13,000
Multiple Galleries	12,000
Covered Shelters (French type)	4,500
Natural Caves	24,000
Basements of Public Buildings, Schools	47,000
Total	100,500

In addition shelters on private property being vaults, cellars, caves, etc. accommodate about 16,000 persons.

1. WARNING SYSTEM

The Air Raid warning system will be by means of 24 sirens situated in various parts of the town to provide the maximum audibility. At the date of this report 20 sirens are in working order.

The Air Raid warning message will be transmitted by Gun Operations Room (G.O.R.) by direct telephone line to the Fire Station and thence by direct line to the Siren Operation Centre "STRIKE".

AIR RAID WARNING SIGNAL

The Air Raid warning signal will be by means of 6 blasts on the Sirens with 15 seconds interval between each blast.

ALL CLEAR

The All Clear Signal will be by means of one blast of the Siren of 60 seconds duration.

Note: Owing to difficulty of electric supply, the air raid warning system will only operate between the hours of 20 hrs. and 7 hrs on the next day following.

2. AIR RAID SHELTERS - PUBLIC AND PRIVATE

Summary showing number of Public Air Raid Shelters and accommodation provided:

No. of Shelters fit for use	109	
No. of Shelters unfit for use	<u>74</u>	183
Superficial Area		33,114 sq. meters
Estimated Capacity		100,500 persons

TYPES

Railway Tunnels	13,000
Multiple Galleries	12,000
Covered Shelters (French Type)	4,500
Natural Caves	24,000
Basements of Public Buildings, Schools	<u>47,000</u>
Total	<u>100,500</u>

In addition shelters on private property being vaults, cellars, caves, etc. accommodate about 16,000 persons.

5727

- 1 -

SCHOOLS

28 Multiple tunnel type shelters are provided at schools providing accommodations for 15,000 scholars during school hours. After school hours these shelters are available as additional accommodation for the general population. The use of ground floor rooms as Air Raid Shelters should be discontinued.

PRIVATE BUILDINGS

18 public shelters are provided on ground floors of private houses. These shelters are not protective against blast and arrangements are on hand for their use to be discontinued. As a result of an inspection made of the above shelters by Commandante Bigi, Chief of Civil Defence, it was found that many of the Public Shelters were in a dirty condition and that some 7,000 homeless persons are living in the 14 undermentioned shelters:-

1. Corso Alberto Aradeo, Caves
2. Acquasanta - Cristofaro
3. " - Caverna Scalici
4. " - " End of Cristofaro
5. " - " Le Chiavi
6. Piazzetta Acquasanta
7. " Caruso all'Arsnella
8. 126 via Cardinale Kasala
9. Via Imperatore Federico - fondo Bruso
10. Via Montepelli - grotta danna
11. Piano Ranchibile - fondo Botata
12. Via Guadagna Salita
13. Mare Dolce
14. Via Del Pante - Villa Mazzarino

In view of the danger to Public Health, arrangements have been made with Major Haley, CAO, Palermo City, for the above persons to be removed as soon as possible from shelters, thorough cleansing and disinfection and for doors capable of being locked to be provided.

The janitors at present employed have in many cases been found to be unsuitable and arrangements have been made for these to be replaced.

When the above arrangements have been completed, Public Shelters will remain closed until the sounding of the Air Raid warning at which time the doors will be opened by the janitors.

3. WARDEN SYSTEM

The City has been divided into 94 sectors which will be patrolled continuously by Carabinieri, Metropolitana Police, agents of Public Security in the normal course of their duty. Copies of the plan showing the various sectors are to be exhibited at each Police Station. The foregoing Police Departments are to consult together and so arrange duties and patrols to ensure that each sector is continuously covered. As far as possible police using cycles or motor cycles will be used for this purpose.

During air raids the wardens will patrol their sectors continuously and in the event of an incident occurring where assistance is required, will communicate with the Fire station by means of telephone or the quickest available means, giving brief details of the incident and stating if any or all of the following services are

shelters are available as additional accommodation for the general population. The use of ground floor rooms as Air Raid Shelters should be discontinued.

PRIVATE BUILDINGS

18 public shelters are provided on ground floors of private houses. These shelters are not protective against blast and arrangements are on hand for their use to be discontinued. As a result of an inspection made of the above shelters by Commandante Bigi, Chief of Civil Defence, it was found that many of the Public Shelters were in a dirty condition and that some 7,000 homeless persons are living in the 14 undermentioned shelters:-

1. Corso Alberto Amadeo, Caves
2. Acquasanta - Cristofaro
3. " - Caverna Scallio
4. " - " End of Cristofaro
5. " - " Le Chiavi
6. Piazzetta Acquasanta
7. " Caruso all'arsenella
8. 126 via Cardinale Masceia
9. Via Imperatore Federico - fondo Brusco
10. Via Montepelli - grotta danna
11. Piano Ranchibile - fondo Botata
12. Via Guadagna Salita
13. Mare Dolco
14. Via Del Ponte - Villa Mazzarino

In view of the danger to Public Health, arrangements have been made with Major Haley, CMO, Palermo City, for the above persons to be removed as soon as possible from shelters, thorough cleansing and disinfection and for doors capable of being locked to be provided.

The janitors at present employed have in many cases been found to be unsuitable and arrangements have been made for these to be replaced.

When the above arrangements have been completed, Public Shelters will remain closed until the sounding of the Air Raid warning at which time the doors will be opened by the janitors.

3. WARDEN SYSTEM

The City has been divided into 94 sectors which will be patrolled continuously by Carabinieri, Metropolitana Police, agents of Public Security in the normal course of their duty. Copies of the plan showing the various sectors are to be exhibited at each Police Station. The foregoing Police Departments are to consult together and so arrange duties and patrols to ensure that each sector is continuously covered. As far as possible police using cycles or motor cycles will be used for this purpose.

During air raids the wardens will patrol their sectors continuously and in the event of an incident occurring where assistance is required, will communicate with the Fire station by means of telephone or the quickest available means, giving brief details of the incident and stating if any or all of the following services are required. (a) Fire Engines (b) Ambulances (c) Heavy or light reserve services.

Upon receipt of the above information the Civil Defence Control ⁵⁷²⁶¹ dispatch the necessary services to the incident having due regard to the nature and size of the incident and extent of the raid. Care should be taken not to dissipate the resources of the organization on minor incidents at the expense of major incidents.

FIRST AID SERVICES

These services will be under the direction of the "Red Cross". The Air Raid Controller is to conform with the Municipal Authorities and Red Cross the arrangements made for transportation of casualties to the various hospitals. Vehicles and officials of the UNPA at present at the disposal of the Municipal Authorities will be used for this purpose. During air raids two ambulances will be stationed at the Fire Station.

5. RESCUE SQUADS

These services will be under the direction of the Civil Engineers and Genio Civile will be responsible for rescue work, salvage, demolition, clearance of streets, etc. The work to be performed by officials and laborers employed by the Municipio assisted by contractors and additional laborers as required.

6. FIRES

The Fire Department under the direction of Commandante will perform all duties in connection with the extinction of fires, and will co-operate with other sections in rescue work, salvage and first aid to the fullest extent.

7. BOMB DISPOSAL

Cases of unexploded bombs will be reported to the Civil Affairs Police Officer Prefettura Palermo immediately. Reports should show the date, time and place the UXB was discovered. In the meantime steps must be taken to evacuate residents from houses in the vicinity and to direct traffic both vehicle and pedestrian from the scene until the bomb has been removed or made safe by the military authorities. The "Genio Civile" will also stand by in the vicinity to deal with any case of collapse.

8. TELEPHONES

Telephones are available at most of the undermentioned authorities. Fire and Civil Defense Controller, Genio Civile, City Hall, Carabinieri and Questore Police Stations, Agents of Public Security, Red Cross, Water Supply Office, Telephone Society, General Electric Company, and Senior Civil Affairs Office, AMOT.

In cases where telephone lines are out of order arrangements should be made by the Civil Defense Controller for runners, using cycles or motorcycles to be employed.

At a later date steps should be taken to provide a central switchboard at the office of the Civil Defense Controller.

9. GENERAL

The foregoing constitutes the framework of a Civil Defense Scheme for the City of Palermo. The scheme will be operated by Commandante Digi, who has been appointed Fire Commander and Civil Defense Controller.

The scheme will be developed in detail by the Civil Defense Controller in consultation with representatives of all the organizations and departments concerned. Any case of difficulty to be referred to Senior Civil Affairs Officer through Civil Affairs Police Office, Prefettura, Palermo.

Vehicles and officials of the UMPA at present at the disposal of the Municipal Authorities will be used for this purpose. During air raids two ambulances will be stationed at the Fire Station.

5. RESCUE SQUADS

These services will be under the direction of the Civil Engineers and Genio Civile will be responsible for rescue work, salvage, demolition, clearance of streets, etc. The work to be performed by officials and laborers employed by the Municipio assisted by contractors and additional laborers as required.

6. FIRES

The Fire Department under the direction of Commandante will perform all duties in connection with the extinction of fires, and will co-operate with other sections in rescue work, salvage and first aid to the fullest extent.

7. BOMB DISPOSAL

Cases of unexploded bombs will be reported to the Civil Affairs Police Officer Prefettura Palermo immediately. Reports should show the date, time and place the U x B was discovered. In the meantime steps must be taken to evacuate residents from houses in the vicinity and to direct traffic both vehicle and pedestrian from the scene until the bomb has been removed or made safe by the military authorities. The "Genio Civile" will also stand by in the vicinity to deal with any case of collapse.

8. TELEPHONES

Telephones are available at most of the undermentioned authorities. Fire and Civil Defense Controller, Genio Civile, City Hall, Carabinieri and Questore Police Stations, Agents of Public Security, Red Cross, Water Supply Office, Telephone Society, General Electric Company, and Senior Civil Affairs Office, ANGOI

In cases where telephone lines are out of order arrangements should be made by the Civil Defense Controller for runners, using cycles or motorcycles to be employed.

At a later date steps should be taken to provide a central switchboard at the office of the Civil Defense Controller.

9. GENERAL

The foregoing constitutes the framework of a Civil Defense Scheme for the City of Palermo. The scheme will be operated by Commandante Zigi, who has been appointed Fire Commander and Civil Defense Controller.

The scheme will be developed in detail by the Civil Defense Controller in a consultation with representatives of all the organizations and departments concerned. Any case of difficulty to be referred to Senior Civil Affairs Officer through Civil Affairs Police Office, Prefettura, Palermo.

5725

CHARLES POLETTI
Lt. Colonel
Senior Civil Affairs Officer

BEST COPY POSSIBLE

L U C E	CUSTODE	NOTE
Mancano lampade	Si propone Ammirata Giovanni che può occuparsi della pulizia	Facilmente la scuola sarà trasferita
=	=	Il fabbricato è stato colpito ed abbaz- ionato ritirare leg- name
=	Già Adello Francesco esportiere	E' stato rubato con si tutto il legname meno quello murato manca 1 porta.
=	=	=
No	Pinella	=
=	=	=
Riparazione impien- to mancane lampade	Cocchiere Vincenzo = portiere	=
Mancano lampade	=	Mancano acqua
=	=	=
Si	Mulo Vincenzo esportiere	=
Mancano lampade	Si propone Benigno Santa	=
=	=	=
=	=	Rione inaccessibile
=	=	Rione inaccessibile

Il fabbricato è sta-
to colpito ed abban-
donato vicino le
gare

E' stato rubato qua-
si tutto il legname
meno quello murato
manca 1 porta.

Già Aiello Francesco - portiere

Pirelli

Riparazione impien-
to mancano lampade

Mancano lampade

Si

Mancano lampade

Mullé Vincenzo - portiere

Si propone Benigno Santa

Mancano lampade

Abitato da Truppe Alleate

Tubo di scarico
rotto entro la
cantina

5724

Rione inaccessibile

Rione inaccessibile

Manca acqua

	LOGALITA'	METRI QUADR.	T I P O	Pre- quenza ti	Stato di conserva- zione	U S O
173	Scuola elementari Via F/sco Riso n° 9	35	Pianterreno anticipello	SI	Usabile	=
174	Ist. Mag. Regina Margherita succ. Corso Vitt. Emanuele 75	70	"	NO	Usabile	=
175	Scuola elementari. Uguilena in Via S. Vito	185	"	NO	Locale ab- bandonato	=
176	Scuola elemen. Via Mesadina Marina 315	40	"	NO	Usabile	=
177	Scuola Avviam. Vitt. Veneto in Piazza Valverde 1	85	"	Poco	Usabile	=
178	Scuola Tecnica Com. Piazza Piazza Valverde palazzina nella.	100	"	NO	Edificio abbandonato	=
179	Istit. Tec. F. Crispi Via P. Novelli	137	"	SI	Usabile	=
180	Scuola elemen. C. Battisti in Via Immacolata	70	"	NO	Locale abbandonato	=
181	Scuola Elemen. Via Celso 80	60	"	SI	Usabile	=
182	Scuola avviam. Via Garibaldi	50	"	NO	Usabile	=
183	Scuola elemen. S. Chiara palag 26 Raffadali	100	"	SI	Usabile	=
184	Succ. Liceo Vitt. Emanuele. Piantet ta Speciale 9	135	"	SI	Usabile	=
185	Scuola avviam. F. Elena in Via Salafino	200	"	NO	Distrutto	=
186	Liceo Ginn. Garibaldi Via D. Giovanni	240	"	NO	Colpito locale non to gruppo	=
187	Ist. Mag. De Comi succ. Via Amando Caselini	135 1542	"	?	?	=
188	Ist. Tecn. F. Parlatore Piazza Montevergini	258 253	Seminario to e piano rialento con anticipello	?	?	=

Riso n°	entiretello	70	"	No	Usabile	"
174	Ist. Mag. Regina Margherita succ. Corso Vitt. Veneto 75	70	"	No	Usabile	"
175	Scuola elemen. Uguilena in Via S. Vito	185	"	No	Locale abbandonato	"
176	Scuole elemen. Via Mazzini Marina 315	40	"	No	Usabile	"
177	Scuola Avviam. Vitt. Veneto in Piazza Valverde	85	"	Poco	Usabile	"
178	Scuola Tecnica Com. Piazza Piazza Valverde palazzo nella.	100	"	No	Edificio abbandonato	"
179	Istit. Tec. F. Crispi Via P. Novelli	137	"	SI	Usabile	"
180	Scuole elemen. C. Battisti in Via Incomune	70	"	No	Locale abbandonato	"
181	Scuole Elemen. Via Celso 80	60	"	SI	Usabile	"
182	Scuola avviam. Via Garibaldi	50	"	No	Usabile	"
183	Scuola elemen. S. Chiara palazzo ze Raffadella	100	"	SI	Usabile	"
184	Succ. Liceo Vitt. Emanuele, Pianset	135	"	SI	Usabile	"
185	Scuola avviam. P. Elona in Via 200 Saladino	200	"	No	Distrutto	"
186	Liceo Gian. Garibaldi Via D. 240 Giovanni	240	"	No	Colpito Locale usato to gruppo	"
187	Ist. Mag. De Conti succ. Via Amando Casalin	135 1542	"	?	?	"
188	Ist. Tec. F. Parlatore Piazza Montevergini	258 298	Seminterro to e piano rialzato con anticollo	?	?	"
189	Scuole elemen. F. Crispi P. XIII Vittime	700 700	Cantine con volte reali	No	Edificio colpito ed abbandonato	"
190	Scuole elemen. M. Bianchi Via Caltanissetta	270+30 308	Cantine antiche crollate ed in grotte	SI	Usabile	"

LIST OF SHELTERS



GALLERIE MULTIPLE

LOCALITA'	METRI QUADR.	T I P O	Frequenza	Stato di conservazione	U S O	GIENE	L U C
1° Piazza Gallarate	200	Gall.multip.	Si	Usabile	=	Saltuaria	Mancano 1a
2° Via Perpignano	150	"	Si	"	=	Non sempre	Mancano 9
3° Piazzetta Tedeschi in Via Castro	63	"	Si	"	=	Si	Mancano 1 la
4° Piazza dello Spasimo	90	"	Si	"	=	Saltuaria	Mancano 1a
5° Cave Domaziani - Arenella	180	"	Si	"	=	Si	Mancano 1a
6° Piazza S. Anna al Capo	140	"	Si	"	=	Si	Mancano 1a
7° Piazza Ucciardone	160	"	Poco	"	=	No	Mancano 1a
8° Piazza Cassometro	190	"	No	Colpito	=	=	=
9° Via Acquasanta Smp. Man. tabacchi.	180	"	Si	Usabile	=	No	Mancano 1a
10° Via Cantieri ang. V° Casa	180	"	Si	"	=	Si	Mancano 1a
11° Piazza Ignazio Florio (1°)	180	"	No	"	=	=	=
12° Piazza Ignazio Florio (2°)	180	"	No	"	=	=	=
13° Piazzetta Rapedocle	180	"	Si	Usabile	=	No	Mancano 1a
14° Piazza XIII° Vittime	180	"	No	Colpito	=	=	=
15° Via Barca all'Arenella	100	"	Si	Usabile	=	Si	Mancano 1a
16° Via Salvatore Spinuzza	190	"	Si	"	=	Si	Mancano 1a
17° Via Ruggero Settimo Pal. Villaresa	190	"	Poco	Danneggiato il prospetto.	=	No	Si
18° Piazza Stazione Lolla	250	"	Si	Usabile	=	No	Mancano 1a
19° Piazza Stazione Centrale	250	"	Si	Usabile	=	Si	Mancano 1a
20° Via Marabitti	100	"	Si	Usabile	=	No	Mancano 1a
21° Piazza Pretoria	200	"	Si	Usabile	Domiteis abusive	Si	Mancano 1a
22° Via della Giostra Ospiz. Beneficenza.	180	"	=	Usabile incompleto	=	=	No

Stato di conserva- zione	U S O	SIEM	L U C E	CUSTODE	NOTE
Usabile	=	Saltuaria	Mancano lampade	Si propone Rotolo Pietro che dorme ivi.	Manca acqua
"	"	Non sempre	Mancano 9 lampade	Petrigno Camelo	
"	"	Si	Manca 1 lampada	Gattuso Luigi	Cassetta acqua insuf.
"	"	Saltuaria	Mancano lampade	Lo Nigro Salvatore	
"	"	Si	Mancano lampade	Riccobono Bernardo	
"	"	Si	Mancano lampade	Lucchese Andrea	Occorre manutenzione I netturbini non puli- scono.
"	"	No	Mancano lampade	No	
Colpito	"	"	"	"	
Usabile	"	No	Mancano lampade	Si propone Corrao Silvestre	
"	"	Si	Mancano lampade	Non potute accertare	
"	"	"	"	"	Adibite dai militari
"	"	"	"	"	Adibite dai militari
"	"	"	"	"	
Usabile	"	No	Mancano lampade	No	
Colpito	"	"	"	"	
Usabile	"	Si	Mancano lampade	Vassallo Cosimo	
"	"	Si	Mancano lampade	Si, ma assente	
"	"	No	Si	No	Manca acqua e porte
Danneggia- to il pro- spetto.	"	"	"	"	
Usabile	"	No	Mancano lampade	No	Inabitabile perchè sporcio.
Usabile	"	Si	Mancano lampade	Lo custodisce Coglitore Paolo custode della ritirata sotter.	
Usabile	"	No	Mancano lampade	Le monache faranno preposta	Manca acqua - cessi ostruiti.
Usabile	Domiteio abusivo	Si	Mancano lampade	Di giorno Giuliano Salvatore e Cacciatori F. - Di notte Ber- tino G. ppe e Davi Antonino.	Occorre espurgo cessi
Usabile	"	"	No	"	Adattabile
incompleto	"	"	"	"	

Castro									
4° Piazza dello Spasino	90	"	Si	"	"	"	S. Iltuaria	Mancano	1
5° Cave Demaniali "Arenella	180	"	Si	"	"	"	Si	Mancano	1
6° Piazza S. Anna al Capo	140	"	Si	"	"	"	Si	Mancano	1
7° Piazza Ucciardone	160	"	Poco	"	"	"	No	Mancano	1
8° Piazza Cassometro	190	"	No	Colpito	"	"	"	"	"
9° Via Acquasanta Smp. Man. tabacchi.	180	"	Si	Usabile	"	"	No	Mancano	1
10° Via Cantieri ang. V° Casa	180	"	Si	"	"	"	Si	Mancano	1
11° Piazza Ignazio Florio (1°)	180	"	No	"	"	"	"	"	"
12° Piazza Ignazio Florio (2°)	180	"	No	"	"	"	"	"	"
13° Piazzetta Rapadoole	180	"	Si	Usabile	"	"	No	Mancano	1
14° Piazza XIII° Vittime	180	"	No	Colpito	"	"	"	"	"
15° Via Barca all'Arenella	100	"	Si	Usabile	"	"	Si	Mancano	1
16° Via Salvatore Spinuzza	190	"	Si	"	"	"	Si	Mancano	1
17° Via Ruggiero Settimo Pal. Villaroza	190	"	Poco	Danneggiato il prospetto.	"	"	No	Si	"
18° Piazza Stazione Lolla	250	"	Si	Usabile	"	"	No	Mancano	1
19° Piazza Stazione Centrale	250	"	Si	Usabile	"	"	Si	Mancano	1
20° Via Marabitti	100	"	Si	Usabile	"	"	No	Mancano	1
21° Piazza Pretoria	200	"	Si	Usabile	Danneggiato abusive	"	Si	Mancano	1
22° Via della Giostra- Ospiz. Beneficenza.	180	"	"	Usabile incompleto	"	"	"	"	No

3713

"	"	S. Ituarria	Mancano lampade	Lo Nigro Salvatore	
"	"	Si	Mancano lampade	Riccobono Bernardo	
"	"	Si	Mancano lampade	Iacchese Andrea	Occorre manutenzione I netturbini non puli- scono.
"	"	No	Mancano lampade	No	
Colpito	"	"	"	"	
Usabile	"	No	Mancano lampade	Si propone Corrao Silvestro	
"	"	Si	Mancano lampade	Non potuto accertare	
"	"	"	"	"	Adibito dai militari
"	"	"	"	"	Adibito dai militari
Usabile	"	No	Mancano lampade	No	
Colpito	"	"	"	"	
Usabile	"	Si	Mancano lampade	Vassallo Cosimo	
"	"	Si	Mancano lampade	Si, ma assente	
Danneggia- to il pro- spetto.	"	No	Si	No	Manca acqua e porte
Usabile	"	No	Mancano lampade	No	Inabitabile perche sporc.
Usabile	"	Si	Mancano lampade	Lo custodisce Coglitore Paolo custode della ritirata sotter.	
Usabile	"	No	Mancano lampade	Le monache faranno proposta	Manca acqua - cessi costruiti.
Usabile	Domiteio abusivo	Si	Mancano lampade	Di giorno Giuliano Salvatore e Cacciatore F. - Di notte Berto- lino G. ppe e Davi Antonino.	Occorre espurgo cessi
Usabile	"	"	No	"	Adattabile
Incompleto	"	"	"	"	

2

GALLERIE FERROVIARIE - TRINCEE COPERTE

	LOCALITA'	METRI QUADR.	T I P O	Fre- quenza ti	Stato di conser- vazione	U S O	INERTE	L U C R
23	Piazza 4 Novembre al Littorio e Piazza Ranchibile.	2140	Galleria ferm.	Si	Usabile	Dormitorio	Si, con 3 netturbin	Si
24	Boccadifalco = 2 gallerie	1950	" "	Si	Usabile	Dormitorio	No	Manca nei c
25	Piazza Giacchey	276	" "	Si	Usabile	"	No	Manca lampa
		=====						
		4366						
26	Piazza Magione	35	Trincea coperta	No	Usabile	"	"	"
27	Piazza Albergheria	100	" "	Si	Usabile	"	Si	Mancano 7 l
28	Via Quintino Sella	135	" "	Si	Usabile	"	lo	Riparare im mancano lam
29	Via Crociferi alla Noce	200	" "	Si	Usabile	"	lo	Mancano lam
30	Via Guglielmo il Buono	96	" "	Si	Usabile	"	Si	Si
31	Piazza Monte Grappa	86	" "	Si	Usabile	"	Si	Mancano lam
32	Via Monfenera	73	" "	Si	Usabile	"	lo	Mancano lam
33	Piazza Kalsa	125	" "	No	Usabile	"	"	Mancano lam
34	Corso Pisani Case popolari	160	" "	Si	Usabile	"	lo	Mancano lam
35	Piazza Generale Cascino	160	" "	Si	Usabile	"	lo	Mancano lam
36	Corso dei Mille S. Giovanni	120	" "	Si	Usabile	"	Si	Riparare in e mancano l
37	Branaccio	120	" "	Si	Usabile	"	Si	Mancano lam
		=====						
		1419						

to di inser zione	U S O	IGIENE	L U C E	CUSTODE	NOTE
abile	Dormitorio	Si, con 3 netturbini	Si	Di giorno: Spinelli Di notte: certo Don Leonardo non bene identificato.	Qualche cesso ostruito manca custodia da parte di P.zza Ranchibile.
abile	Dormitorio	No	Manca nei cessi	Si propone Bruno F. Paolo	Grandi pozzangheri agli ingressi.
abile	"	No	Manca lampada	?	
abile	"	"	"	"	Il pubblico si reca in una grotta vicina.
abile	"	Si	Mancano 7 lampade	Grasso Francesco	
abile	"	No	Riparare impianto mancano lampade	La Nece Giovanni	Manca l'acqua
abile	"	No	Mancano lampade	Buccola Giuseppe	Riparare porte
abile	"	Si	Si	Stocchi Giovanni	
abile	"	Si	Mancano lampade	Pasienza Gastano che esegue pure la pulizia.	
abile	"	No	Mancano lampade	Tumminello Giuseppe	
abile	"	"	Mancano lampade	?	Mancano porte
abile	"	No	Mancano lampade	Si propone Castelletti F. sca Corso Pisani 127.	Cessi ostruiti.
abile	"	No	Mancano lampade	Si propone Crisci	Presso Sig.ra La Corte al n° 161.
abile	"	Si	Riparare impianto e mancano lampade	Buturo Giuseppe	Riparare porte.
abile	"	Si	Mancano lampade	Buturo Giovanni	

25	Piazza Giacchey	276	"	"	Si	Usabile	"	Vo	Manca lamp
		=====							
		4366							
26	Piazza Magione	35	Trincea coper		No	Usabile	"	"	"
			ta						
27	Piazza Albergheria	100	"	"	Si	Usabile	"	Si	Mancano 7
28	Via Quintino Sella	135	"	"	Si	Usabile	"	Vo	Riparare i mancano la
29	Via Crociferi alla Noce	200	"	"	Si	Usabile	"	Vo	Mancano la
30	Via Guglielmo il Buono	96	"	"	Si	Usabile	"	Si	Si
31	Piazza Monte Grappa	86	"	"	Si	Usabile	"	Si	Mancano la
32	Via Monfenera	73	"	"	Si	Usabile	"	Vo	Mancano la
33	Piazza Kalsa	125	"	"	No	Usabile	"	"	Mancano la
34	Corso Pisani Case popolari	160	"	"	Si	Usabile	"	Vo	Mancano la
35	Piazza Generale Cascino	160	"	"	Si	Usabile	"	Vo	Mancano la
36	Corso dei Mille S.Giovanni	120	"	"	Si	Usabile	"	Si	Riparare i e mancano
37	Brancaccio	120	"	"	Si	Usabile	"	Si	Mancano la
		=====							
		1419							

abile	"	No	Manca lampada	?	
abile	"	"	"	"	Il pubblico si reca in una grotta vicina.
abile	"	31	Mancano 7 lampade	Grasso Francesco	
abile	"	10	Riparare impianto mancano lampade	La Nece Giovanni	Manca l'acqua
abile	"	10	Mancano lampade	Buccola Giuseppe	Riparare porte
abile	"	31	Si	Stocchi Giovanni	
abile	"	31	Mancano lampade	Pasienza Gaetano che esegue pure la pulizia.	
abile	"	10	Mancano lampade	Tumminello Giuseppe	
abile	"	"	Mancano lampade	?	Mancano porte
abile	"	10	Mancano lampade	Si propone Cast lletti F.sca Corso Pisana 127.	Cessi ostruiti.
abile	"	10	Mancano lampade	Si propone Crisci	Presso Signora La Corte al n° 161.
abile	"	31	Riparare impianto e mancano lampade	Buturo Giuseppe	Riparare porte.
abile	"	11	Mancano lampade	Buturo Giovanni	

INGROTTATI

	LOCALITA'	METRI QUADR.	T I P O	Pre quantità	Stato di conserv.	U S O	GIURISDIZIONE	L U C
38	Corso A. Amedeo Catacombe	240	Ingrottate	SI	Usabile	Dormitorio	SI segue sotto la nat	Rip. lapide mancano 1
39	Acquasanta: C.le 1° Di Cr1 stofaro.	70	"	SI	"	"	SI	Mancano 1
40	Acquasanta = Caverna Scalici	900	"	SI	"	"	SI	Mancano 2
41	Acquasanta = C.le 2° Di Cr1 stofaro.	100	"	SI	"	"	SI	"
42	Cortile Le Chiavi Acquasanta	200	"	SI	"	"	SI	"
43	Piazzetta Acquasanta	60	"	SI	"	"	SI	"
44	Piazzetta Caruso all'Arenel la- Cunicolo	50	"	SI	"	"	SI	"
45	Via Cardinale Massaia 22126	250	"	SI	"	"	SI	SI
46	Via Imperatore Federico = Fondo Fondo Brune.	160	"	SI	"	Dormitorio 4 barecche all'aperta	No	Mancano
47	Via Circoncione Case popolari	150	"	SI	"	"	Scarsa	Mancano 1
48	Via Sampolo 242	180	"	SI	"	"	No	Mancano 1
49	Via Sampolo Ang. Duca Verdura	75	"	SI	"	"	SI	Mancano 1
50	Via Montepellegrino = Grotta D'Anna	1500	"	SI	"	Dormitorio	Scarsa	SI
51	Via Montepellegrino = Grotta Iugge.	450	"	No	Colpito	"	"	"
52	Piano Ranchibile = Fondo Balato	1800	"	SI	Usabile	Dormitorio	No	Mancano
53	Piazza Alberigo Gentile	900	"	SI	Colpito	Non più dormitorio	No	"
54	Villa Crispi	80	"	?	Colpito	"	"	"
55	Piazza Denisinni tra 4, 11, 12	25	"	SI	Usabile una stanza sa.	"	No	Mancano
56	Piazza Denisinni N° 36	30	"	SI	Usabile 1 stanza	"	No	Mancano

Stato di Conserv.	U S O	IGIENE	L U C E	CUSTODE	NOTE
Usabile Dormitorio		Si esegue dopo la nat.	Rip. impianto e mancano lampade	Giuffrè Leonardo	Riparare portezino
"	"	Si	Mancano lampade	Si propone Amato Antonino	Manca impianto acqua
"	"	Si	Mancano lampade	Morascu Carlo	
"	"	Si	" "	" "	
"	"	Si	" "	Catanzaro Flavia	Occorrono pilastri = iniziati cessi ~~edificati~~ all'aperto.
"	"	Si	" "	Curano gli stessi inquilini	Manca cessi
"	"	Si	" "	Si propone Signorino Domenica	Riattivare cessi.
"	"	Si	Si	Si propone Casalvecchio Vir. sa	Manca gabinetto
"	Dormitorio 4 baracche all'aperto	No	Mancano lampade	Si propone Musico' Gastana; anche per la pulizia.	Cessi ostruiti
"	"	Scarsa	Mancano lampade	Si propone Saja, già custode e che può eseguire anche la pulizia.	Cape ricevero Sig. Trotta Alfredo ivi.
"	"	No	Mancano lampade	Spasacino Paolo	L'acqua non arriva
"	"	Si	Mancano lampade	Lauro Francesco	
"	Dormitorio	Scarsa	Si	Si propone Madonna Pisco	parte dei cessi ~~edificati~~ ostruiti.
Colpito	"	"	"	"	"
Usabile Dormitorio		No	Mancano lampade	Si propone Guttadauro Pietro, già custode ivi.	Cessi in parte ostruiti = luce debole.
Colpito	Non più dormitorio	No	Si	"	"
Colpito	"	"	"	"	Riparare ingresso
Usabile una stanza.	"	No	Mancano lampade	Dolce Caterina	Invaso dell'acqua piovana e macerie
Usabile stanza	"	NO	Mancano lampade	"	Manca l'acqua.

38	Corso A. Amedeo Catacombe	240	Ingrottato	SI	Usabile	Domitorio	SI segue sotto la mat	Rip. impi.
39	Acquasanta: C.le 1° Di Cri stofaro.	70	"	SI	"	"	SI	Mancano 1
40	Acquasanta - Caverna Scalici	900	"	SI	"	"	SI	Mancano 1
41	Acquasanta - C.le 2° Di Cri stofaro.	100	"	SI	"	"	SI	"
42	Cortile Le Chiavi Acquasant	200	"	SI	"	"	SI	"
43	Piazzetta Acquasanta	60	"	SI	"	"	SI	"
44	Piazzetta Caruso all'Arenel la- Cunicolo	50	"	SI	"	"	SI	"
45	Via Cardinale Masceia 22126	280	"	SI	"	"	SI	SI
46	Via Imperatore Federico - Roma Fondo Bruno.	160	"	SI	"	Domitorio 4 baracche all'aperto	No	Mancano 1
47	Via Cirrincione Case popolari	150	"	SI	"	"	Scarsa	Mancano 1
48	Via Sampolo 242	180	"	SI	"	"	No	Mancano 1
49	Via Sampolo Ang. Duca Verdura	75	"	SI	"	"	SI	Mancano 1
50	Via Montepellegrino - Grotta D'Anna	1500	"	SI	"	Domitorio	Scarsa	SI
51	Via Montepellegrino - Grotta Tugge.	460	"	No	Colpito	"	"	"
52	Piano Ranchibile - Fondo Balato	1800	"	SI	Usabile	Domitorio	No	Mancano 1
53	Piazza Alberigo Gentile	900	"	SI	Colpito	Non piu' domitorio	No	SI
54	Villa Crispi	80	"	?	Colpito	"	"	"
55	Piazza Denisinni tra 4, 11, 12	25	"	SI	Usabile una stan za.	"	No	Mancano 1
56	Piazza Denisinni N° 36	30	"	SI	Usabile 1 stanza	"	No	Mancano 1
57	Piazza Denisinni 46	25	"	SI	Usabile 1 stanza	"	"	SI
58	Via Guadagna Salita	60	"	SI	Usabile 3 stanze con para scheggie.	Domitorio	No	Mancano 1

Usabile	Dormitorio	Si segue sp. e la mat	Rip. impianto e mancano lampade	GIULIO ASSUNTO	
"	"	Si	Mancano lampade	Si propone Anato Antonino	Mancan impianto acqua
"	"	Si	Mancano lampade	Morasca Carlo	
"	"	Si	" "	" "	
"	"	Si	" "	Catanzaro Flavia	Occorrono pilastri = iniziati cessi ~~stinti~~ all'aperto.
"	"	Si	" "	Curano gli stessi inquilini	Mancan cessi
"	"	Si	" "	Si propone Signorino Domenico	Riattivare cessi.
"	"	Si	Si	Si propone Casavecchio Vin. sa	Mancan gabinetto
"	Dormitorio 4 baracche all'aperto	No	Mancano lampade	Si propone Musico' Gastona;	Cessi ostruiti
"	"	Scarsa	Mancano lampade	Si propone Saba, già custode e che può eseguire anche la pulizia.	Cassa ricovero sig. Trotta Alfredo ivi.
"	"	Si	Mancano lampade	Sparacino Paolo	L'acqua non arriva
"	"	Si	Mancano lampade	Lauro Francesco	
"	Dormitorio	Scarsa	Si	Si propone Madonna Fisco	parte dei cessi ~~non~~ ostruiti.
Colpito	"	"	"	"	"
Usabile	Dormitorio	No	Mancano lampade	Si propone Guttadauro Pietro, già custode ivi.	Cessi in parte ostrui ti = luce debole.
Colpito	Non più dormitorio	No	Si	"	"
Colpito	"	"	"	"	Riparare ingresso
Usabile	"	No	Mancano lampade	Dalce Caterina	Invaso dell'acqua piovana e macerie
Usabile	"	No	Mancano lampade	"	Mancan l'acqua.
Usabile	"	Si	Si	"	Il proprietario l'ha affittato.
Usabile	Dormitorio	No	Mancano lampade	"	Abilita cessi per man canza acqua.

INGROTTATI

	LOCALITA'	METRI QUADR.	T I P O	Frequen- za	Stato di conserva- zione	U S O	I G I E R E	L U C
59	Maredolce	300	Ingettato	si	Usabile	Demitole e barac- che all'i- aperte.	11	Senza impi
60	Via del Fante-Villa Mazzari- no.	500	"	si	Usabile incomple- to.	Demitole	10	Manca la
61	Piazza Pallevicino	40 ± 60	"	si	Usabile incomple- to	"	10	Manca
62	Partanna	200	"	si	Usabile quasi ul- timato	"	10	Manca
63	Piazza Tommaso Natale	150	"	si	Usabile quasi ul- timato	"	10	Manca
		8375						

ato di serva one	U S O	I G I E N E	L U C E	C U S T O D E	N O T E
abile e barac che all aperte.	Demiteio	14	Senza impianto		Manca impianto acqua manca copertura cessi
abile comple	Demiteio	10	Mancano lampade	Si propone Nucleo Antonino, anche per la pulizia.	Manca 2° uscita
abile comple	=	20	Manca		Cocotte costruzione scale
abile asi ul mato	=	20	Manca		
abile asi ul mato	=	20	Manca		

4

RI VERI IN EDIFICI PRIVATI

CANTINE CON ANTICROLLO = DUGRATATI

LOCALITA'	METRI QUADR.	T I P O	Pre- quantità	Stato di conserva- zione	Uso	IGIENE	L U C E
64 Via Bandiere n°2	40	Cantine con anticrollo	si	Usabile	"	No	Si
65 Corno Pisani n°12	65	"	"	"	"	Si	Si
66 Piazza Noviziato 28	100	"	"	"	"	Si	Mancano la
67 Via Manzoni n°7	100	"	"	"	"	No	Mancano la
68 Via Dante 55	150	"	"	"	"	No	Mancano la
69 Corno Alberto Amedeo (case popolari)	120	"	"	"	"	No	Mancano la
70 Via Riccardo Wagner n°2	120	"	"	"	"	Si con mezzi proj r2	Si
71 Via Ottavio D'Aragone 32	90	"	"	"	"	No	No
72 Via Pignatelli Aragone 34	54	"	"	"	"	No	Mancano imp.
73 Via Libertà n°62	35	"	"	"	"	Si	Mancano l
74 Via Maurigi n°3	70	"	"	"	"	No	Mancano l
75 Via Giacomo Guzmano n°40	50	"	"	"	"	No	Si
76 Piazza Diodoro Siculo n°4	50	"	"	"	"	No	Si
77 Via Carlo Pisacani ang. Peron	100	"	"	"	"	Si	Riparare to
	1144						
78 Teatro Massimo	200	Pianterreno	Si	Usabile	"	Si	Si
79 Via Ragusa n° 2	145	Ingressato	Si	Usabile	"	Per il bagno la portiera	Si

Stato di conservazione	USO	IGIENE	L U C E	CUSTODE	NOTE
abitabile	"	No	Si	Caruso Andrea	
"	"	Si	Si	Lala Dorotea	Cessi da riparare
"	"	Si	Mancano lampade	De Luca Domenico	Occorre espurgo e riparo gradini.
"	"	No	Mancano lampade	Di Vincenzi Rosario	Mancava rubinetto
"	"	No	Mancano lampade	Manzella Salvatore	
"	"	No	Mancano lampade	Si propone Balamonte Innocen- za, portiera che potrebbe occuparsi pure della pulizia	
"	"	Si con mezzi propri	Si	Consoli Emanuele	Frequentato specialmente da truppe
"	"	No	No	"	Mancava una porta che dovrebbe stare chiusa
"	"	No	Mancava impianto	Bennici Angelo	
"	"	Si	Mancano lampade	Card Antonino	
"	"	No	Mancano lampade	Odde Anna	Il proprietario l'ha occupato in massima par- te con materiale da costruzione.
"	"	No	Si	Di Sposito Maria - che esegue talvolta la pulizia	
"	"	No	Si	Nachi Costanza	
"	"	Si	Riparare implan- to		
abitabile	"	Si	Si	Vigile del Fuoco Lopez ~~Giuseppe~~	
abitabile	"	No - segue la portiera	Si	Rappario Rosa - che vorrebbe	Cesso ostruito

64	Via Bandiere n°2	40	Cantine con antifurto	SI	Usabile	"	SI	"
65	Corso Pisani n°12	65	"	"	"	"	SI	SI
66	Piazza Noviziato 28	100	"	"	"	"	SI	Mancano la
67	Via Manzoni n°7	100	"	"	"	"	SI	Mancano la
68	Via Dante 55	150	"	"	"	"	SI	Mancano la
69	Corso Alberto Amedeo (case popolari)	120	"	"	"	"	SI	Mancano la
70	Via Riccardo Wagner n°2	120	"	"	"	"	SI con mezzi proj ri	SI
71	Via Ottavio D'Azeglio 32	90	"	"	"	"	SI	SI
72	Via Pignatelli Azeglio 84	54	"	"	"	"	SI	Mancano imp
73	Via Libertà n°62	35	"	"	"	"	SI	Mancano la
74	Via Maurigi n°3	70	"	"	"	"	SI	Mancano la
75	Via Giacomo Guzmano n°40	50	"	"	"	"	SI	SI
76	Piazza Diodoro Siculo n°4	50	"	"	"	"	SI	SI
77	Via Carlo Pisacani ang. Perez	100	"	"	"	"	SI	Riparare i to
		1144						
78	Tenute Massimo	200	Pianterreno	SI	Usabile	"	SI	SI
79	Via Ragusa n° 2	145	Ingegnato	SI	Usabile	"	SI segue la portiera	SI
80	Via Colonna Rotta n°99	80	Ingegnato	SI	Usabile	"	SI	Mancano la
		225						

				Lola Doretta	Cessi da riparare
	Si	Si	Mancano lampade	De Luca Domenico	Occorre espurgo e riparo gradini.
	No		Mancano lampade	Di Vincenzà Rosario	Mancò rubinetto
	No		Mancano lampade	Mancolla Salvatore	
	No		Mancano lampade	Si propone Daimonte Innocen- za, portiera che potrebbe occuparsi pure della pulizia	
	Si con mezzi propri	Si		Consoli Emanuele	Frequentato specialmente da truppe
	No	No		"	Mancò una porta che dovrebbe stare chiusa
	No		Mancò impianto	Bonnici Angelo	
	Si		Mancano lampade	Card Antonino	
	No		Mancano lampade	Odde Anna	Il proprietario l'ha occupato in massima par- te con materiale da costruzione.
	No	Si		Di Spesito Maria - che esegue talvolta la pulizia	
	No	Si		Machi Costanza	
	Si		Riparare impien- to		
abile	Si	Si		Vigile del Fuoco Lopez ~~Minimizza~~ Giuseppe	
abile	No - segue la portiera	Si		Rapparo Rosa - che vorrebbe l'incarico della pulizia	Cesso ostruito
abile	No		Mancano lampade	Si propone Presti Concetta, che può interessarsi della pulizia.	

5

RICOVERI IN EDIFICI PRIVATI CANTINE

V.D. RD.	LOCALITA'	METRI QUADRA.	T I P O	FREQUEN TATI.	STATODI CONSERVA	U S O	IGIENE	L U
81	Via Vespri 58	50	Cantina	Si	Usabile	=	Si.	Riparez.
82	Via Vespri 60	60	"	Si	"	=		Si
83	Via Perez 62	32	"	Si	"	=	Si.	Si
84	Via Arnd 4-6	100	"	Si	"	=	Si.	Manca In
85	Via Alessio Narbone 63	90	"	Si	"	=	Si portiere	Manca Le
86	Via Dante Villino Caruso	60	"	Si	"	=	Si	Si
87	Via Filippo Parlatore 81	60	"	Si	"	=	Si portiere	Si
88	Via Costantino Nigra 8	22	"	No	"	=		
89	Via Giuseppe Sciuti 52	19	"	No	"			
90	Via XX Settembre 62	65	"	No	"			
91	Via XX Settembre 70	60	"	No	"			
92	Via Niccolò Garzilli 71	38	"	No	"			
93	Via Siracusa N.I	36	"	No	Colpito			
94	Via Del Balilla-Inf.Abb/ta	120	"	No	Abb.to			
95	Via Vincenzo Di Marco 32	75	"	No	Usabile			
96	Via Villareale 28	60	"	No	Colpito			
97	Via Rodi N.I	100	"	Si	Usabile		No	Si
98	Via Emerico Amari 146	60	"	Si	"		No	Manca 3
99	Via Bentivegna 24	70	"	Si	"		No	Manca In
100	Via Resuttana 10 -In Via Lungarini	50	"	No	Colpito Adiacen=			
101	Via Isidoro La Lumia 41	200	"	No	Colp. Fabbr cato			
102	Via Gaetano Daita 42	120	"	No	Da poco Affidab			
103	Via Gaetano Daita 33	70	"	No	" to			
104	Via Quintino Sella N.I	180	"	No	"			

STATODI CONSERVA	U S O	IGIENE	L U C E	C U S T O D E	N O T E
Usabile	"	Si.	Riparaz. Impianto	Fusurando Andrea	
"	"	"	Si	Spera Eleonora	
"	"	Si.	Si		Chiedono Anticrollo e me dicinali
"	"	Si.	Manca Impianto	Napoli Achille	
"	"	Si portiere	Manca Lampad.	Piraino Maria Teresa	
"	"	Si	Si	Buffa Salvatore	
"	"	Si portiere	Si	Leompagnone F.P.	
"	"				
"	"				
"	"				
"	"				
"	"				
colpito					
bb.to					
abile					
colpito					
abile		No	Si	Sanlorenzo Maria	
"		No	Mancano 3 Lamp.de	Sole Vincenzo	
"		No	Manca Impianto		
colpito diacene					
colp. Fabbri cato					
e poco influenza					
" to					
"				Il custode Alagna Filippo ha intenzione di restare	Assunte informazioni dei vicini

84	Via Arnd 4-6	100	"	Si	"	"	Si	Manca Im
85	Via Alessio Narbone 63	90	"	Si	"	"	Si portiere	Manca La
86	Via Dante Villino Caruso	60	"	Si	"	"	Si	Si
87	Via Filippo Parlatore 81	60	"	Si	"	"	Si portiere	Si
88	Via Costantino Nigra 8	22	"	No	"	"		
89	Via Giuseppe Sciuti 52	19	"	No	"	"		
90	Via XX Settembre 62	65	"	No	"	"		
91	Via XX Settembre 70	60	"	No	"	"		
92	Via Niccolò Garzilli 71	38	"	No	"	"		
93	Via Siracusa N.I	36	"	No	Colpito			
94	Via Del Balilla-Inf. Abb/ta	120	"	No	Abb.to			
95	Via Vincenzo Di Marco 32	75	"	No	Usabile			
96	Via Villareale 28	60	"	No	Colpito			
97	Via Rodi N.I	100	"	Si	Usabile		No	Si
98	Via Emerico Amari 146	60	"	Si	"		No	Mancano 3
99	Via Bentivegna 24	70	"	Si	"		No	Manca Im
100	Via Resuttana 10 -In Via Lungarini	50	"	No	Colpito Adiacen-			
101	Via Isidoro La Lumia 41	200	"	No	Colp. Fabbri cato			
102	Via Gaetano Daita 42	120	"	No	Da poco Affidamen			
103	Via Gaetano Daita 33	70	"	No	" to			
104	Via Quintino Sella N.I	180	"	No	"			

1797

"	"	Si.	Manca Impianto	Napoli Achille	
"	"	Si portiere	Manca Lampad.	Piraino Maria Teresa	
"	"	Si	Si	Buffa Salvatore	
"	"	Si portiere	Si	Leompagnone F.P.	
"	"				
"	"				
"	"				
"	"				
"	"				
lpito					
b.to					
abile					
lpito					
abile		No	Si	Sanlorenzo Maria	
"		No	Mancano 3 Lamp.de	Sole Vincenzo	
"		No	Manca Impianto		
lpito					
accen-					
lp. Fabbri					
cato					
ppoo					
figmen					
" to					
"					
"				Il custode Alagna Filippo ha	Assunte informazioni
				interesse di restare	dai vicini

6

RI (VERI IN EDIFICI PRIVATI-C) TIAN

	LOCALITA'	METRI QUADR.	T I P O	Fre- quentat	Stato di conserva- zione	U S O	IGIENE	L
105	Piazza Leonì n°17	35	Cantina	Poco	Usabile	"	No	S
106	Piazza Aragonesi edificio Comunale	235	"	Si	"	"	Si	Mancano
107	Via Cavour n° 32	127	"	No	"	"	No	Mancano
108	Via Filippo Juvara n° 41	50	"	Si	"	"	No	Si
109	Via Gesù Carducci	34	"	Si	"	"	Si	Si
110	Via De Spuches n° 6	50	"	Poco	"	"	Si	Si
111	Via Pisa n° 6	30	"	Si	"	"	Si	Mancano
112	Via Milano n° 39	21	"	No	"	"	"	"
113	Via Paolo Balsame n° 11	75	"	No	Colpato l'ingress so	"	"	"
114	Via Garibaldi n° 8	100	"	Si	Usabile	"	No	Mancano
115	Via Cardinale Massala 163	90	"	Si	Usabile	"	No	Mancano
116	Via Montalbo 225	50	"	No	Usabile	"	"	"
117	Piazza Torrelunga - accanto gruppo rionale	200	"	No	Usabile	"	"	"
118	Via Maresciallo Cadorna 5	125	"	Si	Usabile	"	No	Mancano
119	Via Besce 49	80	"	Si	Usabile	"	No	Mancano
120	Via Bari 8 = 18 = 28	160	"	Si	Usabile	"	No	Mancano
121	Via Roma Palazzo Biundo	200	"	No	Usabile	"	"	"
122	Via Episcopo n°12	200	"	Si	Usabile	"	Si	Si
123	Via del Poeta = Seminario Italo Albanese	100	"	No	Usabile bombe vicino no.	"	"	"

Stato di conservazione	U S O	IGIENE	L U C E	CUSTODE	NOTE
Usabile	=	No	Si	=	Senza seconda uscita è stato iniziato un ingruttato a cura degli inquilini.
"	=	Si	Mancano lampade	Rotolo Pietro	Occorre spurgo
"	=	No	Mancano lampade	Palmeri Rosalia	
"	=	No	Si	Apri il proprietario	
"	=	Si	Si	La Corte F. Paolo	Si passa attraverso una buca in un rico- vero anticrollo.
"	=	Si	Si	=	
"	=	Si	Mancano lampade	Marascia Alfredo	
"	=	"	"	"	"
Polipite d'ingress so	=	"	"	"	"
Usabile	=	No	Mancano lampade	Cutrota Giuseppa	
Usabile	=	No	Mancano lampade	Caruso Giovanni	Occorre sgombrare paglia.
Usabile	=	"	"	"	"
Usabile	=	"	"	"	"
Usabile	=	No	Mancano lampade	Neola Angelina	
Usabile	=	No	Mancano lampade	Pesco Lorenzo	
Usabile	=	No	Mancano lampade	Al n°8 Travagliante Salvate- re. al n°18 Di Najo Giuseppe al n°28 Giuliano Michele	
Usabile	=	"	"	"	Da ritirare tabella che è stata tolta.
Usabile	=	Si	Si	Idici Rosario	
Usabile Dante vici	=	"	"	Il proprietario è sfollato	"

106	Piazza Aragonesi edificio Comunale	235	"	SI	"	"	SI	Mancano 1
107	Via Cavour n° 32 ;	127	"	NO	"	"	NO	Mancano 1
108	Via Filippo Juvara n° 41	50	"	SI	"	"	NO	SI
109	Via Gesù Carducci 1	34	"	SI	"	"	SI	SI
110	Via De Spuches n° 6	50	"	Poco	"	"	SI	SI
111	Via Pisa n° 6	30	"	SI	"	"	SI	Mancano 1
112	Via Milano n° 39	21	"	NO	"	"	"	"
113	Via Paolo Balsano n° 11	75	"	NO	Colpito l'ingress so	"	"	"
114	Via Garibaldi n° 8	100	"	SI	Usabile	"	NO	Mancano 1
115	Via Cardinale Massala 163	90	"	SI	Usabile	"	NO	Mancano 1
116	Via Montalbo 225	50	"	NO	Usabile	"	"	"
117	Piazza Terrelunga - accanto gruppo rionale	200	"	NO	Usabile	"	"	"
118	Via Maresciallo Cadorna 5	125	"	SI	Usabile	"	NO	Mancano 1
119	Via Desco 49	80	"	SI	Usabile	"	NO	Mancano 1
120	Via Bari 8 = 18 = 28	160	"	SI	Usabile	"	NO	Mancano 1
121	Via Roma Palazzo Biando	200	"	NO	Usabile	"	"	"
122	Via Spicame n° 12	200	"	SI	Usabile	"	SI	SI
123	Via del Poeta = Seminario Italo Albanese	100	"	NO	Usabile bombe viol ne.	"	"	"
124	Via Oberdan	100 2112	"	SI	Usabile	"	SI	Mancano 1

		Si	Mancano lampade	Rotolo Pietro	6 stato insediato un ingrottato a cura degli inquilini. Occorre espurgo
		No	Mancano lampade	Palmeri Rosalia	
		No	Si	Apri il proprietario	
		Si	Si	La Corte F. Paolo	Si passa attraverso una buca in un rigo vero anticorollo.
		Si	Si	"	
		Si	Mancano lampade	Marascia Alfredo	
		"	"	"	"
		"	"	"	"
elpito		"	"	"	"
l'ingres		"	"	"	"
so		"	"	"	"
usabile		No	Mancano lampade	Cutrota Giuseppa	
Usabile		No	Mancano lampade	Caruso Giovanni	Occorre agombrare paglia.
Usabile		"	"	"	"
Usabile		"	"	"	"
Usabile		No	Mancano lampade	Meola Angelina	
Usabile		No	Mancano lampade	Fesco Lorenzo	
Usabile		No	Mancano lampade	Al n°8 Travagliante Salvato re. al n°18 Di Majo Giuseppe al n°25 Giuliano Michele	
Usabile		"	"	"	Da ritirare tabella che 6 stata tolta.
Usabile		Si	Si	Lici Rosario	
Usabile		"	"	Il proprietario 6 sfollato	"
bombe vici ne.		"	"	"	"
Usabile		Si	Mancano lampade	Sole Matteo	

RICOVERI IN EDIFICI PRIVATI
PIANTERRENO E CON PARASCHIEGGIE

N. Ord.	LOCALITA'	METRI QUADRA. TI	T I P O	FREQUEN TATI	STATO DI CONSER VAZIONE	US O	I G I E N E	L U O
I25	Piazza Indipendenza P.Fici	70	Piant. Con Pa raschiegge	No	Demolito			
126	Via Littara N.8	95	"	Si	Usabile		Si	Si
127	Via Lamantia N.6	46	"	Poco	"		Si	Si
128	Via Tommaso Garga llo 23	70	"	No	"			
129	Via Maqueda P.Mazzarino	160	"	No	"			
130	Piazza Marina P.Finanze	250	"	No	Us.abb.to			
I31	Via Butera N.25	25	"	No	Abbanda/to			
132	Via Alloro N.2 Monastero Pietra	110	"	No	Abbandonato			
133	Via Re Federico N.20 (Via Teocrito)	70	"	No	Usabile			
134	Via XX Settembre II	100	"	No	Colpito			
135	Via Maqueda Arco Cutò	50	"	Poco	Usabile		Si	Si
136	Via Torino N.10	45	"	No	Usabile			
137	Via Oroto N.14	75	"	No	Colpito			
I38	Via Colleggio di Maria al Borgo	20	"	No	Usabile			
I39	Via Cardinale Massala N.59	30	"	No	Abolire			
140	Arco Ponte dei Gracia Cap= pella.40	70	"	No	Usabile		No	No
I41	Corso Vittoria Emanuele 462	100	"	Poco	Usabile		No	Mancano
142	Via Cartari Ist.Commer/le	30	"	No	Non Esiste			
I43	Via Giacomo Cusmano 4	50	"	Poco	Usabile		No Pulisce la portiera	Si
		I466						

STATO DI CONDIZIONE	USO	IGIENE	LUCE	CUSTODE	NOTE
molito					
abile		Si	Si	Custodisce un parente del pro- prietario	
"		Si	Si	Oliveri Domenico	
"					
"					
Abb.to					Locale Abbandonato
banda/to					
abbandonato					
abile					Solo in uso degli i- lini
alpito					
abile		Si	Si	Sacco Antonino	
abile					
alpito					
abile					
bolire					
abile		No	No		
abile		No	Mancano lampade		Mancava acqua occorre e: varia
on Esiste					
abile		No Pulisce la portiera	Si	Scavone Angela	

129	Via Maqueda P. Mazzarino	160	"	No	"		
130	Piazza Marina P. Finanze	250	"	No	Us. Abb.to		
131	Via Butera N. 25	25	"	No	Abbanda/to		
132	Via Alloro N. 2 Monastero Pietà	110	"	No	Abbandonato		
133	Via Re Federico N. 20 (Via Teocrito)	70	"	No	Usabile		
134	Via XX Settembre II	100	"	No	Colpito		
135	Via Maqueda Arco Cutò	50	"	Poco	Usabile	Si	Si
136	Via Torino N. 10	45	"	No	Usabile		
137	Via Oreto N. 14	75	"	No	Colpito		
138	Via Colleggio di Maria al Borgo	20	"	No	Usabile		
139	Via Cardinale Massima N. 59	30	"	No	Abolire		
140	Arco Porta dei Greci Cap- pella. 48	70	"	No	Usabile	No	No
141	Corso Vittoria Emanuele 462	100	"	Poco	Usabile	No	Mancano
142	Via Cartari Ist. Commer/le	30	"	No	Non Esiste		
143	Via Giacomo Cusmano 4	50	"	Poco	Usabile	No Può essere la portiera	Si
		<u>1466</u>					

	Sì	No	Località	Stato
Abbandonato				Locale Abbandonato
Abbandonato				Solo inn uso degli i lini
Abbandonato	Sì	Sì	Sacco Antonino	
Abbandonato				
Abbandonato				
Abbandonato				
Abbandonato	No	No		
Abbandonato	No	Mancano lampade		Manca acqua occorre m tarla
Non Esiste				
Abbandonato	No Fu la portiera	Sì	Savone Angela	

8

SCOLASTICI - GALLERIE MULTIPLE

N. ORD	LOCALITA'	METRI QUADRA. TI	T I P O	FREQUEN- TATI	STA TO CONSER- VAZIONE	U S O	I G I E N E	L U C E
144	Scuola Diavv. F. Umb. Primo Ang Via Lincoln.	170	Gallerie Mul- tiple.	Poco	Abitabile		Si	Manca Lampe
145	Scuola Elem. L. Razza - Archim. 11.	192	"	Si	Abit/le		Si	Manca Lampe
146	Scuole Avv. Franchetti - Roma Ennio	68	"	Si	Abit/le		Si	Manca Lampe
147	Scuole El/ri Allo Sperone	97	"	Si	Sbit/le		Si	Impianto Cu
148	Scuole El/ri F. Ferri Piazza Maggio	430	"	No	Col.to e			
149	Ist. D'Arte E Scuol. Avv. In Via Schiavuzza	119	"	No	abb.to part. Sfalce locale chiuso			
150	Scuol. Avv. M. Gagini - Via S. Basilio	59	"	Si	Abit.le	=	Si	Manca Lampe
151	R. Liceo Gin. Via Vitt. Em/le	269	"	No	Inacc/le e lo- cale abband.			
152	Scuol. Avv. Piazz. V. Maqueda	110	"	No	" "			
153	Scuol. Elem. D'Aita V. Maqueda	490	"	Si	Abit/le	=	No	Manca Lampe
154	Isti. Mag. R. Margh. Suc. Vallero 836	108	"	Si	"		No	Manca Lampe
155	R. Lic. Gin. Umberto I° P. S. Anna	268	"	Si	"		Si	Manca Lampe
156	R. Lic. Gin. Umberto I° Scuole Buonservizio	133	"	No	Sc. Col. e loc. abb.to			
157	Scuol. Avv. Vitt. Veneto Via Principe Paterno	255	"	Si	Abit/le		No	Manca Lampe
158	Scuol. Elem. La Rinnovata Via Alessio Narbone	370	"	Si	"		Si	Manca Lampe
159	" " Schirò C. Calatafina	267	"	No	Occ. Truppe			
160	" " Ragusa Moletto Via Ragusa Moletto	270	"	No	" "			
161	" " I. La Lumia P. Nic. Turrisi	120	"	No	Colp. e Abb.			
162	Ist. Mag. De Cosmi Via Bonifra- celli	237	"	Si	Usabile	=	No	Manca Lampe
163	R. Lic. Ginn. G. Meli P. Settan- geli	445	"	No	Colpito e Abb.to			
164	Scuol. Elem. Peraz V. Peraz	305	"	No	" "			
165	" " Magliocco V. Maqueda 92	90	"	No	" "			
166	" " Schirò V. Pitre	95	"	Si	Abitabile		Si	Manca Lamp
167	Ist. Mag. R. Margh. P. S. Salvatore	130	"	No	Colpito e			
168	Scuol. Elem. Via Indica 12	122	"	Si	Abband/to Abitabile		No	Riparazion Lampade Man
		5219						

STA TO CONSER- VAZIONE	USO	IGIENE	LUCE	CUSTODE	NOTE
Abitabile		Si	Manca Lampade	di giorno un netturbino fisso	Manca acqua
Abit/le		Si	Manca Lampade	di giorno o un netturbino fisso	
Abit/le		Si	Manca Lampade	di giorno un netturbino fisso	
Sbit/le		Si	Impianto Guasto	di giorno un netturbino fisso	
Col.to e abb.to Port. Sfolte locale chiuso					
Abit.le =		Si	Manca lampada	Iervolino Maria	
Inaco/le e lo- cale abbando.					
" "					
Abit/le =		No	Manca Lampade	Donia Francesco e Favara Vito (Portiera)	
"		No	Manca Lampade	Si propone Cusimano Maria	
"		Si	Manca Lampade	Si propone Paterno Jola Cust. Atrio	
Se Col. e loc. abb.to					
Abit/le		No	Manca Lampade	Palmeri Girolama - Portiera	
"		Si	Manca Lampade	Mazziotti Giovanna e Cataldi Giuseppe Portieri	
Occ. Truppe					
" "					
Colp. e Abb.					
Usabile =		No	Manca Lampade	Morana Santi = Portiere	Occorre riparo porte
Colpito e abb.to					
" "					
" "					
Abitabile		Si	Manca Lampade	Prestigliacomo Angela	Manca acqua
Colpito e Abband/to				In servizio finam ~~al~~ al 6/7 Di Fresco Pietro Portiere	
Abitabile		No	Riparazione Imp. Lampade Mancanti	Di Giorno Lo Bianco Carlo di nott e Taormina Caterina.	

I45	Scuola Elem. L. Razza - Archira	192	tiplo. n	Si	Abit/le	Si	Manca Lamp
I46	Scuole Avv. Franchetti - Roma	68	"	Si	Abit/le	Si	Manca Lamp
I47	Scuole El/ri Allo Sperone	97	"	Si	Sbit/le	Si	Impianto Gu
I48	Scuole El/ri F. Ferrar Piazza	430	"	No	Col.to e		
I49	Ist. D'Arte E Scuol. Avv. In Via	119	"	No	abb.to		
I50	Scuol. Avv. Via Gagini - Via S.	59	"	Si	Abit.le	Si	Manca lamp
I51	R. Liceo Gin. Via Vitt. Em/le	269	"	No	Inacc/le e lo-		
I52	Scuol. Avv. Piazzesi. V. Maqueda	110	"	No	"		
I53	Scuol. Elem. D'Aita V. Maqueda	490	"	Si	Abit/le	No	Manca Lamp
I54	Isti. Mag. R. Margh. Suc. Valloro	108	"	Si	"	No	Manca Lamp
I55	R. Lic. Gin. Umberto I° P. S. Anna	268	"	Si	"	Si	Manca Lamp
I56	R. Lic. Gin. Umberto I° Scuole	133	"	No	Sc. Col. e loc.		
I57	Scuol. Avv. Vitt. Veneto Via	255	"	Si	Abit/le	No	Manca Lamp
I58	Scuol. Elem. La Rinnovata Via	370	"	Si	"	Si	Manca Lamp
I59	" " Schirò C. Calatafin	267	"	No	Occ. Truppe		
I60	" " Ragusa Moletto Via	270	"	No	"		
I61	" " I. La Lancia. P. Nic.	120	"	No	Colp. e Abb.		
I62	Ist. Mag. De Cosmi Via Benfrac	237	"	Si	Usabile	No	Manca lamp
I63	R. Lic. Ginn. G. Meli P. S. S. Salvatore	445	"	No	Colpito e		
I64	Scuol. Elem. Peres . V. Peres	305	"	No	"		
I65	" " Magliocco V. Maqueda 92	90	"	No	"		
I66	" " Schirò V. Pitre	95	"	Si	Abitabile	Si	Manca Lamp
I67	Ist. Mag. R. Margh. P. S. Salvatore	130	"	No	Colpito e		
I68	Scuol. Elem. Via Iudica I2	122	"	Si	Abband/lo	No	Riparazione
					Abitabile		Lampade Man
		5219					

bit/le	Si	Manca Lampade	di giorn o un netturbino fisso	
bit/le	Si	Manca Lampade	di giorno un netturbino fisso	
bit/le	Si	Impianto Guasto	di giorno un netturbino fisso	
al.to e abito stale chiuso bit.le =	Si	Manca lampada	Iervolino Maria	
nece/le e lo- bis abband.				
bit/le =	No	Manca Lampade	Donia Francesco e Ferrara Vito (Portiere)	
"	No	Manca Lampade	Si propone Cusimano Maria	
"	Si	Manca Lampade	Si propone Paterno Jola Cust.Atrio	
Col.e loc. Abb/to	No	Manca Lampade	Palmeri Girolama - Portiera	
bit/le	Si	Manca Lampade	Mazziotti Giovanna e Cataldi Giuseppe Portieri	
Occ.Truppe				
Colp.e Abb.				
Usabile =	No	Manca Lampade	Morana Santi = Portiere	Occorre riparo porte
Colpito e Abb/to				
"				
"				
Abitabile	Si	Manca Lampade	Prestigiacomo Angela	Manca acqua
Colpito e Abband/to Abitabile	No	Riparazione Imp. Lampade Mancanti	In servizio finca ~~XXXXXX~~ al 6/7 Di Fresco Pietro Portiere Di Giorno Lo Bianco Carlo di notte e Taormina Caterina.	

9

SCOLASTICI - GALLERIE MULTIPLE

	LOCALITA'	METRI QUADR.	T I P O	Frequen- tata	Stato di conserva- zione	U S O	IGIERE	L U
169	R. Liceo Ginn. Umberto I° Succ. Via Celso 21	74	Gallerie Multiple	SI	Abitabile	=	No	Mancano
170	Scuola "D'Acquisto nel Vicolo Castelnovo 12	183	"	SI	Abitabile	=	No	Mancano
171	R. Liceo Ginn. "Moli" Succ. Salita Artale 8	107	"	No	Adiacenza colpite locale abbandona- to	=	=	
172	Liceo Scientifico "Cannizzaro" ro Via Casalini	104	"	?	?	=	=	

0235

Stato di conserva zione	U S O	IGTIME	L U C R	CUSTOMS	NOTE
abitabile	=	No	Manente lampade	Si propone Volo Provvidenza	
abitabile	=	So	Manente lampade	Montalbano Pietre a portiere	
adiacente ecclptie locale abbandona to	=	=	=	=	
?	=	=	=	=	Rione inaccessibile

Subject:- Plan for the Reorganization of the Civil Defense in the City of Palermo

AMCOT/1204/PS

8 Aug 43

S.C.A.O. Palermo Province
(Attention: C.A.P.O. Palermo City)

1. At the request of Major Searle, C.A.P.O. Palermo Province, this Division undertook a study of the status of Civil Defense in the City of Palermo. It appeared from initial investigation that a thorough reorganization of previously existing plans and facilities was required. This has been accomplished and the report together with the recommendations of the Superintendent (Fire and Civil Defence) are attached for your information and such action as you deem appropriate.

2. It is advised that the organization of Civilian Defense in the City of Palermo should be established as recommended.

3. The proposal to equip all wardens with bicycles is, in my opinion, neither practicable nor desirable. The provision of two bicycles per wardens' post should suffice and is recommended.

4. The question of the paroling of officer prisoners of war is one of policy and the attention of the C.S.O. is being invited thereto.

R.M.J. Martin

R.M.J. MARTIN,
Lieut-Colonel,

Deputy Commissioner of Public Safety.

AMCOT HQ
15 Army Group
Field.

Copies to: C.S.O.
Major Haley.

5713

AMCOT/1204/PS

6 August 1943

Subject: Plan for the Reorganization of the Civil
Defense in the City of Palermo

To: Col. Lemuel Bolles, C.P.S.

1. Attached you will find a plan for the reorganization of the civil defense in Palermo together with a map showing the boundaries of the 934 sectors prepared and presented by Cav. Uff. Dott. Ing. Luigi Bigi Comandante 58 Corpo Vielle del Fuoco.

2. It is the recommendation of this office that this plan be approved and adopted, that Comandante Bigi be appointed controller and given authority to proceed in reorganizing the civil defense in Palermo.

3. Special consideration might be given to his suggested plan for the employment of prisoners of war.

4. If Comandante Bigi is so appointed the map should be returned to him.

5. It is further recommended that General Verrone be removed from Civil Defense for the following reasons:

- (a) At 8:30 31 July General Verrone with others was instructed to prepare a plan for Civil Defense which he indicated he could do.
- (b) To date nothing has been done by General Verrone in furtherance of such plan.
- (c) All work done on the plan to date has been done by Comandante Bigi and his staff.

Ross R. McDonald
ROSS R. McDONALD
Major, A.U.S.
Public Service Division

5712

AMCOT HQ
15 Army Group

Encl.

5 AGOSTO 1943

58° Corpo Vigili del Fuoco

PALERMO

- IN FENCULO VITAM AGERE -

SU SIG. MAGGIORE MASON

Cat. 4393
Fasc. 15
N. 7373

Risposta al foglio del

N.

PALERMO

OGGETTO: DIFESA CIVILE DELLA CITTA' DI PALERMO

Mentre Vi ringrazio della fiducia che vi siete compiaciuto di riporre sulla mia persona designandomi per l'incarico di Capo della difesa civile della Città di Palermo, mi do premura di assicurarvi che ove tale incarico mi fosse ufficialmente confermato non mancherei di prodigarmi nel miglior modo per cercare di ben rispondere alle Vostre aspettative.

Riservandomi di proporvi altri nominativi di persone che potrei in seguito ritenere opportuno di chiamare a collaborare per una maggiore efficienza dei vari servizi penserei per ora di valermi oltre che dell'ausilio del mio Vice Comandante Ingegnere Ferri e del personale tutto del 58° Corpo Vigili del Fuoco anche di quello dei seguenti funzionari:

1° Ingegnere Mastrogiacomo (Capo dei Lavori Pubblici del Municipio di Palermo);

2° Colonnello Pailla (Comandante Metropolitani);

3° Un Funzionario del Genio Civile;

4° Il Comandante della Croce Rossa;

5° Ingegnere Vigeveni dell'acquedotto di Scillato;

6° Ingegnere Cascinà (Direttore dei Telefoni);

7° Ingegnere Zava della Società Generale Elettrica.

5711

PALESMO

OGGETTO: DIFESA CIVILE DELLA CITTA' DI PALESMO

Mentre Vi ringrazio della fiducia che vi siete compiaciuto di riporre sulla mia persona designandomi per l'incarico di Capo della difesa civile della Città di Palermo, mi do premura di assicurarvi che ove tale incarico mi fosse ufficialmente confermato non mancherei di prodigarmi nel miglior modo per cercare di ben rispondere alle Vostre aspettative.

Riservandomi di proporvi altri nominativi di persone che potrei in seguito ritenere opportuno di chiamare a collaborare per una maggiore efficienza dei vari servizi penserei per ora di valermi oltre che dell'ausilio del mio Vice Comandante Ingegnere Terri e del personale tutto del 58^a Corpo Vigili del Fuoco anche di quello dei seguenti funzionari:

- 1° Ingegnere Mastrogiacomo (Capo dei Lavori Pubblici del Municipio di Palermo);
- 2° Colonnello Failla (Comandante Metropolitani);
- 3° Un Funzionario del Genio Civile;
- 4° Il Comandante della Croce Rossa;
- 5° Ingegnere Vigevari dell'acquedotto di Scillato;
- 6° Ingegnere Cascina (Direttore dei Telefoni);
- 7° Ingegnere Zava della Società Generale Elettrica.

5711

Circa l'organizzazione e il collegamento dei vari servizi tenendo bene presenti i suggerimenti di massima da Voi dati, riterrei regolarmi come appresso:

a) SEGNALAZIONE SINISTRI:

7/14
Occorrerebbe revisionare la situazione dei capi fabbricato e dei guardiani del fuoco. Essi dovrebbero essere raggruppati in settori delimitati secondo l'unità planimetria.
Ad ogni settore dovrebbe essere proposto un servizio continuativo di vigilanza disimpegnato da agenti di polizia (Carabinieri, Agenti di P.S. o Metropolitani) e al quale dovrebbe essere assicurato il collegamento telefonico con la Caserma dei Vigili del Fuoco, Sede dello scrivente, per le eventuali segnalazioni di sinistri, presenza di ordigni inesplosi, richieste di soccorso ecc)
Il personale addetto a tale servizio potrebbe nel contempo esercitare nello stesso settore le comuni mansioni di polizia.
Sarebbe consigliabile che tale personale fosse provvisto di motocicletta o bicicletta sia perché possa essere in grado di esercitare meglio le funzioni di vigilanza e controllo sia per potere fornire le comunicazioni a chi di dovere con la maggiore sollecitudine in caso di interruzione del collegamento telefonico.

b) SOCCORSI:

Il Comando dei Vigili del Fuoco provvederebbe alla estinzione degli incendi e, nei limiti del possibile, concorrerebbe alle operazioni di salvataggio e di soccorso in genere.
Il Genio Civile con propri funzionari e con la mano d'opera delle imprese che lavorano alle sue dipendenze, dovrebbe provvedere alla rimozione delle macerie per il salvataggio e il recupero delle vittime.
Dovrebbe inoltre provvedere all'allontanamento del materiale ingombrante il suolo pubblico nonché ai lavori occorrenti per riattivare il transito sulle strade eventualmente danneggiate.
A tale riguardo, oltre che dell'opera che la manovalanza del Genio Civile potrebbe fornire, sarebbe opportuno poter fare assegnamento su un adeguato numero di squadre di prigionieri di guerra provvisti dei necessari attrezzi (picconi, badili, cesti, carrioli ecc)

o Metropolitani) e al quale dovrebbe telefonico con la Caserma dei Vigili del Fuoco, Sede dello scrivente, per le eventuali segnalazioni di sinistri, presenza di ordigni inesplosi, richieste di soccorso ecc)

Il personale addetto a tale servizio potrebbe nel contempo esercitare nello stesso settore le comuni mansioni di polizia.

Sarebbe consigliabile che tale personale fosse provvisto di motocicletta o bicicletta sia perché possa essere in grado di esercitare meglio le funzioni di vigilanza e controllo sia per potere fornire le comunicazioni a chi di dovere con la maggiore sollecitudine in caso di interruzione del collegamento telefonico.

b) SOCORSI:

Il Comando dei Vigili del Fuoco provvederebbe alla estinzione degli incendi e, nei limiti del possibile, concorrerebbe alle operazioni di salvataggio e di soccorso in genere.

Il Genio Civile con propri funzionari e con la mano d'opera della impresa che lavorano alle sue dipendenze, dovrebbe provvedere alla rimozione delle macerie per il salvataggio e il recupero delle vittime.

Dovrebbe inoltre provvedere all'allontanamento del materiale ingombrante il suolo pubblico nonché ai lavori occorrenti per riattivare³⁷⁴⁰ il transito sulle strade eventualmente danneggiate.

A tale riguardo, oltre che dell'opera che la manovalanza del Genio Civile potrebbe fornire, sarebbe opportuno poter fare assegnamento su un adeguato numero di squadre di prigionieri di guerra provvisti dei necessari attrezzi (picconi, badili, cesti, carrioli ecc)

La Croce Rossa dovrebbe continuare ad assicurare il trasporto dei feriti ai luoghi di cura secondo un preventivo piano di smistamento.

c) TRASPORTO CADAVERI:

Dovrebbe essere effettuato a cura del competente Ufficio Municipale con gli automezzi e motomezzi già a disposizione della disciolta

U.M.P.A.

70 13
a) COLLEGAMENTO TELEFONICO:

Per effetto di quanto sopra esposto sarebbe necessario assicurare il collegamento telefonico con tutti i servizi interessati (Genio Civile, Municipio, Comando Metropolitani, Croce Rossa, Carabinieri, Questura, Ufficio Acquedotto, Società Telefoni, Azienda Elettrica) e naturalmente col Comando Civile Alleato al quale ritengo dovrebbe essere data doverosa e tempestiva notizia di ogni situazione.

e) Prospettasi infine la opportunità che questo Comando potesse disporre di una decina di Ufficiali del Genio o Ufficiali di altre armi prigionieri di guerra Ingegneri o geometri.

Tali elementi potrebbero essere utilissimi sia per i servizi del 58° Corpo Vigili del Fuoco (che dispone di appena 3 Ufficiali mentre prima ne disponeva di 7) sia per collaborare in tutti i servizi di indole tecnica che interessano l'attuale stato di emergenza.

Tali Ufficiali potrebbero essere alloggiati e vettovagliati nella stessa Caserma dei Vigili del Fuoco ed io potrei rispondere del loro impiego, della loro condotta e della loro disciplina.



92
 of Supl. (2, C.D. 2 Sect.)

See p. 53. Is
 not this really
 a Palermo City
 responsibility? I
 believe you have
 already made
 arrangements to
 supply this
 information

Reply
 6/9

D.C.P.S.

Yes, this is a
 provincial matter.

I would suggest a
 copy of 53 goes to
 S.C.A.O. for necessary
 action.

7/9

8/9
 C.C.O.

File

2878

URGENT.

SUBJECT: Civil Defence - Palermo.

AMGOT /1004/PS
AMGOT H.Q., Sicily
6 Sept. 1943.

TO : S.C.A.O. Palermo.

I have just been informed that Lt. Colonel Fish who is P. A. D. officer to Base H.Q. is calling here at 09.30 hrs. to-day to go with me to C. O. R. and to discuss co-ordination of the Military and Civil A.R.P. schemes. As Major Rickenbotham is now dealing with this subject for this Province it is considered that he should be present ~~here~~

Could this be arranged please?

Rick

G. H. L. Mason

G. H. L. Mason,
Major,
Fire, A.C.D. Section

0 2 4 5

HEADQUARTERS SEVENTH ARMY
APO #750

HEADQUARTERS
Rebels Safety
5 SEP 1943
AMGOT
1004/PS 10

AL 384.5 B

31 August 1943.

SUBJECT : Enemy air raids Palermo area.

TO : Commanding General, Provisional Corps.
Commanding General, 2d Armored Division.
Provost Marshal, Seventh Army
A.A. Section, Seventh Army
Commanding Officer, 10th Post of Rehabilitation.
AMGOT, Civil Affairs.

1. It is desired that a spot report be submitted of all information concerning enemy air raids in the Palermo area immediately following each raid.

2. A preliminary report will be submitted to A. G. of S., G-2, Headquarters Seventh Army by 0900, and a complete report by 1130 the day following the raid.

By command of Lieutenant General PATTON:


W. G. Caldwell
W. G. CALDWELL, *gals*
Lt. Col., A.G.S.
Adjutant General.

Copy to SCAO, Palermo Province

I will be done Reply

7/5
5708

HEADQUARTERS SEVENTH ARMY
Office of the A. C. of S., G-2
APO 758 US ARMY



file 1004/PS
5 August 1943

MEMORANDUM :

TO : Chief of Staff.

1. Blackout regulations are not being fully enforced in PALERMO (personal observation) and MESSINA. Recommend AMCOT issue necessary instructions to civil police, some of whom I have seen riding around town during blackout but doing nothing about violations.

2. AMCOT has appointed two Italian Army officers as Prefect and Assistant Prefect of TRAPANI and have refused to evacuate them from SICILY as Prisoners of War, by a C.I.C. report. According to regulations as they are now known to me, other than for Intelligence purposes, these authorities being Army officers, must be treated as Prisoners of War, and evacuated. Recommend that AMCOT be so informed, unless operating instructions have changed.

3. Mail Censorship Section reports post office at TERMINI IERRESE is held locked and inaccessible by Colonel Storey, AMCOT. Unless instructions have been changed in the meantime, mail censorship will ~~close~~ and all mail, military and civilian, found in captured territory will be delivered to proper military authorities. Request that necessary instructions be given to AMCOT to enforce regulations as they are believed to exist at this time.

OSCAR W. KOCH
Colonel, G.S.C.
A. C. of S., G-2

1st Ind.
Headquarters AMCOT, 15 Army Group, APO 777, 13 August 1943

OWB:mrh

TO: A.C. of S., G-2, Headquarters Seventh Army

1. Paragraph 1 has been taken care of as indicated by marginal *5707* from Lt. Colonel Poletti.

2. A check is being made on paragraphs 2 and 3 and as soon as replies have been received to memoranda dispatched today to officers concerned we will advise you.

For the Commanding Officer:

(B)
CHARLES M. SPENCER,
Lt. Colonel, G.S.C.,
Chief Staff Officer.

0247

SUBJECT; Air Raid Warnings.


AMCOT/100B⁴/PS
AMCOT HQ. Sicily
29 August 1943

TO : S.C.A.O. Palermo Province.

Ref. 7640 dated 28 August 43
from 58 Corpo Vigili Del Fuoco.

The attached request from a firm through the Commandante of the Fire Brigade, who is also Controller of A.R.P. for the City of Palermo, has been considered.

It is thought that the request should be approved and it is therefore passed to you for necessary action please.


G.H.L. NASON
Major
Fire and C.D. Sec.
Public Safety Div.

5706

Tel. ami: AGRICOLTORI - PALERMO

Comm. P.S.

Seen by
Col. Snook

Ref 5.6

Noted, thank you!

I do not feel that the call
for any action by this Section
but I will inform the Commandante
"off record" that Blackout must
be tightened up - that he will
probably be called on to assist

G. P. Johnson
Major
File & C.D.

27/8/43

PA

5700

Subject:- Showing of lights during Black-Out.

1569
305
AMGOT/1004/TS.

AMGOT H.Q. SICILY

25 Aug 43.

S.C.A.O.
Palermo.

On 23rd August at 23.00 hours, C.C.A.O. and Major Pirie accompanied by Cpl. Thompson, R.P. of "C" Company, 32 Reconnaissance Batta and Pvt Crocker of the same unit, together with the Carabinieri, inspected the flat owned by Signor Aldo Tanesini, Via Constantino Nigra 27, holder of Identity Card No. 147557, employed by the Electric Light Coy., and holder of a permit issued from ~~the~~ ^{the} War Office.

This flat had been showing a light on the two previous nights as well as on the night in question.

I ordered Signor Tanesini to report to Captain Levitt at 09.00 hours on 24th August.

C.C.A.O. directs that this case be taken up and that corroborating evidence be obtained from Cpl. Thompson, who stated that he would make a report to his Company Commander. Further, C.C.A.O. would like to draw your attention to the fact that during his tour of the City last night numerous breaches of black-out regulations could be observed.

Will you please investigate.

Def
Major,
Military Assistant,
to Chief Civil Affairs Officer,
3704

0250

Subject: Air Raid Warning System for PALERMO City.File 4
201

AMDOT/1004/PS

12 APR 1953

S.C.A.O.
Palermo Province.

The attached report on the arrangements made by the Supt (Fire and Civil Defense) of this Division is forwarded for your information. A second copy is attached in case you wish to pass it to S.C.A.O. Palermo City.

Copy is being sent to Capt. Power (Public Relations Officer) to enable him to arrange for the necessary warning to the public.

*Copy for Capt Power
sent 12/8/53
Duffy*

for *Charles M. Spofford*
CHARLES M. SPOFFORD
Lieut-Colonel, S.C.O.
Chief Staff Officer.

AMDOT H.Q.
15 ARMY GROUP.

Subject:- Air Raid Warning for Camps of PALERMO

AMGOT/1004/PS

10 Aug 43

To: Lt. Col Martin,
Acting Commissioner of Public Safety.

1. There are now 11 sirens connected to central switch and ready for use.
2. The telephone is installed between G.O.R. and main fire station and the signals "Siren" and "Cease" arranged with G.O.R. and fire station.
3. The telephone is installed between the fire station and control switch. A fireman is posted on duty at the switch.
4. The warning signal will be 3 blasts of 15 seconds and the all clear will be 1 blast of 30 seconds.
5. These sirens will be available only from 2000 and 700 each night.
6. Recommend that Capt Power (P.R.O.) be informed of the above and asked to have it published in press and possibly on the radio.
7. Lt. Col. Poletti and Maj. Haley should be informed of action taken and arrangements made.
8. Bigi has requested that these sirens be tested; recommend that Maj. Haley and Comandanti Bigi arrange for this after due notice to public.

5702

Ross R. McDonald
ROSS R. McDONALD.
Maj., A.U.S.,
Public Safety Division.

AMGOT
15 Army Group.

Subject:- Plan for Reorganization of the Civil Defense in the City of Palermo

1000
GOT/1204/PS

8 Aug 43

S.C.A.O. Palermo Province
(Attention: C.A.P.O. Palermo City)

1. At the request of Major Searle, C.A.P.O. Palermo Province, this Division undertook a study of the status of Civil Defense in the City of Palermo. It appeared from initial investigation that a thorough reorganization of previously existing plans and facilities was required. This has been accomplished and the report together with the recommendations of the Superintendent (Fire and Civil Defence) are attached for your information and such action as you deem appropriate.

2. It is advised that the organization of Civilian Defense in the City of Palermo should be established as recommended.

3. The proposal to equip all wardens with bicycles is in my opinion neither practicable nor desirable. The provision of two bicycles per wardens' post should suffice and is recommended.

4. The question of the paroling of officer prisoners of war is one of policy and the attention of the C.S.O. is being invited thereto.

R.M.J.

R.M.J. MARTIN,
Lieut-Colonel,
Deputy Commissioner of Public Safety.

AMGOT HQ
15 Army Group
Field.

Deputy Commissioner of Public Safety.

Copies to: C.S.O. ✓
Major Halcy.

No spare copy of plan or map

5701

(45)

2/10/82

AMGOT/1204/PS

6 August 1943

Subject: Plan for the Reorganization of the Civil
Defense in the City of Palermo

To: Col. Samuel Bolles, C.P.S.

1. Attached you will find a plan for the reorganization of the civil defense in Palermo together with a map showing the boundaries of the 93 sectors prepared and presented by Cav. Uff. Dott. Ing. Luigi Bigi Comandante 58 Corpo Viatile del Fuoco.

2. It is the recommendation of this office that this plan be approved and adopted, that Comandante Bigi be appointed controller and given authority to proceed in reorganizing the civil defense in Palermo.

3. Special consideration might be given to his suggested plan for the employment of prisoners of war.

4. If Comandante Bigi is so appointed the map should be returned to him.

5. It is further recommended that General Verrone be removed from Civil Defense for the following reasons:

- (a) At 8:30 31 July General Verrone with others was instructed to prepare a plan for Civil Defense which he indicated he could do.
- (b) To date nothing has been done by General Verrone in furtherance of such plan.
- (c) All work done on the plan to date has been done by Comandante Bigi and his staff.

Ross R. McDonald
ROSS R. McDONALD
Major, A.U.S.
Public Service Division

570

AMGOT HQ
15 Army Group

Encl.

0 2 5 4