

0-4-3-5

Declassified E.O. 12356 Section 3.3/NND No. 785021

ACC AC27 10000/148/1725 A.C. MAT. 27-W
FEB. - NOV. 1945

A.C. MAIL, 27-WATER STATION AND SUPPLIES
FEB. - 21 OCT. 1945

0957

Declassified E.O. 12356 Section 3.3/NND No.

785021

CML/av

TRANSPORTATION AND SHIPPING SUB-COMMISSION, AC.
(RAIL DIVISION)
c/o Transportation (Br) Main
C.M.F.

Tel: 843191-11
Ref: AC/Mat/27/B/Tn 4

19 November 1945

SUBJECT : Water Station Materials.

TO : Chief of Stores Service I.S.R. Bldg.
Attn: Ing. Bracci

1. Reference your A 26/824/137 dated 10 November 1945 requesting release of hydraulic materials on hand at T.S.D. 330 Falconara.

2. The I.R.S. advise that they are unable to approve the issue from W.D. stocks of the water supply materials which you require.

3. They have on hand at 330 T.S.D. Falconara the following Italian water tubing, and if you contact that Depot these materials will be issued to you:

Italian Water Tubing

50 mm.	meters	57
100 "	"	1966
175 "	"	347
200 "	"	152

Copy to: Chief Works Service ISR.
Engineering Branch - Bldg.

DIRECTOR

0958

Declassified E.O. 12356 Section 3.3/NND No.

785021

Subject: Water Station Materials.Transportation (Br) Main,
C.M.F.
Tel. Firebox 9596.

Tn.A.2/76/1.

17 Nov.45.To: Tn. Sub-Commission, A.O. ✓

1. Reference your AS/Est/27/7Tn.4 dated 14 Nov.45.
2. We are unable to approve the issue from W.D. stocks of the water supply materials required by the I.S.R.
3. The following stocks of Italian Water Tubing are held at 330 T.S.D., Falconara, and if the I.S.R. contact that Depot these materials will be issued to them:-

Italian Water Tubing,

50mm	Metres	57
100mm	"	1966
175mm	"	347
200mm	"	152

W.F.R. Mitchell
W.F.R. MITCHELL, Maj.,
D.A.D.Tn. (Stores),
for Brigadier,
Director of Transportation.

5035

CML/av

TRANSPORTATION SUB-COMMISSION, AC.
 (RAIL DIVISION)
 c/o Transportation (Pr) Main
 C.M.P.

14 November 1945

Tel: 843191-11
 Ref: AC/Mat/27/7/Tn 4

SUBJECT : Water Station Materials.

TO : D.M.R.S. D.A.D. Tn 2 Bldg.
 Attn: Lt. Col. Chaplin

1. The "Sezione Lavori" at Ancona are in need of materials for the repair and reconstruction of water lines which they state are on hand at 330 T.S.D. Falconara.

2. Will you please make the following material available to I.S.R.:

35 tubes	Type	1,150
6 "	"	7,175
3 "	"	1,200
6 "	"	5,175
85 "	"	1,175
6 "	"	4,175
30 iron tubes 4"	20 feet long	
30 - 90° 4"	knee-band (small)	
30 - 90° 4"	" (large)	

3. The I.S.R. also request to know if it will be possible to have all the water pipe, belonging to them, returned for their use.

For the Chief Commissioner:

5804

C.M. LONG, Major C.E.

Ministry of Transport

A.S.R. Direction General

Stores Service

Rome 10 November 1945

438/884/137/22a/145/33

Subject:

Requirement of hydraulic
material

Tn. Sub Commission

Rail Division

Building

1. The "Sezione Lavori" of Ancona required the 330 Tn. Stores at Falconara, to send back some materials for water service, already belonging to this Administration, as well as the assignment of other English type material necessary for urgent restoration of different plants and for construction of temporary hydraulic columns.

2. The railway materials lying at Falconara, which we beg you to send back, should be about the following:

35 Tubes Type	1,150
6 "	7,175
3 "	1,200
6 "	5,175
85 "	1,175
6 "	4,175

3. The material required for the construction of emergency hydraulic columns is as follow:

1. The "Sezione Lavori" of Ancona required the 330 Tn. Stores at Falconara, to send back some materials for water service, already belonging to this Administration, as well as the assignment of other English type material necessary for urgent restoration of different plants and for construction of temporary hydraulic columns.

2. The railway materials lying at Falconara, which we beg you to send back, should be about the following:

35 Tubes Type 1, 150
5 " " 7, 175
3 " " 1, 200
6 " " 5, 175
85 " " 1, 175
6 " " 4, 175

3. The material required for the construction of emergency hydraulic columns is as follow:

30 iron tubes 4", 20 feet long
 30 - 90° 4" knee-bend (little ones)
 30 - 90° 4" " (big ones)

4. We take the opportunity to ask you whether it would be possible to have back all the water pipe lines, belonging to this Administration lying at present by your Sub-Commission and the D.M.R.S.

The Chief of Service

Sgd. Bracci

11.9/cm.

CML/nv

TRANSPORTATION SUB-COMMISSION, AC.
(RAIL DIVISION)
c/o Transportation (Br) Main
C.M.F.

U R G E N T

Tel: 843191-11
Ref: AC/Mat/27/3/Tn 4

19 September 1945

SUBJECT : Material for Ancon Water Supply.

TO : Chief of Works Service I.R.R. Bldg.
Attn: Ing. Brocci

1. In connection with the partial reconstruction of the Ancon station it is necessary to repair the Water Supply.
2. For this work 550 meters of 100 mm. cast iron pipe is required. The work is under supervision of Transportation sub-Commission Engineers.
3. Please ship the above material to Ancon in care of the Works Division, advising this Hq. when shipped.

DIRECTOR

cc. Chief of Works Service I.R.R. - Bldg.

5003

Subject : Ancona Station renovation

To : Major Long - A.C.Tn.Sub-Comm.
(Stores Branch)

c/o I.S.R.Ancona
61 Ar 9-Tel.2345
Date. 15 Sept. 45

Ref.AC/Tn/36/RI 11

1. In connection with the partial reconstruction of Ancona Station it is necessary to repair the Water Supply.
2. For this work 550 meters run of 100mm.Cast Iron pipe is required.
3. Will you therefore please request the release of this quantity of pipe ?

E.J. Mole


E.J.Mole - Major

A.C.Tn.44
300

0964

Declassified E.O. 12356 Section 3.3/NND No.

785021



MINISTERO
DELLE COMUNICAZIONI

FERROVIE DELLO STATO
DIREZIONE GENERALE

SERVIZIO LAVORI E COSTR.

OGGETTO

Linea 247

Formitura acqua

ALLEGATO N.

Roma 10 Agosto

1935 Anno

N. LC.4/44373/4

Al R.

del

A.C. Sottocommissione Trasporti
(Divisione Ferrovie)
Ufficio Trasporti (Br)
C.M.F.

- 1) Riferimento alla vostra AC/Dal/27/5/Tp.4 del 31 Luglio 1935, l'elenco dei materiali conordinati per ripristino impianti del servizio d'acqua lungo la linea 247, trasmesso con lra del 18 Luglio N°4/37234/4, è stato sostituito dalla Sezione Lavori di Ancona con altro elenco.
- 2) I materiali di tale nuovo elenco risultano spediti a Civitanova Marche dal Magazzino di Napoli in data 30 scorso mese. Non si sono spediti per mancanza di scorte i seguenti materiali:

N° 3 otturatori merca	15,50
" 4 " "	30,30
" 10 robinetti	4,10
" 6 " "	4,20
N. 36 tondi di acciaio e vite da 1/2 pollice	
" 20 " "	" 3/4 "
N° 14 guarnizioni di gomma da m/m 50	
" 50 " "	" 100
" 6 " "	" 150
" 36 " "	" 175
- 3) Per quanto riguarda le colonne idrauliche confermo che non ne esistono nelle scorte di altri Magazzini né è possibile averne subito da qualche Ditta perché trattasi di materiali speciali che uso soltanto questo P.S. Si è interessato il Servizio Approvvigionamenti perché provveda alla fornitura da ciò richiesta lungo tempo per cui, per gli impianti di cui sopra, la Sezione Lavori di Ancona provvederà provvisoriamente con colonne di cartone.

IL CAPO DEL SERVIZIO

Lo Russo 50-50

0965

Declassified E.O. 12356 Section 3.3/NND No. 785021

CML/av

TRANSPORTATION SUB-COMMISSION, AC.
(RAIL DIVISION)
c/o Transportation (Br) Main
C.M.F.

U R G E N T

Tel: 848191-11
Ref: AC/Mat/27/5/Tn 4

31 July 1945

SUBJECT : Line 247 - Water supply

TO : Chief of the Works Service I.S.R. Bldg.
Attn: Ing. Lo Cigno

1. Reference your L.C.4/37936/4 dated 19 July 1945 above subject, furnishing list of materials available for the a/m work.
2. The Transportation Sub-Commission Engineer requests that you ship all available material at once.
3. In regard to the water columns. Have you made any arrangements to have them manufactured or will you be able to furnish some second hand water column?
4. Please advise when material is shipped.


DIRECTOR

cc. Ing. Bracci - Bldg.

4993

0966

Declassified E.O. 12356 Section 3.3/NND No. 785021



61

NR 9 MABA V MBYW IMPORTANT

FROM MAJOR MOLE C/O I.S.R. - 61 AREA 30 JULY

TO TW MAIN (BR)

BT

ANC/30/4 . RESTRICTED . FOR LONG AC.TN SUB COMMISSION .

REFERENCE YOUR AC/MAT/27/4/TN/4 JUST RECEIVED .

PLEASE INSTRUCT WORKS SECTION TO DESPATCH ALL AVAILABLE

MATERIAL . REFERENCE WATER COLUMNS

WHAT ACTION IS NECESSARY ~~THIS~~ THIS OFFICE . WILL BE

HOME 1 AUGUST TO SEE YOU RE THIS MATTER

BT

30.1105.E

SENT MM A R " K

1998

0967

785021

CHL/av

TRANSPORTATION SUB-COMMISSION, AC.
 (RAIL DIVISION)
 c/o Transportation (HR) Main
 C.M.F.

Tel: 242191-21
 Ref: AC/Met/27/4/Tz 4

24 July 1945

SUBJECT : Line 247 Water Supply.

TO : Major E.J. Mole 61 Area c/o I.S.R.

1. Reference your AC/Tn/242/61 dated 3 July above subject.
2. The Chief of the Works Service advises that they have located all of the material required for the above mentioned work with the exception of the water columns, 1/2" 3/4" and 1" steel pipe and a part of the rubber gaskets.
3. A part of the materials required in connection with the water columns will not be shipped until it is known that the water columns will be available.

By Command of Rear Admiral Stone:

DIRECTOR

TO : Mr. Tolson, Mr. Boardman, Mr. Nichols, Mr. Belmont, Mr. Ladd, Mr. Clegg, Mr. Glavin, Mr. Harbo, Mr. Rosen, Mr. Tracy, Mr. Egan, Mr. Gurnea, Mr. Hendon, Mr. Pennington, Mr. Quinn, Mr. Nease, Mr. Gandy

0 9 6 8

FILED

1. Reference your AC/Tn/242/31 dated 3 July above subject.


2. The Chief of the Works Service advises that they have located all of the material required for the above mentioned work with the exception of the water columns, 1/2" 3/4" and 1" steel pipe and a part of the rubber gaskets.

3. A part of the materials required in connection with the water columns will not be shipped until it is known that the water columns will be available.

By Command of Rear Admiral Stone:

DIRECTOR

1997



MINISTERO
DELLE COMUNICAZIONI
DEI TRASPORTI
FERROVIE DELLO STATO
DIREZIONE GENERALE

SERVIZIO LAVORI E COSTR.

OGGETTO

Linea 247 - Fornitura
acqua

ALLEGATI N.

Roma 19 luglio

1950 - A.

N. LC.4/37936/4

M. C. 12/27/3/In 4 del 12 corrente

A.C. Sottocommissione Trasporti
(Divisione Ferrovie)
Ufficio Trasporti (Pr) C.M.F.

1) In data 6 corrente è pervenuto a questa Sede, dalla Sezione Lavori di Ancona, una richiesta di materiali occorrenti per la riattivazione degli impianti di rifornimento acqua nelle stazioni della linea 247.

2) La richiesta non ha ancora avuto corso perché non potendosi fornire, per mancanza di scorta nei Magazzini, le colonne idrauliche, si attendono da Ancona gli elementi per stabilire come può provvedersi ai detti impianti col materiale disponibile in magazzino.

3) Si trascrive qui di seguito l'elenco dei materiali richiesti con a fianco indicato se e da dove possono essere forniti:

N° 3	Colonne idrauliche tipo F.S.	}	non possono essere fornite
" 4	Bracci di presa diretta da rifrattori		per mancanza di scorta
" 5	Bocchettori di efflusso da a/p 45	}	dal Magaz. di Napoli
" 1	Tubo erogazione per colonne idrauliche		" "
" 2	Tubi di ghisa lunghi m. 3 marca 1,50	"	Bologna
" 12	" " " " " 1,75	"	manca scorta
" 12	" " " " " 1,100	"	" "
" 3	" " " " " 1,175	"	dal Magaz. di Napoli
" 2	" " " " " 2,50	"	" "
" 2	" " " " " 2,100	"	" "
" 2	" " " " " 2,150	"	" "
" 2	" " " " " 3,50	"	" "
" 2	" " " " " 3,100	"	" "
" 2	" " " " " 3,150	"	" "
" 2	" " " " " 3,200	"	Bologna
" 2	" " " " " 4,50	"	" "
" 10	" " " " " 13bis, 200/175	"	Napoli
" 4	"Manicotti"	"	Bologna
" 4	" " " " " 9,75	"	" "
" 4	" " " " " 9,100	"	Napoli
" 2	Tubi " " 10,75	"	" 4996
" 6	Otturatori " 19,50	"	Bologna
" 2	Valvole a saracinesca " 31,50	"	Napoli

N° 1	Valvola a saracinesca	marca	51,150	dal Magazz. di Napoli
" 2	" d'isolamento	"	38,50	" "
" 33	Rubineti diversi	"		" "
- -	Tubi d'acciaio filettati da 1/2, 3/4, 1			manca scorta
- -	Raccordi di ghisa malleabile			dal Magazz. di Bologna
N° 400	Piombo in pani			" Roma Tiburtina
" 45	Fune di canapa catramata			" "
N° 12	Chiavarda di ferro 12x50			" Napoli
" 125	" " 16x80			" "
" 240	" " 20x85			" "
" 348	" " 20x100			manca scorta
" 22	Guarnizioni di gomma da n°/m 50			dal Magazz. di Bologna
" 30	" " " 100			manca scorta
" 6	" " " 150			" "
" 94	" " " 175			" "
" 26	" " " 200			dal Magazz. di Napoli

4) Sono stati richiesti anche i seguenti materiali che dovrebbero servire per l'impianto delle colonne idrauliche ma poiché queste non possono essere fornite per mancanza di scorta, non si ritiene di fare spedire tali materiali perché non verrebbero utilizzati.

N° 6	Tubi di ghisa	marca	3,175
" 7	" "	"	12,175
" 2	" "	"	15,175
" 7	" "	"	16,175
" 8	" "	"	17,200
" 5	" "	"	18,175
" 6	" "	"	18,200
" 5	" "	"	26,175
" 8	Otturetori	"	30,50
" 8	Valvole a saracinesca	"	31,175

IL CAPO DEL SERVIZIO

Volpe

CML/ev

TRANSPORTATION SUB-COMMISSION, AC.
(RAIL DIVISION)
c/o Transportation (Br) Main
C.M.F.

Tel: 843191-11
Ref: AC/Mat/27/3/Tn 4

12 July 1946

SUBJECT : Line 247 - Water Supply.

TO : Chief of Works Service I.S.R. Bldg.
Attn: Ing. Le Cigno

1. The Transportation Officer (Rail) Ancone advises that a list of materials required for the above work was forwarded to the I.S.R. at Rome on about the 17 June 45 in order to obtain all available stores from existing stocks.
2. It is desired to know the status of this request and what materials can be furnished, so arrangements can be made to obtain the balance, if any, by release.
3. Will you please advise.

DIRECTOR

cc. Ing. Bracci - Bldg.
Chief of Stores Service I.S.R.

4995

Subject : Line 242 - Water Supply

To : Major Street -
A.C.Tn. Sub-Comm.

c/o I.S.R. -
61 Area - Tel. 2345.
Date. 8 July 45 -

Ref. AC/Tn/242/B 1

1. A copy of the total material required for the reconstruction of the above has been prepared by the Works Section Ancona at my request.
2. The amount of material required is very considerable but the list is not attached.
3. In accordance with Technical Instruction No. 38 dated 23 April 45, the list has been forwarded to the I.S.R. Rome on approx 17 June 45 to obtain all available stores from existing Italian stocks.
4. Any balance will have to be furnished by A.C.Tn. Sub - Commission.
5. It is therefore requested that the responsible section in Rome be pressed for a reply so that sufficient time is available to enable the balance to be located and released for use on this project.

E.J. Mole

E.J. Mole - Major
A.C.Tn. 4

499*

CML/av

TRANSPORTATION SUB-COMMISSION, AC.
(RAIL DIVISION)
C/o Transportation Increment
C.M.F.

24 March 1945

Tel: Pirahox-11
Ref: AC/Mat/27/2/Tn 4

SUBJECT: Para Sabina - Water Supply - Line 65

TO : U.S.D. Tn 2 B. Bldg.
Attn: Major Chaplin

1. Reference our AC/Mat/27/1/Tn 4 of 2 March 45 above subject.
2. Can you now advise the status of the material for this work.

O.H. LINDBERG
Lt. Col. R.E.
Chief, Rail Division

4993

Subject: Fara Sabina - Water
Supply - Line 38.

Military Railway Service,
C.M.F.

Tel: Firebox 53.

File: Tn.A.2/100.

27 Mar. 45.

To: Ing. G. Pracci,
Stores Department, R.Q. I.S.I.

Copy To: M. Sub Commission, A.C., - your AC/Mat/27/1/Tn.4 - 2 and 24
(Rail Division). March refer.

1. Reference our Tn.A.2/100 letter dated 17 Mar.45 and enclosures.
2. Please expedite your reply giving the information requested.

G.J. Ellis
G.J. ELLIS, S/Capt.,
for Brigadier,
Director Military Railway Service.

4992

Subject: Fara Sabina - Water Supply
- Line 65.

Military Railway Service,
 C.M.F.

Tel: Firebox 53.

File: Tn.A.2/100.

17 Mar. 45.

To: Ing. G. Bracci,
Stores Department, H.Q. I.S.R.

Copy To: Tn. Sub Commission, A.C., - Your AC/Nat/27/1/Tn.4, 2 Mar.45
(Rail Division). refers.

1. In connection with the above, we have been asked by the Tn Sub Commission (Rail Division) A.C., to supply the materials detailed in the enclosure to this letter.

2. Please say exactly what is required, and say what items can be furnished from ISR resources.

G.J. Ellis

G.J. ELLIS, S/Capt.,
 for Brigadier,

Director Military Railway Service.

Enc.

6991

0976

Declassified E.O. 12356 Section 3.3/NND No. 785021

CML/av

TRANSPORTATION SUB-COMMISSION, AC.
(RAIL DIVISION)
C/o Transportation Increment
C.M.F.

Tel. Firebox-11
Ref: AC/Mat/27/1/Tn 4

2 March 45

TO : D.A.D. Tn 2 A. Bldg.
Attn: Major Chaplin

SUBJECT : Para Sabina - Water Supply - Line 65.

1. Reference is made to the reactivation of the water supply system at Para Sabina, which work is being carried out at the request of M.R.S.
2. Attached is a list of material which is required to place this plant in operation.
3. As this work is at your request is it possible for you to furnish the material?

O.H. LINDBERG
Lt.Col. R.E.
Chief, Rail Division

Encl. 1 List of materials.

True
4990

MATERIALI OCCORRENTI

1. Motopompa con le seguenti caratteristiche: (1)

Portata mc. 20 orari

Prevalenza manometrica totale m.21

Aspirazione manometrica massima M.7

2. Tubo di aspirazione per la suddetta completa di cipolla filtro: in relazione alla motopompa; lunghezza m.6.50.

3. Tubi per condotta:

Tubi di ghisa a calice ed orlo:

Marca 1/150 N° 60

" 2/150 " 2

" 3/150 " 2

" 22/150 " 2

Canapa e piombo in pani Kg.

4. Colonna idraulica completa del braccio di erogazione e relativi bulloni N° 1.

Tubi Marca 16/150 N° 1

" " 2/150 " 1

" " 3/150 " 1

" " 9/150 o 13/150 " 4

" " 26/150 " 1

" " 44/150 " 1

" " 31/150 " 1

" " 31/100 " 1

" " 31/75 " 1

Colonnella per manovra valvole marca P. N° 1.

Tubi marca 12/50 N° 1

" " 13/150-175" 1

" " 13/175-200" 1

" " 4/150 " 2

" " 17/200 " 1

" " 17/175 " 1

Bulloni da 3/4 20x75 "50

Guarnizioni da 150 "16

" " 175 " 4

" " 200 "

1. Occorrerà che la motopompa sia a benzina poichè per il momento non si ha disponibilità di energia elettrica industriale sul posto.

IL CAPO SERVIZIO
s/s Lo Cigno

AHS/ef

HEADQUARTERS ALLIED COMMISSION
APO 394
TRANSPORTATION SUB -COMMISSION
(Railway Division)

Tel : 843239

24th February 1945

Our reference: AC/Tn/13/22/C.E.

TO : Major Long
Stores Branch
Rail Division A.C.Tn.

SUBJECT : Fara Sabina. Water Supply.

1. The M.R.S. are pressing for the reactivation of the water supply at Fara Sabina station, line 65.
2. Please arrange to obtain the material as per attached list at the earliest.
3. As this work is being carried out at the request of M.R.S. possibly they will help in the supply of the requisite materials.


A.H. STREET,
Major,
Tn-Sub.Comm.A.C.

Enclosure: list of materials.

0979