Declassified E.O. 12356 Section 3.3/NND No. 785021

ACC AC/387/TNS 10000/148/2848 INDEX
MAR.-JUL. 194

Declassified E.O. 12356 Section 3.3/NND No. 785021

10000/148/2842 INCIDENTS - TRANSPORT GROUP (OTHER THAN VEHICLES)
MAR.-JUL. 1945

1794

Declassified E.O. 12356 Section 3.3/NND No. 785021

file-WB

ALLIED COMMISSION
Inter-Office Memorandum

Ref: AC/387/2/TM.5 31 July 1945

SUBJECT: Batteries (Indent)

TO : Maintenance Group, A.C.

1. Attached indent Req. TR-78-45, for 13 batteries, was returned from AFHQ and is considered filled by release TT-158, for 50 batteries, passed to you 27 July 1945.

WARNER G. PETERSON
Capt.C.A.C.
Roads Division.

1795

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
TRUCK OPERATING GROUP
ALLIED COMMISSION
A.P.O. 394

Tel. 886324
Ext. 8

JHB/jmc.

387

July 23, 1945

Ref.: AC/MG/316/1

Subject: Supply of Water pipes.

To: Public Works and Utilites sub=Commission.
HQ. AC.

1. Attached please find correspondence which we have received from our CPASC, at Civitavecchia.

3. Any assistance which you can give us in this matter will be very much appreciated.

James J. Carnes,
James J. CARNES
Col. Inf.
Commanding
Truck Operating Group.

Encl.: 3

CC;/ Transportation sub=Commission.

This unit being disbanded. No action taken
WPB. 7

1794

Declassified E.O. 12356 Section 3.3/NND No. 785021

COPY

I.Q., C., RASC

75 Gen. Transport Column

SUBJECT: Water Supply REF.: 104/1

TO: H.Q. Truck Operating Group
Allied Commission APO 394

104 C.R.E. C.M.F.

Duca degli Abruzzi Barracks.

1. The above Barracks are shared by British and Italian Units working in conjunction. The water supply has been troublesome owing to breaks in pipes but is at present in order. Owing to the high proportion of Italian Troops, any cutting off of the normal water services represents an unusual threat to the health of British Troops in Barracks.

2. Enclosed for your attention is a copy of letter received by the Commandant of Italian Troops from the SINDACO of CIVITAVECCHIA

3. His request is recommended and it would be appreciated if the matter of the release of piping could please be urged on the appropriate branch of the Allied Commission (AMG).

(sgd) T.H.North
for AR. DENNE LT. COL. RASC.,
75 Gen. Transport Column.

21st July 1945

HQ.
Copy to:= 311 Italian Transport Column A.C.

2216

1797

Declassified E.O. 12356 Section 3.3/NND No. 785021

obviously mistranslated, should be Bell connections.

COPY

il 7 luglio, 1945

COMUNE DI CIVITAVECCHIA

Provincia di Roma

All On. Comando 211
B.General Transport

CITTA'

Ufficio Acquedotti.

Prot. N.4478. Oggetto: Provvista di tubi di ghisa.

Porto a conoscenza di codesto On. Comando che a seguito delle numerose riparazioni di guasti agli acquedotti da azioni belliche, questo Comune ha completamente esaurito le scorte di tubi di ghisa, ne è stato possibile acquistarli, le fabbriche di produzione tutt'ora inoperose.

Poichè in caso di eventuali guasti all'acquedotto Traigno, che fornisce la caserma, non sarà possibile provvedere sollecitamente alle riparazioni, prego codesto On. Comando di compiacersi intervenire presso il Comando delle Truppe Alleate affinchè siano concessi a questo Comune almeno 5 tubi di ghisa comprensivi a bicchiere del diametro interno di 5 pollici (m/m 135) che trovansi depositati presso lo stabilimento della Montecatini in Tarquinia controllato dalla A.M.G.

Trattasi di opera di pubblica utilità che interessa direttamente anche i servizi Militari di stanza in questa città.

Ringrazio vivamente e le confermo i sensi della mia distinta stima.

Il SINDACO
F/to illegibile.

TRANSLATION
Subject: Supply of Water Piptes.

I have the honour to bring to the attention of your HQ, that following numerous repairs of breaks in the pipe lines, caused by war damage, this Commune has completely exhausted its supply of cast iron piping, nor are further supplies available, as factories are not working.

In the event of further breaks in the Traiano pipe line, which supplies your Barracks, repairs cannot be put in hand without considerable delays. Would your HQ please represent the matter strongly to the Commander, British Troops, with a view to obtaining a release for this Commune of at least 5 lengths of piping with glass joints, internal diameter 5 inches (135 mm) supplies of which are available at the Montecatini in Tarquinia under AMG control.

The matter is urged as one of Public interest, as well as in that of the Military in this town.

With grateful thanks, etc.....

Il SINDACO
(Sgd) illegible.

1798

Declassified E.O. 12356 Section 3.3/NND No. 785021

File-HP

HEADQUARTERS ALLIED COMMISSION
APO 394
TRANSPORTATION SUB-COMMISSION

WGP/1s

Ref: AC/387/1/TN.5

21 June 1945

SUBJECT: Material Indents Pending.

TO : Headquarters Truck Maintenance Group, AC.

Reference your letter of June 15, 1945(no file number).

1. The following attached requisitions were returned by AFHQ stating that the listed materials should be procured locally.

TR-26-45 TR-64-45
TR-57-45 TR-79-45

2. Suggested sources of supply are
TR-79-45- Societa' Bombieni-Parodi-Delfino, 267 Corso Umberto, Rome.
TR-64-45) M.A.T.E.R.- S.A., 51 Via Gino Capponi, Rome.
TR-57-45)

3. Request resubmission of second sheet of TR-57-45 as a separate indent.

4. In resubmitting TR-57-45, as per para 3, and TR-66-45(also attached) AFHQ states that make, model, year of manufacture and quantity of vehicles held must be specified.

By Command of Rear Admiral Stone:

GEORGE G. GROSS, Jr.
Chief,
Roads Division

Declassified E.O. 12356 Section 3.3/NND No. 785021

WD
387

HEADQUARTERS
MAINTENANCE GROUP
ALLIED COMMISSION
OFFICE OF THE SUPPLY OFFICER
APO 394, U.S. ARMY

15 June 1945

SUBJECT: Requisitions Pending

TO : Transportation Sub-Commission
Allied Commission APO 394
(Attn. Roads)

1. Request information as to action taken on the following requisitions:

a.	TR-26-45	dtd	17/5/45 -172-45
b.	TR-57-45	"	22/5/45 -171-45
c.	TR-60-45	"	22/5/45 175-45
d.	TR-62-45	"	30/4/45
e.	TR-64-45	"	1/5/45 -166-45
f.	TR-66-45	"	22/5/45 176-45
g.	TR-78-45	"	22/5/45 174-45
h.	TR-79-45	"	22/5/45 -173-45

2. Material on above requisitions is urgently needed.-

Lorenzo R. Holmes
LORENZO R. HOLMES
Lt.Col., QMC
Supply Officer

222

1809

Declassified E.O. 12356 Section 3.3/NND No. 785021

Pasted 8-12-5

2nd Ind.

HQ:lsk
30 May 1945

Ref. RB-400/167

347

HQ AAFCOM, Economic Section, Requisition Branch

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied asonant.

H. J. QUARTIER
Lt. Col., QMC
Economic Section

Inc.: Req. No. AO-ORD- 176-45

2204

1801

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAF)
ALLIED COMMISSION
APO 394

TRS/ng
22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394,
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum No 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition No "TR"-66-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. CMC
C-4

1 Incls:
Req "TR"-66-45

WG /ls

1st Ind.

HQ TRANSPORTATION S/C AO
TO: Req. Branch, Economic Section, HQ AC.
1. Approved. Request items on this requisition be made available from theatre stock as immediate operational necessities.
For the Director.

s/ GEORGE B. GROSS, JR.
Chief, Roads Division

1802

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 5, 1931

REQUISITION

To: AFHQ, G-5 No. of Sheets 1 Sheet No. 1

Requisition No. AC-ORD-176-45 Date 30 May 45 Period Initial

SHIP TO Parts Depot, A.T.A.C.,45 via Prenestina, Rome
(For Motor Transport Group)

REQUISITIONED BY (show Signature, Rank, Organization, Destination, If different from "SHIP TO" include address):

H. O. QUARLER
Lt. Col., AUS
Economic Section

APPROVED BY:

A. G. ANTOLINI
Acting Vice President
Allied Commission

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
FK-CTB-1015-A	WHEELS, disc w/Rim assy	ea	4100	0	100	
	BASIS: Above items are initial shortages for 1700 trucks 1½ ton, 4x2, received without above equipment, from the United States under the Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.					
					22 9	

IIq - AC - 2-45 - IM

1803

Declassified E.O. 12356 Section 3.3/NND No. 785021

1 Postus - WP

2nd Ind. HQ:lak
30 May 1945

Ref. RB-400/167

HQ AMCON, Economic Section, Requisition Branch

297

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied soonest.

H. C. QUARTIER
Lt. Col., QMC
Economic Section

Incl: Req. No. AC-ORD-175-45

298

1804

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAP)
ALLIED COMMISSION
APO 394

THS/ng

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N°"TR"-60-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. QMC
C-4

22 7

1 Incls:
Req. "TR"-60-45

1st Ind.

WGP/ls
26 May 1945

HQ Transportation S/O AC
TO: Req. Branch, Economic Section, HQ AC
1. Approved. Request items on this requisition be made available from theatre stock as immediate operational necessities.
For the Director.

s/ GEORGE G. GROSS, Jr.
Chief, Roads Division

1805

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 6, 1931

REQUISITION

To: AFHQ, G-5 No. of Sheets 1 Sheet No. 1

Requisition No. AC-GRD-175-45 Date 30 May 45 Period Initial issue 1-15June

SHIP TO Parts Depot, A.T.A.C., 4(5 via Pronestina, Rome
(For : Motor Transport Group)

REQUISITIONED BY (show Signature, Rank, Organization, Destination, If different from "SHIP TO" include address):

R. G. QUENTIN
Lt. Col., FD
Economic Section

APPROVED BY:

A. D. APOLLONI
Acting Vice President
Allied Commission

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
01-00640	PATCHES, inner tube, oblong can of 10	ea	0	0	1700	
01-01070	SOLDER, tin-lead, grade E	lb	0	0	100	

BASIS: Operational necessity. Essential for repairs on tire tubes and radiators for 1700 trucks 1½ ton, 4x2, Cargo, imported from the United States under the civil supply program. Said parts are necessary to place above mentioned vehicles in operational condition

22 $

Hq - AC - 2-45 - IM

1804

Declassified E.O. 12356 Section 3.3/NND No. 785021

2nd Ind.

Posted
HQ:lelc
TP
30 May 1945

Ref. RB 400/167 -

HQ AGCOM, Economic Section, Requisition Branch

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied asoonas.

H. C. QUARTIER
Lt. Col., GSC
Economic Section

Incl: Req. No. AC-ORD-174-45

1807

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAP)
ALLIED COMMISSION
APO 394

TRS/ng

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394
(Thru Roads)

1. In compliance with Par. 2a (1) (b) Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N° "TR"-78-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks ¼ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. QMC
G-4

1 Incls:
Req. "TR"-78-45

2224

1st Ind.

WGP/ls
26 May 1945

HQ TRANSPORTATION S/c AC
TO: Req. Branch, Economic Section, HQ AC
1. Approved. Request items on this requisition be made available from theatre stock as immediate operational necessities.
For the Director.

s/ GEORGE G. GROSS, Jr.
Chief, Roads Division

1808

Declassified E.O. 12356 Section 3.3/NND No. 785021

AFHQ, G-5

AG-ORD-174-45

30 May 1945

1 1

REPLACEMENT

Parts Depot, A.T.A.C., #5 via Presentino, Rome
(For Motor Transport Group)

H. C. MARTIN
Lt. Col., AUS
Economic Section

A. G. ARTOLINI
Acting Vice President
Allied Commission

FM-31A 10653	BATTERY, assembly, charged w/o electrolyte	ea	C	13	13

BASIS: Above items are initial shortages found during assembly of 1700 ½ ton trucks imported from the United States under the Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.

1. The above listed batteries were found to be broken beyond repair upon uncrating.

1809

Declassified E.O. 12356 Section 3.3/NND No. 785021

Entered

2nd Ind.

Ref. RB 400/167

Hoqulak
30 May 45

387

HQ AMGIK, Economic Section, Requisition Branch

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied Germany.

H. C. QUARTER
Lt. Col., GSC
Economic Section

Incl. Req. No. AC-ORD-173-45

2 2 3

1810

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAF)
ALLIED COMMISSION
APO 394

TRS/ag
22 May 1945

SUBJECT: Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394,
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N° "TR"-79-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. QMC
G-4 2971

1 Incls:
Req. "TR"-79-45

1st Ind. 26 May 45
WEP/la

HQ TRANSPORTATION S/C AC
TO: Req. Branch, Economic Section, HQ AC
1. Approved. Request items on this requisition be made available from theatre stock as immediate operational necessities.
For the Director.

s/
GEORGE O. GROSS, Jr.
Chief, Roads Division

1811

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 6, 1931

REQUISITION

To: APWD, G-5 No. of Sheets 1 Sheet No. 1

Requisition No. AO-SAD-173-43 Date 30 May 1945 Period INITIAL

SHIP TO Parts Depot, A.T.A.C., 45 via Prenestina, Rome
(For: Motor Transport Group)

REQUISITIONED BY (show Signature, Rank, Organization, Destination. If different from "SHIP TO" include address):

H. C. GARTIER
Lt. Col., QMC
Economic Section

APPROVED BY:

A. W. ANDOLINI
Acting Vice President
Allied Commission

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
	LOCKS, 2", w/2 Keys (or suitable substitute)	ea	0	0	4000	
	BASIS: For locking spare tires, tool compartments on: 1700 trucks 1½ ton 235 trucks 1/4 ton Above mentioned locks are needed to protect above mentioned trucks imported from the United States under the Civil Supply Program.					
					2250	

Hq - AC - 2-45 - 1M

1812

Declassified E.O. 12356 Section 3.3/NND No. 785021

Posted - WP

RB. RB 400/167 2nd Ind. HQ:lak
30 May 1945

387

HQ ALCOM, Economic Section, Requisition Branch

TO: AFHQ-G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied asonest.

H. O. QUARTIER
Lt. Col., QMC
Economic Section

Incl. Req. No. AO-ORD-172-45

229

1813

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAF)
ALLIED COMMISSION
APO 394

TRS/ng
22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394,
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N° "TR"-26-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. GSC
G-4

1 Incls:
Req. "TR"-26-45

1st Ind. WGP/le
26 May 1945

HQ TRANSPORTATION S/c AC
TO: Req. Branch, Economic Section, HQ AC
1. Approved. Request items on thisrequesition be made available from theatre stock as immediate operational necessities.
For the Director.

s/
GEORGE G. GROSS, Jr.
Chief, Roads Division

1814

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 6, 1931

REQUISITION

To: AFHQ, G-5 No. of Sheets 3 Sheet No. 1

Requisition No. AO-O-D-172-45 Date 30 May 45 Period INITIAL-4th qt

SHIP TO Parts Depot, A.T.A.C., 45 via Frascatina; Rome
(For: Motor Transport Group)

REQUISITIONED BY (show Signature, Rank, Organization, Destination, If different from "SHIP TO" include address):

R. C. QUARTER
Lt. Col., QMC
Economic Section

APPROVED BY:

A. W. ANTOLINI
Acting Vice President
Allied Commission

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
38-B-635	BRUSH, artist, bristle, flat, 1/4" wide, 11 3/8" long	ea	0	0	32	
38-B-645	BRUSH, artist, bristle, flat, 3/4" wide, 12 1/4" long	ea	0	0	32	
38-B-995	BRUSH, cleaning motor, 2" (Round bristle brush w/wire handle 19" overall)	ea	0	0	48	
38-B-1305	BRUSH, dust, painter's round, 2½ x 4 1/4"	ea	0	0	48	
36-B-2650	BRUSH, paint, metal bound flat (medium grade) No3 (4")	ea	0	0	48	
38-B-5960	BRUSH, scratch, wire, painter's, handled (14 x x 7/8")	ea	0	0	32	
38-B-4230	BRUSH, stencil, No. 1 (13/16")	ea	0	0	48	
53-C-11300-200	CHALK, railroad, white, 1x4" (For general marking purposes, sight lines, rubber preservation, etc)	gross	0	0	2	227
42-C-20420	CLOTH, crocus, sheet	ea	0	0	2000	
27-C-2690	CLOTH, wiping, cotton, 100 lb bag	bag	0	0	8	
51-C-1569-200	COMPOUND, cleaning, alkaline 25 lb	lb	0	0	8	

Hq - AC - 2-45 - IM

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 401
(Revised Apr. 6, 1931)

REQUISITION
(Extra Sheet)

Sheet No. 4

Stock No.	NOMENCLATURE	Unit	Required 194....	Rec'd 194....	Due In	Required	Remarks
52-E- -5400-10	ENAMEL, heat resisting, black, 1 gal	gal	0	0	0	40	
52-E- -6022-100	ENAMEL, synthetic, gloss, red, No. 105, 1 qt	qt	0	0	0	20	
52-E- -6022-250	ENAMEL, synthetic, gloss, white, 1 gal	gal	0	0	0	4	
52-E- -4172	ENAMEL, synthetic, lustreless O.D., 5 gal	gal	0	0	0	200	
52-E- -8300-331	ENAMEL, stencil, synthetic, lustreless, black 1 gal	gal	0	0	0	20	
52-E- -400-275	ENAMEL, synthetic, white, 1 gal stenciling, lustreless	gal	0	0	0	20	
52-P- -4700	PAINT, olive-drab, ready mixed, 1 gal	gal	0	0	0	40	
52-P- 7511-10	PAINT, stencil, black, type I, ready mixed 1 qt	qt	0	0	0	20	
52-P- 7508-20	PAINT, stencil, white type I (paste)	gal	0	0	0	20	
42-P- 938-125	PAPER, abrasive, aluminum oxide, production type 9 x 11", grit 50	qr	0	0	0	32	
53-P- -20670	PAPER, stencil, board (oiled) 24 x 36"	ea	0	0	0	100	
52-P- -20473	PRIMER, synthetic, refinishing, 5 gal	gal	0	0	0	40	
52-S- -395	SHELLAC, orange, flake or ground	pt	0	0	0	20	
51-S- -2050	SODA-ASH, 100 lb box	box	0	0	0	4	
41-S- -4037	SPONGE, cellulose, coarse, pore, rectangular, size 6 (medium) 1 3/8 x 3 1/4x 5	ea	0	0	0	40 22.6	
53-S- -5227	STENCIL, insignia, cardboard star, 10"	ea	0	0	0	32	
53-S- -5245	STENCIL, paper, 0 to 9; 4" type set complete	ea	0	0	0	32	

1816

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q M C Form No 401
(Revised Apr. 6, 1931)

REQUISITION
(Extra Sheet)

Sheet No. 3

Stock No.	NOMENCLATURE	Unit	Required 194	Rec'd 194	Due In	Required	Remarks
53-T-1337	TAPE, masking, crepe-backed 2"x72 yds	roll	0	0	0	40	
52-T-450	THINNER, enamel, synthetic 5 gal	gal	0	0	0	40	
52-T-891	TURPENTINE, gum spirits	gal	0	0	0	40	
52-V-2770	VARNISH, spar, clear, water resisting	gal	0	0	0	20	
27-W-332	WASTE, cotton, colored, 100 lb, bale	bale	0	0	0	16	

BASIS: Initial issue cleaning and preserving material for 1700 trucks 1½ ton 4x2, imported from the United States under the civili supply prograd. Necessary to maintain above mentioned vehicles in operational condition.

1817

Declassified E.O. 12356 Section 3.3/NND No. 785021

Posted - WP

Ref. AG 400/167 2nd Ind. HQ:lak
30 May 1945

387

HQ AFHQ, Economic Section, Requisition Branch

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied soonest.

H. C. Quartier
Lt. Col., AMG
Economic Section

Incl. Req. No. AC-ORD-171-45

225

1818

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAF)
ALLIED COMMISSION
APO 394

TRS/ng
22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission ACCOB, APO 394
(Thru Roads)

1. In compliance with Par. 2a (1), Establishment Memorandum No 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition No "TR"-57-45

2. The supplies listed on the inclosed requisition are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. CMC
G-4

1 Incls:
Req. "TR"-57-45

1st Ind.

WGP/la
26 May 45

HQ TRANSPORTATION S/C AC
TO: Req. Branch, Economic Section, HQ AC

1. Approved. Request items on this requisition be made available from theatre stock as immediate operational necessities.

For the Director.

s/
GEORGE J. GROSS, Jr.
Chief, Roads Division

1819

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form—No. 400
Revised Apr. 6, 1931

REQUISITION

No. of Sheets 2 Sheet No. 1

To: AFHQ, G-5

Requisition No. AO-ORD-171-45 Date 30 May 45 Period Initial-4th Quarter

SHIP TO Parts Dept. A.T.A.C., 45 via Prenestina, Rome
(For : Motor Transport Group)

REQUISITIONED BY (Show Signature, Rank, Organization, Destination, If different from "SHIP TO" include address):

H. C. QUARTIER
Lt. Col., QMC
Economic Section

APPROVED BY:

A. G. ANTOLINI
Acting Vice President
Allied Commission

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
	BOLT, Carriage, SQ NK.S					
F 20324 S2	1/4"-20-5/8"	ea	0	0	100	
" 20344-S2	1/4"-20-3/4"	ea	0	0	100	
" 24325-S2	1/4"-23-5/8"	ea	0	0	150	
" 20387-S2	5/16-24-1"	ea	0	0	1000	
" 20427-S2	5/16-24-1 1/4"	ea	0	0	50	
" 20467-S2	5/16-24-1 "	ea	0	0	50	
" 20349-S2	3/8-24-3/4"	ea	0	0	100	
" 24429-S2	3/8-24-1 1/4"	ea	0	0	50	
" 352577-S8	3/8-24-2"	ea	0	0	50	
" 24541-S8	3/8-24-2 3/4"	ea	0	0	50	
" 20411-S4	7/16"-20-1 1/8"	ea	0	0	100	
" 20433-S4	"-20-1 1/4"	ea	0	0	50	
" 24493-S4	"-20-1 5/8"	ea	0	0	50	
" 20549-S2	"-20-2"	ea	0	0	50	
" 20553-S2	"-20-2 3/4"	ea	0	0	50	
" 355743-S2	9/16"-12-1"	ea	0	0	50	
" 20975-S2	5/8"-18-1 1/4"	ea	0	0	100	
	NUT, Regular hex, S-Fin, S.				22 3	
FM-33795-S2	1/4"-20	ea	0	0	500	
" 33798-S2	5/16"-24	ea	0	0	1000	
" 33800-S2	3/8"-24	ea	0	0	500	
" 33802-S2	7/16"-20	ea	0	0	100	
" 33846-S2	"-20	ea	0	0	250	
" 33847-S4	9/16"-12	ea	0	0	100	
" 33850-S2	5/8"-18	ea	0	0	200	
" 33897-S7	NUT, Wing, S 3/8 16NC-2	ea	0	0	200	

Hq - AC - 245 - IM

1820

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 401
(Revised Apr. 6, 1931)

REQUISITION
(Extra Sheet)

No. .....

Sheet No. 2

Stock No.	NOMENCLATURE	Unit	Required 194....	Rec'd 194....	Due In	Required	Remarks
FM-21T5--2079A	HOSE, Brake, front assy (15.72" long)	ea	0	0	0	50	
FM-2GG--8284	HOSE, Radiator, lower elbow	ea	0	0	0	20	
FM-2NC--8290	PIPE, Radiator, lower	ea	0	0	0	100	
FM-GTB--9189-A	VALVE, auxiliary, fuel tank assembly	ea	0	0	0	50	
FM-GTB--9189-B	VALVE, under seat, fuel tank assembly	ea	0	0	0	50	
FM-BB--7213-B	BALL, gear shift lever	ea	0	0	0	50	
FM-21-CS-17718-A	MIRROR, outside rear view w/Stud and Lockwasher	ea	0	0	0	20	

BASIS: Above items are initial shortages found during assembly of 1700 1½ ton trucks imported from the United States under the civilian supply pro gram. Said parts are necessary to place above mentioned vehicles in operational condition.

2242

1827

Declassified E.O. 12356 Section 3.3/NND No. 785021

Ref. KB 400/167 2nd Ind. HQ:lsk
30 May 1945

HQ ALSCM, Economic Section, Requisition Branch

TO: AFHQ, G-5 Section
(Attn: Major Carson)

It is requested that the items listed on the attached requisition be supplied soonest.

Incl. Req. No. AC-ORD-166-45

HEADQUARTERS
Lt. Col., GSC
Economic Section

2221

1822

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAP)
ALLIED COMMISSION
APO 394

TRS/mg

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, AFOCK APO 394, (Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N° "TR"-64-45.

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOPKINS
Lt. Col. CMC
C-4

1 Incls:
Req. "TR"-64-45

1st Ind.

WGPJr/as
26 May 1945

HQ TRANSPORTATION S/C AC
TO: REQ. BRANCH, ECONOMIC SECTION, HQ AC.

1. Approved. Request items on thisrequisition be made available from theatre stock as immediate operational necessities.

For the Director.

s/
GEORGE G. GROSS, Jr.
Chief, Roads Division

1823

Declassified E.O. 12356 Section 3.3/NND No. 785021

APHQ, G-5

AG-OR D-166-45 30 May 45

Initial Issue

Parts Depot, A.T.A.C., 45 via Argentina, Rose
(For Motor Transport Group)

H. O. QUARTIER
Lt. Col., QMC
Economic Section

A. S. ANTOLINI
Acting Vice President
Allied Commission

Pa-355415-32 SOLE, trans-hd., 5/16 x
x 1½ (special) ea 0 0 4000

BASIS : For assembling 1700 trucks 1½ ton 4x2 Cargo. imported from the United States under the Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.

1824

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP
ALLIED COMMISSION (IAF)
OFFICE OF G-4
APO 394

TRS/ng
26 May 1945

SUBJECT: Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission,
Allied Commission, APO 394
(Guru Roads)

1. In compliance with par. 2a (1), Establishment Memorandum No. 2, Headquarters Allied Commission, dtd 3 March 1945, Request approval of inclosed requisition No. "TR-76-45.

2. The supplies listed on the inclosed requisition are organizational spare parts for 1st and 2nd quarter 1946 for 71 trucks 1½ ton, 4x2, Dodge, imported from the United States under the Civil Supply Program. Said parts are necessary to keep above mentioned vehicles in operational condition.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col., QMC
G-4

1st Ind. 2218
TRANSPORTATION S/C, HQ. AC. WCP/la
TO: Requis. Branch, Econ. Sec. 13 June 45

Incl.:
Req. "TR"-76-45

1. Approved.

GEORGE G. CROSS, Jr.
Chief
Roads Division

1825

Declassified E.O. 12356 Section 3.3/NND No. 785021

1st & 2nd Qtr Fiscal J
1946

Parts Depot ATAC,45 Via Prenestina,Rome
(For Motor Transport Group)

MNF.	N.	NOMENCLATURE & UNIT SNL-G-618 Truck, 1½ ton. 4 x 2 (Dodge)(Midel T-118)	Author xxx ized or xxxxx max level		Due xxxxx in	
871861		AIRCLEANER (G-505-0175800) ea.	20	10	0	10
641443		ARMATURE (G.121-0110505) ea.	12	6	0	6
919313		ARM.KNOCHLET ea.	12	6	0	6
919278		" " R.T. ea.	12	6	0	6
639126		ARM. (G.121-0110450) ea.	12	6	0	6
590484		ARM. (G.505-0120985) ea.	8	4	0	4
597D22		AXLE ea.	6	3	0	3
104920		BALL-POPPET (H-002-0100140) ea.	40	20	0	20
641457		BAND HEAD (G.121-0115875) ea.	12	6	0	6
673031		BAND HEAD (2980-G.B.W. 24B) ea.	12	6	0	6

2267

1824

Declassified E.O. 12356 Section 3.3/NND No. 785021

MNBG N.			Author On Hand ized or max level			
586888	BAND & LING(G.121-0115900)	ea.	12	6	0	6
955580	BASE,(2980-1GS-2126)	ea.	12	6	0	6
602454	BEARING BALL(HO12-1303017)	ea.	24	12	0	12
564728	BEARING CENTER	ea.	12	6	0	6
587545	BEARING Frt Pin (HO12-6173620)	ea.	12	6	0	6
1090119	BEARING GEAR	ea.	12	6	0	6
649906	BEARING LOW(G104-1518120)	ea.	24	12	0	12
1090126	BEARING REAR	ea.	12	6	0	6
956287	BEARING OIO Rod (G.104-1518094)	ea.	480	240	0	240
1090134	BEARING NEEDLE	ea.	1332	666	0	666
581499	BEARING REL(G.121-0118064)	ea.	12	6	0	6
594785	BEARING Thrust (G.505-0136042)	ea.	24	12	0	12
871752	BEARING Up(G.121-0118088)	ea.	24	12	0	12
920113	BLADE Fan asy (G.505-0144404)	ea.	22	11	0	11
870734	BLOEK-PIST-RING	ea.	6	3	0	3
537899	BOLT Anchor(G.121-0124356)	ea.	24	12	0	12
571434	" " (9240-FC-4971)	ea.	24	12	0	12
593805	BOLT (1780-593805-	ea.	24	12	0	12
593806	CENTER	ea.	24	12	0	12

2216

1827

Declassified E.O. 12356 Section 3.3/NND No. 785021

MNFG. N			Author ized or max level	In Hand		
860343	BOLT ROD(G.104-1524187)	ea.	132	66	0	66
588224	BOLT SPRING (G505-0148577)	ea.	80	40	0	40
663219	BOLT TERM(G.121-0124380)	ea.	132	66	0	66
571861	BOOT MC	ea.	12	6	0	6
571787	BOOT,Whl,Cyl	ea.	52	26	0	26
860290	BOWL FILTER(G.505-0149048)	ea.	34	17	0	17
639106	BOWL,F.P.(G.057-1500171)	ea.	24	12	0	12
580004	BRACKET Frt.	ea.	12	6	0	6
597592	" PIPE	ea.	8	4	0	4
1089423	" RRP-F-SPAG	ea.	12	6	0	6
588025	" REAR-SPRING	ea.	24	12	0	12
574391	BRACKET RR(G.505-0151814)	ea.	12	6	0	6
598524	BRACKET RR(G.505-0151883)	ea.	12	6	0	6
574390	" SUPPORT	ea.	8	4	0	4
579854	RIK and BSH (1780-579854)	ea.	8	4	0	8
632465	BRG1 CAM (G.104-1518250)	ea.	14	7	0	7
957644	BRG1 & 283_U&L (G.104-1518290)	ea.	160	80	0	80
957649	BRG4 U & L(G.104-1518291)	ea.	52	26	0	26
636838	BRUSH,(G.121-0126310)	ea.	12	6	0	6
636838	BRUSH F COIL	ea.	104	52	0	52

2205

1828

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			ized or			
			Max level			
MNFC n.						
636820	BRUSH,Assy(G.121-0126300)	ea.	104	52	0	52
673032	BRUSH,Set(2980-GBW.2012A5)	ea.	132	66	0	66
575948	BRUSHING & ROLLER (G.505-0156032)	ea.	956	478	0	478
562571	BUMPER END(G.121-0127700)	ea.	24	12	0	12
954157	BUSHING (G.104-1527826)	ea.	320	160	0	160
53298	" (G.121-0127781)	ea.	12	6	0	6
582880	" BRACKET(G.505-0156064)	ea.	12	6	0	6
1090139	BUSHING and GEAR	ea.	12	6	0	6
395800	BUSHING,JACKET (G.505-0156067)	ea.	12	6	0	6
640098	BUSHING-JACKET (G.505-0380581)	ea.	8	4	0	4
588221	SHACKLE and Bush. (G.505-0672005)	ea.	24	12	0	12
588223	BUSHING (G.505-0156052)	ea.	24	12	0	12
588183	" SPRING (G.505-0155051)	ea.	52	26	0	26
595528	BUSHING SPRING	ea.	184	92	0	92
594776(m)	BUSHING UPPER (G.505-0156059)	ea.	24	12	0	12
536802	BUTTON (G.121-0128000)	ea.	12	6	0	232 2264
376749	CAGE & ROTTER (HC12-610082)	ea.	24	12	0	12

1829

Declassified E.O. 12356 Section 3.3/NND No. 785021

MNFG. N.			Author On Hand	Used or max level		
859904	CAM Dist (G.505-0162954)	ea.	12	6	0	6
1067201	CAMSHAFT (1780-1067201)	ea.	18	4	0	4
891401	CAP. Brg.4	ea.	4	2	0	2
643822	CAP.Dist (GO-67-0901489)	ea.	378	189	0	189
776379	CAP.Filler(G.505-0163104)	ea.	24	12	0	12
547645	CAP.& GASKET (G.505-0163108)	ea	24	12	0	12
564052	CAP.Grease Hub. (G.505-0163131)	ea.	24	12	0	12
664390	CAP.1 Serr.Pkg.	ea.	4	2	0	2
664065	CAP.2 3 Serr. Pkg.	ea.	8	4	0	4
919487	CARBURETOR	ea.	8	4	0	4
676575	CARTRIDGE Filter	ea.	596	298	0	298
594688	CASE,Diff.(1780-594688)	ea.	4	2	0	4
676254	CHAIN (G.505-0170801)	ea.	40	20	0	20
959315	CHAMBER(2980-VC-3082RES)	ea.	12	6	0	6
597593	CLAMP Bracket	ea.	8	4	0	4
527160	CLIP, spring	ea.	24	12	0	12
581316	CLIP,spring(G.505-0176026)	ea.	24	12	0	12
103647	COCK Drain(H006-103647)	ea.	12	6	0	6
907782	" " (1780-907782)	ea.	24	12	0	12
858269	COIL Comp.Field (2980-GDZ-1005)	ea.	12	6	0	6

1830

Declassified E.O. 12356 Section 3.3/NND No. 785021

MNFG			Author On Hand ized or max level			
862576	COIL IGN (G.505-0179574)	ea.	52	26	0	26
053751	COLLAR Shift(G.121-0139710)	ea.	12	6	0	6
674955	CONDENSER (G.505-0179799)	ea.	178	89	0	89
587530	CONE (HO12-6158100)	ea.	24	12	0	12
588887	CONE & ROTTER (HO12-6176450)	ea	12	6	0	6
563741	CONE & Roller in. (HO12-6127580)	ea.	24	12	0	12
919265	CONE & Roller in.	ea.	24	12	0	12
698402	" " " out (HO12-6118840)	ea ea.	24	12	0	12
527521	CONE & ROLLER Out (HO12-6102820)	ea.	24	12	0	12
1090133	COUNTER Shaft	ea.	12	6	0	6
639143	COVER Bottom	ea.	12	6	0	6
588952	COVER Housing (G.505-0181379)	ea.	4	2	0	2
1090144	COVER trans case	ea.	12	6	0	6
665689	COVER valve	ea.	12	6	0	6
870715	CRANK shaft(G.505-0182909)	ea.	4	2	0	2
787531	CUP	ea.	24	12	0	12
376751	CUP, Brg. low(HO12-6200800)	ea.	12	6	0	6
587551	CUP, Bearing Rear (HO12-6231220)	ea.	12	6	0	6

2202

1831

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Authorized or max level	On Hand		
386716	CUP, Bering Up. (H012-6200830)	ea.	12	6	0	6
919266	CUP, inner	ea.	24	12	0	12
563588	" " (H012-6211600)	ea.	24	12	0	12
521814	" MC(G067-0600550)	ea.	24	12	0	12
537257	" " (G.067-0600540)	ea.	24	12	0	12
527722	" Outer(H012-6202210)	ea.	24	12	0	12
698401	" " (G012-6207450)	ea.	24	12	0	12
578598	CYLINDER EBR(G.505-0191707)	ea.	12	6	0	6
675174	" head	ea.	12	6	0	6
954412	" "(G.505-0322812)	ea.	8	4	0	4
571935	" L.T.F.W. (9240-FD-3747)	ea.	10	5	0	5
947627	CYLINDER P.K.G. (G.505-0191778)	ea.	52	26	0	26
947626	CYLINDER P.K.G. (G.505-0567293)	ea.	52	26	0	26
571934	CYLINDER R.T.F.W. (9240-FD-3748)	ea.	12	6	0	2261
571420	CYLINDER R.T.R.W. (9240-FD-6307)	ea.	12	6	0	6
571421	CYLINDER L.T.R.W. (9240-FD-6305)	ea.	12	6	0	6
594698	DIFF & Carrier Asy (1780-594698)	ea.	6	3	0	3

1832

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Authorized or max level	On Hand		
564784	DISC, Clutch(G.505-0204038)	ea.	24	12	0	12
957463	DISTRIBUTOR(G.505-0204154)	ea.	8	4	0	4
860492	HEAD DRIVER(2980-GDZ1003)	ea.	12	6	0	6
567371	DRUM 4P (.G.121-0457350)	ea.	12	6	0	6
590372	DRUM & slinger R.R. (G.505-0214933)	ea.	32	16	0	16
137420	ELBOW (H6-0260846)	ea.	12	6	0	6
695506	" outlet(G.505-0258052)	ea.	8	4	0	4
860292	ELEMENT Filter (G102-0101255)	ea.	24	12	0	12
634640	EXPANDER	ea.	12	6	0	5
634638	"	ea.	24	12	0	12
634637	"	ea.	24	12	0	12
623886	FACING	ea.	264	132	0	132
860288	FILTER fuel(G.505-0286169)	ea.	36	18	0	18
677534	" oil	ea.	8	4	20	4
1090149	1 x 2 FORK	ea.	12	6	0	6
1090150	3 x 4 "	ea.	12	6	0	6
561537	FORK release(G.121-0186620)	ea.	12	6	0	6
386704	GASKET, bracket (G.121-0193716)	ea.	12	6	0	6

1831

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand	ized or max level		
1090121	GASKET,B.R.G.-RET	ea.	12	6	0	6
639110	" Bowl(G.103-1594063)	ea.	132	66	0	66
562221	" Carb(G.505-0298021)	ea.	132	66	0	66
645613	" " (1500-20-31)	ea.	132	66	0	66
651183	" " (1500-20-15)	ea.	132	66	0	66
651184	" " (1500-20-51)	ea.	132	66	0	66
651185	GASKET CARB (G.104-1593765)	ea.	132	66	0	66
654508	" " (G.104-1593453)	ea.	132	66	0	66
697712	" " (1500-11770)	ea.	132	66	0	66
563618	" Carter(1780-563618)	ea.	64	32	0	32
567500	" case (G.121-0193724)	ea.	24	12	0	12
952052	" cleaner(1780-952062)	ea.	64	32	0	32
50744	" cover (G.121-0193710)	ea.	24	12	0	12
563617	" "(G.505-0298022)	ea.	64	32	0	32
600752	" "(G.121-01993732)	ea.	64	32	0	32
639148	" "(G.505-0298056)	ea.	24	12	0	12
1090145	" "	ea.	24	12	0	12
50082	" Elbow(G.104-1593768)	ea.	132	66	0	66
860291	" Filter(G.505-0298129)	ea.	382	191	0	191
634704	" F.P.(G.121-0193746)	ea.	24	12	0	12

1834

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			ized or			
			max level			
869992	GASKET,head(G.505-0298074)	ea.	132	66	0	66
780462	" Set (G.505-0298110)	ea.	132	66	0	66
622865	" MC (G.121-0193744)	ea.	24	12	0	12
683051	" Pipe (G.505-0298090)	ea.	24	12	0	12
695441	" Plate(G.121-0193764)	ea.	64	32	0	32
105456	" Plug (H.017-105456)	ea.	132	66	0	66
683055	" Plug (G.505-0298090)	ea.	270	135	0	135
695442	" Pump (G.121-0193766)	ea.	24	12	0	12
1090129	" Retainer	ea.	24	12	0	12
570541	" shaft (G.505-0298025)	ea.	24	12	0	12
933439	" Set Pam.(1780933430)	ea.	264	132	0	132
639099	" Valve (G.154-094017)	ea.	40	20	0	20
780475	" Valve cover set (G.505-0287712)	ea.	264	132	0	132
596900	GAUGE ammeter(1780-596900)	ea.	12	6	0	6
591146	" fuel (1780-591146)	ea.	12	6	0	6
591990	" " (1780-591990)	ea.	12	6	0	6
591989	" oil (1780-591989)	ea.	8	4	0	4
40296	GEAR (G.121-0196070)	ea.	12	6	0	6
1090132	" CTRSH	ea.	12	6	0	6
1090124	" 3rd Direct	ea.	12	6	0	6

2198

1835

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Ca Hand ized or max level			
501268	GEAR, dist drive (G.121-0196120)	ea.	12	6	0	6
393077	GEAR,F.W.H.L. ring (G.121-0196085)	ea.	12	6	0	6
625501	GEAR,IDLER (G.121-0196190)	ea.	12	6	0	6
109123	" Low & Lnd	ea.	12	6	0	6
1090118	" Main br.	ea.	12	6	0	6
594707	" Pinion (G.505-0298615)	ea.	24	12	0	12
567223	" screw (Bolt) (G.505-0148564)	ea.	132	66	0	66
587536	GEAR,side (G.505-0298505)	ea.	40	20	0	20
583148	GUIDE & Housing (G.505-0311171)	ea.	20	10	0	10
600746	GUIDE Valve(G.104-1605520)	ea.	264	132	0	132
923377	HEAD Lamp L.	ea.	8	4	0	4
923376	" R.	ea.	8	4	0	4
572506	HOSE-Ink Booster	ea.	3332	1666	0	1666
918494	HOSE by pass	ea.	132	66	0	21667
780183	" M 3N long	ea.	4	2	0	2
592876	Housing,rear Axle (.505-9335864)	ea.	4	2	0	2
869998	HUB (U.P.G.121-0221030)	ea.	8	4	0	4
921503	" Frt Drum(1780-921503)	ea.	8	4	0	4
921504	" " R.(1780-921504)	ea.	8	4	0	4

1836

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author ized or max level	On Hand		
576240	HUB pulley (G.505-0342057)	ea.	12	6	0	6
912604	" RR Drum R.(1780-912604)	ea.	8	4	0	4
912605	" " " L.(1780-912605)	ea.	12	6	0	6
1089399	INDIC OIL	ea.	12	6	0	6
552119	INSULATOR	ea.	12	6	0	6
862321	JET and Gasket (1500-15989S)	ea	24	12	0	12
859887	" main 5 (1500-15987S)	ea.	24	12	0	12
583801	JAU-STARTER(G.104-1540654)	ea.	8	4	0	4
124551	KEY CRKSH (H001-0518034)	ea.	12	6	0	6
904093	KEYS,Lock cyl	ea.	12	6	0	6
923698	KNOB & Wire(1780-923698)	ea.	24	12	0	12
923683	" & "	ea.	12	6	0	6
919309	KNUCKLE Lt	ea.	12	6	0	6
919308	" RT	ea.	12	6	0	6
590965	LEAF,(1780-590965)	ea.	24	12	0	12
590964	LEAF,(1780-590964)	ea.	24	12	0	12
939615	LENS PARK	ea.	24	12	0	12
570089	LENS TAIL (G.505-0448281)	ea.	24	12	0	12
590390	LEVER H.B.	ea.	4	2	0	2
683963	" REL.(G.085-1101371)	ea.	52	26	0	26

1837

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Authorized or max level	On Hand		
853369	LIGHTING UNIT (H004-193143)	ea.	204	102	0	102
51354	LINK BALL (G.505-0131716)	ea.	24	12	0	12
574500	" DRAG (G.505-0453393)	ea.	12	6	0	6
566987	LINING (G.121-0276430)	ea.	88	44	0	44
587537	LOCK (G.505-0459700)	ea.	64	32	0	32
395931	" RET (G.104-1679861)	ea.	532	266	0	266
1090122	MAINSHAFT	ea.	36	18	0	18
871856	MANIFOLD in.& Exh (G.505-047602)	ea.	8	4	0	4
579375	MUFFLER asy (G.505-0498222)	ea.	24	12	0	12
861134	NEEDLE & Seat (1500-251025)	ea.	52	26	0	26
676895	NIPPLE	ea.	1106	553	0	553
119335	NUT & sleeve Asy	ea.	12	6	0	6
564331	OIL SEAL (G.505-0668457)	ea.	12	6	0	6
692884	PAW OIL,(G.505-0567810)	ea.	18	9	0	9
564298	PAWL (G.121-033400)	ea.	12	6	0	6
678104	PIN ARM (G.121-0338652)	ea.	12	6	0	6
203741	PIN 003 Piston	ea.	320	160	0	160
302560	PIN 008 "	ea.	40	20	0	20
1063654	PIN Pivot PKG	ea.	88	44	0	44

2105

1838

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand ized or max level			
587535	PINION Gear (G.505-057970)	ea.	40	20	0	20
594142	PIPE EXHAUST (G.505-0579893)	ea	12	6	0	6
577228	" TAIL (G.505-0570901)	ea.	12	6	0	6
667477	PISTON 05	ea.	372	186	0	186
582157	" F.P.W.(G.121-0338805)	ea.	24	12	0	12
581197	" R.F.W. Cyl (G.121-0338800)	ea.	24	12	0	12
580254	PISTON MC (1780-580254)	ea.	24	12	0	12
641453	PLATE & BEARING (G.121-0340302)	ea.	12	6	0	6
671489	PLATE end	ea.	12	6	0	6
575953	PLATE, lock (G.505-0582808)	ea.	160	80	0	80
866069	PLATE, lock(G.121-0340272)	ea.	8	4	0	4
697464	PLATE, press(G.505-0582877)	ea.	12	6	0	6
652398	PLUG Connector (G.505-0583740)	ea.	24	12	0	12
50722	PLUG Drain (G.104-1740474)	ea.	12	6	0	6
127951	" " (H.006-0283195)	ea.	24	12	0	12
516219	" end (G.121-0340610)	ea.	24	12	0	12
106517	PLUG Oil Seal (H.006-0282470)	ea.	52	26	0	26
643896	PLUNGER contact (G.067-0904329)	ea.	12	6	0	6

2194

1839

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Authorized or max level	On Hand		
556882	PLUNGER lock(G.121-0340680)	ea.	12	6	0	6
697709	" and Rod(1500-6460 S)	ea.	24	12	0	12
1109695	POINT SET	ea.	132	66	0	66
670500	PULLEY w/ Fan(G.505-0594115)	ea	22	11	0	11
585854	" gen (2980-SP-1311)	ea.	12	6	0	6
954116	" low (1780-954116)	ea.	12	6	0	6
659488	PUMP Fliel(G.505-0594155)	ea.	24	12	0	12
601269	" Oil (G.121-0345750)	ea.	8	4	0	4
947540	" Water PKG (1780-947540)	ea.	30	15	0	15
591988	RADIMETER (2980-H9-126)	ea.	12	6	0	6
1090138	RAIL-REV Fork	ea.	8	4	0	4
1090147	RAIL Shift Rev	ea.	8	4	0	4
1090148	" " 1st & 2nd	ea.	8	4	0	4
1090146	RAIL,shift 3rd & 4th	ea.	8	4	0	4
853775	REGULATOR (2980-BRP-4101A)	ea.	66	33	0	33
785882	" R.wind (G.505-0367338)		12	6	0	6
785883	" wind (G.505-0637484)	ea	12	6	0	6
536238	RETAINER,(G.067-0601590)	ea.	52	26	0	26
40297	" Gear(G.121-0367550)	ea.	12	6	0	6
313515	" Gear shift (G.121-0367555)	ea.	8	4	0	4
395930-3441	RETAINER Valve(G.104-1767601)		264	132	0	132

2133

1849

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author ized or max level

200434	RING retraining (G.104-1847805)	ea.	264	132	0	132
565682	RING Rim Base	ea.	46	23	0	23
986878	" Set-15 024 (G.505-0642853)	ea.	24	12	0	12
561867	RING,side	ea.	36	18	0	18
986876	" set S.T.D.O.04 (G.505-0642851)	ea.	12	6	0	6
574363	RING snap (G.505-0642606)	ea.	24	12	0	12
1090125	" "	ea.	12	6	0	6
1090130	" "	ea.	12	6	0	6
121573	RIVET	ea.	6664	3332	0	3332
923969	" (G.502-0370085)	ea.	2400	1200	0	1200
920159	ROD core (1780-900159)	ea.	28	14	0	14
571860	" end	ea.	12	6	0	6
951307	" " P.Kg.LE (1780-951307)	ea.	24	12	0	12 2192
602211	ROD and Plug (G.505-0649387)"		8	4	0	4
571875	ROD Push	ea.	12	6	0	6
951306	ROD and PKg.RT (1780-951306)	ea.	24	12	0	12
868095	ROTOR (G.116-1773638)	ea.	224	112	0	112
645639	SCREW Adjust(G.179-0666870)"		24	12	0	12

[841]

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand ized or max level			
957802	SCREW Adjust(1500-101-163)	ea.	24	12	0	12
681544	" " (G.104-178143)	ea.	64	32	0	32
77671	" Bleeder(G.121-0382101)	ea.	24	12	0	12
864118	" Cap BRG(G.104-1781851)	ea.	52	26	0	26
639104	SCREEN FP(G.067-1501301)	ea.	24	12	0	12
120668	SCREW Flange(H1-5455401)	ea.	52	26	0	26
666014	" Head 884(G.104-1781842)	ea.	132	66	0	66
692857	" " (G.104-1781844)	ea.	24	12	0	12
601766	" sprocket (G.121-0382166)	ea.	16	8	0	8
891448	SEAL Gasket PKg. (H.013-0500138)	ea.	64	32	0	32
587541	SEAL OIL(H.013-0500148)	ea.	24	12	0	12
556939	" "(H013-0500108)	ea.	24	12	0	12
574362	" "Asy(H013-0500191)	ea.	24	12	0	12
589563	SHAFT,Axle(G.505-0672186)	ea.	76	38	0	38
666012	SEAT Valve (G.104-1783055)	ea.	132	66	0	66
939795	SEAL-water-pump PKg. (G.505-0668452)	ea.	64	32	0	32
579383	SECTOR (G.505-0668801)	ea.	12	6	0	6
595526	SHOCKLE,Spring	ea.	52	26	0	26
40882	SHAFT DRIVE(G.121-0384725)	ea.	12	6	0	6
959309	SHAFT GOVERNOR(G.505-0672301)"		6	3	0	3

2191

1842

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Authorized or Max level	On Hand		
1090141	SHAFT Idler Rev.	ea.	12	6	0	6
588785	SHAFT Pinion(G.505-0672160)	ea.	12	6	0	6
567150	SHAFT strg (G.505-0672197)	ea.	8	4	0	4
42241	SLEEVE Adj.(G.505-0676990)	ea.	12	6	0	6
581500	SLEEVE BRG.(G.121-0338805)	ea.	12	6	0	6
562572	SOCKET,Link(G.121-0118063)	ea.	52	26	0	26
1090136	SPACER Berg	ea.	12	6	0	6
580050	SPRING (G.121-0389866)	ea.	12	6	0	6
645642	SPRING Adj.(G.179-0682670)	ea.	24	12	0	12
645576	SPRING " (1500-61-58)	ea.	24	12	0	12
77535	SPRING " (G.121-038985 1)	ea.	52	26	0	26
639116	SPRING Arm.(G.121-0389877)	ea.	12	6	0	6
643912	SPRING "	ea.	24	12	0	12
916812	SPRING Aux	ea.	24	12	0	12
318748	" Ball(G.121-0389852)	ea.	24	12	0	12
517383	" " (G.121-0389857)	ea.	40	20	0	20
643907	" Cap (G.121-0389890)	ea.	24	12	0	12
651192	" Choke (1500-61-119)	ea.	24	12	0	12
303614	" Guide (G.121-0389853)	ea.	24	12	0	12
600071	SPRING Guide (G.505-0682500)"		24	12	0	12

1843

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Ized or max level	On Hand		
316767	SPRING Klever(1000-3258)	ea.	52	26	0	26
573318	SPRING P Back (G.121-0389864)	ea.	24	12	0	12
563753	SPRING PEDAL(G.121-0389860)	ea.	52	26	0	26
634632	" Piston(G.505-0682513)	ea.	24	12	0	12
634634	" "	ea.	24	12	0	12
572035	SPRING Plunger (G.121-0389863)	ea.	12	6	0	6
643897	SPRING Plunger (G.067-0905419)	ea.	12	6	0	6
634753	SPRING Press(G.505-0682517)"		160	80	0	80
591657	SPRING Rear	ea.	46	23	0	23
617672	SPRING Rel.Val. (G.121-0389869)	ea.	12	6	0	6
617673	SPRING Rel.Val. (G.121-0389870)	ea.	12	6	0	6
619057	SPRING Re;Val. (G.121-0389871)	ea.	12	6	0	6
521822	SPRING 79374 Ret. (G.067-0902010)	ea.	24	12	0	12
959310	SPRING Set (G.505-0682545)	ea.	12	6	0	6
853752	SPRING Shift (G.121-038990)	ea.	12	6	0	6
303515	SPRING Shoe Ret (G.121-0389854)	ea.	52	26	0	26

2189

1844

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Ized or max level	On Hand		
536213	SPRING Shoe Ret (G.067-0602050)	ea.	52	26	0	26
639101	SPRING Valve(G.121-0389875)	ea.	40	20	0	20
869449	" " (G.121-0389902)	ea.	132	66	0	66
601757	SPROCKET CAM (G.121-0990400)	ea.	12	6	0	6
601760	SPROCKET CRKS4 (G.121-0390401)	ea.	12	6	0	6
1070939	STARTER MOTOR (1780-1070939)	ea.	8	4	0	4
579853	STEARING Gear(G.505-0298670)	"	8	4	0	4
571392	STDF, Rev.(G.121-0392002)	ea	8	4	0	4
619466	STRUT,leaver(G.085-1492256)	ea.	52	26	0	26
912435	STUD Flange(G.505-0687772)	ea.	132	66	0	66
916702	STUD-Frt Hub,R	ea.	64	32	0	32
51561	STUD MAN(G.104-1792272)	ea.	64	32	0	32
623369	" " (G.121-0392342)	ea.	24	12	0	2183
669922;	" " (G.104-1792381)	ea.	12	6	0	6
667475	" Piston	ea.	40	20	0	20
532063	" RR Hub L (G.102-0206160)	ea.	64	32	0	32
532062	STUD,RR Hub R.(G.102-0206140)	"	64	32	0	32
862831	STRAINER OIL(G.121-0392100)	ea	8	4	0	4

1845

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand ized or max level			
591024	SUPPORT Erve FRt	ea.	14	7	0	7
590920	SUPPORT Erve RR	ea.	12	6	0	6
590921	SUPPORT Eng.RR	ea.	12	6	0	6
589843	SWITCH & Cable (2980-CE-1187Ew8)	ea.	12	6	0	6
147686	SWITCH Fuse	ea.	780	390	0	390
583127	" inst Lite(G.505-0690368)"		12	6	0	6
595424	" Light(1780-595424)	ea.	12	6	0	6
677112	" Signal(G.505-0690375)	ea.	12	6	0	6
641462	SWITCH Start(G.121-0393800)"		24	12	0	12
571786	TANK BODY MC	ea.	12	6	0	6
590247	TANK Fuel	ea.	8	4	0	4
670511	TAPPET OB(G.121-0396371)	ea.	132	66	0	66
670508	TAPPET-Valve (G.104-1796250)	ea.	132	66	0	66
611828	TERMINAL (G.104-1798602)	ea.	160	80	0	80
663227	"	ea.	480	240	0	240
676872	"	ea.	532	266	0	266
645494	THERMOSTAT(G.505-073809)	ea.	24	12	0	12
861601	TUBE,Oil Filter	ea.	12	6	0	6
861604	" " "	ea.	22	11	0	11
861526	" " Gauge	ea.	12	6	0	6
861549	" " "	ea.	12	6	0	6

2187

1840

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author On Hand		
				ized or		
				max level		
954281	TUBE Water Dist (104-1807923)	ea.	8	4	0	4
579859	TUBE & WORM(G.505-0719247)	ea.	20	10	0	10
599280	UNION (G.505-0742369)	ea.	12	6	0	6
589347	VALVE CHECK	ea.	12	6	0	6
667612	VALVE Exhaust(G.104-1827170)"		480	240	0	240
639095	VALVE FP	ea.	40	20	0	20
870048	VALVE Intake (G.104-1827210)	ea.	400	200	0	200
593706	VALVE and Link (G.505-0758121)	ea.	12	6	0	6
599258	WASHER Dust(G.505-0668450)	ea.	24	12	0	12
536237	WASHER OIL,(G.067-0600730)	ea.	52	26	0	26
575951	WASHER U.J.(G.505-0789730)	ea.	64	32	0	32
1090137	WASHER Thrust	ea.	40	20	0	20
567219	" " (G.505-0789642)	ea.	40	20	0	20
567222	" " (G.505-0789117)	ea.	40	20	0	20
643917	WEIGHT GOV.	ea.	24	12	0	2126
924035	WIPER MOTOR(L/1780-924035)	ea.	12	6	0	6
318759	WIRE LOCK(G.121-0447802)	ea.	24	12	0	12
571856	WIRE LOCK 79376 (1780-571856)	ea.	24	12	0	12

1847

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author Authorized or max level	On Hand		
597934	WIRING Chassis-B/ (1780-597934)	ea.	12	6	0	6
913398	WIRING 6 Chassies (G.505-0801481)	ea.	12	6	0	6
587558	YOKE Pinion(G.505-0289204)	ea.	8	4	0	4
919949	YOKE Shift(G.121-0274260)	ea.	12	6	0	6

AUTH : LAC Aigram 95 (MGS-252-ORD)
LAC Aigram 96 (MGS-253)ORD)
SNL-618

BASIS: Estimated 6 months spare parts based on SNL N° G-618 for 72 1½ ton truck, 4x2 (Dodge) imported from the United States under the civil supply program. Said parts are necessary to keep the above mentioned vehicles in operational condition.

1848

Declassified E.O. 12356 Section 3.3/NND No. 785021

WP
387

HEADQUARTERS
MOTOR TRANSPORT GROUP
ALLIED COMMISSION (IAP)
OFFICE OF G-4
APO 394

TRS/ms
26 May 1945

SUBJECT: Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission,
Allied Commission, APO 394
(thru Rome)

1. In compliance with par. 2a (1), Establishment Memorandum No. 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition "TR"-65-45.

2. The supplies listed on the inclosed requisition are organizational spare parts for 1st and 2nd quarter 1946 for 1628 trucks 1½ ton, (Ford), imported from the United States under the Civil Supply Program. Said parts are necessary to keep above mentioned vehicles in operational condition.

FOR THE CO MANDING OFFICER:

TRS

LORENZO R. ROLLES
Lt. Col., GSC
G-4

2184

1st Ind.

TRANSPORTATION S/C HQ. AC. JCF/ls
TO: Requisition Branch, Econ. Sec. 13 June 45

Incl.:
Req. "TR"-65-45

1. Approved.

GEORGE G. GROSS, Jr.
Chief
Roads Division

1849

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form. No. 400
(Revised Apr. 6, 1931)

REQUISITION

To: ..... No. of Sheets 62 Sheet No. 1

Requisition No. ..... Date ..... Period 1st & 2nd Qtr fiscal yr 1946

SHIP TO .....

REQUISITIONED BY (show Signature, Rank, Organization, Destination, If different from "SHIP TO" include address):

APPROVED BY:

STOCK No.	ARTICLES NOMENCLATURE & UNIT	UNIT	Authorized or max level	ON HAND	CONSUMED DUE IN	REQUIRED	APPROVED
	SNL-G-540 Truck 1½ ton 4x2,(2DT)(Ford)						
FM-G8T 6005	ENGINE,w/STARTER and CLUTCH,less transmission assembly	ea.	292	0	146	146	
FM-2 1T 6005	ENGINE,w/STARTER and CLUTCH,less transmission assembly	ea.	292	0	146	146	
FM-2GA 6524	BAFFLE,oil,cylinder block valve chamber,end,assy	ea.	66	0	33	33	
FM-GTB 6019	COVER,cylinder,front	ea.	66	0	33	33	
FM-1GA 6017B	COVER,timing gear, cylinder side	ea.	66	0	33	33	
FM-1GA 6020B	GASKET,cover,cylinder, front	ea.	326	0	163	163	
FM-1GA 6018	GASKET,cover,timing gear side	ea.	326	0	163	163	
FM-1GA 6051D	GASKET,cylinder head	ea.	1788	0	894	894	

2183

1850

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author 1xxd xxxxx of max. level		DUE IN	
FM-GTB-6050 HEAD, cylinder	Ea	98	0	49	49
FM-48 6067 STUD, cylinder head (3.03"long)	ea	1300	0	650	650
FM-88549-S STUD, cylinder head (3⅝" long)	ea	326	0	163	163
FM-351025-87 NUT, hex., 7/16-20 (special)	ea	4876	0	2438	2438
FM-355599-S BOLT, hex-hd., 5/16-18x55/64 (special)(oil seal retainer)	ea	406	0	203	203
FM-1GA 6303 A CRANKSHAFT	ea	66	0	33	33
FM-1GA 6344 GASKET, oil seal, crankshaft rear bearing	ea	326	0	163,	163
FM-1GA 6700 A PACKING, cylinder cover, front	ea	326	0	163	163
FM-B 6319 A RATCHET, crankshaft	ea	66	0	33	33
FM-1GA 6335 B RETAINER, oil seal, crankshaft rear bearing	ea	66	0	33	33
FM-1GA 6310 SLINGER, oil, crankshaft	ea	66	0	33	33
FM-1GA 6345 B STUD, crankshaft bearing cap (3.36 long)	ea	292	0	146	146
FM-1GA 6346 B STUD, crankshaft bearing cap (4.20 long)	ea	98	0	49	49
FM-1GA 6332 WASHER, crankshaft ratchet	ea	66	0	33	33
FM-1GA 18347 A BEARING SET, crankshaft standard	ea	194	0	97	97

2184

1851

Declassified E.O. 12356 Section 3.3/NND No. 785021

		NOMENCLATURE & UNIT	Author ized or max; level				
FM-1GA	18347	BEARING SET, crankshaft,					
	E	.010 undersize	ea	194	0	97	97
FM-1GA	6336	BEARING SET, crankshaft,					
	G	.020 undersize	ea	260	0	130	130
FM-GTB	6316	DAMPENER, crankshaft, assy	ea	66	0	33	33
FM-2GT	6105	PISTON, w/PIN, 4 ring,					
	C	standard	ea	390	0	195	195
FM-2GT	6105	PISTON, w/PIN, 4 ring, .020					
	G	oversize	ea	1364	0	682	682
FM-2GT	6105	PISTON, w/PIN, 4 ring, .040					
	H	oversize	ea	780	0	390	390
FM-2GT	6149	RING SET, piston, snap, 4 ring					
	A	re-bore type, standard	ea	162	0	81	81
FM-2GT	6149	RING SET, piston, snap,					
	B	4 ring, re-bore type, .020 oversize	ea	292	0	146	146
FM-2GT	6149	RING SET, piston, snap, 4					
	C	ring, re-bore type, .040 oversize	ea	194	0	97	97
FM-1GA	6135	PIN, piston	ea	260	0	130	130
	B						
FM-1GA	6140	RETAINER, piston pin	ea	5840	0	2920	2920
FM-2GA	6207	BUSHING, connecting rod,					
	A	piston pin	ea	1950	0	975	975
FM-1GA	6212	NUT, connecting rod	ea	4876	0	2438	2438
FM-1B	6212	NUT, connecting rod	ea	4876	0	2438	2438

1852

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author ized or max. level		
FM-352250-S		PIN, cotter, 7/64x3/4 (special)(connecting rod)	ea 9752	0	4876	4876
FM-2GA	6200	ROD, connecting assy	ea 194	0	97	97
FM-1GA	18330 E	BEARING SET, connecting rod, .010 undersize	ea 1950	0	975	975
FM-1GA	18330 A	BEARING SET, connecting rod standard	ea 1950	0	975	975
FM-1GA	18330 G	BEARING SET, connecting rod, 020 undersize	ea 2340	0	1170	1170
FM-1GA	6510 B	BUSHING, exhaust valve guide	ea 3120	0	1560	1560
FM-1GA	6511	BUSHING, intake valve guide	ea 3120	0	1560	1560
FM-40	6514	RETAINER, valve spring	ea 2436	0	1218	1218
FM-91A	6500 A	ROD, valve push	ea 2356	0	1178	1178
Fm-1GA	6507	VALVE, intake	ea £436	0	1218	1218
FM-1GT	6505 A	VALVE, exhaust	ea 3900	0	1950	1950
FM-1GA	6520	COVER, valver chamber	ea 98	0	49	49
FM-G8T	6756	COVER, rear, valve chamber w/BAFFLE, assy	ea 66	0	33	33
FM-1GA	6521	GASKET, valve chamber cover	ea 660	0	330	330
FM-1GA	18387	GASKET SET, valve	ea 1624	0	812	812
FM-91A	6266	SEAL, bearing, chamshaft, rear	ea 660	0	330	330

1853

Declassified E.O. 12356 Section 3.3/NND No. 785021

	xxxxx NOMENCLATURE & UNIT		Author xxx ized	xxxxxx or ex. level		
FM-1GA 6262 C	BEARING, chainshaft, standard	ea	980	0	490	490
FM-GA 6306 B	GEAR, crankshaft	ea	98	0	49	49
FM-1GA 6256 A	GEAR, camshaft	ea	260	0	130	130
FM-357647-S	KEY, gear, 1 23/32"x17/32"	ea	162	0	81	81
FM-91A 6258	RING, camshaft gear locking	ea	584	0	292	292
FM-350400-S	SCREW, hex., 5/16 24x5/8	ea	816	0	406	406
FM-1GA 6603 B	BODY, oil pump	ea	66	0	33	33
FM-GTB 6615	COVER, oil pump screen, assembly	ea	66	0	33	33
FM-1GA 18380	GASKET SET, oil pump	ea	262	0	131	131
FM-1GA 18379	KIT, repair, oil pump	ea	564	0	282	282
FM- 1GA 18512	GASKET SET, oil pan	ea	1624	0	812	812
FM-GTB 6675	PAN, oil, assembly	ea	98	0	49	49
FM-GPW 6727	PLUG, drain, oil pan, 7/8 18	ea	162	0	81	81
FM-1GA 6730	PLUG, w/SCREEN, oil pan and pump	ea	130	0	65	65
FM-2GAS 18662	CARTRIDGE and COVER GASKET oil filter, assy	ea	7150	0	3575	3575
FM-11TS 18675	GASKET, oil filter cap screw	ea	1624	0	812	812

2179

1854

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author ~~xx~~ ized xxxxxx or max. level.			
FM-11TS 18688	GASKET, oil filter cover	ea. 660	0	330	330
FM-358040-S	PLUG, oil filter drain, 1/4 in. pipe	ea. 490	0	245	245
FM-11TS 18685	SPRING, oil filter cover	ea. 162	0	81	81
FM-9N 18686	CONNECTION, oil filter to front of cylinder block	ea. 194	0	97	97
FM-G8T 18666	CONNECTION, oil filter inlet, flexible, assembly (13 in. long)	ea. 812	0	406	406
FM-G8T 18667	CONNECTION, oil filter outlet, flexible (10 in. long)	ea. 812	0	406	406
FM-G8T 18669	CONNECTOR, engine to gauge and filter inverted tee	ea. 162	0	81	81
FM-M9 18686	ELBOW, oil filter oil return (90°)	ea. 194	0	97	97
FM-91A 2133	NUT, oil filter in let tube, 1/4 in.	ea. 194	0	97	97
FM-GTB 18653	TUBE, oil filter, inlet, assembly (metal) (BY-1654)	ea. 130	0	65	65
FM-G8T 6766-B	CAP, oil filler, assembly (used with bolt-on type air cleaner)	ea. 260	0	130	130
FM-G8T 6778	CLEANER, air, oil filler, assembly (used with				

2178

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author ~~xxx~~ ized ~~xxxx~~ or max. level.			
bolt-on type air cleaner)	ea.	130	0	65	65
FM-GTB 6750 INDICATOR, oil level	ea.	130	0	65	65
FM-358007-S7 BUSHING, 1/4 in. to 1/8 in pipe reducing	ea.	162	0	81	81
FM-G8T 18641 HOSE, oil pressure line, assembly (6 in. long)	ea.	324	0	162	162
FM-09B 9251-B NUT, oil hose to oil connection tube	ea.	162	0	81	81
FM-91A 2133 NUT,	ea.	194	0	97	97
FM-G8T 9316 PIPE, oil hose to oil connec. (8.88 in. long, 1/4 in. tubing) (BY-1630)	ea.	82	0	41	41
FM-91A 2133 NUT,	ea.	194	0	97	97
FM-G8T 9317 TUBE, oil gauge to oil pressure hose (45½ in. long, 1/4 in. tubing) (BY-1631)	ea.	98	0	49	49
FM-1GA 6669 GASKET, oil relief valve nut (also available in Gasket Sets FM-2GA 18390-A, FM-1GA 18380)	ea.	324	0	162	162
FM-68 6666 NUT, oil relief valve, cylinder block	ea.	130	0	65	65
FM-1GA 6026 -A PLUG, oil line, cylinder block	ea.	130	0	65	65
FM-1GA 6663 PLUNGER, oil relief valve, cylinder block	ea.	130	0	65	65
FM-1GA 6654 SPRING, oil relief valve, cylinder block	ea.	130	0	65	65

2177

1856

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author-izedxxx or max. level.			
FM-GTB 9427	BOLT,intake to exhaust manifold	ea 324	0	162	162
FM-1GA 9443	CLAMP,manifold,intake and exhaust	ea 166	0	83	83
FM-1GA 9435-C	GASKET,manifold,intake & exhaust(also available in Gasket Sets FM-2GA 18390-A,FM-1GA 18387-X)	ea 488	0	244	244
M-1GA 9450	GASKET,manifold to outlet pipe(also available in Gasket Sets FM-2GA 18390-A,FM-1GA 18387)	ea 130	0	65	65
M-1GA 18511-B	GASKET SET,manifold	ea 878	0	439	439
M-351023-S	NUT,hex.,thick,3/8-24 (special)	ea 1144	0	2288	2288
FM-351385-S7	WASHER,plain (special) (intake to exhaust manifold)	ea 324	0	162	162
FM-GTB 9424	MANIFOLD,intake	ea 66	0	33	33
FM-GTB 9428	MANIFOLD,exhaust, assembly	ea 130	0	65	65
FM-351044-S	NUT,hex.,thick,S.,7/16-20,(Special)	ea 660	0	330	330
FM-1GA 9456-C	SHAFT,valve,exhaust control	ea 66	0	33	33
FM-1GA 9449	SPRING,valve,exhaust control	ea 194	0	97	97
FM-1GA 9467	SPRING,coil,exhaust control valve	ea 194	0	97	97

2176

1857

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author. ~~max~~ or max. level.			
FM-GTB 9460	VALVE, exhaust control	ea. 66	0	33	33
FM-350645-S	BOLT, hex-hd., 7/16-20 x 27/32 (special)	ea. 324	0	162	162
FM-2GT 6375	FLYWHEEL,	ea. 66	0	33	33
FM-B 6387	PIN, dowel, flywheel to crankshaft	ea. 260	0	130	130
FM-B 7609	RETAINER, dowel pin, flywheel	ea. 66	0	33	33
FM-2GA 6384 -A	GEAR, ring, flywheel starting	ea. 130	0	65	65
FM-1GA 6394	HOUSING, flywheel	ea. 66	0	33	33
FM-B 6047	BOLT, engine support to insulator (2.97 in. long)	ea. 584	0	292	292
FM-350434-S	BOLT, hex-hd., 3/8-16x1 (special)	ea. 812	0	406	406
FM-350717-S7	BOLT, 5/8-18 x 2 3/15 (special) (rear engine mounting to cross member)	ea. 162	0	81	81
FM-2GC 6037	BRACKET, engine front support right	ea. 66	0	33	33
FM-2GC 6038	BRACKET, engine front support, left	ea. 66	0	33	33
FM-78 6039 -A	INSULATOR, rebound, engine front and rear support	ea. 292	0	146	146
FM-B 6038-C	INSULATOR, engine front support, upper	ea. 194	0	97	97
FM-78 6048-A	SEAT, engine support insulator	ea. 162	0	81	81

2179

1858

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author. xx ized or nex. level.			
FM-01T5089 -A	SUPPORT, engine, rear	ea. 66	0	33	33
FM-B 6033	WASHER, engine support to insulator bolt,	ea.194	0	97	97
FM-78 6029	WASHER, engine support insulator bolt, lower	ea.162	0	81	81
FM-81B 7550-A	DISC, clutch, assembly (11 in.)(L.M.-CM4628)	ea.194	0	97	97
FM-51 18358	KIT, repair, clutch disc facing	ea.660	0	330	330
FM-81B 7563	PLATE, clutch pressure, w/COVER, assembly	ea.324	0	162	162
FM-350433-S	BOLT, hex-hd., 5/16-18x .77 (special)	ea.1624	0	812	812
FM-78 7580	BEARING, ball, annular, single row, light (2.0635 bore, 3.124 O.D. .755 width)(AB-A839) (clutch release assembly)	ea. 660	0	330	330
FM-40 7508-A	BUSHING, clutch release shaft (1 3/8 long)	ea. 194	0	97	97
FM-48 7515	FORK, clutch release shaft	ea. 260	0	130	130
FM-48 7561	HUB, clutch release bearing	ea. 260	0	130	130
FM-352581 -87	PIN, flat head, 5/16 x 1¼ (special)	ea. 324	0	162	162
FM-48 7562	SPRING, clutch release bearing	ea. 682	0	341	341

2171

1857

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author XXXXX used XXXXX or max. level.			
FM-B 7532	CLEVIS, clutch pedal to release arm	ea.	194	0	97	97
FM-352581--S7	PIN, flat head, 5/16x1½ (special)	ea.	324	0	162	162
FM-B 7533 -B	PIN, clevis, clutch pedal (1 7/16long)	ea.	390	0	195	195
FM-01T 5707	BRACKET, equalizer shaft, clutch release	ea.	98	0	49	49
FM-352549-S7	PIN, flat head, 1/4x1 7/32 (special)	ea.	324	0	162	162
FM-91T 7530	ROD, pedal to release arm, assembly	ea.	194	0	97	97
FM-01T 7506	SHAFT, pedal, clutch and brake	ea.	98	0	49	49
FM-01T 7503-B	SHAFT, equalizer, clutch release	ea.	98	0	49	49
FM-01T 7517	SOCKET, ball, clutch shaft	ea.	194	0	97	97
FM-91T 7523	SPRING, retracting, clutch pedal	ea.	894	0	447	447
FM-01A 7545	SPRING, clutch, release shaft	ea.	162	0	81	81
FM-B 7600-A	BEARING, ball, N.203Z (type G, annular, single row,					

1860

Declassified E.O. 12356 Section 3.3/NND No. 785021

	~~XXXXXX~~ NOMENCLATURE & UNIT		Author-ized ~~XXX~~ or max. level.	~~XXXXXX~~		
seg.	light,w/single oil shield 0.6693 bore, 1.5748 O.D.,0.4724 width) (clutch pilot FB 1203FO)	ea	260	0	130	130
FM-358007-S	BUSHING,1/4 in.to 1/8 in. pipe reducing	ea	82	0	41	41
FM-11C 9030	CAP,filler,fuel tank	ea	812	0	406	406
FM-GPW 9030 -A	CAP,filler,fuel tank	ea	812	0	406	406
FM-11A 8287	CLAMP,filler hose,fuel tank	ea	488	0	244	244
FM-11A 9047 -A	HOSE,filler,fuel tank	ea	194	0	97	97
M-353055-S	PLUG,standard pipe,1/4-18(auxiliary fuel tank drain)	ea	324	0	162	162
M-GTB 9189 -A	VALVE,auxiliary fuel tank assembly	ea	66	0	33	33
M-GTB 9189 -B	VALVE,under seat fuel tank,assembly	ea	66	0	33	33
M-GPW 9276	GASKET,fuel gauge, tank unit	ea	162	0	81	81
M-G8T 9275	GAUGE,fuel tank,assembly (used with FM-G8T 9002-A)	ea	114	0	57	57
M-GTB 9275	GAUGE,fuel tank,assembly (used with FM-G8T 9002--B)	ea	114	0	57	57
M-355112--S7	SCREW,rd-hd,N°1032x3/8 w/LOCKWASHER,assembly (special)	ea	660	0	330	330

1861

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-355112--S7	SCREW,rd-hd,N°1032x3/8 w/LOCKWASHER,assembly (special)	ea	660	0	330	330
FM-GTB 9275	GAUGE,fuel tank,assembly (used with FM-G8T 9002--B)	ea	114	0	57	57
FM-GTB 9518	BODY,throttle,w/SHAFT, assembly(HOL-12R175A)	ea	66	0	33	33
FM-35064-S7	SCREW,fil-hd.,N°10-32x69 (special)(carburetor throttle adjusting)	ea	660	0	330	330
FM-G8T 9510	CARBURETOR,assembly(used with bolt on type air cleaner)(HOL-R266-A)	ea	162	0	81	81
FM-78 9550	FLOAT,carburetor,w/LEVER assembly(also available in KIT FM-GTB 18357)	ea	244	0	122	122
FM-1GA 18352--B	GASKET SET,carburetor	ea	1560	0	780	780
FM-G8T 9520	HORN,air carburetor, assembly(used with bolt, on type air cleaner (HOL-1R149A)	ea	324	0	162	162
FM-GTB 18357	KIT,repair,carburetor (HOL-R259A)	ea	894	0	447	447
FM-GTB 9564	NEEDLE,carburetor fuel inlet,w/SEAT,assembly (HOL-18R11A)(also available in KIT FM-GTB 18357)	ea	194	0	97	97
FM-352717--S2	STUD,3/8-16 & 3/8-24x3 1/16(special)(carburetor to intake manifold)(used with bolt on type air cleaner)	ea	324	0	162	162

1862

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author. xxxx ized or max. level.			
FM-GBT 9761	CONNECTOR, choke wire	ea.	324	0	162	162
FM-GTB 9700	CONTROL, choke rod, carburetor, assembly	ea.	260	0	130	130
FM-G8T 18205 -B	CLEANER, air, oil bath (bolt on type)	ea.	82	0	41	41
FM-GPW 9267 -A	CONNECTOR, carburetor to fuel pump tube	ea.	194	0	97	97
FM-GPW 9268	ELBOW, fuel pump connector		162	0	81	81
FM-1GA 9417	GASKET, fuel pump body to cylinder block (also in Kit FM-GTB 18373)	ea.	1218	0	609	609
FM-GTB18373	KIT, repair, fuel pump (AC-1538095)	ea.	1624	0	812	812
FM-G8T 9350	PUMP, fuel, assembly (AC-1538219)	ea.	358	0	179	179
FM-G8T 9725	ACCELERATOR, assembly	ea.	98	0	49	49
FM-350710-S7	NUT, hex., 7/16-20 (7/16x 11/16)(special)(accelerator bracket to cylinder head)	ea.	324	0	162	162
FM-G8T 9747	ROD, accelerator to carburetor, assembly	ea.	130	0	65	65
FM-1GA 9737	SPRING, accelerator	ea.	324	0	162	162
FM-G8T 9775	CONTROL, throttle rod, carburetor, assembly	ea.	130	0	65	65
FM-GTB 9288	CONNECTION, fuel pipe to fuel pump, flexible (9 in. long)	ea.	1624	0	812	812
FM-G8T 9259 -A	CONNECTOR, 2 way shut-off valve	ea.	194	0	97	97

1863

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or max.			
FM-GPW 9267-A	CONNECTOR, auxiliary fuel tank,	ea	98	0	49	49
FM-G8T 9289	LINE, fuel filter to fuel pump, assembly (115 in. long, 5/16 in. Tubing) (BY-1629)	ea	82	0	41	41
FM-GTB 9151	NUT, fuel filter tube	ea	162	0	81	81
FM-GTB 9151	NUT, auxiliary fuel tank tube	ea	162	0	81	81
FM-GTB 9151	NUT, fuel tank to 3 way valve tube	ea	130	0	65	65
FM-GTB 9151	NUT, fuel filter to fuel pump tube	ea	130	0	65	65
FM-G8T 9237	TUBE, 3way valve to fuel filter (37 1/4 in. long, 5/16 in. tubing)(BY-1605		82	0	41	41
FM-G8T 9285	VALVE, 2 way shut off	ea	82	0	41	41
FM-G8T 9283	TUBE, under seat fuel tank to 3 way valve, assembly (41 in. long, 5/16 in. tubing)(BY-1628)	ea	82	0	41	41
FM-G8T 18210	GASKET, engine governor to carburetor(use with bolt on type air cleaner		2436	0	1218	1218
FM-G8T 18204	GOVERNOR, engine, assembly (use with bolt on type air cleaner)	ea	146	0	73	73
FM-G8T 18396	KIT, repair, governor (KS-26655)	ea	260	0	130	130

1864

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or max. level.	XXXXX	XXXXX
FM-G8T 18394	KIT, repair, governor internal (KS-26696)	ea	260	0	130	130
FM-G8T 18265	KIT, repair, governor seal and wire	ea	2434	0	1217	1217
FM-GPW 9154	BUSHING, reducing, fuel strainer cover plug (AC-119922)	ea	324	0	162	162
FM-GPW 9267 -A	CONNECTOR, fuel strainer to fuel line	ea	194	0	97	97
FM-GPW 9160	GASKET, bowl, fuel strainer		3900	0	1950	1950
FM-GPW 9184	GASKET, cover cap screw fuel strainer	ea	1624	0	812	812
FM-GPW 9186	GASKET, fuel strainer unit		2434	0	1217	1217
FM-353055-S	PLUG, pipe, 1/4x3/4(covel fuel strainer)	ea	324	0	162	162
FM-GPW 9185	PLUG, drain, fuel strainer (AC-127951)	ea	162	0	81	81
FM-GPW 9183	SCREW, cover cap, fuel strainer (AC-853634)	ea	162	0	81	81
FM-GPW 9182	SPRING, fuel strainer (AC-1504118)	ea	162	0	81	81
FM-G8T 9155-A	STRAINER, fuel, assembly (AC-11595851 or AC-1595843)	ea	98	0	49	49
FM-GPW 9140-A	STRAINER, unit, fuel strainer, assembly (AC-1595823)	ea	146	0	73	73

1865

Declassified E.O. 12356 Section 3.3/NND No. 785021

XXXXX NOMENCLATURE & UNIT	author ized XXXXX or max. level			
FM-GET-5230 MUFFLER & INLET PIPE assy	ea 814	0	407	407
FM-GET-5255 PIPE,muffler outlet	ea 814	0	407	407
FM-GFT-8100 CAP,radiator assembly	ea 980	0	490	490
FM-X 7129B GASKET,cap radiator	ea 1218	0	609	609
FM-2GT-8005 B RADIATOR,assembly	ea 242	0	121	121
FM-1GA-8920 GASKET,thermostat(also available in gasket set FM-2GA-18390-A)	ea 980	0	490	490
FM-1GA-8575 A THERMOSTAT,water	ea 422	0	211	211
FM-2GA-8543 GASKET,water pump housing (also available in Kit FM-2GA 18515-B,Gasket set FM-2GA 18390-A)	ea 486	0	243	243
FM-2GA-8565 HOUSING,water pump	ea 66	0	33	33
FM-2GA-8567 HUB,water pump pulley	ea 130	0	65	65
FM-2GA-18515-B KIT,repair water pump	ea 780	0	390	390
FM-5 12-6053 PLUG,	ea 82	0	41	41
FM-2GA-5809-A PULLEY,water pump and fan	ea 146	0	73	73
FM-2GA-8561 PUMP,water,assembly	ea 130	0	65	65
FM-2GT-8600 D FAN,4 blade,assembly (for extra cooling)	ea 210	0	105	105
FM-GTB-8620 A DRIVE,fan	ea 1950	0	975	975
FM-60-8267 CLAMP,hose,radiator assembly,(1.88 in long)	ea 1706	0	853	853

1866

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		author ized or max. level			
FM-4B-8115	COCK, drain, radiator (1/4 in)	ea	194	0	97	97
FM-2GA-8250	CONNECTION, water outlet	ea	130	0	65	65
FM-1GA-8255B	GASKET, water outlet connection (also available in Gasket Sets FM-2GA 18390-A, FM-1GA-18387	ea	486	0	243	243
FM-1GT-8260	HOSE, radiator, inlet (2.5 in long)	ea	3574	0	1787	1787
FM-2GG-8284	HOSE, radiator, lower elbow	ea	5200	0	2600	2600
FM-2NC-8290	PIPE, radiator, lower (5.80 in. long) 1.50 in I.D.)	ea	162	0	81	81
FM-2GC-8219	PIPE, radiator, inlet (9.10 in. long 1.50 in. I.D.)	ea	162	0	81	81
FM-GPW-10005B	ARMATURE, generator assb (WO-A-10295 (used with generator having bushing) type bearing at commutator end)	ea	390	0	195	195
FM-GPW-10 142	BAND, cover, generator	ea	130	0	65	65
FM-GPW-10094	BEARING, bal. no. 203Y (type H annular, single row, light W/double oil shield 06693, bore, 1.5748 O.D. 0.4724 width) (FB-1203FF) (1 used with generator having bushing type bearing at end, symbols N8-9, F7-8, Z)	ea	1164	0	580	580
FM-GPW-10120	BOLT, generator through	ea	66	0	33	33

1867

Declassified E.O. 12356 Section 3.3/NND No. 785021

		Author			
		Unit	Each	Each	
		Issue	Unit	Unit	
		Unit	Issue	Repair	
FM-GPW 10130	BRACKET, generator(front end) ea.	66	0	33	33
FM-GPW10136	BRACKET, generator assembly (front end) ea.	66	0	33	33
FM-GPW18274	BRUSH SET, generator (also in Kit FM-GPW 18363-B) ea.	260	0	130	130
FM-GPW 10128-B	BUSHING, brush end plate (used with generator having bushing type bearing at commutator end)(WO A1793) ea.	260	0	130	130
FM-GPW 10119-B	COVER, brush end plate, assembly (used with generator having bushing type bearing at commutator end)ea.	162	0	81	81
FM-GPW 18363-B	KIT, repair, generator (used with generators having ball bearing at commutator end) ea.	584	0	292	292
FM-GPW18342	KIT, repair, generator field coil ea.	130	0	65	65
FM-GPW 10141-B	OILER, generator(used with generator having bushing type bearing at commutator end) ea.	260	0	130	130
FM-GPW 10050-B	PLATE, generator brush end, assembly(used with generator having bushing type bearing at commutator end) ea.	130	0	65	65

1868

Declassified E.O. 12356 Section 3.3/NND No. 785021

	XXXXXX NOMENCLATURE & UNIT		Author- XX ized XXXXXX or max. level.			
FM-GTB 10061	PULLEY, generator w/SPACER	ea	130	0	65	65
FM-GPW10035	SPACER, pulley, generator armature	ea	130	0	65	65
FM-GPW10057	SPRING, brush, generator (issue until stock is exhausted, then refer to Kits FM-GPW 18363-B, FM-GPW 18363-D)	ea	130	0	65	65
FM-GTB10145	ARM, adjustment, generator		242	0	121	121
FM-GTB10151	BRACKET, generator	ea	130	0	65	65
FM-GTB18316	KIT, repair, outout unit, assembly	ea	98	0	49	49
FM-GTB18315	KIT, repair, regulating unit, assembly	ea	98	0	49	49
FM-GTB18321	KIT, repair, regulator assembly	ea	98	0	49	49
FM-GTB10505	REGULATOR, generator, assembly	ea	260	0	130	130
FM-GTB 10519-B	REGULATOR, voltage, assembly (also available in Kit FM-GTB 18321)	ea	98	0	49	49
FM-GTB 19519-A	REGULATOR, current, assembly	ea	98	0	49	49
FM-GTB10502	RELAY, cutout, assembly	ea	98	0	49	49
FM-18 11005	ARMATURE, cranking motor assembly	ea	130	0	65	65
FM-18 10142	BAND, cranking motor cover(4 17/32 in.diam.)		98	0	49	49

1864

Declassified E.O. 12356 Section 3.3/NND No. 785021

		NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-18	11057	BRUSH SET,(1 set in carton)	ea	660	0	330	330
FM-18	11085	COIL, field, cranking motor (right)	ea	130	0	65	65
FM-18	11083	COIL,field,cranking motor (left)	ea	130	0	65	65
FM-B	11350	DRIVE,cranking motor	ea	210	0	105	105
FM-18	18376	KIT,repair,cranking motor	ea	390	0	195	195
FM-B	18378	KIT,repair,bendix drive	ea	486	0	243	243
FM-18	11002	MOTOR,cranking,w/o DRIVE,assembly	ea	146	0	73	73
FM-18	11001	MOTOR,cranking,w/DRIVE assembly	ea	146	0	73	73
FM-18	11049	PLATE,end,cranking motor brush,assembly	ea	66	0	33	33
FM-18	11130-A	PLATE,end,cranking motor(rear)	ea	66	0	33	33
FM-B	11377	SCREW,spring,head(3/8-24x.875)	ea	242	0	121	121
FM-B	11371	RING,take-up,cranking motor drive screw shaft sleeve	ea	194	0	97	97
FM-B	11382	SCREW,spring (3/8-24x .688)	ea	242	0	121	121

2163

1870

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.		
FM-B 11059	SPRING, cranking motor brush	ea	568	0	284	284
FM-B 11375	SPRING, cranking motor drive	ea	324	0	162	162
FM-GP 11450	SWITCH, cranking motor relay, assembly	ea	162	0	81	81
FM-GTB12259	ARM, timing, distributor	ea	66	0	33	33
FM-GTB12130	BASE, distributor, assembly	ea	66	0	33	33
FM-GTB12210	CAM, distributor	ea	66	0	33	33
FM-GTB12105	CAP, distributor, assembly	ea	1264	0	632	632
FM-GPW12184	CLAMP, distributor cap	ea	260	0	130	130
FM-GPW12217	CLIP, distributor breaker arm spring	ea	98	0	49	49
FM-GTB12174	COVER, distributor terminal slot	ea	98	0	49	49
FM-GTB12100	DISTRIBUTOR, assembly	ea	194	0	97	97
FM-350830-S7	NUT, rd-hd., N°8-32 (special) (distributor terminal)	ea	486	0	243	243
FM-GTB12266	FELT, oiler, distributor	ea	66	0	33	33
FM-GTB12195	GEAR, drive, distributor	ea	66	0	33	33
FM-GTB12135	OILER, distributor base	ea	242	0	121	121

1871

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-GPW12151	PLATE, breaker, distributor, w/SPRING BRACKET, assembly	ea	66	0	33	33
FM-GPW 18354	POINT SET, breaker, distributor	ea	2616	0	1308	1308
FM-GTB 12145	RIVET, distributor cap clamp	ea	260	0	130	130
FM-GTB12200	ROTOR, distributor, assembly	ea	130	0	65	65
FM-9N 12113-A	SEAL, weather, distributor wire	ea	2434	0	1247	1247
FM-GTB12175	SHAFT, distributor, w/WEIGHT PLATE, assembly	ea	66	0	33	33
FM-GPW12177	SPRING, retaining, distributor sleeve	ea	406	0	203	203
FM-GTB12264	SPRING, anti-rattle, distributor cam	ea	66	0	33	33
FM-GTB12297	SPRING SET, distributor	ea	130	0	65	65
FM-GPW12182	WASHER, thrust, distributor shaft, upper	ea	162	0	81	81
FM-356399-S	WASHER, thrust, distributor shaft, lower	ea	162	0	81	81
FM-GPW12133	WICK, distributor cam sleeve felt	ea	98	0	49	49
FM-GPW12300	CONDENSER, assembly	ea	1462	0	731	731

2 61

1872

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.		
FM-GPW12000	COIL,ignition,assembly	ea 660	0	330	330
FM-350830 -S7	NUT,round,N.8-32 (special)	ea 486	0	243	243
FM-G8T 14302	WIRING,coil to distributor,low tension	ea 162	0	81	81
FM-GTB18364	WIRING SET,spark plug and ignition coil	ea 894	0	447	447
FM-52 12410	GASKET,spark plug (for 14 MM spark plug	ea 974	0	487	487
FM-01T 12405	SPARK PLUG, assembly	ea 10742	0	5371	5371
FM-GPW 3686-B	SWITCH, keyless ignition (instrument panel type)	ea 228	0	114	114
FM-GPW 10850-B	AMMETER	ea 292	0	146	146
FM-GPW 9280	GAUGE,fuel,dash unit	ea 292	0	146	146
FM-GPW 9273	GAUGE,oil pressure, dash unit	ea 292	0	146	148
FM-G8T 10883	INDICATOR,temperature, assembly	ea 292	0	146	146
FM-G8T 11661	HANDLE,rotary blackout switch	ea 130	0	65	65

1873

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Authorized or max. level.				
FM-81A 13532	SWITCH, foot dimmer, headdlight	ea	292	0	146	146
FM-G8T 9308	SWITCH, fuel tank selector	ea	66	0	33	33
FM-GPW 13740	SWITCH,instrument panel light	ea	162	0	81	81
FM-11AS 11500	SWITCH,push button, cranking motor, instrument panel	ea	228	0	114	114
FM-11A 13480	SWITCH, stop light, assembly	ea	146	0	73	73
FM-G8T 14300-B	CABLE,battery to solenoid positive(15½in.long.)	ea	162	0	81	81
FM-81A 14487	CONNECTOR,ammeter,to voltage regulator wire		162	0	81	81
FM-B 14487	CONNECTOR	ea	390	0	195	195
FM-GPW 14487-A	CONNECTOR,foot switch to headlight and horn wire assembly	ea	162	0	81	81
FM-GPW 14487-B	CONNECTOR,foot switch to headlight and horn wire assembly	ea	162	0	81	81
FM-21A 18361	KIT, wiring	ea	98	0	49	49

2159

1874

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-G8T14301	STRAP, battery to ground ea	242	0	121	121
FM-G8T 11653	SWITCH, foot lighting, w/WIRING assembly ea	130	0	65	65
FM-G8T 14305	WIRE, generator, assembly	162	0	81	81
FM-G8T 14401-C	WIRING, and SWITCH, cowel, assembly ea	324	0	162	162
FM-G8T 14405-A	WIRING, rear lamp ea	82	0	41	41
FM-GPW 12250-A	CIRCUIT BREAKER, (5 amp.) ea	130	0	65	65
FM-GPW 12250-B	CIRCUIT BREAKER, (15 amp.) ea	130	0	65	65
FM-GPW 12250-C	CIRCUIT BREAKER, (30 amp.) ea	130	0	65	65
FM-11A 13044-A	GASKET, headlight to fender ea	260	0	130	2159 130
FM-G8T 13004	LIGHT, head, w/o RIM, assembly ea	82	0	41	41
FM-355768-S2A	NUT, speed (special) ea	1300	0	650	650

1873

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-G8T 13045	RIM,headlight	ea 1300	0	650	650
FM-G8T 13018	RING,retaining headlight lamp	ea 130	0	65	65
FM-11A 13032	SCREW,adjusting, 1/4-28	ea 130	0	65	65
FM-11A 13076	SOCKET,headlight, w/WIRING	ea 130	0	65	65
FM-11A 13031	SPRING,headlight reflector ball ring	ea 194	0	97	97
FM-GPW 13152	LAMP-UNIT, sealed beam, blackout driving, w/ SHIELD and HOOD assembly	ea 814	0	407	407
FM-C9A 13007	LAMP-UNIT,sealed beam, headlight	ea 2274	0	1137	1137
FM-GP 13494-A	LAMP-UNIT,sealed beam, service, upper, assembly	ea 698	0	349	349
FM-GP 13491-A	LAMP-UNIT, sealed beam, service and stop light, lower,assembly	ea 1414	0	707	2057
FM-GP 13485-A	LAMP-UNIT,sealed beam, stop light, upper, assembly	ea 698	0	349	349

1876

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-B13466	LAMP,elec.incand.,minbay, 6 valv.,single tung. fil.3 cp.MZ-63	ea	1300	0	650	650
FM-48 15021	LAMP, elec., incand., minbay, 6-8 v.,single tung. fil.1 cp., MZ-51	ea	828	0	414	414
FM-48 15021	LAMP, elec.	ea	828	0	414	414
FM-G8T 13150	LIGHT,blackout driving	ea	324	0	162	162
FM-G8T 13200	LIGHT,blackout marker, assembly	ea	146	0	73	73
FM-GP 13405-B	LIGHT,blackout tail & service,assembly	ea	228	0	114	114
FM-G8T 18382	KIT, repair, horn button	ea	146	0	73	73
FM-01A 10658	BATTERY,assembly,charged, w/o electrolyte (10.56 long. 7.31 wide, 9.25 high)	ea	1662	0	831	831
FM-G8T 18276	ELECTROLYTE,	ea	1788	0	894	894
FM-01A 10720	PLUG,battery,filler	ea	1624	0	812	812
FM-11A 5175-B	BOLT,battery clamp	ea	260	0	130	130
FM-11A 5165	CLAMP,battery	ea	130	0	65	65

2156

1877

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-G8T 5165	CLAMP, battery, assembly	ea 130	0	65	65
FM-78 700045-A	WASHER, battery, clamp bolt	ea 488	0	244	244
FM-356385 -S7	WASHER, cup, .42x1.31	ea 488	0	244	244
FM-G8T 14431	CABLE, relay to cranking motor assembly	ea 98	0	49	49
FM-01T18356	GASKET SET, transmission	ea 682	0	341	341
FM-G8T7008	TRANSMISSION, includes gear shift housing & hand brake, assembly	ea 130	0	65	65
FM-1GT 7005-B	CASE, transmission	ea 66	0	33	33
FM-353051	PLUG, pipe, extended-hd., S.3/4x15/16 (special) (filler)	ea 650	0	325	325
FM-353051-S	PLUG, pipe, extended-hd. S.3/4x15/16 (special) (drain)	ea 650	0	325	325
FM-BB 7043	BEFLE, oil, transmission main drive gear bearing	ea 194	0	97	97

2155

1878

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author-ized or max. level.			
FM-BB 7025	BEARING, ball, N°209 ea	194	0	97	97
FM-BB 7065	BEARING, ball N°307 ea	194	0	97	97
FM-BB 7017 -A	GEAR, transmission main drive ea	260	0	130	130
FM-51 7050	RETAINER, bearing, transmission main drive gear ea	66	0	33	33
FM-BB 7045	SNAP RING, transmission main drive gear bearing	130	0	65	65
FM-BB 7030	SNAP RING, transmission main drive gear bearing retainer . ea	130	0	65	65
FM-BB 7080	BAFFLE, oil, transmission main shaft bearing ea	194	0	97	97
FM-BB 7120	BEARING, roller, annular, wide, transmission main shaft pilot ea	194	0	97	97
FM-355553-S	BOLT, hex-hd., dld. f/1 Kg-wire, 3/8-16x2 1/4 (special) ea	162	0	81	81
FM-01T 7085	RETAINER, bearing, transmission main shaft, rear ea	66	0	33	33
FM-01T 7061 -A	SHAFT, transmission main	260	0	130	130
FM-BB 7070	SNAP RING, transmission main shaft bearing retainer ea	130	0	65	65

2154

1879

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-BB 7063	SPACER, transmission main shaft pilot bearing ea	130	0	65	65
FM-BB 7062	WASHER, transmission main shaft bearing ea	194	0	97	97
FM-BB 7113 -A	GEAR, cluster, transmission countershaft, assembly ea	260	0	130	130
FM-BB 7101	GEAR, sliding, transmission high and third ea	194	0	97	97
FM-BB 7100	GEAR, sliding, transmission low and second ea	130	0	65	65
FM-BB 7141	GEAR, reverse idler, transmission ea	130	0	65	65
FM-BB 7118 -A	BEARING, roller, annular wide, transmission countershaft cluster gear ea	290	0	195	195
FM-51 7111	COUNTERSHAFT, transmission ea	66	0	33	33
FM-BB 7155	RETAINER, transmission countershaft and reverse idler shaft ea	66	0	33	33
FM-BB 7115 -A	SPACER, bearing, transmission countershaft cluster gear ea	66	0	33	33
FM-BB 7140	SHAFT; transmission reverse idler ea	66	0	33	33
FM-01T 17269	BEARING, speedometer driven gear ea	66	0	33	33

2153

1880

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-01T 17285-A	GEAR, speedometer, drive	ea	66	0	33	33
FM-01T 17271-B	GEAR, speedometer, driven	ea	66	0	33	33
FM-01T 17288	SPACER, speedometer gear	ea	66	0	33	33
FM-350549-S	BOLT, hex-hd, 3/8-16x2 7/8 (special)	ea	162	0	81	81
FM-GTB 7220	CAP, housing, transmission gear shift	ea	66	0	33	33
FM-G8T 7222	HOUSING, gear shift, transmission	ea	66	0	33	33
FM-BB 7213-B	BALL, gear shift lever	ea	130	0	65	65
FM-G8T 7210	LEVER, gear shift transmission	ea	66	0	33	33
FM-B 7221	PIN, gear shift lever	ea	66	0	33	33
FM-B 7227	SPRING, gear shift lever	ea	66	0	33	33
FM-353075-S	BALL, steel, 3/8 mesh lock	ea	324	0	162	162
FM-GTB 7232	GATE, gear shifter, reverse shift	ea	66	0	33	33
FM-BB 7233	INTERLOCK, shaft	ea	194	0	97	97
FM-GTB 7247	PLUNGER, transmission reverse gate	ea	98	0	49	49
FM-BB 7240	SHAFT, shifter, low & second gear	ea	66	0	33	33

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-BB 7242	SHAFT, reverse, gear shifter	ea	130	0	65	65
FM-BB 7244	SHAFT, reverse fork	ea	66	0	33	33
FM-BB 7246	SHAFT, shifter, third & high gear	ea	66	0	33	33
FM-BB 7234	SPRING, transmission gear shifter shaft lock mesh	ea	260	0	130	130
FM-79 7234	SPRING, shifter shaft mesh lock	ea	194	0	97	97
FM-GTB 7245	SPRING, transmission, reverse plunger	ea	162	0	81	81
FM-BB 7231	FORK, shifter, first & second gear	ea	66	0	33	33
FM-BB 7243	FORK, shifter, reverse gear	ea	130	0	65	65
FM-BB 7230	FORK, shifter, third & high gear	ea	66	0	33	33
FM-BB 7245	SCREW, lock, transmission gear shift fork	ea	390	0	195	195
FM-01T 4865	FLANGE, coupling shaft	ea	66	0	33	33
FM-01T 4851	FLANGE, universal joint spline	ea	66	0	33	33
FM-G8T 4817	SHAFT, coupling, w/UNIVERSAL JOINT & YOKE, assembly	ea	98	0	49	49
FM-G8T 4602	SHAFT, drive, w/KNUCKLE & SPIDER, assembly	ea	66	0	33	33

2151

1882

Declassified E.O. 12356 Section 3.3/NND No. 785021

		NOMENCLATURE & UNIT		Authorized or max. level.			
FM-01T	4866	YOKE, coupling shaft flange, center	ea	66	0	33	33
FM-01T	4805	BAFFLE, coupling shaft bearing	ea	66	0	33	33
FM-01T	4812	BEARING, ball, N.207	ea	82	0	41	41
FM-01T	4813-A	RETAINER, grease, coupling shaft, front	ea	1040	0	520	520
FM-01T	4832	SHIELD, dust, coupling shaft bearing, front assembly	ea	162	0	81	81
FM-01T	4833	SHIELD, dust, coupling shaft bearing, rear, assembly	ea	162	0	81	81
FM-01T	4825	SLEEVE, coupling shaft support, center	ea	66	0	33	33
FM-350609-S		BOLT, sq-hd. 7/16-20x1.62		814	0	407	407
FM-01T	4529	BOLT, "U", universal joint	ea	520	0	260	260
FM-01T	7077	CAP, dust, universal joint, knuckle	ea	194	0	97	97
FM-01T	7089	FLANGE, universal joint, motor end	ea	66	0	33	33
FM-01T	18397	KIT, repair, universal joint	ea	536	0	268	268
FM-01T	4841-A	KNUCKLE, universal joint w/PLUG, assembly	ea	130	0	65	65

215

1883

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author Ized or max level.			
FM-01T 7097	SEAL, dust cap, universal joint knuckle	ea.	194	0	97	97
FM-01T 7075	VALVE, relief, universal joint spider	ea.	194	0	97	97
FM-351566-S	WASHER, split, 1 9/32 (1/32x1 11/16) (special)	ea.	162	0	81	81
M-01T 3010	AXLE, front	ea.	66	0	33	33
M-81W 3020-A	BUMPER, front axle	ea.	130	0	65	65
M-01T 3130	ARM, spindle, right	ea.	66	0	33	33
M-01T 3131	ARM, steering spindle, left	ea.	66	0	33	33
M-355514-S	BOLT, hex-hd. 3/8-24 x 1.90 (special)	ea.	162	0	81	81
M-353035-AS7	FITTING, lubricating, elbow, 45° male, 1/4-28 x x1, cd.	ea.	1624	0	812	812
M-81T 3111	KIT, repair, spindle bolt and bushing	ea.	584	0	292	292
M-351164-S	NUT, castle (1in.-14, 7/16 x 29/32) (Special)	ea.	162	0	81	81
M-351152-S	NUT, castle (7/8-14, 13/64x x1 1/4) (special)	ea.	324	0	162	162
M-81T 3288	RETAINER, spindle bolt (felt)	ea.	194	0	97	97

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or Max. level.			
FM-91T 3105	SPINDLE, w/o arm	ea	98	0	49	49
FM-81W 3284	STUD, ball, spindle arm	ea	194	0	97	97
FM-81T 3125	WASHER, dust, spindle, bolt	ea	194	0	97	97
FM-GTB 4001	AXLE, rear, assembly	ea	130	0	65	65
FM-01T 18366	GASKET SET, rear axle	ea	488	0	244	244
FM-350516-S	BOLT, hex-hd, 7/16-20 x 1 3/4 (special)	ea	814	0	407	407
FM-GTB 4010-A	HOUSING, rear axle, assembly, righ	ea	66	0	33	33
FM-GTB 4011-A	HOUSING, rear axle, assembly, left	ea	48	0	24	24
FM-353051 -S	PLUG, pipe, extended-hd, S., 3/4x15/16 (drain)	ea	650	0	325	325
FM-353051 -S	PLUG, pipe, extended-hd., S, 3/4x15/16(filler)	ea	650	0	325	325
FM-GTB 3034-A	RETAINER, greass, rear axle shaft, inner	ea	814	0	407	407
FM-BB 1144-A	GASKET, rear axle shaft	ea	3526	0	1763	1763

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or max. level.			
FM-01T 1109	SCREW, rear axle shaft pull	ea	292	0	146	146
FM-GTB 4235	SHAFT, rear axle	ea	292	0	146	146
FM-BB 4221-B	CONE w/ROLLER, bearing taper	ea	520	0	260	260
FM-BB 4222	CUP, bearing taper (4.4375 O.D.x.9257 width) differential and rear wheel	ea	226	0	113	113
FM-01T 4243	KEY, driving pinion (2 in.long)	ea	406	0	203	203
FM-01T 18389	KIT, repair, differential spider and pinion	ea	194	0	97	97
FM-BB 4252-B	NUT, rear wheel bearing	ea	390	0	195	195
FM-BB 4255	NUT, rear wheel bearing and locking pin	ea	390	0	195	195
FM-GP 4022	PLUG, vent, rear axle differential cover	ea	194	0	97	97
FM-BB 4216-C	SCREW, 1/2-13x3	ea	390	0	195	195
FM-79 4228	WASHER, throust, differential rear axle gear	ea	324	0	162	162
FM-79 4230	WASHER, throust, differential pinion gear	ea	650	0	325	325
FM-BB4625-B	BEARING, roller	ea	324	0	162	162

1861

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized or Max. level.			
FM-BB 4194-B	BLOCK, thrust, driving gear	ea	194	0	97	97
FM-BB 4621-B	CONE w/ROLLER, bearing, taper, driving pinion	ea	486	0	243	243
FM-BB 4616-B	CUP, bearing, taper driving pinion	ea	324	0	162	162
FM-01T 4203-A	GEAR, driving, w/PINION and DIFFERENTIAL GEAR CASE	ea	130	0	65	65
FM-BB 4662	GASKET, driving, pinion bearing sleeve	ea	324	0	162	162
FM-B 4634	NUT, lock, driving pinion bearing	ea	260	0	130	130
FM-BB 4189	PIN, driving, gear thrust block	ea	194	0	97	97
FM-BB 4626-C	RACE, inner, driving pinion pilot bearing	ea	324	0	162	162
FM-BB 4629	RETAINER, driving pinion pilot bearing	ea	324	0	162	162
FM-01T 4676-A	RETAINER, grease, driving pinion	ea	390	0	195	195
FM-BB 4627	RING, locking, driving pinion pilot bearing	ea	324	0	162	162

2116

1887

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-BB 4614-B	SLEEVE, driving pinion bearing pin and cups	ea	66	0	33	33
FM-01T 4674	SUPPORT, driving pinion grease retainer	ea	130	0	65	65
FM-B 4636-A	WASHER, lock, driving pinion bearing nut	ea	520	0	260	260
FM-BB 4657	WASHER, thrust, driving pinion bearing	ea	244	0	122	122
FM-01T 2648	BAND, hand brake, w/ LINING	ea	130	0	65	65
FM-51 2799	BOLT, hand brake sector to shifter housing, 3/8--16x1.38(special)	ea	390	0	195	195
FM-01T 2645	BRACKET, hand brake adjuster screw	ea	130	0	65	65
FM-01T 2632	CAM, hand brake band	ea	130	0	65	65
FM-01T 2614-B	DRUM, hand brake	ea	98	0	49	49
FM-01T 2780-B	LEVER, hand brake, assembly	ea	98	0	49	49
FM-01T 2630	LINK, hand brake to transmission	ea	98	0	49	49
FM-01T 2805	NUT, hand brake adjuster rod	ea	260	0	130	130
FM-51 2786	PAWL, hand brake lever	ea	260	0	130	130
FM-01T 2642	ROD, hand brake band adjusting	ea	194	0	97	97

2145

1888

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-01T 2853-B	ROD, hand brake	ea	130	0	65	65
FM-BB 2785	ROD, hand brake lever pawl	ea	130	0	65	65
FM-01T 2616	SCREW, adjusting, hand brake band anchor slip	ea	390	0	195	195
FM-01T 2795	SECTOR, hand brake lever		130	0	65	65
FM-351424 -S7	WASHER, plain, 3/8(1/32x 11/16)(special)	ea	324	0	162	162
FM-B 2793	SPRING, hand brake lever pawl rod	ea	130	0	65	65
FM-01T 2634	SPRING, hand brake release	ea	228	0	114	114
FM-01T 2640	SPRING, hand brake band support	ea	390	0	195	195
FM-01T2837	STUD, hand brake link	ea	130	0	65	65
FM-01T 18377	LINING SET, hand brake	ea.	520	0	260	260
FM-92Y 18367	LINING SET, front brake	ea	1624	0	812	812
FM-91T 18367	LINING SET, rear brake	ea	1624	0	812	812
FM-92Y 2018-A	SHOE, front brake, w/LINING (forward)	ea	292	0	146	146

1889

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author ized or max. level.				
FM-92Y 2019-A	SHOE, front brake, w/LINING (Reverse)	ea	194	0	97	97
FM-91T 2018-A	SHOE, rear brake, w/LINING (forward)	ea	292	0	146	146
FM-91T 2019-A	SHOE, rear brake, w/LINING (reverse)	ea	194	0	97	97
FM-92Y 2240-A	BAFFLE, grease, front brake	ea	66	0	33	33
FM-BD 2240-B	BAFFLE, grease rear brake	ea	66	0	33	33
FM-61 2216	BOLT, rear brake housing plate 7/16-20x1.10	ea	814	0	407	407
FM-91T 2013-B	PLATE, front brake	ea	66	0	33	33
FM-01T 2213-B	PLATE, rear brake housing, right	ea	66	0	33	33
FM-01T 2214-B	PLATE, rear brake housing left	ea	66	0	33	33
FM-92Y 2125	SPRING, brake shoe retainer	ea	2600	0	1300	1300 2143
FM-92Y 2035	SPRING, brake shoe return	ea	2730	0	1365	1365
FM-92Y 2041	CAM, brake shoe adjusting	ea	814	0	407	407

1890

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT	NOMENCLATURE & UNIT	Authorized or max. level.					DUE IN
FM-91T 2028-B	CAM, brake shoe anchor pin(rear)(round hole 3/4 I.D.)	ea	456	0	228	228	
FM-92Y 2028-B	CAM, brake shoe anchor pin(front)(round hole 3/4 I.D.)	ea	456	0	228	228	
FM-92Y 2027-B	PIN, Brake shoe anchor (irregular head, round shoulder)(over-all length 2 19/64 in.)	ea	292	0	146	146	
FM-91T 2030-B	PLATE, brake, anchor pin (.89 diam. holes)	ea	260	0	130	130	
FM-92Y 2049	SPRING, brake adjusting cam	ea	814	0	407	407	
FM-92Y 2093	WASHER, brake adjusting cam stud	ea	814	0	407	407	
FM-B 7526-A	BUSHING, pedal	ea	178	0	89	89	
FM-352554-S	PIN, fl-hd, 1/4x1.46 (special)	ea	324	0	162	162	
FM-91T 2489	PIN, clevis, brake pedal	ea	260	0	130	130	9162
FM-91T 2472-B	SPRING, retracting, brake pedal	ea	682	0	341	341	
FM-91A 2077	BOLT, brake, master cylinder outlet fitting(over-all length 1.41)	ea	194	0	97	97	
FM-91T 2180-A	BOLT, brake master cylinder	ea	194	0	97	97	

1891

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT ~~XXXXXX~~ Authorized ~~XXX~~ ~~XXXXX~~ DUE IN						
				or max. level.		
FM-91A 2162-A	CAP, filler, brake master cylinder, assembly	ea	130	0	65	65
FM-GBT 2080	CONNECTOR, master cylinder to hydrovac	ea	194	0	97	97
FM-91T 2140	CYLINDER, master brake	ea	194	0	97	97
FM-GTB 2076-A	FITTING, brake master cylinder, outlet	ea	194	0	97	97
FM-91A 2167	GASKET, brake master cylinder filler cap	ea	324	0	162	162
FM-91A 2151	GASKET, brake master cylinder outlet(large)	ea	1300	0	650	650
FM-91A 2152	GASKET, brake master cylinder outlet (small)	ea	1300	0	650	650
FM-91T 16370-C	KIT, repair, brake master cylinder	ea	780	0	390	390
FM-91T 2143-A	LINK, brake master cylinder	ea	130	0	65	65
FM-91T 2145	SPRING, master cylinder return, w/RETAINER	ea	130	0	65	65
FM-91T 2276	BOLT, rear wheel brake cylinder connection (overall lenght 1.36)	ea	194	0	97	97
FM-91T 2277	CONNECTION, inlet, rear wheel brake cylinder	ea	194	0	97	97
FM-92Y 2261	CYLINDER, front wheel brake assembly	ea	276	0	138	138

2141

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Authorized or max. level.	DUE IN		
FM-91T 2261	CYLINDER, rear wheel brake, assembly	ea 276	0	138	138
FM-91T 2145	GASKET, front brake cylinder inlet	ea 3656	0	1828	1828
FM-91A 2152	GASKET, rear brake cylinder inlet connection	ea 2274	0	1137	1137
FM-91T 18371	KIT, repair, front wheel brake cylinder	ea 1624	0	812	812
FM-91T 18372	KIT, repair, rear wheel brake cylinder	ea 1624	0	812	812
FM-92Y 2196	PISTON, front wheel brake cylinder, assembly (1 3/8 in. diam.)	ea 390	0	195	195
FM-91T 2196	PISTON, rear wheel brake cylinder, assembly (1⅜ in. diam.)	ea 390	0	195	195
FM-91T 2208	SCREW, bleeder, wheel brake cylinder (overall lenght 1.06)	ea 536	0	268	268
FM-92Y 2204	SPRING, front wheel brake cylinder piston return	ea 536	0	268	268
FM-91T 2204	SPRING, rear wheel brake cylinder piston return	ea 536	0	268	268
FM-91A 2133	NUT, brake pipe, used with FM-91A 2269 pipe brake	ea 1560	0	780	780

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Author-ized or max. level.			
FM-91A 2269	PIPE, brake(25 foot roll)	ea	98	0	49	49
FM-91T 2082	BRAKET, brake hose front	ea	66	0	33	33
FM-91T 2073-B	BRAKET, brake hose rear	ea	66	0	33	33
FM-21 TS 2079-A	HOSE, brake, front assembly(15.72 long)	ea	390	0	195	195
FM-21 TS 2078-A	HOSE, brake, rear assembly(18.34 long)	ea	390	0	195	195
FM-35 6072 -87	NUT, hex., 5/16-18(32x.61) (special)	ea	244	0	122	122
FM-91T 2080-A	CONNECTION, front brake cylinder, inlet	ea	162	0	81	81
FM-GTB 2074	CONNECTION, rear brake line	ea	66	0	33	33
FM-91A 2149	GASKET, front brake line CONNECTION	ea	3250	0	1625	1625
FM-G8T 2321	BODY, valve, hydrovac relay adapter, assembly	ea	66	0	33	33
FM-GTB 2099	BOLT, hydrovac outlet	ea	194	0	97	97
FM-GTB 2057	CLEANER, hydrovac air, assembly	ea	66	0	33	33
FM-G8T 2425	CYLINDER, hydrovac slave, assembly	ea	66	0	33	33

1894

Declassified E.O. 12356 Section 3.3/NND No. 785021

~~XXXXX~~ NOMENCLATURE & UNIT			Author-ized ~~XXX~~ or max. level.	~~XXXXX~~	LVE IV
FM-G8T 2311	ELBOW, hydrovac vacuum tube, inverted, flared	ea 162	0	81	81
FM-G8T 2400	FITTING, hydrovac relay valve	ea 130	0	65	65
FM-91A 2076	FITTING, hydrovac outlet	ea 194	0	97	97
FM-91A 2151	GASKET, hydrovac outlet	ea 974	0	487	487
FM-91A 2152	GASKET, hydrovac relay valve (inlet)	ea 650	0	325	325
FM-91A 2152	GASKET, hydrovac relay valve (outlet)	ea 650	0	325	325
FM-G8T 2005	HYDROVAC, (single piston)	ea 162	0	81	81
FM-G8T 18344	KIT, repair, hydrovac cavuum cylinder	ea 390	0	195	195
FM-G8T 2309	NUT, hydrovac vacuum control tube, assembly	ea 324	0	162	162
FM-G8T 2331	NUT, hydrovac vacuum cylinder piston rod stop	ea 162	0	81	81
FM-G8T 2360	PISTON, w/CUP, assembly	130	0	65	65
FM-GTB 2378	PISTON, hydrovac vacuum cylinder, rear	ea 66	0	33	33
FM-GTB 2368	PISTON, w/VALVE, hydrovac assembly	ea 130	0	65	65
FM-G8T 2319	PLATE, end, hydrovac cylinder	ea 66	0	33	33

1895

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT			Authorized or max. level.			
FM-GTB 2409	PLATE, hydrovac piston, front	ea	130	0	65	65
FM-G8T 2412	PLATE, reinforcing, hydrovac cylinder	ea	66	0	33	33
FM-G8T 2332	PLUG, hydrovac vacuum cylinder push rod	ea	162	0	81	81
FM-G8T 2369	PLUG, hydrovac slave-cylinder	ea	162	0	81	81
FM-GTB 2405	RETAINER, hydrovac piston felt	ea	130	0	65	65
FM-G8T 2423	RETAINER, hydrovac amleeve mylinder spring	ea	66	0	33	33
FM-G8T 3272	ROD, piston, hydrovac vacuum cylinder	ea	130	0	65	65
FM-G8T 2426	ROD, hydrovac slave cylinder, w/WASHER	ea	66	0	33	33
FM-GTB 2348	SCREW, hydrovac cylinder bleeder, assembly	ea	486	0	243	243
FM-GTB 2418	SCREW, hydrovac cylinder bleeder	ea	486	0	243	243
FM-GTB 2428	SCREW, adjusting, hydrovac cylinder bleeder screw	ea	486	0	243	243
FM-G8T 2303	SPRING, hydrovac relay valve poppet	ea	194	0	97	97
FM-G8T 2347	SPRING, hydrovac slave cylinder guide	ea	162	0	81	81

1896

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author-ized or max. level.			DUE IN	
FM-G8T 2370	SPRING,hydrovac piston return	ea	162	0	81	81
FM-G8T 2371	SPRING,hydrovac vacuum cylinder piston	ea	162	0	81	81
FM-G8T 2383	SPRING,hydrovac relay valce seat	ea	130	0	65	65
FM-G8T 2363	TUBE,hydrovac vacuum control,assembly	ea	130	0	65	65
FM-G8T 2089	VALVE,hydrovac,vacuum check assembly	ea	260	0	130	130
FM-G8T 2317	WASHER,hydrovac vacuum cylinder push rod	ea	244	0	122	122
FM-G8T 2393	WASHER,hydrovac relay valve piston stop	ea	130	0	65	65
FM-GPW 6772-B	CLAMP,hydrovac air cleaner air cleaner hose	ea	814	0	407	407
FM-GPW 6772-B	CLAMP,air cleaner hose to air cleaner tube	ea	814	0	407	407
FM-GTB 2337	ELBOW,90°,⅜in.hose to 3/8in.pipe(intake manifold connection)	ea	98	0	49	49
FM-GTB 2337	ELBOW,90°,⅜in.hose to 3/8in.pipe(vacuum check valve connection)	ea	98	0	49	49
FM-G8T 2373	ELBOW,hydrovac vacuum connection ⅜ in.	ea	82	0	41	41
FM-G8T 2420	ELBOW,hose connection 3/4in.	ea	82	0	41	41

1897

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized or max. level.				
FM-G8T 2340	HOSE, hydrovac vacuum tube (3 in. long, ¼ in. I.D.)	ea	162	0	81	81
FM-G8T 2341-B	HOSE, hydrovac cylinder to tube (18 in. long)	ea	98	0	49	49
FM-G8T 2343	HOSE, vacuum check valve to manifold (11 in. long)	ea	98	0	49	49
FM-G8T 2351	HOSE, hydrovac tube to air cleaner (6½ in. long)	ea	162	0	81	81
FM-GTB 2338-A	NIPPLE, ¼ in. hose to 3/8 in. pipe, vacuum check valve	ea	98	0	49	49
FM-91A 2133	NUT, brake pipe	ea	194	0	97	97
FM-GTB 9151	NUT, master cylinder to hydrovac tube	ea	324	0	162	162
FM-G8T 2265	PIPE, hydrovac to rear brake tee connector (69 7/8 in. long, 1/4 in. tubing)	ea	32	0	16	16
FM-G8T 2058	TUBE, hydrovac to hydrovac check valve, assembly (101 5/8 in. long, ¼ in. tubing)	ea	32	0	16	16
FM-91T 2462	ROD, pedal to master brake cylinder	ea	66	0	33	33
FM-51 1099-D	FLANGE, rim, 20x7	ea	98	0	49	49

2135

1898

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	AUTH'D. DEPT. OF INIT.	XXXXX	DUE IN/ TRANS.	
FM-68 4221	CONE, w/ROLLER, bearing taper, 1.6875 I.D.x1.002 width ea.	342	0	171	171
FM-BB 4221-B	CONE, w/ROLLER, bearing taper, 2.625 I.D.x1.1925 width (rear wheel inner)	342	0	171	171
FM-91T 1215	CONE, w/ROLLER, bearing taper, 1.0625 I.D.x8275 width (front wheel outer) ea.	342	0	171	171
FM-BB 1240-A	CONE, w/ROLLER, bearing, taper, 2.250 I.D.x1.198 width (rear wheel, outer)	348	0	171	171
FM-68 4222	CUP, bearing, taper, 3.270 O.D.x.75 width (front wheel, inner) ea.	292	0	146	146
FM-BB 4222	CUP, bearing, taper, 4.4375 O.D.x.9257 width (rear wheel inner) ea.	292	0	146	146
FM-B 1202	CUP, bearing, taper, 2.500 O.D.x.635 width (front) wheel outer) ea.	292	0	146	146
FM-BB 1239-A	CUP, bearing, taper, 4.125 O.D.x980 width (rear wheel outer ea.	292	0	146	146
FM-91T 1124	WASHER, lock, rear wheel bearing nut ea.	336	0	168	168
FM-91T 1190	RETAINER, grease, front wheel ea.	2274	0	1137	1137

2134

1899

Declassified E.O. 12356 Section 3.3/NND No. 785021

		NOMENCLATURE & UNIT	Author Prod xxxxx or max. level.	DUE IN	
FM-BB	1175-	RETAINER, grease, rear wheel ea.	2436	0	1218	1218
FM-BE -C	1180	SNAP RING, rear wheel grease retainer ea.	390	0	195	195
FM-BB	1195	WHASHER, front hub grease retainer ea.	390	0	195	195
FM-BB A	1142-	ADAPTER, hub stud ea.	3250	0	1625	1625
FM-91TF 1139		CAP, front hub grease ea.	98	0	49	49
FM-GBT	1102	HUB, w/BRAKE DRUM, front right, assembly ea.	98	0	49	49
FM-GBT	1103	HUB, w/BRAKE DRUM, front left, assembly ea.	98	0	49	49
FM-GTB	1113	HUB, w/BRAKE DRUM, rear right, assembly ea.	98	0	49	49
FM-351025- 38		NUT, hex., 7/16-20 (11/16x7/16)(Special) ea.	3250	0	1625	1625
FM-353052- 35		PLUG, pipe, slotted, copper 1/8x3/8 (special) ea.	244	0	122	122
FM-352728- 318		STUD, screw, 7/16 (20x.63 and 14x.50)x1 25/32 (special) ea.	2436	0	1218	1218
FM-GTB	1107	BOLT, 2 1/24n.long, hub front, right ea.	720	0	360	360
FM-GTB	1108	BOLT, 2½ in.LONG, hub, front left ea.	720	0	360	360
FM-GTB	1118	BOLT, rear, hub, right ea.	584	0	292	292

2133

1900

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author Prod or max. level.		GIVE IN	
FM-GTB 1119	BOLT, rear, hub, left	ea. 584	0	292	292
FM-GTB 1132	NUT, disc wheel, inner, right rear	ea. 650	0	325	325
FM-GTB 1133	NUT, disc wheel, inner, left rear	ea. 650	0	325	325
FM-GTB 1134	NUT, disc wheel, outer right rear	ea. 650	0	325	325
FM-GTB 1133	NUT, disc wheel, outer left rear	ea. 650	0	325	325
FM-GTBS 1120-B	NUT, front wheel, right hand thread	ea. 1056	0	528	528
FM-GTBS 1121-B	NUT, front wheel, left hand thread	Ea. 1056	0	528	528
FM-01T 18383	KIT, repair, drag link	ea. 260	0	130	130
FM-01T 3305-B	TUBE, drag link	ea. 324	0	162	162
FM-01TF 3305	TUBE, drag link	ea. 324	0	162	162
FM-01T 18398-B	KIT, repair, spindle connection rod end, right	ea. 974	0	487	487
FM-01T 18399-B	KIT, repair, spindle connection rod end, left	ea. 974	0	487	487
FM-31 3281 -B	TUBE, spindle connecting rod	Ea. 146	0	73	73

2192

1901

Declassified E.O. 12356 Section 3.3/NND No. 785021

DUE IN

NOMENCLATURE & UNIT		Author ~~1st~~ 2nd ~~xxxxx~~ or max. level.			
FM-GET 3503	GEAR, steering, w/o ARM WHEEL, LIGHT SWITCH, SWITCH HANDLE, and HORN SWITCH, assembly ea.	130	0	65	65
FM-01T 3590	ARM, steering gear ea.	146	0	73	73
FM-81T 3571-A	BEARING, roller, taper, 1.3109 bore ea.	390	0	195	195
FM-NB 3517-A	BUSHING, steering shaft ea.	194	0	97	97
FM-81T 3576-A	BUSHING, steering sector shaft ea.	438	0	219	219
FM-81T 3580	COVER, steering gear housing ea.	66	0	33	33
FM-81T 3553	CUP, bearing taper, 2.2482 O.D.x.675 width ea.	194	0	97	97
FM-NB 3552	CUP, bearing, taper, 1.939 O.D.x. 447 ea.	194	0	97	97
FM-81T 3581	GASKET, steering shaft and worm housing cover ea.	650	0	325	325
FM-81T 3595	GASKET, steering gear housing and plate (.002,.003 thick) ea.	1300	0	650	650
FM-01T 3548	HOUSING, steering gear, assembly ea.	66	0	33	33
FM-78 3539-A	NUT, lock, thrust screw ea.	194	0	97	97
FM-81T 3591	OIL SEAL, steering gear housing cover ea.	650	0	325	325

2131

1902

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT | Author ized or max level | DUE IN

FM-01T 3597	PLATE, end, steering gear housing, assembly	ea 130	0	65	65
FM-01T 3538	PLUG, steering gear oil filler	ea.194	0	97	97
FM-78 3577	SCREW, thrust, steering sector shaft and roller (overall length 1.25)	ea.194	0	97	97
FM-78 3575	SHAFT, steering sector, assembly	ea.194	0	97	97
FM-351153-S	NUT, hex, 7/8-14NC (7/16x1 7/16) (special)	ea324	0	162	162
FM-68T 3509	TUBE, steering column, w/BUSHING, Assembly	ea. 66	0	33	33
FM-78 3579	WASHER, thrust steering sector shaft and roller	244	0	122	122
FM-78 3564	WASHER, lock, external teeth, thrust screw	ea.406	0	203	203
FM-B 3609	KEY, Woodruff, steering wheel, (special N.9)	ea.194	0	97	97
FM-350983-S	NUT, thin, hex., 5/8-18 (16/16x5/16)(special)	ea.324	0	162	162
FM-68Z 3600	WHEEL, steering;assembly	66	0	33	33
FM-21T 5337	BRAKET, front spring shackle front, w/BUSHING, assembly	ea.130	0	65	65
FM-21T 5340	BRACKET, front spring, rear	ea. 98	0	49	49

2120

1905

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author Load or max. level.			
FM-01Y 5721-A	BOLT; tie, front spring	ea.1624	0	812	812
FM-21C 5781-A	BUSHING, front spring leaf (1.96 long)	ea. 324	0	162	162
FM-03T 5313	LEAF,No1, front spring, w/BUSHING, assembly	ea. 406	0	203	203
FM-03T 5315	LEAF,No.2, front spring	ea. 406	0	203	203
FM-03T 5310	SPRING, front assembly	ea. 324	0	162	162
FM-01T 5336	WEDGE, front spring	ea. 82	0	41	41
FM-01T 5721 -0	BOLT, tie, rear spring (4.20 long)	ea. 974	0	487	487
FM-HB 5723	BOLT, rear spring clamp	ea 814	0	407	407
FM-21T 5781-A	BUSHING, rear spring leaf	650	0	325	325
FM-03T 5563	LEAF,No1, rear spring, w/BUSHING, assembly	ea 292	0	146	146
FM-03T 5565	LEAF,No2, rear spring	ea 292	0	146	146
FM-03T 5560	SPRING, rear, assembly (12 leavers)	ea 292	0	146	146
FM-01T 5702-C	BOLT; tie, auxiliary spring (2in.long)	ea.406	0	203	203
M-01T 5594-A	SPACER, auxiliary spring to rear spring	ea.194	0	97	97
-01T 5588-B	SPRING,auxiliary assembly	ea.194	0	97	97

1904

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author ized or max. level.			
FM-21T 5468	BAR, front spring shackle, inner	ea. 358	0	179	179
FM-21T 5469	BAR, front spring shackle outer	ea. 358	0	179	179
FM-01TS 5455-B	CLIP, front spring (4.88 depth)	ea. 194	0	97	97
FM-11BTS 5455-B	CLIP, front spring, front (5.10 depth)	ea. 194	0	97	97
FM-01T 5705-F	CLIP, rear spring (12.06 long)	ea. 162	0	81	81
FM-01T 5780	PIN, rear spring shackle	ea. 438	0	219	219
FM-81T 5782	PIN, locking, spring shackle pin (2.26 long)	ea 974	0	487	487
FM-01T 5577	SHACKLE, rear spring	ea. 98	0	49	49
FM-21T 5465	STUD, front spring shackle (3.58 long)	ea. 1008	0	504	504
FM-355625 -S	BOLT, hex-hd., 7/16-20 x 1.56 (special)	ea. 324	0	162	162
FM-355716 -S2	BOLT, hex-hd., ½-20 x2 (special)	ea. 406	0	203	203
FM-11A 18060-A	BUSHING, shock absorber link	ea. 568	0	284	284
FM-19B 18060-A	BUSHING, rear shock absorber link	ea. 406	0	203	203
FM-21TS 18006-C	KIT, rapair, shock absorber, front right assembly	ea. 66	0	33	33

DUE IN

2198

1905

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author ~~xxx~~ ized ~~xxxxxx~~ DUE IN/ or max. level.			
FM-21TS 18007-C	KIT, repair, shock absorber front, left, assembly	ea	66	0	33	33
FM-21TS 18008-C	KIT repair, shock absorber rear, right, assembly	ea	66	0	33	33
FM-21TS 18009-C	KIT, repair, shock absorber rear, left, assembly	ea	66	0	33	33
FM-21TS 18050-B	LINK, front shock absorber assembly	ea.	194	0	97	97
FM-21TS 18056-B	LINK, rear shock absorber assembly	ea.	194	0	97	97
FM-356027 -S	NUT, thin, hex., slotted 7/16-20(special)	ea.	324	0	162	162
FM-351056 -S7	NUT, hex., slotted, ½-20 (3/4x27/64)(special)	ea.	406	0	203	203
FM-19B 18063	SPACER, rear shock absorber link bushing	ea	406	0	203	203
FM-11A 3521	SPACER, shock absorber link	ea	568	0	284	284
FM-11A -A	16758=BUMPER, hood top	ea.	324	0	162	162
FM-210 16866	ORNAMENT and LOCKING HANDLE, hoop top, w/PIN	ea	66	0	33	33
FM-11A 16897-B	SPRING, hood auxiliary catch	ea.	130	0	65	65
FM-78 701250	GLASS, windshield, assembly	ea.	260	0	130	130
FM-G8T 8103106-A=	STRIP, windshield glass retaining	ea	244	0	122	122

21 7

1906

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author Lead time			
			or max. level:			
FM-78 17489	CONNECTION, windshield wiper tube "T"	ea.	162	0	81	81
FM-9N 18679	CONNECTION, vacuum wiper tube to intake manifold		162	0	81	81
FM-G8T 18392	KIT, repair, windshield wiper motor	ea.	650	0	325	325
FM-01CE 17506-A	MOTOR, windshield wiper, right	ea.	194	0	97	97
FM-01CE 17509-A	MOTOR, windshield wiper, left	ea.	194	0	97	97
FM-2103 17481	NUT, clamping, windshield wiper arm	ea.	406	0	203	203
FM-78 17543-B	TUBE, windshield wiper, engine to tee	ea.	292	0	146	146
FM-G8T 18279-A	ARM, and DRIVER SET, windshield wiper	ea.	650	0	325	325
FM-G8T 17528-B	BLADE, windshield wiper	ea.	3250	0	1625	1625
FM-BB 7166	GASKET, power take-off cover	ea.	650	0	325	325
FM-GP 17723-A	MIRROR, rear view, outside w/STUD, assembly	ea.	486	0	243	243
FM-G8T 17261-B	CASING, speedometer shaft (57 in. cable)	ea.	244	0	122	122
FM-G8T 17262-B	SHAFT, speedometer (58.09 in. long)	ea.	650	0	325	325

1907

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author ized of Maint. level	DUE IN		
FM-BB 17036-C	CRANK, starting ea.	130	0	65	65
FM-67 17040-B	EXTENSION, starting crank ea.	130	0	65	65
FM-GTB17034	HANDLE, wheel nut wrench w/RIM TOOL ea.	130	0	65	65
FM-11T3 17042-B	HAMMER, machinist ball pein, 16 oz. ea.	130	0	65	65
FM-GP 17028	PLIERS,(combination slip joint and wire cut) ea.	130	0	65	65
FM-GP 17020	SCREW DRIVER,(6in.length of blade) ea.	130	0	65	65
FM-GP 17023	WRENCH, crescent type adjustable, 8 in. ea.	130	0	65	65
FM-01A 17017C	WRENCH, box, spark plug and cylinder head nut ea.	130	0	65	65
FM-GTW 17017-A	WRENCH, socket, spark plug ea.	130	0	65	65
FM-BB 17033-C	WRENCH,rear wheel bearing and front hub cap ea.	130	0	65	65
FM-51 17035-B	WRENCH, wheel nut ea.	130	0	65	65
FM-23394-S2	2304B BOLT,CARRIAGE,SQ-NK.,S 5/16-24NF-2x7/8 ea.	814	0	407	407
FM-34031-S2	23046 NUT,CASTLE, S. 7/16-20NF-2 ea.	2436	0	1218	1218
FM-34032-S7	½-20NF-2 ea.	814	0	407	407

Declassified E.O. 12356 Section 3.3/NND No. 785021

DOE IV

NOMENCLATURE & UNIT		Autor. xxx xxxxx lead or max. level.			
	2304G NUT, REGULAR, HEX., S-FIN., S.				
FM-33798-S7	5/16-24NF-2	ea. 1624	0	812	812
FM-33800-S2	3/8-24NF-2	ea. 4874	0	2437	2437
FM-33846-S2	1/2-20NF-2	ea. 1624	0	812	812
FM-33802-S2	7/16-20NF-2	ea. 1624	0	812	812
FM-33850-S2	5/8-18NF-2	ea. 814	0	407	407
	2304G NUT, SLOTTED, HEAVY, S				
FM-34079-S7	1/2-20NF-3	ea. 1624	0	812	812
FM-34034-S7	5/8-18NF-2	ea. 1624	0	812	812
	2304K SCREW, CAP, HEX-HD, S				
FM-20326-S7	5/16-18NC-2x5/8	ea. 4062	0	2031	2031
FM-20346-S2	5/16-18NC-2 x 3/4	ea. 814	0	407	407
FM-20356-S2	5/16-18NC-2 x 7/8	ea. 1624	0	812	812
FM-20388-S	3/8-16NC-2 x 1	ea. 1624	0	812	812
FM-20514-S2	3/8-16NC-2 x 1 7/8	ea. 1624	0	812	812
FM-20534-S2	3/8-16NC-2 x 2 1/4	ea. 1624	0	812	812 2124
FM-20400-S2	7/16-14NC-2 x 1 1/16	ea. 814	0	407	407
	2304L WASHER, LOCK, HV., S				
FM-34846-S	5/16 in. (328 I.D. x .578 O.D. x 3/32 thk.)	ea. 3230	0	1615	1615

Declassified E.O. 12356 Section 3.3/NND No. 785021

Quantities listed as due in are based on estimated initial issue of organizational spare parts and equipment which have not been received to date.-

1910

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT	Author. Qty of Mat. Level.			
2304L WASHER,LOCK,REG.,S		DVE IN		
FM-34801-S7 NO.6(143 I.D.x.237 O.D. x1/32 thk.)	ea. 1624	0	812	812
FM-34803-S7 NO.10(200 I.D.x.325 O.D. x 3/64 thk.)	ea. 3230	0	1615	1615
FM-34805-S2 1/4in.(265 I.D.x453 O.D. x 1/16 thk.)	ea. 3230	0	1615	1615
FM-34807-S2 3/8 in.(.390 I.D.x 654 O.D.x 3/32 thk.	ea. 6500	0	3250	3250
FM-34806-S2 5/16 in.(.328 I.D.x591 O.D. x 1/16 thk.)	6500	0	3250	3250
FM-34808-S2 7/16 in.(.453 I.D.x.779 O.D. x1/8thk.)	ea. 3230	0	1615	1615
FM-34809-S2 ½ in.(.515 I.D. x 859 O.D. x 1/8 thk.)	ea. 3230	0	1615	1615
FM-34810-S 9/16 in.(593 I.D.x.968 O.D. x 1/8 thk.)	ea. 3230	0	1615	1615
FM-34813-S 3/4 in.(700 I.D. x 1.280 O.D. x 3/16 thk.)	ea. 3230	0	1615	1615
FM-34814-S 7/8 in.(.905 I.D.x1.464 O.D. x 3/16 thk.)	ea. 3230	0	1615	1615
2305 PIN,COTTER,SPLIT,S.				21 3
FM-72016-S 3/32 x 3/4	Ea.3230	0	1615	1615
FM-72034-S 3/32 x 1	ea.3230	0	1615	1615
FM-72010-S71/8 x 5/8	ea.1624	0	812	812

1911

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 401
(Revised Apr. 6, 1931)

REQUISITION
(Extra Sheet)

No. [illegible]

Sheet No. 62

Stock No.	NOMENCLATURE	Unit	Required for 194	Rec'd On hand 194	Due in	Required	Remarks
			Author ized or max level				
FM-72026-S=	1/8 x 7/8	ea.	1624	0	812	812	
FM-72035-S=	1/8 x 1	ea.	1624	0	812	812	
FM-72053-S=	1/8x1 1/4	ea.	3.230	0	1615	1615	
FM-72071-S=	1/8 x 1⅜	ea.	3230	0	1615	1615	
FM-72089-S=	1/8 x 1 3/4	ea.	3230	0	1615	1615	
FM-72072-S=	5/32 x 1⅜	ea.	1624	0	812	812	
FM-72090-S=	5/32 x 1 3/4	ea.	1624	0	812	812	
FM-GTB 1560	CASING, tire 7.50 x 20.8 ply (mid and snow, non-directional)	ea.	4870	0	2437	2437	
FM-81T 1654	TUBE, tire assembly-7.50 x 20	ea.	4870	0	2437	2437	

AUTH: LAC Aigram 95 (MGS-252-ORD)
LAC Aigram 96 (MGS-253-ORD)
SNL-G-540

BASIS: Estimated 6 months spare parts Based on SNL N°G.540, for 1628 1½ ton truck, 4 x 2 (Ford) imported from the United States under the civil supply program.

Said parts are necessary to keep the above mentioned vehicles in operational condition.

1912

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP
ALLIED COMMISSION(IAP)
OFFICE OF G-4
APO 394

387

TRS/ng
26 May 1945

SUBJECT: Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission,
Allied Commission, APO 394
(thru Roads)

1. In compliance with par.2a(1), Establishment Memorandum No.2, Headquarters Allied Commission, dtd 3 March 45. Request approval of included requisition "TR"-72-45.

2. The supplies listed on the inclosed requisition are organizational spare parts for 1st and 2nd quarter 1946 for 235 trucks 1/4 ton, 4x4, imported from the United States under the Civil Supply Program. Said parts are necessary to keep above mentioned vehicles in operational condition.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col., GSC
G-4.

Incl.:
Req. "TR"-72-45

1st IND.
TRANSPORTATION SUB-COMMISSION HQ.AC. WGP/ls
TO: Requisition Branch, Economics Sec. Hq. AC. 13 June 45

1. Approved. Request items on this requisition be made available from theatre stocks.

GEORGE G. GROSS, Jr.
Chief, Roads Division

1913

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 6, 1931

REQUISITION

No. of Sheets 104 Sheet No. 1

To:

Requisition No. Date Period 1st & 2nd Qtr fiscal yr 1946

SHIP TO Parts Depot ATAC,45 Via Prenestina,Rome
(For Motor Transport Group)

REQUISITIONED BY (show Signature, Rank, Organization, Destination. If different from "SHIP TO" include address):	APPROVED BY:

STOCK No.	ARTICLES NOMENCLATURE AND UNIT		STATION-ERY or ITEM	ON HAND ISSUE SHOP	PURCHASE due in	REQUIRED	APPROVED
	GROUP 01-ENGINE		level				
WO-A-5497	ENGINE assembly (includers CLUTCH,FLYWHEEL HOUSING,and all units ready to run)	ea	42	0	21	21	
	0101-CRANKASE AND CYLINDER BLOCK						
WO-A-6793	BLOCK,cylinder engine, w/BEARING, and PISTON, assembly	ea	9	0	5	5	
WO-A-1126	COCK,drain, engine cylinder water jacket (1/4 in.,S.z-pltd., taper pipe thread)	ea	42	0	21	21	
WO-A-1536	GASKET SET, engine overhaul	ea	134	0	67	67	
WO-A-1537	GASKET SET, engine valve job	ea	235	0	118	118	
WO-51091	PLUG,expansion,S.,1 1/4 in (BEDX1AT)	ea	115	0	57	57	
	0101A-CYLINDER HEAD						
WO-A-1192	ELBOW,engine cylinder head water outlet	ea	10	0	5	5	

1914

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author. xxx ized or max. level xxxxx		xxxxxx Due in	
	0101A-CYLINDER HEAD				
WO-A-8556	GASKET,engine cylinder head ea	352	0	176	176
WO-639650	GASKET,engine cylinder hea head water outlet elbow	47	0	24	24
WO-A-1534	HEAD, cylinder engine (ratio 6.48) ea	18	0	9	9
WO-638635	BOLT,hex-hd.,s-fin,alloy S-7/16-14NC-2(rolled thd)x 2 3/4 (BANX1DL) ea	69	0	35	35
WO-638539	NUT,regular,hex.,s-fin., alloy-S.,7/16-20NF-2 (cylinder head stud) ea	211	0	106	106
WO-A-1550	NUT,regular,hex.,S., cd-pltd.,7/16 20NF-2 ea	117	0	59	59
WO-349368	STUD,S.,7/16-14NC x 7/16 20NF	47	0	24	24
WO-A-1548	STUD,S.,cd-pltd.,7/16-14NC x 3 7/8 x 7/16-20NF (cylinder head hole No 12 ea	18	0	9	9
	0102-CRANKSHAFT				
WO-381519	BOLT,hex-hd.,S,½-13NC x 2 3/8 (crankshaft bearing cap to crankcase)	28	0	14	14
WO-A-7568	CRANKSHAFT and DOWEL engine group assembly ea	9	0	5	5
WO-635377	DOWEL,engine crankshaft bearing	84	0	42	42
WO-334103	GASKET,engine crankshaft oil slinger ea	23	0	12	12

1943

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author ized pr max level	Auth'd xxxxx	xxxxxx due in	
	0102-CRANKSHAFT				
WO-5036	KEY, Woodruff, No 9 (pulley to crankshaft)	23	0	12	12
WO-387633	NUT, engine crankshaft, w/ PIN, assembly ea	14	0	7	7
WO-638113	PULLEY, engine crankshaft	42	0	21	21
WO-375920	RETAINER, engine crankshaft packing	112	0	56	56
WO-630262	SHIM, engine crankshaft (.002 thk) ea	84	0	42	42
WO-375877	SLINGER, oil, engine crankshaft ea	14	0	7	7
WO-634796	WASHER, thrust, engine crankshaft (S., 3 1/8 O.D. x 1.251 I.D. x .156 thk) ea	14	0	7	7
	0102A-CRANKSHAFT BEARING				
WO-A-6798	BEARING SET, engine crankshaft (std) ea	35	0	18	18
WO-A-6746	BEARING SET, engine crankshaft (.010 U.S.) ea	30	0	15	15
WO-A-6747	BEARING SET, engine crankshaft (.020 U.S.) ea	51	0	25	25
WO-637098	PACKING, engine crankshaft front end ea	23	0	12	12
WO-637237	PACKING, engine crankshaft, rear end (CN-type 310-O)	47	0	23	23

1916

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author-ized pr max level			
	0102A-CRANKSHAFT BEARING (Cont'd)					
WO-637790	PACKING, engine crankshaft rear bearing cap	ea	47	0	23	23
WO-337112	PIN, drain tube to engine crankshaft rear bearing cap (S., 1/8 x 7/8)	ea	28	0	14	14
WO-630294	PIPE, drain engine, crankshaft rear bearing cap	ea	14	0	7	7
	0103-PISTONS					
WO-637041	PISTON, engine, w/PIN, assembly (std. size rering)	ea	19	0	9	9
WO-116019	PISTON, engine, w/PIN, assembly (.020 O.S. rering)	ea	215	0	107	107
WO-116020	PISTON, engine, w/PIN, assembly (030 O.S. rering)	ea	140	0	70	70
	0103A-RINGS					
WO-A-6794	RING SET, engine piston, conventional type (std)	ea	12	0	6	6
WO-A-6796	RING SET, engine piston, conventional type (.020 O.S.)	ea	65	0	33	33
WO-A-6797	RING SET, engine piston, conventional type (030 O.S.)	ea	44	0	22	22
	0103B-PISTON PINS					
WO-636961	PIN, engine piston (Std. size)	ea	19	0	9	9
WO-632157	SCREW, lock, engine piston pin	ea	135	0	67	67

1977

Declassified E.O. 12356 Section 3.3/NND No. 785021

NOMENCLATURE & UNIT		Author-ized xxxxxx pr max level		due in	
	0104-CONNECTING RODS				
WO-640070	BOLT, engine connecting rod bearing cap (S., 7/16 20NF x 2 3/8)(Willys only) ea	70	0	35	35
WO-636952	NUT, hex., 7/16-20NF-2 (connecting rod bolt) ea	233	0	116	116
WO-52825	NUT, hex., spring, S. 7/16-20NF-2, stamped (connecting rod bolt)(GM-107381)	933	0	466	466
WO-640071	ROD, connecting, engine, No 1 and 3, assembly (less bearing) ea	14	0	7	7
WO-640072	ROD, connecting, engine, No 2 and 4, assembly (less bearing) ea	14	0	7	7
	0104A-CONNECTING ROD BEARINGS				
WO-A-7233	BEARING SET, engine connecting rod (std)	112	0	56	56
WO-A-7234	BEARING SET, engine connecting rod (.010 U.S.) ea	125	0	62	62
WO-A-7235	BEARING SET, engine connecting rod (.020 U.S.)	225	0	113	113
	0105-VALVES, SEATS, GUIDES AND SPRING				
WO-375811	GUIDE, engine exhaust valve stem ea	56	0	28	28
WO-637045	GUIDE, engine intake valve stem ea	56	0	28	28

21.6

1918

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE AND UNIT		Author-ized	Req xxxxxx	due in
				or max level	
	0105-VALVES, SEATS, GUIDES AND SPRING (Cont'd)				
WO-375994	LOCK, engine valve spring retainer (lower)	ea	700	0	350	350
WO-637044	RETAINER, engine valve spring (lower)	ea	117	0	58	58
WO-638636	SPRING, engine valve	ea	205	0	102	102
WO-637163	VALVE, exhaust, engine (RMC-A-366)	ea	135	0	67	67
WO-637182	VALVE, intake, engine (RMC-A-365)	ea	70	0	35	35
	0105A-TAPPETS				
WO-640020	SCREW, adjusting, engine valve tappet (self locking	ea	58	0	29	29
WO-637047	TAPPET, engine valve (WIL-SET-1265)(OOS-W-41-25)	ea	33	0	17	17
	0105C-VALVE COVERS AND GASKET				
WO-630303	COVER, engine spring	ea	19	0	9	9
WO-632158	BOLT, hex-hd., S, 5/16-18NC-2 x 1 (front)	ea	37	0	19	19
WO-639052	BOLT, hex-hd, S, 5/16-18NC-2 x 3 1/16 (rear)	ea	37	0	19	19
WO-630305	GASKET, engine valve spring cover	ea	140	0	70	70
WO-51875	GASKET, engine valve spring cover	ea	140	0	70	70

1919

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE AND UNIT		Author-ized pr max level	xxxx xxxxxx due in	
	0106-CAMSHAFT				
WO-637065	CAMSHAFT	ea	7	0	4	4
WO-375907	PLUNGER, camshaft thrust		28	0	14	14
WO-375908	SPRING, camshaft thrust plunger	ea	28	0	14	14
WO-375900	WASHER, camshaft thrust	ea	12	0	6	6
	0106A-CAMSHAFT BEARINGS					
WO-639051	BUSHING, camshaft, front	ea	72	0	36	36
WO-51460	PLUG, expansion, engine camshaft rear bearing, (1 3/4 in.O.D.)	ea	12	0	6	6
	0106C-CHAINS AND SPROCKETS					
WO-50917	KEY, engine crankshaft sprocket	ea	23	0	12	12
WO-638457	CHAIN, drive, engine camshaft (½ in.thk.x 1 in wide)(LK-S-40036)	ea	35	0	17	17
WO-630727	SPACER, engine crankshaft sprocket	ea	7	0	4	4
WO-638459	SPROCKET, engine crankshaft, S., 18 teeth, 2.870 O.D. x 1.656 thk (LK-S 35116-1)	ea	21	0	10	21 & 4 10
WO-638458	SPROCKET, engine camshaft S., 36 teeth, 5.780 O.D. x 1.013 thk.(LK-S-35117-1)	ea	21	0	10	10

1926

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE AND UNIT	Author-ized	due in		
		per maint level			
	0106-CHAINS AND SPROCKETS (Cont'd)				
WO-634850	BOLT, ~~lock, x-hd, s-tin, alloy~~ s, 3/8 24NF x 1 1/4 (to camshaft) (BACKED)	ea 93	0	46	46
WO-315932	WASHER, lock, reg., S, 3/8 in (0.390 I.D. x 640 O.D. x 3/32 thk)(BLOCKED)	ea 400	0	200	200
	0106D-CHAIN CASE COVER				
WO-A-1190	COVER, engine timing chain assembly	7	0	4	4
WO-384958	STUD, S., 3/8 16NC x 1 5/16 x 3/8-24NF (GM-103026) (issue until stock exhausted)	ea 439	0	219	219
WO-630369	GASKET, engine timing chain cover	ea 23	0	12	12
WO-630359	GASKET, engine cylinder block, front (issue until stock exhausted)	ea 186	0	93	93
WO-375917	RING, retaining chain cover packing (issue until stock exhausted)	ea 9	0	4	4
WO-630364	STUD, engine camshaft thrust plunger (issue until stock exhausted)	ea 9	0	4	4
	0107- OIL PUMP				
WO-630387	COVER, engine oil pump, assembly	9	0	4	4
WO-51819	SCREW, machine, oval fil-				

21 13

1921

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author ized pr max level		due in	due in
WO-51819	-hd,S.,No 12(216)-24NC-2 x 5/8 (cover to body) (BCFX20G)	ea	56	0	28	28
WO-636600	DISC,engine oil pump rotor	ea	28	0	14	14
WO-A-6750	GASKET SET,service, engine oil pump	ea	117	0	58	58
WO-A-6749	KIT,repair,engine oil pump	ea	12	0	6	6
WO-330964	PIN,engine oil pump driven gear,straight (5/32 x 31/32)	ea	21	0	10	10
WO-343306	PINION,engine oil pump (7teeth)	ea	12	0	6	6
WO-52525	PLUG,pipe,slotted,1/8 in.,(oil pump cover plug) (issue until stock exhausted)	ea	56	0	28	28
WO-630518	PLUNGER,engine oil pump relief	ea	9	0	4	4
WO-637636	PUMP,oil,engine,assembly	ea	19	0	9	9
WO-375981	STUD,S, 5/16-18NC-2 x 2 3/8x5/16-24NF-2 (issue until stock exhausted)	ea	90	0	45	45
WO-630390	RETAINER,engine oil pump oil relief spring	ea	7	0	3	3
WO-630389	SHIM,engine oil pump oil relief spring	ea	28	0	14	14

1924

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author
xxx
lzed xxxxxx xxxxxxx xx
due in

NOMENCLATURE & UNIT						
	0107-OIL PUMP(Con'd)					
WO-356155	SPRING,engine oil pump oil relief plunger (S., wire,13 turns,360 O.D. x 1 3/8 free lgth)	ea	14	0	7	7
	0107A-OIL PAN					
WO-314338	GASKET,engine oil pan drain plug	ea	607	0	303	303
WO-A-1538	GASKET SET,engine oil pan	ea	233	0	132	132
WO-A-7238	PAN,oil engine,assembly (after Willys serial 297089)(was WO-A-1167)	ea	16	0	8	8
WO-639979	PLUG,drain,engine oil pan (7/8 in.)	ea	84	0	42	42
	0107-1-OIL FLOAT					
WO-630396	FLOAT,strainer,oil engine,assembly (TSE-215-B)	ea	7	0	3	3
WO-630397	SUPPORT,engine oil strainer float	ea	42	0	21	21
WO-636796	BOLT, support to crankcase(hex-hd.,5/16-18NC-2 x 3/4)	ea	56	0	28	28
WO-A-1231	COVER,engine oil filter, assembly (PU-25791)	ea	19	0	9	9
WO-A-1232	BOLT,oil filter cover (hex-hd.,S.,7/16-20NF-2) (PU-25755)	ea	23	0	12	12

2111

1925

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author
xxx
ized xxxxx xxxxxx
due in

	NOMENCLATURE & UNIT					
WO-A-1236	ELEMENT,engine oil filter assembly,(PU-26637)	ea	933	0	466	466
WO-A-1230	FILTER,oil,engine,assembly (PU-27078)	ea	23	0	12	12
WO-A-1235	GASKET,engine oil filter cover (PU-25802)	ea	280	0	140	140
WO-A-1233	GASKET,engine oil filter cover bolt (PU-25756)	ea	280	0	140	140
WO-A-1237	PLUG,drain,engine oil filter (S.,hex.,9/16, 1/4-18thd)(PU-25795)	ea	84	0	42	42
WO-A-1234	SPRING,engine oil filter cover bolt (S.-wire, tapered,I.D.13/16 to 17/32)(PU-25757)	ea	7	0	4	4
	0107F-OIL FILTER ATTACHING PARTS					
WO-A-1247	BRACKET,engine oil filter assembly	ea	9	0	4	4
WO-A-1251	CLAMP,engine oil filter assembly (PU-27081)	ea	5	0	3	3
	0107G-OIL FILLER					
WO-A-6915	TUBE,engine oil filler, assembly	ea	7	0	3	3
	0107H-LEVEL AND/OR FLOAT GAUGES					
WO-A-7280	GASKET,engine oil filler cap	ea	47	0	23	23
WO-A-6525	INDICATOR,and breather cap,engine oil filler assembly	ea	35	0	18	18

2110

1924

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author ized xxxxx or max level	xxxxxx due in		
	0107J-OIL DISTRIBUTION SYSTEM					
WO-387891	CONNECTOR, flared tube, br., 1/4 in.	ea	28	0	14	14
WO-384569	ELBOW INVERTED FLARED TUBE, br. 1/4 in.	ea	58	0	29	29
WO-A-1197	TUBE, engine oil filter inlet, assembly	ea	252	0	126	126
WO-A-1198	TUBE, flexible	ea	300	0	150	150
WO-A-1450	TUBE, 1/4 in., oil gauge assembly	ea	14	0	7	7
WO-A-1456	UNION, inverted flared tube br., 1/4 in.	ea	28	0	14	14
	0107N-CRANKCASE VENTILATOR					
WO-630298	BAFFLE, engine crankcase ventilator	ea	21	0	11	11
WO-A-6919	BODY, engine crankcase ventilator assembly	ea	16	0	8	8
WO-384549	ELBOW, pipe, 1/8 in.	ea	23	0	12	12
WO-A-6885	ELBOW, pipe, 1/4 in.	ea	23	0	11	11
WO-630299	GASKET, engine crankcase ventilator to valve spring cover	ea	105	0	52	52
WO-A-6922	TUBE, engine crankcase ventilator valve, assembly	ea	21	0	11	11
WO-A-6895	VALVE, engine crankcase ventilator, assembly	ea	21	0	11	11

2119

1923

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author Authorized xxxx or max level	x	xxxxxx Due in	
	0108-MANIFOLDS AS AN ASSEMBLY				
WO-A-7835	GASKET SET, engine manifold ea	107	0	54	54
WO-344732	WASHER, manifold clamp, S., 13/16 O.D. x 13/32 I.D. x 1/8 to 3/16 thk. at I.D. ea	210	0	105	105
	0108A-INTAKE MANIFOLDS				
WO-A-1166	MANIFOLD, intake, engine assembly ea	9	0	5	5
	0108B-EXHAUST MANIFOLDS				
WO-A-912	MANIFOLD, exhaust, engine assembly ea	19	0	10	10
	0108C-HEAT CONTROLS				
WO-636438	BEARING, engine heat control valve shaft ea	35	0	18	18
WO-637211	KEY, engine heat control lever ea	70	0	35	35
WO-637210	LEVER, engine heat control valve counterweight ea	23	0	12	12
WO-637206	SHAFT, engine heat control valve ea	23	0	12	12
WO-637208	SPRING, engine heat control valve ea	70	0	35	35
WO-639743	STOP, engine heat control valve spring ea	70	0	35	35
WO-636439	VALVE, engine heat control ea	23	0	12	12

1926

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author Xxx Xxxx xxxxx Xxxxxx due in or max level			
WO-637209	WASHER, engine heat control valve spring	ea	35	0	18	18
	0109-FLYWHEEL					
WO-632157	BOLT, hex-hd., S., 3/8-24NF-2x15/32	ea	117	0	59	59
WO-116295	BOLT, special hd., S., 1-2 CNF-2x1 3/16	ea	28	0	14	14
WO-639578	BUSHING, flywheel to crank shaft	ea	28	0	14	14
WO-632156	DOWEL, flywheel to crank-shaft	ea	35	0	18	18
WO-A-7503	FLYWHEEL and DOWEL, engine group assembly	ea	19	0	10	10
	0109B-RING GEAR					
WO-635394	GEAR, ring, engine flywheel	ea	19	0	10	10
	0109C-FLYWHEEL HOUSING					
WO-630101	BOLT, dowel	ea	58	0	29	29
WO-630103	COVER, transmission case inspection	ea	12	0	6	6
WO-375217	COVER, engine flywheel housing timing hole	ea	9	0	5	5
WO-A-439	HOUSING, engine flywheel	ea	9	0	5	5
WO-51921	PLUG, expansion, S., 3/4 "diam	ea	23	0	12	12
	0110-MOUNTINGS					
WO-A-5125	CABLE, engine stay, assy	ea	19	0	10	10

1927

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author xxxx issd	xxxxxx	due in	
		or max level			
WO-A-7498	INSULATOR, engine support front, assembly ea	47	0	24	24
WO-A-6156	INSULATOR, engine support rear ea	23	0	12	12
WO-A-1463	PLATE, engine, front, assy ea	19	0	10	10
WO-A-5121	PLATE, engine, rear, assy ea	9	0	5	5
	GROUP 02-CLUTCH				
	0201A-FACINGS AND RIVETS				
WO-A-6751	FACING SET, engine clutch disc ea	51	0	26	26
	0201B-CLUTCH DRIVEN PLATE				
WO-638992	PLATE, pressure, engine clutch assy ea	47	0	24	24
WO-630129	BOLT, clutch to flywheel ea	140	0	70	70
WO-636755	PLATE, driven, engine clutch w/HUB, assembly ea	70	0	35	35
	0202-COVER, PRESSURE PLATES, AND SPRINGS				
WO-A-6752	KIT, repair, engine clutch cover ea	51	0	26	26
WO-A-7833	KIT, repair, engine clutch cover ea	28	0	14	14
WO-638152	PLATE, pressure, engine clutch ea	28	0	14	14
	0203-RELEASE YOKE, BEARING FORK				
WO-635529	BEARING, engine clutch release ea	54	0	27	27

3 1 1 6,

1928

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author ~~XXX~~ ~~XXXXX~~ ~~XXXXX~~ Dec 43 ±20% or max level			
WO-A-5102	CATCH, engine clutch control lever	ea	19	0	10	10
WO-639554	CARRIER, engine clutch release bearing	ea	21	0	11	11
WO-630062	FULCRUM, engine clutch release lever	ea	9	0	5	5
WO-630112	LEVER, clutch control	ea	21	0	11	11
WO-339043	PIN, clevis, engine clutch yoke end to control cable	ea	23	0	12	12
WO-630117	SPRING, engine clutch release bearing carrier	ea	56	0	28	28
WO-632177	YOKE, adjusting, engine	ea	28	0	14	14
	0204--PEDAL					
WO-A-1360	PAD, engine clutch pedal, assembly	ea	19	0	5	5
WO-A-6359	PAD, engine clutch pedal shank	ea	19	0	10	10
WO-A-405	PEDAL, engine clutch	ea	9	0	5	5
WO-52844	PIN, cotter, S., 5/32x1 3/8	ea	90	0	45	45
WO-A-495	SHAFT, engine clutch pedal assembly	ea	9	0	5	5
WO-650684	SPRING, engine clutch pedal shank draft pad	ea	19	0	10	10
WO-630593	SPRING, retracting, engine clutch pedal	ea	70	0	35	35

1929

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author ized or max level	xxxxxx	xxxxxx due in	
WO-A-498	WASHER, engine clutch pedal shaft	ea	90	0	45	45
WO-A-6360	WASHER, engine clutch pedal shank pad	ea	19	0	10	10
	0204A-PEDAL LINKAGE					
WO-A-1355	LEVER, engine clutch control w/TUBE, assembly	ea	9	0	5	5
WO-A-176	PAD, engine clutch control tube	ea	252	0	126	126
WO-A-177	RETAINER, engine clutch control tube spring	ea	37	0	19	19
WO-A-499	ROD, engine clutch release pedal	ea	9	0	5	5
WO-A-887	SEAL, engine clutch control tube dust	ea	28	0	14	14
WO-A-178	SPRING, engine clutch control tube	ea	28	0	14	14
WO-A-181	STUD, engine clutch control, ball	ea	14	0	7	7
WO-A-179	STUD, engine clutch control, ball, w/BRAKET, assembly	ea	9	0	5	5
WO-5336	NUT, reg., hex., s-fin., S., 7/16-14NC-2	ea	117	0	59	59
	0300-FUEL TANKS					
WO-A-6333	CAP, fuel tank, w/safety CHAIN	ea	47	0	24	24

2104

1930

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT		Author ~~XXX~~ ized	~~XXXXX~~ or max. level	~~XXXXXX~~ due in	
WO-A-5120	PLUG, pipe 1/4	ea	21	0	11	11
WO-A-1472	STRAP, hold down, fuel tank inner, assembly	ea	19	0	10	10
	03COA-TANK GAUGE UNIT					
WO-A-1293	GASKET?FUEL TANK GAUGE	ea	70	0	35	35
WO-A-1292	GAUGE, fuel, tank, unit, assembly	ea	33	0	17	17
WO-A-1763	PROTECTOR, fuel gauge, tank unit	ea	9	0	5	5
WO-116181	ARM, carburetor pump, w/COLLAR, assembly	ea	19	0	10	10
WO-116197	ARM, carburetor throttle shaft, w/SCREW	ea	19	0	10	10
WO-301232	SCREW, choke lever bracket	ea	19	0	10	10
WO-A-1223	CARBURETOR, assembly	ea	30	0	15	15
WO-116587	CLAMP, carburetor tube, assembly	ea	9	0	5	5
WO-116208	COVER, carburetor bowl, w/PIN, assy	ea	19	0	10	10
WO-116206	DISC, carburetor metering rod	ea	56	0	28	28
WO-116172	FLOAT, carburetor, w/LEVER, assembly	ea	14	0	7	7
WO-A-6837	GASKET SET, carburetor	ea	105	0	53	53

2163

1931

Declassified E.O. 12356 Section 3.3/NND No. 785021

	NOMENCLATURE & UNIT	Author ~~xx~~ ized or may level	~~xxxxx~~	~~xxxx~~ due in	
WO-116544	HORN, air, carburetor, assy ea	19	0	10	10
WO-116385	SCREW, carburetor airhorn attaching w/WASHER ea	56	0	28	28
WO-116210	INSULATOR, carburetor to choke valve ea	19	0	10	10
WO-A-6840	KIT, repair, carburetor ea	10	0	5	5
WO-A-5501	KIT, repair carburetor trottle shaft and lever ea	10	0	5	5
WO-116537	LEVER, operating, carburetor pump, assembly ea	19	0	10	10
WO-116586	LEVER, carburetor choke, w/BRACKET assembly ea	19	0	10	10
WO-116545	LEVER, carburetor choke control, w/SHAFT, assembly ea	9	0	5	5
WO-116166	NOZZLE, carburetor ea	9	0	5	5
WO-116219	NUT, carburetor tube clamp ea	9	0	5	5
WO-116165	PASSAGE, carburetor low speed jet and idle well; w/GASKET, assy ea	28	0	14	14
WO-116173	PIN, carburetor float lever ea	28	0	14	14
WO-116174	PLUG, carburetor pump jet and nozzle passage, w/GASKET ea	28	0	14	14
WO-116163	PLUG, carburetor strainer passage, w/GASKET, assy ea	19	0	10	10

21102

1932

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXXX Author ON HAND	XXX	XXXX Issued or max. level	XXX
WO--116194	RETAINER, carburetor spring	ea	56	0	28	28
WO-116540	ROD, metering carburetor	ea	28	0	14	14
WO--116176	SCREW, adjustement idler carburetor	ea	28	0	14	14
WO--116651	SCREW, adjustment carburetor throttle lever	ea	19	0	10	10
WO--116588	SCREW, carburetor tube clamp	ea	190	0	95	95
WO-116211	SCREW, carburetor wire	ea	47	0	24	24
WO--116384	SCREW, fill-hd., No.8	ea	19	0	10	10
WO--116585	SHAFT, carburetor throttle w/LEVER, assembly	ea	28	0	14	14
WO--116185	SPRING, carburetor connector rod	ea	28	0	14	14
WO--116184	SPRING, carburetor check pull back	ea	28	0	14	14
WO--116183	SPRING, carburetor idle adjustement screw	ea	21	0	11	11
WO--116178	SPRING, carburetor pin	ea	56	0	28	28
WO--116187	SPRING, carburetor pump arm	ea	19	0	9	9
WO--116174	SPRING, carburetor, needle w/SEAT, assembly	ea	28	0	14	14

1933

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXXX XXX AuthorON HAND			
			ized or max.level			
WO--116175	STRAINER, carburetor pump check	ea	19	0	9	9
WO--116207	WASHER, carburetor metering rod pin	ea	28	0	14	14
	0301A-CARBURETOR ATTACHING PARTS					
WO--A-6357	GASKET; insulator, carburetor and intake manifold diffuser, assembly	ea	30	0	15	15
WO--632159	STUD, S., 3/8-16NC x 1 11/16 x 3/8-24NF	ea	93	0	46	46
	0301B-CHOKE					
WO--345961	BUSHING, rubber, carburetor choke control throught dash	ea	56	0	28	28
WO--A-7517	CONTROL, carburetor choke or throttle, assembly	ea	19	0	9	9
WO-	KNOB, carburetor choke throttle w/PLUNGER and WIRE, assembly	ea	28	0	14	14
	0301C-AIR CLEANER					
WO--A-5629	BODY, air cleaner, assembly	ea	9	0	4	4
WO--A-1451	BUSHING, air cleaner tube to carburetor	ea	28	0	14	14
WO-	CLAMP, carburetor air horn w/BOLTand NUT(clamp, S., 2 13/32 I.D. x ⅜)	ea	9	0	4	4
WO--53108	CLAMP, hose, S., 3/4 in.	ea	47	0	23	23

1934

Declassified E.O. 12356 Section 3.3/NND No. 785021

				xxxx Author ON HAND ized or max.level	xx	
WO--A-1515	CLAMP,hose S.,2½ in.,I.D.	ea	23	0	11	11
WO--A-5621	CLEANER,air, assembly	ea	12	0	6	6
WO-	SCREW,wing,1/4-20NC-2 x 3/4	ea	93	0	46	46
WO--A-5631	CUP,oil,air cleaner	ea	9	0	4	4
WO--A-5630	ELEMENT,air cleaner, w/wing BOLT	ea	19	0	9	9
WO--A-5632	GASKET,air cleaner,body upper	ea	35	0	17	17
WO-A-5633	GASKET,air cleaner,oil cup,lower	ea	35	0	17	17
WO--A-463	HORN,air cleaner	ea	19	0	9	9
WO--A-6918	HOSE,ari cleaner tube to oil filter tube	ea	28	0	14	14
WO--A-1311	HOSE,flexible,air cleaner tube to cleaner	ea	56	0	28	28
WO--A-7191	STRING,air cleaner toggle	ea	14	0	7	7
WO--A-6911	TUBE,air cleaner,w/BRACKET assembly	ea	9	0	4	4
	0302-FUEL PUMP					
WO--115641	ARM,rocker,fuel pump, assembly	ea	23	0	11	11
WO--115657	BAIL,fuel pump strainer assembly	ea	12	0	6	6

2199

1935

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXX Author On Hand	XXXX	
				iged or		
				max.level		
WO-A1494	BOWL, fuel pump	ea	9	0	5	5
WO--115653	CLAMP, FUEL PUMP valve	ea	28	0	14	14
WO--115656	GASKET, fuel pump bowl	ea	163	0	82	82
WO--A-7834	KIT, repair, fuel pump	ea	152	0	76	76
WO--A-7856	KIT, repair, fuel pump (was WO-A-6754)	ea	100	0	50	50
WO--A-8323	PUMP, fuel assembly (AC-1538312)	ea	30	0	15	15
WO--115870	SEAL, fuel pump pull rod	ea	140	0	70	70
WO--113460	SEAT, fuel pump strainer bowl	ea	9	0	5	5
WO--115654	SCREEN, filtering, fuel pump, assembly	ea	23	0	12	12
WO--115869	WASHER, fuel pump diaphragm spring seat	ea	140	0	70	70
	0202A-FUEL PUMP ATT. PARTS					
WO-6428	SCREW, hex-hd, cap. S., 5/16-18NC-2x 7/8	ea	140	0	70	70
	0303-ACCELERATOR AND LINKAGE					
WO--633013	BLOCK, adjusting, accelerator throttle rod	ea	28	0	14	14

2098

1936

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXX Author On Hand ized or max.level	XXX	
WO--337304	STUD,S., 1/4-20NC-2 x 7/8 (cross shaft bracket)	ea	37	0	19	19
WO-A-1173	CLIP,throttle rod retracting spring	ea	9	0	5	5
WO-51662	WASHER,S., 13/64	ea	58	0	29	29
WO--A-6710	LINK,connecting accelerator pedal	ea	14	0	7	7
WO--A-1910	LEVER,accelerator cross shaft,w/BRACKET,assembly	ea	9	0	5	5
WO--650484	PIN,accelerator pedal hinge	ea	28	0	14	14
WO--A-1225	REST,foot accelerator	ea	9	0	5	5
WO-A-6851	PEDAL, accelerator w/HINGE and LINK,assembly	ea	12	0	6	6
WO--A-1175	ROD,throttle,accelerator	ea	14	0	7	7
WO--633011	SPRING,retracting,accelerator	ea	77	0	39	39
WO--622174	SPRING,accelerator cross shaft	ea	14	0	7	7
WO--650483	SPRING,accelerator pedal hinge	ea	82	0	41	41
WWO--51537	SCREW,fl-hd S., cd-pltd, n.10(190)-24nc-2x 3/8	ea	233	0	117	117

2197

1937

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author On Hand		
				ized or		
				max.level		
	0303A-HAND THROTTLE AND LINKAGE					
WO-A-1308	KNOB, carburetor choke or throttle w/PLUNGER and WIRE, assembly	ea	28	0	14	14
WO-A-8834	STOP, throttle wire w/SCREW, assembly	ea	56	0	28	28
	0304-FUEL LINES					
WO-A-1265	BUSHING, reducing, 1/4 pipe thd. to 1/8 tapered pipe thd	ea	28	0	14	14
WO-A-1325	CONNECTION, flexible (infuel line)	ea	93	0	47	47
WO--384549	CONNECTOR, inverted flare tube, 5/16 in.	ea	23	0	12	12
WO--387249	CONNECTOR, inverted flared tube, br., 5/16 in.	ea	51	0	26	26
WO--384549	ELBOW, inverted flared tube	ea	47	0	24	24
WO--A-1368	TUBE, flexible connection to fuel pump assembly	ea	14	0	7	7
WO-A-1367	TUBE, fuel filter to flexible connection assembly	ea	9	0	5	5
WO-A-5450	CLIP, 7/16 in. open, S., 7/32 dia. hole	ea	28	0	14	14
WO-52889	SCREW, binding-hd. S., type A, n.10(190)x5/8	ea	233	0	117	117

2196

1938

Declassified E.O. 12356 Section 3.3/NND No. 785021

			xxxx Author Ized or max.level	xxx On Hand		
WO-A--1369	TUBE,fuel pump to carburetor, assembly	ea	19	0	10	10
	0306B-FUEL STRAINER					
WO--A-1258	COVER,mounting,fuel strа.	ea	9	0	5	5
WO-A-1256	SCREW,attaching,fuel strainer cover	ea	14	0	7	7
WO-A-6893	GASKET SET,fuel strainer	ea	280	0	140	140
WO-A-1254	PLUG,drain,fuel strainer	ea	14	0	7	7
WO-A-1262	SPRING, fuel strainer unit	ea	14	0	7	7
WO-A-1255	STRAINER,fuel,assembly	ea	9	0	5	5
WO-A-1261	STRAINER,fuel assembly	ea	21	0	11	11
	0401-MUFFLER					
WO-A-5753	CLAMP,support,muffler (after Willys serial 143507)	ea	33	0	17	17
WO-A-6119	CLAMP,muffler tail pipe	ea	28	0	14	14
WO-A-658	INSULATOR,muffler support	ea	21	0	11	11
WO-52372	BOLT,carriage,sq-nk.S., 5/16-18NC-2x1 3/4	ea	235	0	118	118
WO-A-6118	MUFFLER,assembly (oval type)	ea	219	0	110	110

2195

1939

Declassified E.O. 12356 Section 3.3/NND No. 785021

						xxxx Author On Hand ized or max. level xxxx
WO--638058	PLATE, muffler, support insulator	ea	28	0	14	14
WO-A-657	STRAP, muffler support round type muffler	ea	36	0	18	18
	0402--EXHAUST PIPE					
WO-A-1300	CLAMP, exhaust pipe extension	ea	28	0	14	14
WO--52983	Bolt, carriage, sq-nk., S., 5/16-18NC-2x 7/8	ea	117	0	59	59
WO--636004	CLAMP, exhaust pipe to muffler	ea	28	0	14	14
WO-630526	FLANGE, exhaust pipe	ea	28	0	14	14
WO--634814	GASKET, exhaust pipe flange	ea	235	0	118	118
WO-A-1296	PIPE, exhaust, w/bond STRAP, assembly	ea	187	0	94	94
	GROUP 05--COOLING 0501--RADIATOR					
WO-A-1215	CAP, filler, radiator assembly	ea	47	0	24	24
WO-A-1126	COCK, drain, radiator (1/4 in.)	ea	14	0	7	7
WO-A-1214	CORE, radiator, w/TANK and SHROUD, assembly	ea	28	0	14	14
WO-A-1216	GASKET, radiator filler cap	ea	140	0	70	70
WO-A 1217	ROD, brace, radiator	ea	9	0	5	5

2094

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author	On Hand			
				ized or max. level			
	0502-THERMOSTAT						
WO-639651	RETAINER, thermostat	ea	14	0	7	7	
WO-637646	THERMOSTAT, assembly	ea	56	0	29	29	
	0503-WATER PUMP						
WO-637053	GASKET, water pump to cylinder block	ea	105	0	53	53	
WO-639993	IMPELLER, water pump	ea	48	0	24	24	
WO-A-6839	KIT, repair, water pump	ea	112	0	56	56	
WO-640031	SEAL, water pump assembly	ea	235	0	118	118	
	0503A-FAN AND PULLEYS						
WO-A-447	FAN, assembly	ea	19	0	10	10	
WO-636299	PULLEY, fan and water pump	ea	23	0	12	12	2193
WO-A-1124	SHIELD, fan pulley	ea	14	0	7	7	
WO-A-1125	WASHER, fan pulley shield (S., 5/80.D.x 11/32 I.D.)	ea	93	0	47	47	
WO-A-6701	WASHER, fan pulley shield retaining bolt (S., 3/16 O.D.x 1/4 I.D.x 005thk)	ea	58	0	29	29	
	0503B-FAN BELT						
WO-A-1495	BELT, drive fan and gener.	ea	280	0	140	140	

1941

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXXXX Author. On hand or max. level			
	0505 -ENGINE WATER FITTINGS & HOSE					
WO-A-6373	HOSE, radiator upper	ea	650	0	325	325
WO-A-592	HOSE, radiator water outlet lower	ea	580	0	290	290
WO-630512	HOSE, radiator water outlet, upper	ea	207	0	104	104
WO-A-6374	TUBE, connecting, water inlet	ea	23	0	12	12
WO-636109	TUBE, connecting, water outlet	ea	11	0	6	6
	GROUP 06-ELECTRICAL 0601 GENERATOR					
WO-A-1629	ARM, generator brush	ea	14	0	7	7
WO-A-1637	ARMATURE, generator assembly	ea	21	0	11	11
WO-A-1649	BAND, generator head	ea	19	0	10	10
WO-A-6299	BEARING, ball, generator commutator end	ea	35	0	18	18
WO-A-1623	BOLT, retaining generator commutator end bearing (hex.hd., S., 1/4-20NF x 5/8)	ea	37	0	19	19
-A-630	BRUSH, main generator	n ea	644	0	322	322

2 92

1942

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXX Author. On hand or max. level		
WO-A-1651	BRUSHSET, generator (AL-GCE-20128)	ea	79	0	40	40
WO-A 1604	COIL, field generator left right, assembly	ea	9	0	5	5
WO-A-1626	COVER, generator, commutator end cap	ea	9	0	5	5
WO-A-1625	GASKET, generator, commutator end cap cover	ea	186	0	93	93
WO-A-5992	GENERATOR assembly	ea	30	0	15	15
WO-A 6298	HEAD, generator, commutator end assembly	ea	14	0	7	7
WO-A 6300	HEAD, generator, drive end assembly	ea	14	0	7	7
WO-A 1641	KEY, woodruff n.578 (generator armature assy	ea	47	0	24	24
WO-A 7840	KIT, repair generator field coil	ea	11	0	6	6
WO-A 9055	KIT, repair, generator	ea	35	0	18	18
WO-A 1601	LEAD, generator armature terminal assembly	ea	37	0	19	19
WO-A 1610	NUT, generator field ground screw	ea	37	0	19	19
WO-A 1617	NUT, generator field terminal post	ea	14	0	7	7
	PULLEY, drive generator	ea	14	0	7	7

2193

1943

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author or max	On hand		
			level			
WO-A 1640	NUT, generator, pulley to shaft	ea	18	0	9	9
WO 106313	RETAINER, generator drive end bearing	ea	9	0	5	5
WO-A 1618	SCREW, ground generator (machine FL-hd, S., cd-pltd N.6(138)-32NC-2x9/16)	ea	37	0	19	19
WO-A 1636	SCREW, generator commutator end cover(fill-hd., S., cd pltd., No.10(190)-32NF-2x5/16)	ea	186	0	93	93
WO-A 1632	SCREW, generator brush lead(rd-hd., S., NS(164)-32NC-2x1/4)	ea	74	0	37	37
WO-A- 1647	SCREW, generator drive end bearing retainer (rd-hd., S., cd-pltd., No.10 (190)-32NF-2x3/8)	ea	93	0	47	47
WO-A 6297	SCREW, generator ground (rd-hd. S., cd-pltd. n.10 (190)-32NF-2x7/16)	ea	47	0	24	24
WO-A 1650	SCREW, generator head band(rd-hd, S., cd-pltd (N. 10) (190) 32NF-2x1/4	ea	37	0	19	19
WO-A 1590	SCREW, generator frame	ea	7	0	4	4
WO-A 1596	SCREW, generator pole piece	ea	47	0	24	24
WO-A 1628	SPRING, generator brush	ea	159	0	80	80

2130

1944

Declassified E.O. 12356 Section 3.3/NND No. 785021

							Author. On hand or max level
WO-A 1608	TERMINAL, generator field	ea	37	0	19	19	
WO-A 1603	TERMINAL, generator armature lead	ea	37	0	19	19	
WO-A 1615	WASHER, S., plain, No.10(190)	ea	93	0	47	47	
WO-A 1638	WASHER, S., cd-pltd., 17/32x1 1/4x095)	ea	47	0	24	24	
WO-A 1613	WASHER, lock, generator field ground	ea	93	0	47	47	
WO-A 5168	WASHER, lock generator bearing retaining bolt	ea	117	0	59	59	
	0601A-GENERATOR ATTACHING PARTS						
WO-A 1399	BRACE, generator short	ea	9	0	5	5	
WO-A 1491	BRACE, generator, w/HANDLE assembly	ea	9	0	5	5	
WO-A 1397	BOLT, generator support insulator(hex-hd., S., 5/16-24NF-3, 29/32)	ea	37	0	19	19	
WO-A 1468	BOLT, pivot, generator brace (hex-hd.S., 3/8-24NF-2x7/8	ea	19	0	10	10	
WO-A 1400	GUIDE, adjusting, generator brace	ea	9	0	5	5	
WO-A 1395	INSULATOR, generator support (rubber, 1 1/16 O.D.x1/2 I.D.)	ea	19	0	10	10	

1948

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. or max level	On hand		
WO-A 1469	SPRING, generator brace	ea	37	0	19	19
WO-A 1392	SUPPORT, generator assy	ea	9	0	5	5
WO-623949	BOLT, hex-hd. S; 3/8-16NC-2 x 7/8	ea	56	0	28	28
WO-A 1396	WASHER, generator support (33/64)	ea	19	0	10	10
	0600 GENERATOR REGULATOR					
WO-A 9046	GASKET, cover	ea	56	0	28	28
WO-A 9047	GASKET, terminal	ea	28	0	14	14
WO-A 7805	KIT, repair, current regulator	ea	21	0	11	11
WO-A 7794	KIT, repair, generator cutout relay	ea	28	0	14	14
WO-A 7810	KIT, repair voltage regulator	ea	28	0	14	14
WO-A 5256	RESISTANCE, carbon	ea	9	0	5	5
WO-A 9054	RESISTANCE, carbon	ea	19	0	10	10
WO-A 1409	REGULATOR, generator, 6V. 40 amp. assembly	ea	30	0	15	15
WO-A 9050	SCREW, terminal, fil-hd., S cd-pltd, 5/16-24NF x1/2	ea	47	0	24	24
	0602-CRANKING MOTOR					
-8	ARMATURE, cranking motor assy	ea	21	0	11	11

2188

1946

Declassified E.O. 12356 Section 3.3/NND No. 785021

			xxxxxxxxxx Author.On hand or max level			
WO-109452	BAND, head, cranking motor assembly	ea	19	0	10	10
WO-A 1588	SCREW, machine, rd-hd S. No. 10(190) 32NF-2x1½	ea	14	0	7	7
WO-A 1583	BEARING, cranking motor 626x7.525x735 absorbent bz	ea	172	0	86	86
WO-A 1583	BEARING, cranking motor intermediate assembly	ea	14	0	7	7
WO-109431	BRUSH, insulator, cranking motor	ea	47	0	24	24
WO 639734	BRUSHING, cranking motor	ea	14	0	7	7
WO-109427	COIL, cranking motor lower left	ea	28	0	14	14
WO-109428	COIL, cranking motor lower right	ea	28	0	14	14
WO-A 1558	CONNECTOR, cranking motor field coil	ea	19	0	10	10
WO-A 1573	DRIVE, Bendix, assembly	ea	21	0	11	11
WO-A 1576	HEAD, driving, cranking motor bendix	ea	9	0	5	5
WO-A 1585	HOUSING, cranking motor Bendix drive pinnion assembly	ea	19	0	10	10
WO-A 1584	BOLT, hex-hd. S.No. 10 (190)-32NFx31/32	ea	233	0	117	117

2187

1947

Declassified E.O. 12356 Section 3.3/NND No. 785021

	xxxxxxxxxx author. On han[illegible] or max. level					
WO-A 1557	INSULATION, cranking motor field connection	ea	19	0	10	10
WO-5017	KEY, woodruff, No.6	ea	47	0	24	24
WO-A 6756	KIT, repair, cranking motor	ea	47	0	25	24
WO-A 7842	KIT, repair, cranking motor Bendix drive	ea	7	0	4	4
WO-A 7841	KIT, repair cranking motor field coil	ea	19	0	10	10
WO-A 1245	MOTOR, cranking assembly (AL-MZ-4113)	ea	30	0	15	15
WO-A 1566	PLATE, cranking motor, commutator end, assy	ea	21	0	11	11
WO-A 1572	SCREW, fill-hd-No.10(190) 32NFx3/8	ea	93	0	47	47
WO-A 1578	SCREW, cranking motor Bendix head spring	ea	105	0	53	53
WO-A 1579	SCREW, cranking motor Bendix shaft spring	ea	105	0	53	53
WO-A 1581	SHAFT, cranking motor Bendix drive w/PINION, assy	ea	37	0	19	19
WO-A 1575	SLEEVE, compression, cranking motor Bendix drive	ea	9	0	5	5
WO 109445	SPRING, cranking motor brush	ea	55	0	28	28

2086

1948

Declassified E.O. 12356 Section 3.3/NND No. 785021

XXXXXXXXXXX
Author:
OH MAX:on hand
level

WO-A 1577	SPRING, Bendix drive, cranking motor	ea	14	0	7	7
WO 638646	SUPPORT, cranking motor	ea	9	0	5	5
WO-A 1746	BOLT, hex-hd.S.3/8-16NCx 7/8	ea	9	0	5	5
WO-109437	WASHER, insulating, cranking motor terminal, post inner	ea	37	0	19	19
WO-A 1584	WASHER, lock cranking motor housing screw	ea	8838	0	44	44
WO 109455	WASHER, thrust, cranking motor armature, commutator end(fibre, 645x1 1/4x 1/32)(Willys)	ea	47	0	24	24
	0503-DISTRIBUTOR					
WO-A 1674	ARM, advance;control, distributor, assembly	ea	9	0	5	5
WO-A 1685	BEARING, distributor absorbent bronze	ea	75	0	38	38
WO-A 1655	CAP, distributor assembly	ea	70	0	35	35
WO-A 1663	CLIP, distributor breaker arm spring	ea	117	0	59	59
WO-A 1659	COLLAR, distributor drive shaft	ea	7	0	4	4
4 1	CONDENSER, distributor assembly	ea	105	0	53	53

1949

Declassified E.O. 12356 Section 3.3/NND No. 785021

			xxxxxxxxxx Author, on hand or max level			
WO-A 1670	SCREW, fill-hd.No.6(138) -32NCx5/32	ea	159	0	80	80
WO-A 1687	CONTACT SET, distributor (AL-1GP-3028FS)	ea	359	0	180	180
WO+A 1660	COVER, distributor terminal slot	ea	28	0	14	14
WO-A 1244	DISTRIBUTOR, assembly (AL-1GC-4705)	ea	33	0	17	17
WO-A 7843	KIT, repair, distributor	ea	37	0	19	19
WO 107128	OILER, distributor shaft	ea	12	0	6	6
WO-A 1662	PLATE, breaker, distributor assembly	ea	14	0	7	7
WO-A 1664	PLATE, breaker part, distributor assembly	ea	14	0	7	7
WO-A 1683	PIN, distributor cap hange	ea	28	0	14	14
WO-A 1656	PLUNGER, distributor contact spring	ea	75	0	38	38
WO-A 1685	RIVET, distributor drive shaft collar	ea	75	0	38	38
WO-A 1658	ROTOR, distributor (AL-IG-1657R)	ea	105	0	53	53
-A 686	SCREW, condenser terminal (Fill-hd.No.10(190)-32NFx 1/4)	ea	28	0	14	14

2184

1950

Declassified E.O. 12356 Section 3.3/NND No. 785021

			xxxxxxxxxxxx Author. on hand or max. level			
WO-A 1668	SCREW, lockong, distributor stationary contact(fill hd.S No.8(164)-32NCx3/16	ea	19	0	10	10
WO-A 1675	SHAFT, drive, distributor w/governor assembly	ea	9	0	5	5
WO-A 1653	SNAP, RING, retaining distributor cam	ea	186	0	93	93
WO-A 1672	SPACER, distributor cam	ea	19	0	10	10
WO-A 1684	SRRING, distributor anti-rattle	ea	9	0	5	5
WO-A 1657	SPRING, distributor contact	ea	75	0	38	38
WO-A 1682	SPRING distributor cap	ea	28	0	14	14
WO 636615	SPRING, friction, distributor shaft	ea	35	0	18	18
WO-A 1677	SPRING SET, distributor Governor weight	ea	93	0	47	47
WO-A 1667	WASHER, distributor breaker arm spring screw	ea	93	0	47	47
WO-A 1654	WASHER, thrust distributor advance arm	ea	140	0	7	7
WO-A 1673	WASHER, thrust, distributor shaft upper	ea	9	0	5	5
WO-106740	WASHER, thrust, distributor drive shaft, lower	ea	19	0	10	10

1951

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. or max. level	on hand		
WO-A 1676	WEIGHT, distributor governor assembly	ea	21	0	10	11
WO-A 1671	WICK, oiling distributor (felt)	ea	19	0	10	10
	0604-IGNITION COIL					
WO- 635886	STUD, S, 1/4-20NC x 1 x 1/4 28NF-2	ea	23	0	12	12
WO- 631105	WASHER, S, black enamel, 9/32 in.	ea	37	0	19	19
WO-A 7792	COIL, ignition, w/BRACKET and WASHER, assy	ea	28	0	14	14
	0604A-IGNITION WIRING					
WO- 301455	BUSHING, spark plug cable support (rubber, 11/16 in.) hole	ea	9	0	5	5
WO-A 6757	KIT, repair ignition wiring	ea	20	0	10	10
WO-A 7844	KIT, repair ignition wiring	ea	56	0	28	28
WO- 327257	SEAL, weather spark plug cables, distributor end	ea	93	0	47	47
WO- A 1652	TERMINAL, high, tension spark plug cables	ea	467	0	234	234
WO- 314369	TERMINAL, spark plug cables and coil secondary cable	ea	117	0	59	59
	0604B-SPARK PLUGS					
WO- 637863	[illegible] spark plug	ea	117	0	59	59

2182

1932

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXXXXXXXXX Author.on hand or max. level			
WO-A-538	PLUG, spark, w/GASKET assy	ea	1423	0	712	712
	0604C-IGNITION LOCK					
WO-A 6811	SWITCH, keyless ignition assembly	ea	12	0	6	6
WO-A 1350	WASHER, lock, S.kad. internal teeth. 3350DK-16910Dx 18 tk.	ea	70	0	35	35
	0605-INSTRUMENTS					
WO-A 8186	AMMETER, 50 amp.	ea	19	0	10	10
WO-A 8184	GAUGE, fuel	ea	2	0	1	1
WO-A8190	GAUGE, oil pressure assy	ea	23	0	12	12
WO-662420	GROMMET, heat indicator through dash(3/16 in rubber)	ea	19	0	10	10
WO-A 8188	INDICATOR, heat assembly	ea	23	0	12	12
	0605B -INSTRUMENTS WIRING					
WO-A 5080	CABLE, fuel gauge to circuit breaker	ea	9	0	5	5
WO+A 5070	CABLE, fuel gauge (instrument bolt to fuel gauge tank unit	ea	9	0	5	5
WO-A 5072	CABLE, ignition switch to ammeter to blackout switch	ea	9	0	5	5

2181

1953

Declassified E.O. 12356 Section 3.3/NND No. 785021

				xxxxxxxxxxx Author.On hand or max. Level			
WO-A 5981	HARNESS,filter wiring (includes the following (4)cables,w/CABLE,ammeter to horn circuit breaker (black-2 red tracings) CABLE,filter(battery ammeter)to ammeter(red-3 black tracings)CABLE, filter(coil ignition switch) to ignition switch to gasoline gauge circuit breaker(black-2 white tracings),CABLE,filter(regulator battery ammeter) to ammeter(black-2 red tracings)	ea	16	0	8	8
	0605C-PANEL LIGHT						
WO-A 1748	ADAPTER,instrument light (DM-29392)	ea	9	0	5	5
WO-A 1334	SHIELD,instrument,lamp assembly	ea	14	0	7	7
WO-A 1411	SOCKET,instrument lamp, w/CABLE assembly	ea	19	0	10	10
	0606-SWITCHES						
WO- 111062	NUT,starting switch terminal	ea	93	0	47	47
WO-A 6149	SWITCH blackout driving light assembly	ea	19	0	10	20
WO- 52332	WASHER, lock shakeproof 3/8	ea	56	0	28	28
WO-A 332	SWITCH lighting assembly	ea	35	0	18	18

1954

Declassified E.O. 12356 Section 3.3/NND No. 785021

xxxxxxxxxxx author. or max. level			on hand			
WO-A 7225	SWITCH, starting (AL-SW-4015)	ea	84	0	42	42
WO-A 1333	SWITCH, panel light	ea	14	0	7	7
WO-A 1271	SWITCH, stop light	ea	28	0	14	14
WO- 52424	WASHER, lock, shakeproof 5/16 in.	ea	233	0	112	112
	0606B-CHASSIS WIRING					
WO-A 5041	CABLE, voltage, regulator to generator	ea	9	0	5	5
WO-A 5082	CABLE, voltage regulator to junction block	ea	12	0	6	6
WO- 52889	SCREW, sheet metal, pkzd., No.10(.190)x5/8 clip to body floor	ea	233	0	112	112
WO- 635985	CONNECTOR, (3wire)	ea	28	0	14	14
WO- 635981	CONNECTOR, (2 wire)	ea	28	0	14	14
WO- 662276	GROMMET, 5/8 in.	ea	19	0	10	10
WO- 345961	GROMMET, 13/32 in.	ea	56	0	28	28
WO-A 7824	HARNESS, wiring generator to voltage regulator and filter	ea	13	0	7	7
WO-A 948	HARNESS, wiring body long then use WO-A-9220 for maintenance before Willy serial 288835	ea	9	0	5	5

2179

1959

Declassified E.O. 12356 Section 3.3/NND No. 785021

	xxxxxxxxxx Author; on hand or max. level					
WO-A 6154	HARNESS, wiring body left side, short	ea	12	0	6	6
WO-A 5061	HARNESS, wiring chassis left side	ea	12	0	6	6
WO-A 1665	HARNESS wiring, head light	ea	19	0	10	10
	0606D-CIRCUIT BREAKERS					
WO-W 1733	BREAKER, circuit, 5 amp.	ea	23	0	12	12
WO-A 1734	BREAKER, circuit 15 amp	ea	23	0	12	12
WO-A 1349	BREAKER, thermal, circuit 30 amp.	ea	21	0	11	11
	0606E-JUNCTION BLOCKS					
WO-639599	Block, junction 2 post	ea	14	0	7	7
WO-A 1490	BLOCK; junction 6 post	ea	14	0	7	7
WO-A 1089	WASHER, (terminal to block screw, special S., 1/4)	ea	233	0	117	117
	0607-HEAD LIGHTS					
WO-A 1036	DOOR, headlight assy	ea	14	0	7	7
WO-A 1731	CABLE, ground headlight	ea	9	0	5	5
WO-52993	SCREW, rd-hd., sheet metal No.10(.190)x3/8	ea	233	0	117	117

2078

1956

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. on hand or max. level				
WO-A 1304	LIGHT, service head, left assy	ea	19	0	10	10	
WO-A 1305	LIGHT, service head right assy	ea	19	0	10	10	
WO-A 2878	HINGE, head light support (issue until stock exhausted	ea	9	0	5	5	
WO-A 1031	RETAINER, headlight mounting bolt	ea	28	0	14	14	
WO-A 1037	SCREW, headlight door	ea	28	0	14	14	
WO-A 2870	SUPPORT, left headlight assembly	ea	9	0	5	5	
WO-A 2871	SUPPORT, right, headlight assy	ea	9	0	5	5	
WO-A 1362	WIRE, left headlight assy	ea	14	0	7	7	
WO-A 1363	WIRE right headlight assy	ea	14	0	7	7	
	0607A-SEALED BEAM						
WO -A 6145	LAMP-UNIT, blackout driving headlight, 6-8V sealed assy	ea	80	0	20	20	2177
WO-A 1033	LAMP-UNIT, headlight sealed 6V assy	ea	107	0	54	54	
WO-A 1034	LAMP-UNIT, service tail and stop, sealed, 21-3CP, 6V assy	en	70	0	35	35	
WO-A 078	LAMP-UNIT, blackout stop, sealed 3CP. 6V assy	ea	58	0	29	29	

1957

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. on hand or max. level			
WO-A 1075	LAMP-UNIT, blackout tail sealed 4 opening, 6V, assy	ea	70	0	35	35
	0607B-LAMPS					
WO-51804	LAMP, elec. incand. 6-8V, 3C.P. single tung. fil.	ea	140	0	70	70
	0607D-BLACKOUT LIGHTS					
WO-A 6146	CABLE, blackout driving light assembly	ea	9	0	5/	5
WO-A 6144	DOOR, blackout driving light assembly	ea	9	0	5	5
WO-A 1071	GASKET, marker light door	ea	9	0	5	5
WO-A 1436	LIGHT, marker left assy	ea	9	0	5	5
WO-A 1437	LIGHT, marker right assembly	ea	9	0	5	5
WO-A 6142	LIGHT, driving blackout assy	ea	16	0	8	8
WO-A 11768	LIGHT, driving blackout assy	ea	16	0	8	8
WO-A 6783	RING, mounting, blackout driving light unit mounting	ea	19	0	10	10
WO-A 1072	SCREW, marker light door	ea	28	0	14	14

2: 76

1958

Declassified E.O. 12356 Section 3.3/NND No. 785021

						XXXXXXXXXXX Author. on hand or max. level	
WO-A 6148	SCREW, marker light door, w/WASHER assy	ea	28	0	14	14	
	0603-TAIL LIGHT						
WO-A 719	CABLE, blackout tail lamp to connector	ea	9	0	5	5	
WO-A 1076	DOOR, blackout tail and service tail and stop light assy	ea	9	0	5	5	
WO-A 1079	DOOR, blackout tail and service tail and stop light	ea	9	0	5	5	
Wo-A 1064	LIGHT, blackout tail and service tail and stop, 6V, 7/8 std. 1gh, assy	ea	19	0	10	10	
WO-A 1065	LIGHT, blckout tail and blackout stop, 6V, 7/8 std 1gb., assy	ea	19	0	10	10	
	0609-HORNS						
WO-A 1389	BRACKET, horn (issue until stock exhausted)	ea	19	0	10	10	
WO-A 1312	HORN assembly	ea	9	0	5	5	2175
	0609B-HORN-BUTTON AND WIRING						
WO-A 302	BRUSH, horn wire contact	ea	9	0	5	5	
WO-A 5081	CABLE? horn to junction lock	ea	19	0	10	10	
WO-A 752	CABLE? horn, assy	ea	14	0	7	7	

1959

Declassified E.O. 12356 Section 3.3/NND No. 785021

	XXXXXXXXXXX Author. on hand or max. Level					
WO-A 6742	KIT, repair horn button	ea	16	0	8	8
WO-A 747	RING, horn contact assy	ea	14	0	7	7
WO- 638884	SPRING, horn button	ea	19	0	10	10
	0620 10- BATTERY					
WO-A 1767	BATTERY, 6V, 15 plate, 116 amp. hr.	ea	240	0	120	120
WO-A 11760	ELECTROLYTE, battery and CONTAINER, assy	ea	259	0	130	130
	0610A-BATTERY HANGERS					
WO-A 1291	FRAME, hold down battery	ea	14	0	7	7
WO-A 1164	BOLT, S.5/16-18NC 2x9	ea	9	0	5	5
WO- 323397	BOLT, terminal clamp (hex-hd.S., 1D-plt&, 5/16-18NCx1 1/4)	ea	37	0	19	19
WO- 335912	BOLT, terminal clamp w/NUT assembly	ea	467	0	234	234
WO-A 1452	CABLE, battery to starting switch positive	ea	21	0	11	11
WO-A 1454	CABLE, starting switch to cranking motor	ea	9	0	5	5
?- 883	STRAP, battery ground	ea	19	0	10	10
71400	TERMINAL, battery cable (11/32 in.)	ea	28	0	14	14

217

1960

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author. or tax. level	On hand	
WO-372668	TERMINAL, battery positive cable clamp	ea	28	0	14	14
	GROUP 07-TRANSMISSION 0700-TRANSMISSION ASSY					
WO-A 7596	TRANSMISSION, w/gear shift LEVER assy	ea	19	0	10	10
	0701-CASE					
WO-A 1148	CASE, transmission assembly	ea	9	0	5	5
WO 637503	CAP, oil retaining transmission	ea	23	0	12	12
WO-637495	GASKET, transmission case to flywheel housing	ea	93	0	47	47
WO-A 7832	GASKET, SET, transmission	ea	112	0	56	56
	0703, MAINDRIVE GEAR AND BEARINGS					
WO+ 636885	BEARING, ball, annular, single row, single oil shield, snap ring groove.	ea	35	0	18	18
WO-639422	BEARING, roller, S. spherical end type. 527 lgth x .1875 diam.	ea	700	0	350	350
WO-A 5554	GEAR, main drive, S.17 teeth	ea	16	0	8	8
WO-640018	OIL SEAL, transmission front bearing retainer	ea	35	0	18	18
WO-640017	RETAINER, main drive gear bearing	ea	9	0	5	5

1961

Declassified E.O. 12356 Section 3.3/NND No. 785021

					xxxxxxxxxxxx Author on hand or xxx. level	
WO-635844	SNAP RING, main drive gear 1-9/32 in. I.D.	ea	70	0	35	35
WO-635846	SNAP RING, main drive gear, bearing, 2-11/16in. D.	ea	91	0	46	46
WO-699423	SNAP RING, main drive gear pilot roller bearing, 1.062 O.D.	ea	77	0	39	39
	0704-MAIN SHAFT AND BEARINGS					
WO-A 916	BEARING, bolt annular, single row, bore 1.378x 8268	ea	35	0	18	18
WO-640006	BUSHING, main shaft second speed gear	ea	14	0	7	7
WO-A 519	SHAFT, main	ea	21	0	11	11
WO-A-738	SPANCER, main shaft bearing	ea	7	0	4	4
WO-A 410	WASHER, retaining main, shaft, oil	ea	35	0	18	18
	0704B-GEARS					
WO-A 739	GEARS, cluster, countershaft, w/BUSHING and SPANCER assy	ea	16	0	8	8
WO-368879	GEAR, sliding, mainshaft low and reverse(O.D.3. 265x1 1/4 thk., 25 teeth)	ea	16	0	8	8
	GEAR, mainshaft, 2nd speed, w/BUSHING, assy	ea	16	0	8	8
	2 GEAR, reverse idler, W/ BUSHING, assy	ea	16	0	8	8

1962

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXXXXXXXXX Author. on hand or max level			
WO-637882	PLATE, synchronizer shifting	ea	48	0	24	24	
WO-627834	RING, synchroniser blocking	ea	26	0	13	13	
WO 637835	SNAP RING high and intermediate clutch hub I.D. 1 1/32	ea	63	0	32	32	
WO 637831	SPRING, synchroniser (WG-4682-K)	ea	23	0	12	12	
WO-A 6318	SYNCHRONIZER UNIT, w/blocking RING, assy	ea	35	0	18	18	
	0706C-COUNTERSHAFT & REVERSE IDLER SHAFT						
WO-A 878	BUSHING, countershaft, gear	ea	56	0	28	28	
WO-635804	BUSHING, reverse idler gear	ea	14	0	7	7	
WO-638948	COUNTERSHAFT,	ea	9	0	5	5	
WO-638949	PLATE, lock countershaft and idler shaft	ea	7	0	5	4	
WO-A 524	PIN, countershaft washer	ea	117	0	58	59	
WO-638952	SHAFT, reverse idler gear	ea	7	0	4	4	
WO-A 880	SPACER, countershaft bushing	ea	117	0	59	59	

1963

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			ized or max. level			
WO- 635812	WASHER, thrust, countershaft front	ea	47	0	24	24
WO- 635811	WASHER, thrust countershaft, rear	ea	47	0	24	24
WO-A- -879	WASHER, thrust, countershaft, rear	ea	28	0	14	14
	0706A-GEAR SHIFT LEVER AND PARTS					
WO-A-971	BALL, gearshift lever	ea	56	0	28	28
WO-A- -1381	BALL, gearshift lever fulcrum	ea	9	0	5	5
WO-A- 1379	CAP, gearshift lever housing	ea	14	0	7	7
WO- 635861	GASKET, gearshift lever housing	ea	70	0	35	35
WO-A- 1380	LEVER, gearshift ausembly	ea	7	0	4	4
WO- 635862	PACKING, gearshift lever housing	ea	173	0	87	87
WO-A- 1382	PIN, gearshift lever fulcrum	ea	28	0	14	14
WO-A- 7260	PLATE, guide, gearshift lever	ea	9	0	5	5
WO- 635860	RIVET, S., fl-hd, 3/16x7/16	ea	58	0	29	29
WO- 392328	SPRING, support, gearshift lever	ea	23	0	12	12

2-79

1964

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXX Author On Hand ized or max.level			
WO-635863	WASHER, gearshift lever housing cap	ea	17	0	4	4
	0706B-GEARSHIFTER RAILS AND PARTS					
WO-635838	BALL, poppet, shift rail (S., 5/16 O.D.)	ea	23	0	12	12
WO-A-1385	PLUNGER, gearshift interlock	ea	98	0	49	49
WO-A-1155	RAIL, shift high and intermediate	ea	16	0	8	8
WO-A-1156	RAIL, shift lowand reverse	ea	16	0	8	8
WO-636200	SCREW, lock gearshift fork	ea	70	0	35	35
WO-635837	SPRING, shift rail, poppet ball	ea	23	0	12	12
	0706C-GEARSHIFTER YOKES OR FORKS					
WO-636196	FORK, shift, high and intermediate	ea	23	0	12	12
WO-636197	FORK, shift, low and reverse	ea	23	0	12	12
WO-A-7260	PLATE, shifter, assembly	ea	12	0	6	6
WO-635840	PIN, shifter plate fulcrum	ea	23	0	12	12
WO-635836	PIN, shift fork guide	ea	12	0	6	6

1969

1965

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author Oh Hand ized or max;level		
WO-635839	SPRING, shifter plate	ea	70	0	35	35
	GROUP 08-TRANSMISSION TRANSFER					
	0800-TRANSMISSION TRANSFER ASSEMBLY					
WO-A-1195	CASE, transfer assembly	ea	19	0	10	10
WO-A-1543	GASKET SET, transfer case overhaul	ea	187	0	94	94
WO-A-7443	GASKET SET, transfer case overhaul	ea	63	0	32	32
WO-A-7445	OIL SEAL SET, transfer case	ea	63	0	32	32
	0801-CASE					
WO-A-934	BREATHER, transfer case assembly	ea	12	0	6	6
WO-A-956	CAP, out-put clutch shaft bearing, front	ea	14	0	7	7
WO-A-1136	BOLT, hex-hd., S/, head dld. f/c-pin, 3/8-16NC-3x1	ea	93	0	47	47
WO-A-1137	BOLT, hex-hd., S., (head, dld. f/c-pin) 3/8-16NC-3 x2	ea	93	0	47	47
WO-A-1135	WASHER, cap, 5/80.D.x 25/64 I.D.x 1.32 thk.	ea	653	0	327	327
WO-A-1507	CAP, output shaft bearing w/BUSHING, rear	ea	19	0	10	10

1966

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			Used or Max.level			
WO-A-1503	CASE, transfer	ea	9	0	5	5
WO-A-953	COVER, transfer case, bottom	ea	9	0	5	5
WO-A-1508	COVER, transfer case (rear)	ea	9	0	5	5
WO-A-957	GASKET, output clutch shaft bearing cap	ea	35	0	18	18
WO-A-1509	GASKET, rear cover	ea	35	0	18	18
WO-A-954	GASKET, transfer case bottom c over	ea	235	0	118	118
WO-A-1435	GASKET, transfer case, to transmission	ea	70	0	35	35
WO-A-1104	PLUG, pipe, I., 1/8 in	ea	19	0	10	10
WO-A-6753	SHIM SET, output shaft	ea	12	0	6	6
	0802-DRIVE GEAR					
WO-A-1510	GEAR, drive	ea	9	0	5	5
WO-A-520	NUT, mainshaft (S., hex, slotted, 7/8-16NC-2)	ea	47	0	24	24
WO-A-1410	WASHER, mainshaft nut (S., plain, 1/ 9/160.0.D.x 29/32 I.D.x5/32 thk)	ea	23	0	12	12
	0803-DRIVEN GEARS, SHAFT BEARINGS					
WO-A-1007	BEARING, ball, annular, single row, bore 1.1811x.6299	ea	16	0	8	8

2167

1967

Declassified E.O. 12356 Section 3.3/NND No. 785021

							xxxx Author On Hand 1ed or mex.level
WO-A-987	BUSHING, output clutch shaft pilot	ea	7	0	4	4	
WO-51575	CONE, and ROLLERS, output shaft bearing	ea	29	0	15	15	
WO-52883	CUP, output shaft bearing	ea	29	0	15	15	
WO-A-1105	FLANGE, companion rear	ea	19	0	10	10	
WO-A-980	NUT, hex., S.?slotted, 3/4-20NF-3	ea	56	0	28	28	
WO-A-1134	GASKET, output clutch shaft bearing cap oil seal	ea	51	0	26	26	
WO-A-989	GEAR, output shaft O.D. 4.101 bore 1.250x 1.713, 27 teeth	ea	9	0	5	5	
WO-A-9888	GEAR, sliding, output shaft O.D.5.571x 1.192 wide, 27teeth	ea	9	0	5	5	
WO-A-998	GEAR, clutch, output shaft (10 internal teeth, bore 1.088 diam x 1.755 wide) face 2.411 diam.)	ea	9	0	5	5	2168
WO-A-958	OIL SEAL, output, shaft	ea	47	0	24	24	
WO-A-8835	SHAFT, output clutch, w/NUT and WASHER	ea	9	0	5	5	
WO-A-8841	SHAFT, output, w/NUT and WASHER, assembly	ea	9	0	5	5	

1968

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXX Author On Hand	XXX Required or Max.level	
WO-A-1111	SHIELD dust	ea	21	0	11	11
WO-A-991	SNAP RING, output shaft	ea	63	0	32	32
WO-A-976	SNAP RING, output clutch shaft bearing	ea	63	0	32	32
WO-A-1028	WASHER, companion flange nut	ea	47	0	24	24
WO-A-990	WASHER, thrust, output shaft	ea	12	0	6	6
WO-A-1106	YOKE, end, universal joint front	ea	12	0	6	6
	0804-IDLER GEAR, SHAFT; BEARINGS					
WO-A-924	BEARING, intermediate gear	eA	33	0	17	17
WO-A-999	GEAR, intermediate	ea	9	0	5	5
WO-A-1001	PLATE, lock intermediate	ea	7	0	4	4
WO-A-998	SHAFT, intermediate	ea	9	0	5	5
WO-A-1000	WASHER, thrust intermediate gear	ea	28	0	14	14
	0805-SHIFTERS RODS					
WO-5599	BALL, poppet, shift rod	ea	42	0	21	21
WO-A-974	OIL SEAL; shift rod	ea	47	0	24	24
WO-A-967	PLUG, shift rod poppet	ea	56	0	28	28
WO-A-962	ROD, shift, front, wheel drive	ea	9	0	5	5

2085

1969

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			ized or max.level			
WO-A-1504	ROD, shift, underdrive and direct	ea	9	0	5	5
WO-A-966	SPRING, shift rod poppet	ea	35	0	18	18
	0805A-YOKES					
WO-A-960	FORK, front wheel drive shift	ea	9	0	5	5
WO-A-959	FORK, underdrive end direct shift	ea	9	0	5	5
WO-A-965	INTERLOCK, shift rod	ea	12	0	6	6
WO-A-963	SCREW, set, shift fork	ea	84	0	42	42
	0805B-SHIFT LEVER AND PARTS					
WO-A-971	BALL, shift lever handle	ea	56	0	28	28
WO-638224	FITTING, grease, 45°	ea	172	0	86	86
WO-A-3784	CRESCENT, transfer shift levers	ea	14	0	7	7
WO-A-1506	LEVER, shift, front wheel drive	ea	9	0	5	5
WO-A-1505	LEVER, shift, underdrive and direct	ea	9	0	5	5
WO-A-972	PIN, pivot, shift lever	ea	7	0	4	4
WO-A-973	SCREW, set, shift lever pivot pin	ea	47	0	24	24
WO-A-970	SPRING, shift lever	ea	14	0	7	7
	0809-MOUNTINGS					
WO-A-147	BOLT, support, transfer case	ea	56	0	28	28
WO-634758	INSULATOR, transfer case Support	ea	12	0	6	6

1970

Declassified E.O. 12356 Section 3.3/NND No. 785021

			XXXX Author Qn Hand	XXX Issued or max.level		
WO-634759	SNUBBER, transfer case support insulator	ea	56	0	28	28
WO-634762	WASHER, S., 1 1/2 O.D. x 21/32 I.D. x 1/16 thk.	ea	23	0	12	12
	0810-SPEEDOMETER DRIVE GEARS					
WO-A-985	BUSHING, speedometer drive gear	ea	9	0	5	5
WO-A-1511	GEAR, drive, speedometer	ea	9	0	5	5
WO-A-1512	GEAR, driven, speedometer	ea	9	0	5	5
WO-636396	SLEEVE, speedometer driven gear	ea	9	0	5	5
	GROUP 09-PROPELLER SHAFT AND UNIVERSAL JOINT					
	0901-PROPELLER SHAFT ASSEMBLIES					
WO-A-1326	SHAFT, propeller, front assembly	ea	16	0	8	8
WO-A-1327	SHAFT, propeller, rear assembly	ea	16	0	8	8
	0902-UNIVERSAL JOINTS					
WO-A-490	BOLT, "U", S., 5/16-24NF-3 (universal joint bearing)	ea	47	0	24	24
WO-A-491	NUT, hex., S., 5/16-24NF-3 (SP-5-74-11)	ea	121	0	61	61
WO-A-942	CAP, dust universal joint Yoke sleeve	ea	14	0	7	7
WO-A-1433	KIT, repair, universal joint journal	ea	436	0	218	218

2163

1971

Declassified E.O. 12356 Section 3.3/NND No. 785021

					XXXX Author On Rhnd 1 zero or max.level	XXX
WO-636568	SHIELD, dust, front universal and yoke	ea	19	0	10	10
AWO-A-945	SNAP RING, trunnion bearing	ea	93	0	47	47
WO-A-1429	TUBE, rear, propeller shaft, assembly	ea	7	0	4	4
WO-A-493	WASHER, universal joint yoke sleeve	ea	47	0	24	24
WO-A-950	YOKE, propeller shaft flange	ea	14	0	7	7
WO-A-935	YOKE, universal joint sleeve, w/PLUG assembly	ea	19	0	10	10
	GROUP 10-FRONT AXLE					
	1000-FRONT AXLE ASSEMBLY					
WO-A-6029	AXLE, front, w/BRAKES DRUMS and HUBS, assembly	ea	9	0	5	5
	1001-HOUSING					
WO-636527	BOLT, differential bearing cap (hex-hd., S., ½-13NCx 2 1/4)	ea	19	0	10	10
WO-A-781	COVER, Axle housing	ea	9	0	5	5
WO-A-1703	HOUSING, axle, w/TUBE assembly	ea	9	0	5	5
WO-A-782	GASKET, axle housing cover	ea	117	0	59	59
WO-A-7830	GASKET SET, front axle	ea	47	0	24	24
WO-A-1457	GUARD, front wheel brake hose, assembly	ea	9	0	5	5
WO-636577	PLUG, drain, axle housing	ea	37	0	19	19

2.62

1973

Declassified E.O. 12356 Section 3.3/NND No. 785021

				xxxx Author On Hand Issd or max.level	xxx	
WO-636538	PLUG, filler, axle housing	ea	37	0	19	19
WO-A-870	PLUG, vent, axle housing	ea	12	0	6	6
WO-636528	WASHER, lock, internal S., ½ in.	ea	308	0	154	154
	1002-DIFFERENTIAL ASSEMBLY					
WO-A-793	CASE, differential	ea	9	0	5	5
WO-A-788	DIFFERENTIAL, front assembly	ea	9	0	5	5
	1003-DIFFERENTIAL GEARS, PINION AND BEARINGS					
WO-52880	CONE and ROLLERS, differential bearing	ea	33	0	16	16
WO-52876	CONE, and ROLLERS, drive pinion bearing, inner	ea	9	0	5	5
WO-52878	CONE and ROLLERS drive pinion bearing, outer	ea	9	0	5	5
WO-51881	CUP, differential bearing	ea	33	0	17	17
WO-52877	CUP, drive pinion bearing inner	ea	9	0	5	5
WO-52879	CUP, drive pinion bearing outer	ea	9	0	5	5
WO-636565	GASKET, drive pinion oil seal	ea	70	0	35	35
WO-A-789	GEAR, drive, differential w/PINION	ea	14	0	7	7

261

1973

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand			
			ized or max.level			
WC-A-6743	KIT, repair, front axle differential gear	ea	9	0	5	5
WC-A-6816	KIT, repair, drive gear and pinion	ea	9	0	5	5
WC-636569	NUT, hex., S., slotted 3/4-16NF-3	ea	93	0	47	47
WC-639265	OIL SEAL, drive pinion (leator)	ea	47	0	24	24
WC-A-871	SCREW, differential, drive gear	ea	47	0	24	24
WC-A-784	SHIM, adjusting, differential bearing	ea	233	0	117	117
WC-A-785	SHIM, adjusting, differential bearing	ea	233	0	117	117
WC-A-786	SHIM, adjusting, differential bearing	ea	233	0	117	117
FM-GP 4229-E	SHIM, adjusting, differential bearing	ea	233	0	117	117
WC-A-787	SHIM, adjusting, differential bearing	ea	233	0	117	117
WC-A-800	SHIM, adjusting, drive pinion, large	ea	233	0	117	117
WC-A-801	SHIM, adjusting, drive pinion large	ea	233	0	117	117
WC-A-802	SHIM, adjusting, drive pinion large	ea	233	0	117	117
WC-A-803	SHIM, adjusting, drive pinion bearing small	ea	233	0	117	117

1974

Declassified E.O. 12356 Section 3.3/NND No. 785021

		Author	On Hand	Req or max.level		
WO-A-804	SHIM, adjusting drive pinion bearing small	ea	233	0	117	117
WO-A-805	SHIM, adjusting, drive pinion bearing small	ea	233	0	117	117
WO-A-806	SHIM, adjusting, drive pinion, bearing small	ea	233	0	117	117
WO-636566	SLINGER, oil, drive pinion bearing	ea	9	0	5	5
WO-A-799	SPACER, drive pinion bearing	ea	7	0	4	4
WO-635570	WASHER, drive pinion nut	ea	28	0	14	14
WO-A-1445	YOKE, end, universal joint assembly	ea	9	0	5	5
	1006-STEERING KNUCKLE, FLANGE AND ARM					
WO-A-1712	ARM, knuckle steering upper left	ea	19	0	10	10
WO-A-1710	ARM; knuckle steering, upper right	ea	19	0	10	10
WO-A-857	BEARING, bell crank	ea	346	0	173	173
WO-A-8249	BELL CRANK, drag link front	ea	37	0	19	19
WO-A-872	BOLT, hex-hd, S., 5/16-24NF-3 x 5/8	ea	546	0	273	273
WO-A-821	BOLT, hex-hd, S., 3/8-24NF-3 x 1 1/16	ea	117	0	59	59

1973

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Amount On Hand Issued or Expended		
WC-A-853	BUSHING, wheel bearing spindle bz.1.376 O.D. x 1.251 I.D. x 7/8 wide	ea	117	0	59	59
WC-A-828	CAP, kind pin bearing, lower assembly	ea	14	0	7	7
WC-52950	CONE and ROLLERS, kind pin bearing	ea	35	0	18	18
WC-52941	CUP, kind pin bearing. 1.687 O.D. x 3/8 wide	ea	35	0	18	18
WC-A-820	GASKET, steering knuckle oil seal assembly	ea	233	0	117	117
WC-A-6882	SHIM SET, kind pin bearing	ea	28	0	14	14
WC-A-812	KNUCKLE, steering left	ea	16	0	8	8
WC-A-811	KNUCKLE, steering right	ea	16	0	8	8
WC-A-873	NUT, hex, S., 3/8-24NF-3	ea	117	0	59	59
WC-630598	NUT, hex., S., 3/8-24NF-2	ea	280	0	140	140
WC-A-779	OIL SEAL, carrier end	ea	93	0	47	47
WC-A-819	OIL SEAL, fel steering knuckle	ea	513	0	257	256
WC-A-813	OIL SEAL, steering knuckle assembly	ea	47	0	24	24
WC-A-825	PIN, lock, kind pin	ea	681	0	341	341
WC-A-851	SPINDLE, wheel bearing, w/BRUSHING, assembly	ea	21	0	11	11

1976

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author	On Hand		
				Prod or			
				Next Level			
WC-A-818	STRUT, pressure, felt, steering knuckle, oil seal	ea	513	0	257	257	
WC-A-	STUD, S., 3/8-24NF-3 x 2 (steering arm)	ea	93	0	47	47	
WC-A-5504	STUD, S., 3/8-24NF-3x2 (steering arm dowel)	ea	82	0	41	41	
	1007-AXLE SHAFTS, UNIVERSAL JOINT						
WC-A-1725	BOLT, axle shaft retainer	ea	117	0	59	59	
WC-A-6362	BUSHING, axle shaft	ea	19	0	10	10	
WC-A-868	FLANGE, drive, axle shaft	ea	21	0	11	11	
WC-A-760	BOLT, hex-hd, s-fin, alloy S., 3/8-16NC-2x1¼	ea	117	0	59	59	
WC-A-1722	PILOT, universal joint	ea	19	0	10	10	
WC-A-1723	PIN, universal joint pilot	ea	19	0	10	10	
WC-A-1729	SHAFT, axle, left	ea	15	0	8	8	
WC-A-6383	SHAFT, axle, inner left	ea	16	0	8	8	
WC-A-6050	SHAFT, axleleft, w/universal JOINT, assembly	ea	19	0	10	10	
WC-A-6031	SHAFT, axle right, w/universal JOINT, assembly	ea	19	0	10	10	
WC-A-1728	SHAFT, axle left, w/universal JOINT, assembly	ea	16	0	8	8	

1977

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author On hand	Lead or	max.level
WO-A-1715	SHAFT,axle right,w/universal JOINT,assembly	ea	16	0	8	8
WO-A-1716	SHAFT,axle,outer w/universal JOINT,assembly	ea	19	0	10	10
WO-A-6631	SHIM SET,universal joint adjusting	ea	42	0	21	21
WO-A-1725	SNAP RING,axle shaft retainer	ea	28	0	14	14
WO-A-726	WASHER,thrust,axle shaft	ea	28	0	14	14
	GROUP 11-REAR AXLE					
	1100-REAR AXLE ASSEMBLY					
WO-A-5500	AXLE,rear,w/BRAKES,DRUMS and HUBS,assembly	ea	9	0	5	5
WO-339372	NUT,hex,S.,7/16-20NF-2	ea	930	0	465	465
WO-A-7831	GASKET SET,rear axle	ea	70	0	35	35
	1101-HOUSING ASSEMBLY					
WO-636527	BOLT,hex-hd.S.,$\frac{1}{2}$-13NC-2 x 2 1/4	ea	19	0	10	10
WO-A-781	COVER,axle housing	ea	9	0	5	5
WO-A-782	GASKET,axle housing cover	ea	117	0	59	59
WO-A-888	HOUSING,axle w/TUBE, assembly	ea	7	0	4	4
WO-635577	PLUG,drain,axle housing	ea	37	0	19	19
WO-A-870	PLUG,vent,axle housing	ea	12	0	6	6

1978

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Number On Hand Used or Ent. Level		
WO-636528	WASHER, lock, S., internal, ⅜ in.	an	308	0	154	154
	1102--AXLE DRIVE SHAFTS					
WO-A-760	BOLT, hex-hd, S.A.E./B-16NC-3 x 1¾	en	117	0	59	59
WO-A-904	GASKET, axle shaft	ea	465	0	233	233
WO-A-799	OIL SEAL, axle inboard	ea	93	0	47	47
WO-A-902	SHAFT, rear axle, left	ea	21	0	11	11
WO-A-901	SHAFT, rear axle, right	en	21	0	11	11
	1103--DIFFERENTIAL AND CARRIER ASSEMBLY					
WO-A-793	CASE, differential	ea	9	0	5	5
WO-52880	CONE, and ROLLERS, differential bearing, bore 1.625 w 1.000	ea	33	0	17	17
WO-52881	CUP, differential bearing .6125 wide x 3.000 O.D.	ea	33	0	17	17
WO-A-788	DIFFERENTIAL, assembly	ea	9	0	5	5
WO-A-6816	KIT, repair, drive gear and pinion	ea	9	0	5	5
WO-A-6743	KIT, repair, rear axle differential gear	ea	9	0	5	5
WO-636360	PIN, lock, pinion shaft	ea	14	0	7	7
WO-A-871	SCREW, drive gear	ea	47	0	24	24

2155

1979

Declassified E.O. 12356 Section 3.3/NND No. 785021

WO-A-6744	SHIM SET, rear axle, differential bearing	ea	12	0	6	6
	1104-DIFFERENTIAL PINION BEARING					
WO-52876	CONE and ROLLERS, bearing drive pinion, inner	ea	9	0	5	5
WO-52878	CONE and ROLLERS, bearing drive pinion outer	ea	9	0	5	5
WO-52877	CUP, drive pinion, bearing inner	ea	9	0	5	5
WO-52879	CUP, drive pinion, bearing outer	ea	9	0	5	5
WO-636565	GASKET, pinion oil seal, leather	ea	70	0	35	35
WC-636569	NUT, hex., S., slotted, 3/4-16NF-3, drive pinion	ea	93	0	47	47
WO-639265	OIL SEAL, pinion leather	ea	47	0	24	24
WO-A-6745	SHIM SET, rear axle drive pinion	ea	12	0	6	6
WO-636566	SLINGER, oil drive pinion bearing	ea	9	0	5	5
WO-A-799	SPACER, drive pinion bearing	ea	7	0	5	4
WO-A-1445	YOKE, universal joint and w/SHIELD assembly	ea	9	0	5	5
	GROUP 12-BRAKE 1200-BRAKE ASSEMBLY					

1980

Declassified E.O. 12356 Section 3.3/NND No. 785021

Group 12- Brake
1200-Brake assembly(Con'd.)

WC-A-8894	Brake,front,left,assembly	ea	9	0	5	5
WC-A-8895	BRAKE,front,right assembly	ea	9	0	5	5
WC-A-8896	BRAKE,rear,left assembly,3/4 in.	ea	9	0	5	5
WC-A-8897	BRAKE,rear,right, assembly,3/4 in.	ea	9	0	5	5
	1201-HAND BRAKE EMERGENCY BRAKE PARTS					
WC-A-1009	BAND,hand brake, assembly	ea	14	0	7	7
WC-A-1019	BOLT,brake band brkt.(hex-hd.,S;1/4-20NC-2x2 3/4	ea	93	0	47	47
WC-539010	BRACKET,hand brake ratchet tube,w/SPRING and SCREW assembly	ea	9	0	5	5
WC-A-1016	BOLT,adjusting,hand brake	ea	19	0	10	10
WC-A-1020	BOLT,anchor clip(hex-hd., S.,5/16-18NC-2x 1 5/8)	ea	58	0	29	29
WC-A-1008	BRAKE,hand,assembly	ea	9	0	5	5
WC-A-1241	CABLE,hand brake ratchet, w/TUBE,assembly	ea	19	0	10	10
WC-A-1003	CAM;hand brake	ea	9	0	5	5

1981

Declassified E.O. 12356 Section 3.3/NND No. 785021

				xxxx Author on hand ized or max. level	xx	
WO-A-1735	CLAMP, hand brake cable tube	ea	9	0	5	5
WO-A-1533	WASHER, S., 5/16 in.	ea	56	0	28	28
WO 638780	CLAMP, hand brake cable tube	ea	9	0	5	5
WO-A-5393	CLIP, 5/16 in.S., closed type	ea	19	0	10	10
WO-A-1226	CRANK, hand brake cable, assembly	ea	19	0	10	10
WO-A-1227	SCREW, hex-hd., S., 7/16-20NF x 1 1/4	ea	23	0	12	12
WO-A-1002	DRUM, hand brake	ea	16	0	8	8
WO-A-997	BOLT, hex-hd., S., 3/8-24NF-3 x 1 1/8	ea	233	0	117	117
WO-A-6759	LINING SET, hand brake, w/RIVETS	ea	35	0	18	18
WO-639244	HANDLE, hand brake	ea	9	0	5	5
WO-51904	SCREW, rd-hd., S., br-plted, type "U" n.6(.138)x5/16	ea	117	0	59	59
WO-A-1242	HANDLE, hand brake, w/TUBE and CABLE, assembly	ea	28	0	14	14
WO-392468	PIN, clevis, S., 1/4 D. x 21/32 lgth	ea	56	0	28	28
WO-A-1228	LINK, hand brake cable crank	ea	9	0	5	5

1982

Declassified E.O. 12356 Section 3.3/NND No. 785021

						Author On Hand Used or max. level		
WO-311003	PIN, clevis, S.,.3115 diam x 1 1/32 lgth	ea	93	0	47	47		
WO-A-1018	NUT, adjusting, hand brake band	ea	37	0	19	19		
WO-A-1004	PIN, hand brake cam	ea	37	0	19	19		
WO-A-1006	PIN, hand brake support quadrant	ea	56	0	28	28		
WO-A-1005	QUADRANT, support hand brake	ea	19	0	10	10		
WO-A-1021	SPRING, anchor clip bolt	ea	21	0	12	12		
WO-A-1017	SPRING, releasing, hand brake	ea	14	0	7	7		
WO-635681	SPRING, hand bracket ratchet tube	ea	14	0	7	7		
WO-A-5335	SPRING, retracting, hand brake	ea	28	0	14	14		
WO-A-2892	SUPPORT, hand brake ratchet tube bracket	ea	9	0	5	5		
WO-A-1241	TUBE, hand bracket ratchet w/CABLE and CONDUIT, assembly	ea	28	0	14	14		
	1202-SHOES AND FACINGS							
WO+116500	LINING SET, brake shoe, w/RIVETS	ea	217	0	109	109		
WO+116549	SHOE, brake, forward, w/LINING assembly	ea	38	0	19	19		

Declassified E.O. 12356 Section 3.3/NND No. 785021

WC-116550	SHOE, brake, reverse, w/LINING, assembly	ea	37	0	19	19
	1203-BRAKE SHOE SUPPORT					
WC-A-450	PLATE, backing, frontand rear, brake, assembly	ea	9	0	5	5
WC-A-303	BOLT, hex-hd, 3/8-24NF x 13/16	ea	154	0	77	77
WC-A-377	BOLT, hex-hd, 3/8-24NF-2 x 3/4	ea	163	0	82	82
	1203A-GUIDE STRING					
WC-A-754	ELECTRIC, brake shoe	ea	47	0	24	24
WC-637905	SPRING, return, brake shoe	ea	105	0	52	53
	1203B-ADJUSTING PIN AND ANCHOR PLATE					
WC-637900	CAM, anchor pin	ea	65	0	33	33
WC-637899	PIN, anchor	ea	33	0	17	17
WC-637901	PLATE, anchor pin	ea	93	0	47	47
WC-637923	WASHER, anchor pin (lock, S., ½ in.)	ea	187	0	94	94
	1204-PEDAL AND SPRING					
WC-A-1359	PAD, brake pedal, assembly	ea	9	0	5	5
WC-A-1386	PEDAL, brake, assembly	ea	9	0	5	5

1984

Declassified E.O. 12356 Section 3.3/NND No. 785021

Attaching Command
Page 20
Number 1

WC-A-195	SHAFT,brake pedal,assembly	ea	9	0	5	5	
	1205-MASTER CYLINDER						
WC-52836	BOLT,hex-hd.,S.,5/16-24 NF-2x3	ea	56	0	28	28	
WC-A-183	BOLT,master cylinder to pedal	ea	9	0	5	5	
WC-637605	BOLT,master cylinder outlet fitting	ea	19	0	10	10	
WC-637602	BOOT,master cylinder	ea	23	0	12	12	
WC-A-556	CYLINDER,master cylinder assembly	ea	30	0	15	15	
WC-51798	BOLT,hex-hd,S.,5/16-18NC-2 x 3	ea	56	0	28	28	
WC-51833	WASHER,lock,S.,5/16 in.	ea	58	0	29	29	
WC-A-557	FITTING,outlet,master cylinder	ea	28	0	14	14	
WC-637612	GASKET,master cylinder filler cap	ea	47	0	24	24	
WC-637604	GASKET,master cylinder outlet fitting	ea	47	0	24	24	
WC-367606	GASKET,master cylinder outlet fitting	ea	47	0	24	24	
WC-A-6636	KIT,repair,brake master cylinder	ea	168	0	84	84	
WC-A-7838	KIT,repair,brake master cylinder	ea	37	0	19	19	

2169

1989

Declassified E.O. 12356 Section 3.3/NND No. 785021

						XXXXXXXXXXXXX Author. or max. on hand level	
WO-637597	PLATE, stop master cylinder; piston	ea	19	0	10	10	
WO-6375 85	RETAINER master cylinder check valve cup	ea	9	0	5	5	
WO-637599	ROD, push, master cylinder assembly	ea	9	0	5	5	
WO-A 647	SHIELD, master cylinder assy	ea	9	0	5	5	
WO-637587	SPRING, return, master cylinder piston, w/RETAINER assembly	ea	19	0	10	10	
WO-637598	WIRE, lock, piston stop master cylinder	ea	23	0	12	12	
	1207-WHEEL CYLINDER						
WO-A 1484	CYLINDER, front wheel brake assembly	ea	33	0	17	17	
WO-A 6110	CYLINDER, rear wheel brake assembly	ea	33	0	17	17	
WO-637577	GUIDE, front wheel cylinder piston and shoe, assy	ea	37	0	19	19	
WO-A 6113	GUIDE, rear wheel cylinder piston and shoe assembly	ea	19	0	10	10	
WO 115962	KIT, repair front wheel cylinder	ea	65	0	33	33	
WO-A 6133	KIT, repair rear wheel cylinder	ea	65	0	33	33	
WO ,637540	SCREW, bleeder, wheel cylinder	ea	47	0	24	24	

2149

1986

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. of max on hand level			
WO-636580	SPRING front wheel cylinder cup	ea	19	0	10	10
WO-637545	SPRING, rear wheel cylinder cup	ea	19	0	10	10
	1209B-HOSES					
Wo+637426	GASKET, fitting brake hose	ea	257	0	129	129
WO-A 1373	HOSE, front brake assembly	ea	47	0	24	24
WO-A 1460	HOSE, brake front axle assy	ea	93	0	47	47
WO-637424	HOSE, rear brake, assy	ea	47	0	24	24
	1209C- TUBES & CLIPS					
WO-A 5227	BRACKET axle brake type tee	ea	9	0	5	5
WO-A 1515	CLAMP, axle, brake tube	ea	28	0	14	14
WO-A 1378	CLIP, brake pipe	ea	28	0	14	14
WO-52839	CLIP, tube	ea	93	0	47	47
WO-637439	CLIP, tube 1/4 in.	ea	19	0	10	10
WO 637427	CLIP, lock spring	ea	175	0	88	88
WO-A 5449	CLIP, tube S. 5/16 in. bolt hole, 7/32 in;	ea	9	0	5	5
WO-52221	WASHER, lock S.n.10(.190)	ea	254	0	127	127

2147

1987

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author. on hand
level

WO 637432	TEE, axle, brake tube	ea	28	0	14	14
WO-A 1377	TUBE, brake assembly 3/16 in. (21.81 in; 1gth.)	ea	56	0	28	28
WO-A 1501	TUBE, brake, assembly 3/16 in. (6.5 in. 1gth)	ea	9	0	5	5
WO-A 1376	TUBE, brake, assembly 3/16 in.(33.12 in. 1gth)	ea	19	0	10	10
WO-A 1488	TUBE, brake, assembly, 3/16 in. (5.72 in? 1gth)	ea	37	0	19	19
WO-A 5224	TUBE brake assembly, 3/16 in. (62.94 in. 1gth)	ea	9	0	5	5
WO- A 5225	TUBE, brake, assembly 3/16 in.(27.38 in. 1gth),,	ea	9	0	5	5
WO-A 5226	TUBE, brake, assembly 3/16 in.(28.81 in.lgth)	ea	56	0	28	28
	GROUP -WHEELS, HUBS & DRUMS					
	1301-WHEEL ASSEMBLY					
WO-A 5470	BOLT, wheel divided rim.(9/16-20NF 2x1 17/32)	ea	117	0	59	59
WO-A 5471	NUT, hex S. 9/16 20NF-2	ea	350	0	175	175
Wo- A 5468	RIM, wheel inner half	ea	12	0	6	6
Wo- A 5549	RIM, wheel outer Half	ea	12	0	6	6
WO-A 5488	RING, lock bead	ea	12	0	6	6
	1301 A-BEARINGS					

2146

1984

Declassified E.O. 12356 Section 3.3/NND No. 785021

				xxxxxxxxxxx Author. on hand or new. level			
	1301A- BEARINGS((cont'd.)						
WB-52942	CONE, and ROLLERS, wheel bearing, bore 1.625x11/16	ea	68	0	34	34	
WO-52943	CUP, wheel bearing(2.875 O.D.x⅛ thk-)	ea	68	0	34	34	
	1301B-SEALES						
WO-A 864	RETAINER, grease wheel hub, assembly	ea	924	0	462	462	
	1301C-RETAINERS						
WO 636569	NUT, axle, shaft(S., hex. slotted, 3/4-16NF-3)	ea	93	0	47	47	
WO-A 866	NUT, front and rear axle wheel bearing	ea	47	0	24	24	
WO-636570	WASHER, axle, shaft nut (S, 3/4 in.)	ea	28	0	14	14	
WO-A 865	WASHER, wheel bearing	ea	23	0	12	12	
WO-A 867	WASHER, lock wheel bearing nut	ea	70	0	35	35	
	1302-HUBS & DRUMS						
WO-A 869	CAP, wheel hub	ea	35	0	18	18	
WO-A 1689	HUB, front and rear, left wheel, w/DRUM, assembly	ea	16	0	8	8	
WO-A 1690	HUB, front and rear right wheel, w/DRUM, assembly	ea	16	0	8	8	
WO	1302A-STUDS, & BOLTS						
WO-A 473	BOLT, wheel hub, S.L.H. thd. 1/2- 20NF-2x 1 11/32	ea	70	0	35	35	

2145

1989

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author.on hand or max. level		
WO-A 474	BOLT, wheel hub,S.R.H. thd.⅞- 20NF-2x1 11/32	ea	70	0	35	35
Wo-A 475	NUT,axle-S.,⅞-20NF-2R.H. thd	ea	93	0	47	47
WO-A 476	NUT; axle S.⅞ 20NF-2R.H. thd	ea	93	0	47	47
	GROUP 14-STEERING 1401-STEERING CONNECTING ROD(DRANK LINK)	ea				
WO-A 857	BEARING, steering bell crank	ea	140	0	70	70
WO-A 8249	CRANK,bell steering, drag link front	ea	14	0	7	7
WO 640038	FITTING, grease, straight	ea	429	0	215	215
WO-A 6791	KIT, repair, steering connecting rod	ea	42	0	21	21
WO-A 876	NUT, steering,bell crank shaft	ea	28	0	14	14
WO-A 856	PIN, steering bell crank shaft	ea	19	0	10	10
WO-A 8250	ROD, connecting, steering assembly	ea	28	0	14	14
WO-A 858	SEAL,steering bell crank shaft bearing	ea	140	0	70	70
WO-A 855	SHAFT steering bell crank	ea	70	0	35	35

2144

1990

Declassified E.O. 12356 Section 3.3/NND No. 785021

xxx xxx
Anchor On Hand
Fwd or
xxx.level

WC-A-861	SHIELD, dust, steering bell crank bearing	ea	21	0	11	11
WC-A-859	WASHER, steering bell crank shaft, upper	ea	19	0	10	10
WC-A-860	WASHER, steering bell crank shaft lower	ea	21	0	11	11
	1402-TIE ROD					
WC-A-1706	CLAMP, steering tie rod socket	ea	35	0	18	18
WC-A-1707	BOLT, hex-hd., S., 3/8-24NF x 1 5/8	ea	117	0	59	59
	1402-TIE ROD					
WC-A-847	END, steering knuckle tie rod left, assembly	ea	42	0	21	21
WC-A-838	END, steering knuckle tie rod, right, assembly	ea	42	0	21	21
WC-10558	NUT, hex. S., (sld.f/c-pin) ¾-20NF	ea	58	0	29	29
WC-A-1704	ROD, tie, steering, right, assembly	ea	28	0	14	14
WC-A-1708	ROD, tie, steering, left, assembly	ea	28	0	14	14
WC-A-6305	SPRING, steering, tie rod socket stud	ea	187	0	94	94
WC-A-1709	TUBE, steering, left tie rod	ea	23	0	12	12
WC-A-1705	TUBE, steering, right, tie rod	ea	23	0	12	12

2643

1991

Declassified E.O. 12356 Section 3.3/NND No. 785021

XXXX XX
Author On Hand
Lead or
mnm.level

1403A-GEAR ASSEMBLY

WO-A-1116	ARM;steering gear	ea	12	0	6	6
WO-639104	BALLS,steel,steering gear cam	ea	933	0	467	467
WO-639190	BEARING,steering column, wheel end,assembly	ea	140	0	70	70
WO-639090	BUSHING,steering gear housing,inner	ea	37	0	19	19
WO-639091	BUSHING,steering gear housing,outer	ea	37	0	19	19
WO-A-1199	COLUMN,steering,w/BEARING assembly	ea	16	0	8	8
WO-639120	BOLT,hex-hd,S-fin,alloy-S 5/16-18NC-2 x 1	ea	37	0	19	19
WO-639121	WASHER,side,cover	ea	37	0	19	19
WO-A-1760	COVER,steering gear housing,upper	ea	9	0	5	5
WO-637107	BOLT,hex-hd,S-fin.,alloy-S.,5/16-18NC-2 x 3/4	ea	350	0	175	175
WO-390510	COVER,steering column oil hole	ea	14	0	7	7
WO-639102	CUP,steering gear cam steel balls	ea	70	0	35	35
WO-639119	GASKET,steering gear side housing cover	ea	47	0	24	24

1994

Declassified E.O. 12356 Section 3.3/NND No. 785021

					Author On Hand		
					ized or		
					nur; level		
WO-A-1239	GEAR, steering w/WHEEL assembly	ea	21	0	11	11	
WO-A-740	HOUSING, steering gear assembly	ea	9	0	5	5	
WO-638381	WASHER, S., ½in. I.D.x 1 1/4 O.D.	ea	56	0	28	28	
WO-A-745	LEVERSHAFT, steering gear, assembly	ea	23	0	12	12	
WO-639115	NUT, steering gear, levershaft	ea	23	0	12	12	
WO-639095	OIL SEAL, unit, steering gear housing	ea	47	0	24	24	
WO-639103	RING, retaining, steering, gear cam balls	ea	70	0	35	35	
WO-639118	SCREW, adjusting, steering gear	ea	23	0	12	12	
WO-639192	SEAT, steering column bearing spring	ea	14	0	7	7	2141
WO-638918	SHIM, steering gear mounting	ea	56	0	28	28	
WO-A-6760	SHIM SET, steering gear housing upper cover	ea	12	0	6	6	
WO-A-1422	SPACER, steering gear to frame bolt	ea	47	0	24	24	
WO-639191	SPRING, steering column bearing	ea	14	0	7	7	
WO-A-842	TUFF, steering gear cam AND wheel, assembly w/nut	ea	19	0	10	10	

1993

Declassified E.O. 12356 Section 3.3/NND No. 785021

					Author Qr mum 1 ued or max.level		
WO-639121	WASHER, steering gear housing side cover	ea	117	0	59	59	
	1404-WHEEL ASSEMBLY						
WO-A-6858	WHEEL, steering, assembly	ea	16	0	8	8	
WO-A-633	NUT, hex. S.,	ea	19	0	10	10	
	1405-BRACKETS						
WO-A-635	CLAMP, steering colurn, assembly	ea	9	0	5	5	
WO-A-1276	CLAMP, steering column, support	ea	9	0	5	5	
WO-638918	SHIM, mounting, steering column	ea	56	0	28	28	
WO-A-2859	SUPPORT, steering column	ea	9	0	5	5	
	GROUP 15-FRAME AND BRACKETS						
	1500-FRAME AND BRACKETS						
WO-A-544	BRACKET, front and rear spring shackle, assembly	ea	7	0	4	4	2140
	1502-PINTLE HOOK						
WO-A-6393	BOLT, eye, safety chain	ea	19	0	10	10	
WO-6163	NUT, hex., S., ½-13NC-2	ea	28	0	14	14	
WO-5009	WASHER, lock, S., ½ in.	ea	19	0	10	10	
	1601-FRONT SPRING						
WO-359039	BUSHING, front spring	ea	28	0	14	14	

1994

Declassified E.O. 12356 Section 3.3/NND No. 785021

WC-116609	BOLT, front spring, center	ea	350	0	175	175	
WC-116460	CLIP, front spring leaf	ea	420	0	210	210	
WC-116452	CLIP, front spring leaf	ea	420	0	210	210	
WC-A-612-1	LEAF, front spring, L., N.1 w/BUSHING	ea	54	0	27	27	
WC-A-613-1	LEAF, front spring, R.N.1 w/BUSHING	ea	54	0	27	27	
WC-A-612-2	LEAF, front spring, L., N.2 36 1/4 in.long)	ea	54	0	27	27	
WC-A-613-2	LEAF, front spring, R.N.2 (36 1/4 in.long)	ea	54	0	27	27	
WC-A-612-3	LEAF, front spring, L.N.3 (30 in.Lo,g)	ea	28	0	14	14	
WC-A-613-3	LEAF, front spring, R., N.3 (30 in.long)	ea	28	0	14	14	
WC-A-612	STRING, front, left, assembly	ea	42	0	21	21	
WC-A-613	STRING, front right "	ea	42	0	21	21	2139

16614-REAR SPRINGS

WC-116589	CLIP, rear, spring, leaf large	ea	97	0	49	49	
WC-116459	CLIP, rear, spring, leaf small	ea	97	0	49	49	
WC-A-614-1	LEAF, rear spring, N.1 w/BUSHING	ea	21	0	11	11	

1995

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author On Hand
Head or
Mark;level

WO-A-614-2	LEAF,rear spring,N.2 (42 in.long)	ea	21	0	11	11	
WO-A-614-3	LEAF,rear spring,N.3 (36 in.long)	ea	345	0	173	173	
WO-A-614	SPRING,rear assembly	ea	21	0	11	11	
	1501B-SPRING BUMPERS						
WO-A-481	BUMPER,front and rear axle	ea	25	0	14	14	
	1601C-TORQUE REACTION SPRING						
WO-A-6067	BUSHING,torque reaction spring	ea	28	0	14	14	
WO-A-6169	CLIP,torque reaction spring	ea	9	0	5	5	
WO-A-6861	LEAF,N.1,torque reaction spring	ea	56	0	28	28	
WO-A-6168	LEAF,N.2,torque reaction spring	ea	56	0	28	28	
WO-A-6066	SPRING,torque reaction, assembly	ea	19	0	10	10	
	1602-SHACKLES AND SPRING ATTACHING PARTS						
WO-384228	BOLT,pivot,spring shackle	ea	65	0	33	33	
WO-A-6075	BOLT,torque reaction spring shackle	ea	19	0	10	10	

2188

1996

Declassified E.O. 12356 Section 3.3/NND No. 785021

					xxxx xxx Author on hand hand or mon.level		
WC-A-6074	BOLT, torque reaction spring shackle	ea	19	0	10	10	
WC-A-513	BOLT, "U", spring shackle, left hand thd., S.,	ea	35	0	18	18	
WC-A-514	BOLT, "U", spring shackle, right hand thd., S.,	ea	35	0	18	18	
WC-A-6072	BUSHING, spring shackle, inner	ea	28	0	14	14	
WC-A-8256	BUSHING, spring shackle, assembly, right hand	ea	254	0	127	127	
WC-A-8255	BUSHING, spring shackle assembly, left thd.	ea	625	0	313	313	
WC-A-6073	BUSHING, spring shackle, outer	ea	28	0	14	14	
WC-A-575	CLIP, front spring left	ea	47	0	24	24	
WC-A-1097	CLIP, front spring, right	ea	116	0	58	58	
WC-A-574	CLIP, front spring, right	ea	19	0	10	10	
WC-339372	NUT, hex., S., special, 7/16-20NF-2	ea	327	0	164	164	
WC-638539	NUT, hex., S., 7/16-20NF-2 (front spring clip, left)	ea	504	0	252	252	
WC-638500	FITTING, grease, 90°	ea	75	0	38	38	

1997

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXXXXXXXX Author. on hand or max. level		
WO-6400838	FITTING, grease, straight	ea	429	0	215	215
WO-A 572	PLATE, spring clip, front w/SHAFT assembly left	ea	9	0	5	5
WO-A 1252	RETAINER, spring shackle grease seal	ea	47	0	24	24
WO-A 515	SEAL, grease, spring shackle	ea	140	0	70	70
WO-A 6068	SHACKLE, spring, inner w/BUSHING	ea	14	0	7	7
WO-A 6069	SHACKLE, spring, outer w. BUSHING	ea	14	0	7	7
	1603-SHOCK-ABSORBENT AND MOUNTINGS					
WO-A 6902	ABSORBER, shock, front assembly	ea	37	0	19	19
WO-A 6903	ABSORBENT, shock rear assy	ea	23	0	12	12
WO-637936	BUSHING, shock absorber mounting pin, rubber	ea	117	0	59	59
WO-A 8810	KIT, reppir , rear shock absorber	ea	47	0	24	24
WO-A 8809	KIT, repair front shock absorber	ea	93	0	47	47
WO-A 2227	WASHER, shock absorber mounting pin	ea	140	0	70	70
	GROUP 17-HOOD, FENDERS APRONS					
	1701-FENDERS					

2156

1994

Declassified E.O. 12356 Section 3.3/NND No. 785021

XXXX XXX
Arbor On Hand
and or
max.level

1701-FENDERS (con'd)

WO-A-3179	BOLT, welding, S., 5/16-18NC x 5/8	ea	19	0	10	10
WO-A-4116	WASHER, S. (plain) 5/16 in.	ea	122	0	61	61

1811-WINDSHIELD ASSEMBLY

WO-A-3197	CATCH, hold down, windshield assembly	ea	19	0	10	10
WO-A-2239	SCREW, windshield adjusting arm	ea	39	0	20	20
WO-A-2480	SCREW, windshield frame (special, rd-hd. S., N.10 (190)-32NF-2x7/8)	ea	117	0	59	59
WO-A-2482	SCREW, windshield frame, corner (rd-hd., T.R.8(164). -32NC x 7/16)	ea	117	0	59	59
WO-A-2214	SCREW, windshield pivot, thumb	ea	47	0	24	24
WO-A-2483	SPANGLE, windshield adjusting arm	ea	58	0	29	29
WO-A-2490	WASHER, windshield adjusting arm	ea	70	0	35	35
WO-A-4260	WASHER, spring, windshield adjusting arm	ea	93	0	47	47
WO-A-2220	WASHER, windshield pivot spring	ea	58	0	29	29

1811A-WINDSHIELD GLASS

WO-A-2226	FRAME, windshield, w/GLASS assembly	ea	16	0	8	8

2185

1999

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXX Author On hand lead or max.level	XXX		
	1811D-WINDSHIELD FRAME MOULDING AND SEALS						
WC-A-2479	PADDING,windshield glass	ea	56	0	28	28	
	1811D-WINDSHIELD WIPER ARMS AND BLADES						
WC-A-11432	HANDLE,windshield wiper, w/tie ROD,assembly	ea	117	0	59	59	
WC-A-2588	NUT,hex.,S.,N.12(.216)--24NF-2	ea	19	0	10	10	
WC-A-2587	WASHER,lock,S.,N.12	ea	233	0	117	117	
	2202-REAR VIEW MIRRORS						
WC-A-2934	MIRROR,rear view assembly	ea	35	0	18	18	
WC-A-11850	MIRROR,rear view with washer and nut,assembly	ea	170	0	85	85	
	2203A-REFLECTORS						
WC-A-1306	REFLECTOR,reflex assembly	ea	75	0	38	38	
	2204-SPEEDOMETER AND PARTS						
WC-A-1344	SHAFT,flexible,speedometer drive,assembly	ea	23	0	12	12	
WC-A-8180	SPEEDOMETER,luminous dial assembly	ea	28	0	14	14	2037
WC-A-1343	TUBE,speedometer drive, assembly	ea	56	0	28	28	

2000

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author On Hand	Prod or	max. level	
	GROUP 23-GENERAL USE					
	STANDARDIZED PARTS					
	2301-TOOLS					
WO-A-11765	ADAPTER, grease gun, push type	ea	19	0	10	10
WO-A-213	GUN, lubricating, hand type 9 oz. capacity	ea	19	0	10	10
WO-A-373	HAMMER, machinist, ball peen, 16 oz.	ea	19	0	10	10
WO-A-379	OILER, straight spout, spring bottom	ea	19	0	10	10
WO-A-374	PLIERS, combination, slip joint, 6 in.	ea	19	0	10	10
WO-A-378	WRENCH SET, engineers	ea	21	0	11	11
WO-A-1100	WRENCH, drain plug	ea	19	0	10	10
WO-A-1492	WRENCH, fluted socket head	ea	12	0	6	6
WO-A-348	WRENCH, socket	ea	23	0	12	12
WO-637635	WRENCH, socket, spark plug	ea	23	0	12	12
WO-A-7778	WRENCH, special	ea	9	0	5	5
WO-A-692	WRENCH, wheel hub	ea	19	0	10	10
	3202-BRAKE FLUID					
WO-A-8279	FLUID, brake	ea	54	0	27	27

2001

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author On Hand
Used or

2304B-BOLTS

WO-52840	BOLT, hex-hd, S., pltd, N.10 (190- x ½, type "B" thd	ea	235	0	118	118
WO-51738	BOLT, hex-hd, S. 1/4-20NC-2 x 3/8	ea	235	0	118	118
WO-52170	BOLT, hex-hd.S.pkzd, 1/4-20NF-2 x ½	ea	235	0	118	118
WO-51763	BOLT, hex-hd, S., 1/4-20NC--2 x ½	ea	235	0	118	118
WO-51732	BOLT, hex-hd., S., 1/4-28NF--2 x ½	ea	235	0	118	118
WO-51514	BOLT, hex-hd, S., 1/4-20NC--2 x 5/8	ea	235	0	118	118
WO-52168	BOLT, hex-hd., S., pkzd., 1/4-20NC-2 x 5/8	ea	235	0	118	118
WO-52167	BOLT, hex-hd, S.pkzd, 1/4-20 NC-2 x 3/8	ea	235	0	118	118
WO-6188	BOLT, hex-hd, S., 1/4-28NF-2 x 1/8	ea	235	0	118	118
WO-52132	BOLT, hex-hd, S. 1/4-20NC-2 x 3/4	ea	235	0	118	118
WO-51732	BOLT, hex-hd, S.1/4-28NF--2 x 7/8	ea	235	0	118	118
WO-51798	BOLT, hex-hd, S., 1/4-28NF-2 x 3	ea	235	0	118	118
WO-51485	BOLT, hex-hd, S., 5/16-18NC -2 x 5/8	ea	700	0	350	350

2002

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. or max. level	on hand		
WO-52132	BOLT, hex-hd, S., 5/16-24NF-2x5/8	ea	235	0	118	118
WO-51523	BOLT, hex-hd, S. 5/16-18NF-2 x 3/4	ea	470	0	235	235
WO-51369	BOLT, hex-hd.S, 5/16-24NF-2 x 3/4	ea	235	0	118	118
WO-6428	BOLT, hex-hd, S., 5/16-18NC-2x 7/8	ea	235	0	118	118
WO 50929	BOLT, hex-hd., S., 5/16-24NF 2x7/8	ea	235	0	118	118
WO-51486	BOLT, hex-hd.S, 5/16-18NC-2 x1	ea	470	0	235	235
WO-5935	BOLT, hex-hd.S., 5/16-24NF -2 x1	ea	235	0	118	118
WO-53050	BOLT, hex-hd, S., pkzd, 5/16-24NF-2 x 1	ea	235	0	118	118
WO-53131	BOLT, hex-hd, S., cd-pltd. 5/16-24NF-2 x 1 1/8	ea	235	0	118	118
WO-6157	BOLT, hex-hd., S. 5/16-18NC--2 x 1 1/4	ea	125	0	63	63
WO-6060	BOLT, hex-hd, S., 5/16-18NC-2x 1 1/4	ea	235	0	118	118
WO-5922	BOLT, hex-hd., S. 5/16-18NF - 2 x 1 1/8	ea	235	0	118	118
WO-50992	BOLT, hex-hd., S., 5/16-24NF -2 x 1 3/4	ea	125	0	63	63

2003

Declassified E.O. 12356 Section 3.3/NND No. 785021

					xxxxxxxxxxx Author. on hand or max. level	
WO-51308	BOLT, hex.hd? S, 5/16-24NF-2x2	ea	125	0	63	63
WO-51858	BOLT, hex-hd., S., 5/16-18NC-2x2½	ea	235	0	118	118
WO-51798	BOLT, hex-hd.S, 5/16-18NC-2x3	ea	235	0	118	118
WO-51823	BOLT, hex-hd., S, 5/16-24NF--2x4	EA	235	0	118	118
WO-52189	BOLT, hex-hd., S., 3/8-16NC-2x5/8	ea	235	0	118	118
WO-6412	BOLT, hex-hd.S, 3/8-16NC-2 x3/4	ea	235	0	118	118
WO-52543	BOLT, hex-hd.S., cd-pltd 3/8-16NC-2x3/4	ea	235	0	118	118
WO-53031	BOLT, hex-hd.S, rust proofed 3/8-16NC-2x3/4	ea	235	0	118	118
WO-6299	BOLT, hex-hd.S 3/8-16NCx 7/8	ea	235	0	118	118
WO-51405	BOLT, hex-hd.S, 3/8-16NC -2x1	ea	235	0	118	118
WO-52911	BOLT, hex-hd., S., 3/8-16NC-2x1 1/8	ea	235	0	118	118
WO-51406	BOLT, hex-hd.S; 3/8-16NC-2x1 1/4	ea	235	0	118	118
WO-52863	BOLT, hex-hd; S. 3/8-16NC-2x 1 5/8	ea	235	0	118	118

2004

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author. on hand or max. level			
WO-51545	BOLT, hex-hd., S., 3/8-16NC-2 x1 3/4	ea	235	0	118	118
WO-51954	BOLT, hex-hd., S., 3/8-16NC-2x2	ea	235	0	118	118
WO-6486	BOLT, hex-hd., S., 3/8-16NC-2x2 1/4	ea	235	0	118	118
WO-6184	BOLT, hex-hd, S., 7/16-14NC-2x1 1/4	ea	235	0	118	118
WO-52945	BOLT, carriage, sq. shank, S. 3/8 5/46-16NC-2x7/8	ea	235	0	118	118
WO-52983	BOLT, carriage, sq-shank, S., 5/16 18NC-2x7/8	ea	235	0	118	118
WO-52372	BOLT, carriage, sq. shank S., 5/16 -18NC-2x1 3/4	ea	235	0	118	118
	23040-CHAINS					
10-638457	CHAIN, drive, camshaft, ½ x 1 wide	ea	35	0	18	18
	2304D-HOSE CLAMP					
0-53108	CLAMP, hose, S., 3/4 in. dia.	ea	235	0	118	118
0-52226	CLAMP, hose, S. 1 13/16 in. I.D.	ea	467	0	234	234
0-635097	CLAMP, hose, S., 2 9/32 in. I.D.	ea	235	0	118	118
	2304E-ELBOWS					
0-384549	ELBOW, inverted flared tube, br.	ea	117	0	59	59

2030

2005

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXXXXXXXXXXX on hand or max. level		
WO-364569	ELBOW, inverted flared tube, 1/4 br.	ea	117	0	59	59
WO-A 7180	ELBOW, Mall, -1, z-pltd., 1/4 pipe thd., 15/16-18	ea	117	0	59	59
WO-A 6885	ELBOW, pipe, 1/4 in.	ea	117	0	59	59
	2000-FITTINGS					
WO-640038	FITTING, grease,	ea	93	0	47	47
WO-392909	FITTING, grease, straight 1/8 in.	ea	187	0	94	94
WO-638500	FITTING, grease, 90 degrees	ea	93	0	47	47
WO-638792	FITTING, grease, straight 1/4-28NF-2	ea	93	0	47	47
WO-638224	FITTING, grease, 45 degrees	ea	93	0	47	47
	2304G-NUTS					
WO-53013	NUT, hex., stamped, S., cd-pltd. N.6(138)-32NC-2	ea	235	0	118	118
WO-6214	NUT, hex., reg. S., N.8-(164)-32NC-2	ea	235	0	118	118
WO-52782	NUT, hex., stamped, br. N.8Ø (164)-32NC-2	ea	235	0	118	118
WO-6352	NUT, hex., reg. S., N.10-(190) 24NC-2	ea	467	0	234	234
WO-52651	NUT, hex., reg., S., cd-pltd N.10(190)-24NC-2	ea	285	0	118	118

2006

Declassified E.O. 12356 Section 3.3/NND No. 785021

			Author's Index Level	on hand	
WO-5848	NUT, hex., reg.br.N.10(.190) 32NF-2	ea	235	0	118	118
WO-6336	NUT, hex.reg.S., N.10(190) 32NF-2	ea	235	0	118	118
WO-53061	NUT, hex.reg.S, cd-pltd No.10(190)-32NF-2	ea	235	0	118	118
WO-6273	NUT, sq.reg.S., n.10(190) 32NF-2	ea	467	0	234	234
WO-6989	NUT, hex.reg.S., N.12(214) -24NC-2	ea	235	0	118	118
WO-52217	NUT, hex.reg.S, pkzd.1/4-20NC-2	ea	235	0	118	118
WO-5790	NUT, hex.reg.S, 1/4-20NC-2	ea	1200	0	600	600
WO-53132	NUT, hex.br.1/4-20NC-2	ea	467	0	234	234
WO-52165	NUT, hex.S., pkzd., 1/4-20NC-2	ea	467	0	234	234
WO-52217	NUT, nex., S., pkzd., 1/4-20NC -2	ea	235	0	118	118
WO-51802	NUT, sq., S., 1/4-20NC-2	ea	467	0	234	234
WO-5914	NUT, hex.S., 1/4-28NF-2	ea	467	0	234	234
WO-52804	NUT, hex.S., thin, 1/4-28NF -2	ea	533	0	267	267
WO-6167	NUT, nex.S., 5/16-18NC-2	ea	467	0	234	234
WO-52845	NUT, hex.spring, S. type B, 5/16-18NC-2	ea	235	0	118	118

2028

2007

Declassified E.O. 12356 Section 3.3/NND No. 785021

				XXXXXXXXXXXX Author on hand or max. level		
WO-52350	NUT, hex., thin; S. rust proof 5/16-18NC-2	ea	235	0	118	118
WO-52891	NUT, hex., spring, S. stamped 5/16-24NF-2	ea	235	0	118	118
WO-53285	NUT, hex. S., cd-plt'd. 5/16-24NF-2	ea	235	0	118	118
WO-50802	NUT, hex. S. pkzd., 5/16-24NF-2	ea	235	0	118	118
WO-52954	NUT, hex. thin, S., 5/16-24NF	ea	235	0	118	118
WO-5910	NUT, hex. S., 5/16-24NF-2	ea	500	0	250	250
WO-53033	NUT, hex. S., rust proof 3/8-16NC-2	ea	467	0	234	234
WO-6196	NUT, half, hex., S., 3/8-16NC-2	ea	235	0	118	118
WO-5544	NUT, hex., S., 3/8-16NC-2	ea	235	0	118	118
WO-52893	NUT, hex., stamped, type B? S.: 3/8-16NC-2	ea	235	0	118	118
WO-53289	NUT, hex., Jeez-proof, S. 3/8-16NC-2	ea	235	0	118	118
WO-5901	NUT, hex. S., 3/8-24NF-2	ea	1866	0	933	933
WO-50922	NUT, hex. S; pkzd., 3/8-24NF-2	ea	235	0	118	118
WO-52542	NUT, hex. S., cd-pltd. 3/8-24NF-2	ea	235	0	118	118
WO 52909	NUT, hex., stamped S., cd-pltd. 3/8-24NF-2	ea	235	0	118	118

2027

2608

Declassified E.O. 12356 Section 3.3/NND No. 785021

			xxxxxxxxxxxx Author. or max. level	on hand		
WO-53288	NUT, hex. Sees-proof, S; 3/8-24NF-2	ea	235	0	118	118
WO-53287	NUT, hex., Sees-proof, S. 3/8-24NF-2	ea	235	0	118	118
WO-5336	NUT, hex. S, 7/16-14NC-2	ea	235	0	118	118
WO-5939	NUT, hex. S, 7/16-20NF-2	ea	467	0	234	234
WO-52925	NUT, hex., thin, S. 7/16-20NF-2	ea	235	0	118	118
WO-6163	NUT, hex. stamped, S., ½-13NC-2	ea	93	0	47	47
WO-5916	NUT, hexLstamped S. ½-20NF-2	ea	235	0	118	118
WO-52804	NUT, hex. thin; S, ½-20NF-2	ea	117	0	59	59
WO-10558	NUT, hex. S., dld. f/c-pin ½-20NF-2	ea	235	0	118	118
WO-6438	NUT, hex., slotted S., 9/16-18NF-2	ea	235	0	118	118
	2304Y-PLUGS					
WO-51091	PLUG, expansion 1 1/4 in.	ea	235	0	118	118
WO-51460	PLUG, expansion, 1 3/4 in.	ea	235	0	118	118
WO-52525	PLUG, pipe, slotted 1/8 in.	ea	93	0	47	47

2826

2009

Declassified E.O. 12356 Section 3.3/NND No. 785021

					XXXX Author Allocated or max. level	On hand	
WO-5085	PLUG, pipe 1/8in.	ea.	93	0	47	47	
WO-5138	PLUG, pipe, 1/4 in.	ea.	93	0	47	47	
WO-376373	PLUG, pipe, S., ok. 3/8 in.	ea.	47	0	24	24	
WO-5140	PLUG, pipe, ½ in.	ea.	47	0	24	24	
WO-636538	PLUG, pipe, Sq-hd., 3/4 x 5/16	ea	93	0	47	47	
WO-636577	PLUG, pipe, special, 3/4 in.	ea	93	0	47	47	
	2304J-RIVETS						
WO-635860	RIVET, fl-hd., S., 3/16 x 7/16	ea	500	0	250	250	
WO-52207	RIVET, fl-hd, S. 1/4 x 3/16	ea	500	0	250	250	
WO-51977	RIVET, fl-hd., S., 1/4 x 7/16	ea	500	0	250	250	
WO-52906	RIVET, fl-hd., S., 3/8x3/4	ea	500	0	250	250	
WO-5226	RIVET, fl-hd., S., 3/8x7/8	ea	500	0	250	250	
WO-5247	RIVET, rd-hd. S, 1/4x3/8	ea	500	0	250	250	
WO-5249	RIVET, rd-hd-S, 1/4x5/8	ea	500	0	250	250	
WO-5267	RIVET, rd-hd+Sp 5/16x3/4	ea	500	0	250	250	
WO-5216	RIVET, rd-hd. S. 5/16x1	ea	500	0	250	250	
WO-51561	RIVET, rd-hd. S, 3/8x9/16	ea	500	0	250	250	2185

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Author Ordered	Ordered	
WO-50769	RIVET,rd-hd.,S.,3/8 x 3/4	ea	500	0	250	250
WO-52832	RIVET,rd-hd.S.,3/8 x 7/8	ea	500	0	250	250
WO-5215	RIVET,rd-hd.S.,3/8 x 1	ea	500	0	250	250
WO-51182	RIVET,split,tubular,S., 9/64 x 9/16	ea	500	0	250	250
WO-35056	RIVET,ov-hd.,tubular,br. 9/64 x 11/32	ea	500	0	250	250
WO-53243	RIVET,ov-hd,tubular,br. 1/8 x 15/32	ea	500	0	250	250
WO-51182	RIVET,split,tubular,S., 9/64 x 9/16	ea	500	0	250	250
WO-53056	RIVET,ov-hd,tubular,br. 9/64 x 11/32	ea	500	0	250	250
WO-53243	RIVET,ov-hd.,tubular,br. 1/8 x 15/32	ea	500	0	250	250
	2304K-SCREWS					
WO-52990	SCREW,otsk.ov-hd S.,N.10 (190) x ½	ea	1000	0	500	500
WO-50814	SCREW,fl-hd.S.,N.10(190) -24NC-2	ea	1000	0	500	500
WO-6290	SCREW,fl-hd.,S.,N.10(190) -24NC-2 x ½	ea	1000	0	500	500
WO-52987	SCREW,fl-hd.,S.5/16-18NC-2 x 5/8	ea	1000	0	500	500

2124

Declassified E.O. 12356 Section 3.3/NND No. 785021

				Authorized On Hand 1 2nd or max. level			
WO-52350	SCREW, fl-hd., S., 5/16-18NC -2 x 5/8	ea	500	0	250	250	
WO-52963	SCREW, fl-hd. S. 1/4-20NC-2 x 3/4	ea	500	0	250	250	
WO-52809	SCREW, binding head, S., N.10 (190) x ⅜	ea	500	0	250	250	
WO-52142	SCREW, binding head, S., N.10 (190) x ½	ea	500	0	250	250	
WO-51819	SCREW, ov-hd., S., N.12(216) 24-NC-2 x 5/8	ea	500	0	250	250	
WO-53014	SCREW, rd-hd., machine, S., N.6 (138)-32NC-2 x 5/16	ea	500	0	250	250	
WO-5253	SCREW, rd-hd., machine, S., N.8 (164)-32NC-2 x 1/4	ea	470	0	235	235	
WO-51040	SCREW, rd-hd. machine, S., N.8(164)-32NC-2 x 1/4	ea	500	0	250	250	
WO-5556	SCREW, rd-hd. machine, S., N.8 (164)-32NC-2 x 3/8	ea	235	0	118	118	
WO-6287	SCREW, rd-hd., machine, S., N.8 (164)-32NC-2 x ½	ea	500	0	250	250	
WO-5182	SCREW, rd-hd., machine, S., N.10(190)-24NC-2 x 3/8	ea	500	0	250	250	
WO-52236	SCREW, rd-hd., machine, S;, N.10(190)-24NC-2 x 3/8	ea	500	0	250	250	
WO-5113	SCREW, rd-hd., machine, S., N.10 (190)-24NC-2 x ⅜	ea	500	0	250	250	
WO-5064	SCREW, rd-hd., machine, S., N.10(190-24NC-2 x 5/8	ea	470	0	235	235	

2012

Declassified E.O. 12356 Section 3.3/NND No. 785021

WO-5780	SCREW,rd-hd.,machine,S., N.10 (190)-24NC-2 x 5/8	ea	235	0	118	118
WO-5272	SCREW,rd-hd.,machine,S., N.10(190)-24NC-3/4	ea	470	0	235	235
WO-52994	SCREW,rd-hd.,machine,S., N.10(190)-32NF-2 x 5/16	ea	470	0	235	235
WO-52060	SCREW,rd-hd.,machine,S., N.10(190)-32NF-2 x 7/16	ea	500	0	250	250
WO-6627	SCREW,rd-hd.,machine,S., N.10 (190)-32NF-2 x 7/8	ea	500	0	250	250
WO-6383	SCREW,rd-hd.,machine,S., N.10(190)-32NF-2 x 1	ea	235	0	118	118
WO-53267	SCREW,rd-hd.,machine,S., N.12 (216)-24NC-2	ea	500	0	250	250
WO-6988	SCREW,rd-hd.,machine,S., N.12 (126)-24NC-2 x 5/8	ea	500	0	250	250
WO-52036	SCREW,rd-hd.,machine,S., 1/4-20NC-2 x 3/8	ea	235	0	118	118
WO-51492	SCREW,rd-hd.,machine,S., 1/4-20NC-2 x ½	ea	235	0	118	118
WO-51539	SCREW,rd-hd.,machine,S., 1/4-20NC-2 x1/4	ea	500	0	250	250
WO-52060	SCREW,rd-hd.,machine,S., 7/16-32NF	ea	500	0	250	250
WO-53020	SCREW,fil-hd.machine,S.,N.6 (138)-32NC-2 x 5/16	ea	500	0	250	250
WO-113439	SCREW,fil-hd.,machine,S., N.10(190)-32NF-2 x ½	ea	500	0	250	250

2013

Declassified E.O. 12356 Section 3.3/NND No. 785021

WO-52993	SCREW,rd-hd.,sheet metal, S.,N.10 (190) x 3/8	ea	500	0	250	250
WO-51904	SCREW,rd-hd.,machine,S;, br-pltd;N.6(138) x 5/16	ea	500	0	250	250
WO-52131	SCREW.rd-hd.,machine,S. cd-pltd,N.8 (164)-32NC-2	ea	500	0	250	250
WO-52781	SCREW,rd-hd.,machine,S., cs-pltd.,N.8(164)-32NC-2	ea	500	0	250	250
WO-51537	SCREW,fl-hd.,S. cs-pltd., N.10 (190)-24NC-2 x 1/2	ea	500	0	250	250
WO-53252	SCREW,rd-hd.,machine,S;, cd-pltd.,N.10(190)-32NF-2 x 3/8	ea	500	0	250	250
WO-53220	SCREW,rd-hd.,machine,S., cd-pltd.,N.10(190)-32NF-2 x 3/8	ea	500	0	250	250
WO-53103	SCREW,wood,ov-hd. S.,N.6 (138) x 1	ea	500	0	250	250
WO-5580	SCREW,wood,rd-hd.S.,N.10 (190) x 5/8	ea	500	0	250	250
	2304-WASHERS					
WO-51532	WASHER,plain,S.N.8(164)	ea	467	0	234	234
WO-52702	WASHER,plain,S. 1.4 in.	ea	467	0	234	234
WO-5437	WASHER,plain,S. 5/16 in.	ea	467	0	234	234
WO-53274	WASHER,plain,S. 5/16 in.	ea	235	0	118	118
WO-52101	WASHER,plain,S. 3/8 in.	ea	467	0	234	234

2014

Declassified E.O. 12356 Section 3.3/NND No. 785021

					Author Of Hand i or level	
WO-5455	WASHER, plain, S., 3/8 in.	ea	467	0	234	234
WO-52835	WASHER, plain, S., 7/16 in.	ea	235	0	118	118
WO-52768	WASHER, plain, S., 21/64 in.	ea	467	0	234	234
WO-636570	WASHER, plain, 1/2 O.D. x 49/64 I.D. x 1/8 thk.	ea	93	0	47	47
WO-52705	WASHER, lock, S., regular; S.N.8 (160)	ea	467	0	234	234
WO-113440	WASHER, lock, regular, S., cd-plt'd., N.10 (190)	ea	700	0	350	350
WO-51969	WASHER, lock, regular, S., N.12 (214)	ea	235	0	118	118
WO-52706	WASHER, lock, regular, S., 1/4 in.	ea	700	0	350	350
WO-51833	WASHER, lock, regular, S., 5/16 in.	ea	2800	0	1400	1400
WO-5051	WASHER, lock, regular, S., 5/16 in.	ea	500	0	250	250
WO-5010	WASHER, lock, regular, S., 3/8 in.	ea	2800	0	1400	1400
WO-5059	WASHER, lock, regular, S., 7/16 in.	ea	235	0	118	118
WO-5938	WASHER, lock, regular, S., 7/16 in. heavy duty	ea	467	0	234	234
WO-5009	WASHER, lock, regular, S., ⅜ in.	ea	533	0	267	267

Declassified E.O. 12356 Section 3.3/NND No. 785021

Author On Hand
1 copy or
m.s. level

WO-5038	WASHER, lock, regular, S., 5/8 in.	ea	467	0	234	234
WO-52754	WASHER, lock; internal tooth, S., N.8 (164)	ea	467	0	234	234
WO-52483	WASHER, lock, internal tooth, S., N.14	ea	467	0	234	234
WO-52428	WASHER, lock, internal tooth, S., N.5/16 in.	ea	467	0	234	234
WO-52332	WASHER, lock, internal, tooth, S., 3/8 in.	ea	467	0	234	234
WO-52874	WASHER, lock, internal tooth, S., 7/16 in.	ea	467	0	234	234
WO-636528	WASHER, lock, internal tooth, S., ⅞ in.	ea	235	0	118	118
WO-52510	WASHER, lock, external tooth, S., 5/16 in.	ea	467	0	234	234
	2305-MISCELLANEOUS COTTER PINS					
WO-5067	PIN, cotter, S., 1/16 x ½	ea	1000	0	500	500
WO-5354	PIN, cotter, S. 3/32 x ⅜	ea	1000	0	500	500
WO-52967	PIN, cotter, S., 3/32 x 5/8	ea	1000	0	500	2500 ?
WO-5020	PIN, cotter, S., 3/32 x 3/4	ea	1000	0	500	500
WO-5152	PIN, cotter, S., 3/32 x 7/8	ea	1000	0	500	500
WO-5021	PIN, cotter, S., 3/32 x 1	ea	1000	0	500	500
WO-5397	PIN, cotter, S., 1/8 x ⅜	ea	1000	0	500	500
WO-5108	PIN, cotter, S., 1/8 x 1 1/4	ea	1000	0	500	500

2014

Declassified E.O. 12356 Section 3.3/NND No. 785021

Floor on Hand
as per
Inventory

WO-5257	PIN,cotter,S.,1/8 x 1 3/8	ea	1000	0	500	500
WO-52527	PIN,cotter,S.,1/8 x 1 3/8	ea	1.000	0	500	500
WO-5134	PIN,cotter,S.,1/8 x 1 3/4	ea	1.000	0	500	500
WO-52946	PIN,cotter,S.,3/16 x 1	ea	1.000	0	500	500
	2305A-WOODRUFF KEYS					
WO-A-1641	KEY,woodruff,S.,N.5	ea	500	0	250	250
WO-5017	KEY,woodruff,S.,N.6	ea	500	0	250	250
WO-5036	KEY,woodruff,S;,N.9	ea	500	0	250	250
WO-50917	KEY,woodruff,S.,N.13	ea	500	0	250	250

AUTH : LAC Aigram 95 (MGS-252-ORD)
LAC Aigram 96 (MGS-253-ORD)
SNL-G-503

BASIS: Estimated 6 months spare parts based on SNL Nº G-503 for 235 Truck, 1/4 ton 4x4, imported from the United States under the civil supply program.
Said parts are necessary to keep the above mentioned vehicles in operational condition.

Quantities listed as due in are based on estimated initial issue of organizational spare parts and equipment which have not been received to date.-

2 of 3

2017

Declassified E.O. 12356 Section 3.3/NND No. 785021

WP
387

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAP)
ALLIED COMMISSION
APO 394

TR3/as
22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394
(Thru Roads)

1. In compliance with Par. 2a (1) (b) Establishment Memorandum Nº 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition Nº "TR"-78-45.

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO K. HOLMES
Lt. Col. GSC
G-4

1 Incls:
Req. "TR"-78-45

2017

Declassified E.O. 12356 Section 3.3/NND No. 785021

REPLACEMENT

Parts Depot, A.T.A.C., 45 via Prenestina, Rome
(For: Motor Transport Group)

FM-01A 10658	BATTERY, assembly, charged w/o electrolyte	ea	0	13	13

BASIS: Above items are initial shortages found during assembly of 1700 1½ ton trucks imported from the United States under the Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.

£. The above listed batteries were found to be broken beyond repair upon uncrating.

2019

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAP)
ALLIED COMMISSION
APO 394

TMG/ng

22 May 1945

SUBJECT: Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394, (Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum No. 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition No. "TR"-79-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOMES
Lt. Col. QMC
C-4

Incls:
Req. "TR"-79-45

2020

Declassified E.O. 12356 Section 3.3/NND No. 785021

INITIAL

Parts Depot, A.T.A.C., 45 via Frenestina, Rome
(For Motor Transport Group)

LOCKS, 2", w/2 Keys
(or suitable substitute) on 0 0 4000

BASIS: For locking spare tires, tool compartments
on: 1700 t. vehs 1½ ton
23½ trucks 1/4 ton

Above mentioned locks are needed to protect above mentioned trucks imported from the United States under the Civil Supply Program.

2 - 1

2021

Declassified E.O. 12356 Section 3.3/NND No. 785021

HQ
387

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAF)
ALLIED COMMISSION
APO 394

TMS/mc

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394,
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum No 2, Headquarters Allied Commission, dtd 3 March 1945, Request approval of inclosed requisition No "TR"-26-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. GSC
G-4

1 Incls:
Req. "TR"-26-45

2022

Declassified E.O. 12356 Section 3.3/NND No. 785021

3 1

INITIAL-4th qt

Parts Depot, A.T.A.C., 45 via Prenestina; Rome
(For: Motor Transport Group)

38-B-535	BRUSH,artist,bristle, flat, 1/4"wide,11 3/8" long	ea	0	0	32
38-B-645	BRUSH,artist,bristle, flat, 3/4"wide, 12 1/4" long	ea	0	0	32
38-B-995	BRUSH,cleaning motor,2" (Round bristle brush w/wire handle 19" overall)	ea	0	0	48
38-B-1305	BRUSH,dust,painter's round,2½ x 4 1/4"	ea	0	0	48
36-B-2650	BRUSH,paint,metal bound flat (medium grade) No3 (4")	ea	0	0	48
38-B-5960	BRUSH,scratch,wire, painter's,handled (14 x x 7/8")	ea	0	0	32
38-B-4230	BRUSH,stencil,No.1 (13/16")	ea	0	0	48
53-C-11300-200	CHALK,railroad,white, 1x4" (For general marking purposes,sight lines, rubber preservation,etc)	gross	0	0	2
42-C-20420	CLOTH,crocus,sheet	ea	0	0	2000
27-C-2690	CLOTH,wiping,cotton, 100 lb bag	bag	0	0	8
51-C-1569-200	COMPOUND,cleaning,alkaline 25 lb	lb	0	0	8

2022

2023

Declassified E.O. 12356 Section 3.3/NND No. 785021

3 2

52-E- -5400-10	ENAMEL, heat resisting, black, 1 gal	gal	0	0	0	40	
52-E- -6022-180	ENAMEL, synthetic, gloss, red, No. 105, 1 qt	qt	0	0	0	20	
52-E- -6022-250	ENAMEL, synthetic, gloss, white, 1 gal	gal	0	0	0	40	
52-E- -4172	ENAMEL, synthetic, lustreless O.D., 5 gal	gal	0	0	0	200	
52-E- +8300-935	ENAMEL, stencil, synthetic lustreless, black 1 gal	gal	0	0	0	20	
52-E- 8400-275	ENAMEL, synthetic, stencil-ing, lustreless, white, 1gal	gal	0	0	0	20	
52-P- -4700	PAINT, olive-drab, ready mixed, 1 gal	gal	0	0	0	40	
52-P- 7511-10	PAINT, stencil, black, type II (ready mixed) 1 qt	qt	0	0	0	20	
52-P- 7598-20	PAINT, stencil, white, type I (paste)	gal	0	0	0	20	
42-P-938 -125	PAPER, abrasive, aluminum oxide, production type 9 x 11", grit 50	qr	0	0	0	32	
53-P- -20670	PAPER, stencil, board (oiled) 24 x 36"	ea	0	0	0	100	
52-P- -20473	PRIMER, synthetic, refinish-ing, 5 gal	gal	0	0	0	40	
52-S- -395	SHELLAC, orange, flake or ground	pt	0	0	0	20	
51-S- -2050	SODA ASH, 100 lb box	box	0	0	0	4	
41-S- -4037	SPONGE, cellulose, coarse pore, rectangular, size 6 (medium) 1 3/8 x 3 1/4x 5	ea	0	0	0	40	
53-S- 5227	STENCIL, insignia, cardboard star, 10"	ea	0	0	0	32	
53-S- -5245	STENCIL, paper, 0 to 9, 4" type set complete	ea	0	0	0	32	

2011

2024

Declassified E.O. 12356 Section 3.3/NND No. 785021

0 0 3 3

53-T-1337	TAPE, masking crepe-backed 2"x72 yds	roll	0	0	0	40
52-T-450	THINNER, enamel, synthetic 5 gal	gal	0	0	0	40
52-T-891	TURPENTINE, gum spirits	gal	0	0	0	40
52-V-2770	VARNISH, spar, clear, water resisting	gal	0	0	0	20
27-W-332	WASTE, cotton, colored, 100 lb., bale	bale	0	0	0	16

BASIS: Initial issue cleaning and preserving material for 1700 trucks 1½ ton 4x2, imported from the United States under the civilian supply program. Necessary to maintain above mentioned vehicles in operational condition.

2020

2025

Declassified E.O. 12356 Section 3.3/NND No. 785021

WP 387

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAF)
ALLIED COMMISSION
APO 394

TRS/mg

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission AICOM, APO 394 (Mara Roads)

1. In compliance with Par. 2a (1), Establishment Memorandum N° 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition N° "TR"-57-45

2. The supplies listed on the inclosed requisition are initial issue for trucks ¼ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO D. HOLMES
Lt. Col. GSC
G-4

1 Incls:
Req. "TR"-57-45

2026

Declassified E.O. 12356 Section 3.3/NND No. 785021

2 1

Initial-4th Quarter

Parts Dept. A.T.S.C.,45 via Prenestine,Rome
(For : Motor Trensport Group)

BOLT,Carriage,SC HK.S

F.	20324-S2	1/4"-20-5/8"	ea	0	0	100
"	20344-S2	1/4"-20-3/4"	ea	0	0	100
"	24325-S2	1/4"-23-5/8"	ea	0	0	150
"	20387-S2	5/16-24-1"	ea	0	0	1000
"	20427-S2	5/16-24-1 1/4"	ea	0	0	50
"	20467-S2	5/16-24-1 "	ea	0	0	50
"	20349-S2	3/8-24-3/4"	ea	0	0	100
"	24429-S2	3/8-24-1 1/4"	ea	0	0	50
"	352577-S8	3/8-24-2"	ea	0	0	50
"	24541-S8	3/8-24-2 3/4"	ea	0	0	50
"	20411-S4	7/16"-20-1 1/8"	ea	0	0	100
"	20433-S4	7/16"-20-1 1/4"	ea	0	0	50
"	24493-S4	7/16"-20-1 5/8"	ea	0	0	50
"	20549-S2	7/16"-20-2 1/2"	ea	0	0	50
"	20553-S2	7/16"-20-2 3/4"	ea	0	0	50
"	355743-S2	9/16"-12-1 1/2"	ea	0	0	50
"	20975-S2	5/8"-18-1 1/4"	ea	0	0	100

NUT,Regular hex,S-Fin,S.

AN-	33795-S2	1/4"-20	ea	0	0	500
"	33798-S2	5/16"-24	ea	0	0	1000
"	33800-S2	3/8"-24	ea	0	0	500
"	33802-S2	7/16"-20	ea	0	0	100
"	33846-S2	7/16"-20	ea	0	0	250
"	33847-S4	9/16"-12	ea	0	0	100
"	33850-S2	5/8"-18	ea	0	0	200
"	33897-S7	NUT,Wing,S 3/8 16NC-2	ea	0	0	200

2021

Declassified E.O. 12356 Section 3.3/NND No. 785021

FS-21T5-	HOSE,Brake,Front assy					
-2079A	(15.72"long)	ea	0	0	0	50
FS-2GG-	HOSE,Radiator,lower					
-8284	elbow	ea	0	0	0	20
FS-2HC-	PIPE,Radiator,lower					
-8220		ea	0	0	0	100
FS-GTB-	VALVE,auxiliary,fuel tank					
-9189-A	assembly	ea	0	0	0	50
FS-GTB-	VALVE,under seat,fuel tank					
-9189-B	assembly	ea	0	0	0	50
FS-HP-	BALL,gear shift lever					
-7213-E		ea	0	0	0	50
FS-21-03	MIRROR,outside rear view					
-17718-A	w/Stud and Lockwasher	ea	0	0	0	20

BASIS: Above items are initial shortages found during assembly of 1700 1½ ton trucks imported from the United States under the civilian supply program. Said parts are necessary to place above mentioned vehicles in operational condition.

2028

Declassified E.O. 12356 Section 3.3/NND No. 785021

WC
387

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAP)
ALLIED COMMISSION
APO 394

TR3/ng

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, ALCOM APO 394
(Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum Nº 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition Nº "TR"-60-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks 1½ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. [illegible]
Lt. Col. CMC
O-4

1 Incls:
Req. "TR"-60-45

2029

Declassified E.O. 12356 Section 3.3/NND No. 785021

Initial issue 1-15June

Parts Depot, A.T.A.C., 45 via Prenestina, Rome
(For: Motor Transport Group)

01-00640	PATCHES, inner tube, oblong can of 10	can	0	0	1700
01-01070	SOLDER, tin-lead, grade B	lb	0	0	100

BASIS: Operational necessity. Essential for repairs on tire tubes and radiators for 1700 trucks 1½ ton 4x2, cargo. , imported from the United States under the civil supply program. Said parts are necessary to place above mentioned vehicles in operational condition

2030

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS
MOTOR TRANSPORT GROUP (IAP)
ALLIED COMMISSION
APO 394

TR:/ng

22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, AICOM APO 394, (Thru Roads)

1. In compliance with Par. 2a (1) (b), Establishment Memorandum No 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition No "TR"-64-45.

2. The supplies listed on the inclosed requisitions are initial issue for trucks ¼ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO M. HOLMES
Lt. Col. CMC
G-4

1 Incls:
Req. "TR"-64-45

2031

Declassified E.O. 12356 Section 3.3/NND No. 785021

Initial Issue

Parts Depot, A.T.A.O., 45 via Prenestina, Rome
(For: Motor Transport Group)

FB-355415-S2	BOLT, truss-hd., 5/16 x 1½ (special)	ea	0	0	4000

BASIS: Imported spare parts for GMC trucks 1 ton 4x2 Cargo. Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.

2 of 3

2032

Declassified E.O. 12356 Section 3.3/NND No. 785021

WF 387

HEADQUARTERS
MOTOR TRANSPORT GROUP(IAF)
ALLIED COMMISSION
APO 394

TMS/mg
22 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : Transportation Sub-Commission, AIGOM APO 394,
(Thru Roads)

1. In compliance with Par. 2e (1) (b), Establishment Memorandum No. 2, Headquarters Allied Commission, dtd 3 March 1945. Request approval of inclosed requisition No. "TR"-66-45

2. The supplies listed on the inclosed requisitions are initial issue for trucks ¼ ton, now being assembled and issued to this organization, imported from the United States under the civil supply program.

FOR THE COMMANDING OFFICER:

LORENZO R. HOLMES
Lt. Col. AGD
G-4

1 Incl:
Req; "TR"-66-45

2033

Declassified E.O. 12356 Section 3.3/NND No. 785021

Initial

Parts Depot, A.T.A.C.,45 via Prenestina, Rome
(For Motor Transport Group)

F4-GTD-1015-A	WHEELS,disc w/Rim assy	ea	4100	0	100

BASIS: Above items are initial shortages for 1700 trucks 1½ ton, 4x2, received without above equipment.

,from the United States under the Civil Supply Program. Said parts are necessary to place above mentioned vehicles in operational condition.

2.61

2034

Declassified E.O. 12356 Section 3.3/NND No. 785021

MSP
340

Commerce S/C (Thru Transportation S/C) 1 1
"TR"-69-45 Allied Commission APO 394
10 May 1945 Initial

Motor Transport Group Allied Commission APO 394

for C.O.:

THOMAS E. SWISHER
Capt., C.E.
Asst., G-4

LORENZO E. HOLMES
Lt.Col., QMC
G-4

CARBIDE	lbs	0	0	200

BASIS: To be used in lieu of acetylene at Motor Maintenance School.-

1st Ind.

HQ TRANSPORTATION SUB-COMMISSION AC
TO: Commerce Sub-Commission 14 May, 1945

1.Approved. Request immediate release of above material for general maintenance and repair welding operations conducted by the Motor Transport Group.

GEORGE G. GROSS Jr.
Chief
Roads Division

Declassified E.O. 12356 Section 3.3/NND No. 785021

340
WP

HEADQUARTERS
MOTOR TRANSPORT GROUP
ALLIED COMMISSION (IAP)
OFFICE OF G-4
APO 394

TRS/ng
5 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group

TO : P.B.S. Ordnance, APO 782
(thru: Transportation S/C)
ALCOM, APO 394

1. In compliance with par. 2a (1)(b), Establishment Memorandum N°2, Headquarters Allied Commission, dtd 3 March 1945 request approval of inclosed requisition No."TR"-66-45.

2. The supplies listed on the inclosed requisition are initial issue for trucks 1½ ton, now being assembled and issued to this organization.

FOR THE COMMANDING OFFICER :

Lorenzo R Holmes 1099
LORENZO R.HOLMES
Lt.Col., QMC 2 yes
G-4

Incl.:
Req. "TR"-66-45

2036

Declassified E.O. 12356 Section 3.3/NND No. 785021

340
MP

HEADQUARTERS
MOTOR TRANSPORT GROUP
ALLIED COMMISSION (IAF)
OFFICE OF G-4
APO 394

TRS/ng
1 May 1945

SUBJECT : Equipment and Supplies for Motor Transport Group.

TO : P.R.S. Ordnance, APO 782
(thru: Transportation S/C)
AFCOK, APO 394

1. In compliance with par. 2a (1) (b), Establishment Memorandum N°2, Headquarters Allied Commission, dtd 3 March 1945 request approval of inclosed requisition No. "TR"-64-45.

2. The supplies listed on the inclosed requisition are initial issue for trucks 1½ ton, now being assembled and issued to this organization.

FOR THE COMMANDING OFFICER :

Lorenzo R. Holmes
LORENZO R. HOLMES, C.E.
Lt. Col., TC per TRS
G-4

Incl.:
Req. "TR"+64-45

2037

Declassified E.O. 12356 Section 3.3/NND No. 785021

WP 340

Transportation Sub-Commission 1 1

"TR"-62-45 30 April 45 INITIAL

Motor Transport Group ALCOM APO 394

xx for CO.

THOMAS R. SWISHER
Capt., C.E.
Asst., G-4

LORENZO R. HOLMES
Lt.Col., QMC.
G-4

CASING;Tire;750 X 20,8Ply	ea. 4000	0	1000
TUBE,Tire,assy;750 X 20	ea. 4000	0	1000

AUTHORITY: Ltr. Hq. MTOUSA;AG 400/308
dtd. 19 Feb., 1945
SWL - G 540

BASIS : INITIAL ISSUE
Organizational Spare Parts
1638 Truck;1½ Ton; 4X2 Cargo

2038

Declassified E.O. 12356 Section 3.3/NND No. 785021

FL WP

ALLIED [redacted] COMMISSION

INTER-OFFICE MEMORANDUM

SUBJECT: Req. for disc wheels FILE No. AC/340/4/TR.5

TO :O.C. M.T. Group 30 April 1945 194

1. Attached is copy of requisition TR-58-45.

2. TR-58-45 was passed to Commerce Sub-Commission for action with the disc wheel item redlined.

3. Please submit separate requisition for these for submission to Ordnance.

WARNER G. PETERSON
Capt. C.A.C.
Roads Division

1996

2039

Declassified E.O. 12356 Section 3.3/NND No. 785021

WAR DEPARTMENT
Q. M. C. Form No. 400
Revised Apr. 6, 1931

REQUISITION

.WP.
340
1

To: COMMERCE Sub-Comm.. (Thru Transp.Sub-Committee) No. of Sheets 1 Sheet No. 1

Requisition No. "TR"-56-45 Date 26 April 45 Period Initial

SHIP TO Motor Transport Group- Allied Commission APO 394

REQUISITIONED BY (show Signature, Rank, Organization, Destination. If different from "SHIP TO" include address):

THOMAS R. SWISHER
Capt., C.E.
Asst., G-4

APPROVED BY for C.O.:

LORENZO R. HOLMES
Lt.Col., AGC
G-4

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
	TIRES w/flaps 750x20	ea.	4000	0	200	
	TUBES, inner 750x20	ea.	4000	0	200	
~~For GMC 2½ ton 4x4 TRUCKS, class w/tire assy~~		ea.	~~4100~~	0	~~100~~	

MT B. asked for a Separate Req on this

AUTHORITY: 400/308 A.G.O.
HQ. ETOUSA dtd 19 Feb. 1945

BASIS : Initial shortages for 700 Trucks
½ ton 4x2, received without above equipment.

1st IND
HQ. TRANSPORTATION SUB-COMM/ AC.ROAD
To: Commerce Sub-Comm/

WGP/ls
28 April 945
1945

Approved . These vehicles are now in operating condition and high priority consideration of this request would be appreciated.

Passed to Commerce Sub-Com
30 April 1945 — WP

GEORGE G. GROSS Junior
Chief
Roads Division

Hq - AC - 245 - IM

2040

Declassified E.O. 12356 Section 3.3/NND No. 785021

Ec-WP.

ALLIED [redacted] COMMISSION

INTER-OFFICE MEMORANDUM

SUBJECT: CAUSTIC SODA FILE No. AC/340/3/TN.5

TO : Industry Sub-Commission (Attn. Dr. Opatowsky) 17 April 1945 194

With reference to our request for 10 qntls. Caustic Soda for mixing varnish for 00 truck bodies.

1. It is impossible to state the specific mix or the specific amount required per vehicle.

2. Amount used depends entirely upon the condition of the various bodies and the coats necessary to properly condition them.

3. This material will be controlled by AC and stored in a warehouse staffed by U.S. Army personnel. Any excess will be retained by us for further use.

1994

WARNER G. PETERSON
Capt. C.A.C.
Roads Division

2041

Declassified E.O. 12356 Section 3.3/NND No. 785021

ALLIED CONTROL COMMISSION

INTER-OFFICE MEMORANDUM

File WP

SUBJECT: REQUISITIONS FILED BY MT GROUP

FILE No. AC/340/2/TR.5

TO : G-4 (A)

11 April 194 5

1. Attached are requisitions from the Motor Transport Group.

2. According to instructions from AFHQ these must be processed thru you since they are indents against Army sources and issue can only be made to 2675 Regt.

HARRIER G. PETERSON
Capt. C.A.C.
Roads Division.

1993

2042

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS ALLIED COMMISSION
APO 394
COMMERCE SUBCOMMISSION
Materials Division

File no. 340

LCW/gp/lp

Tel/478905
Ref.AC/5300/Commerce

2 April 1945

SUBJECT: Request of Eternit

TO : D.W. HQ 15 Army Group

1. A request for 13.000 sq.mtrs. of Eternit(sheets) has been forwarded to this Subcommission from A.T.A.C. (Tram & Bus Coy, Rome) thru Transportation Subcommission, by a letter, translation of which is attached.

2. As it is understood that the plant which can supply Eternit, I.c.S.A.P.I.C., Via Caldarola 13, Bari, is working under your control, authority for release and collection is asked of you.

For the Chief Commissioner:

W. P. EVANS
Colonel
Director
Commerce Subcommission

Copy to: Transportation Subcommission HQ AC
Attn.Roads Division
(ref.Your letter AC/342/1 Tu.S. d/d 20th March '45)

-HQ Motor Transport Group AC
(Ref.your letter AC/TB/126/I- d/d 23rd March 1945)

2043

Declassified E.O. 12356 Section 3.3/NND No. 785021

Lib-WP.
340

HEADQUARTER
MOTOR TRANSPORT GROUP
ALLIED COMMISSION
(OVERHEAD)
APO 394

24 March 1945

"TR"-20-45

SUBJECT : Soda, caustic.

TO : Transportation Sub-Commission
Roads Division.

1. Request that this Organization be furnished the following material:

Article	Amount
Soda, caustic	10 quintals

2. To be used in varnishing of 60 trucks body being assembled by A.T.A.G.

LORENZO R. HOLMES
Lt Col., QMC
SO (G-4) H.Q. M.T.Group

1st Ind.
Transportation Sub-Commission 28 March 1945 WGR/as
TO: Industry Sub-Commission

1. Approved. Request we be informed as to availability so collection instructions can be forwarded Motor Transport Group.

GEORGE G. GROSS
Chief, Roads Section.

2044

Declassified E.O. 12356 Section 3.3/NND No. 785021

file-WP 340

WAR DEPARTMENT
Q. M. C. Form. No. 401
Revised Apr. 6, 1931

REQUISITION
(Extra Sheet)

No. 1

Sheet No. 1

TO : P.B.S. Ordnance

Regn.No: "TB"-17-45 Date 22/3/45

Ship to: Motor Transport Group, ALCOM.

Stock No.	Articles	Unit	On Hand and Due	Consumed	Required	Approved
66-C-1370	COMPRESSOR, air portable gasoline engine driven 1-3/4 H.P. 6 cu.,ft., (complete w/hose)	ea.	0	0	1	
41-T-3534-75	TOOL SET, general mechanics	ea.	12	0	50	
	BASIS: A.T.A.C. Workshops Assembling of ALCOM vehicles					

1930

2045

Declassified E.O. 12356 Section 3.3/NND No. 785021

Engineer's Supply Officer P.B.S. 1 1

TR-22-45 24/3/45 SPECIAL

Motor Transport Group ALCOM. APO 394

xx for CO:

THOMAS R. SWISHER
Capt. C.E.
S-4 Motor Truck Group

LORENZO K. HOLMES
Lt. Col., Inf.
CO (G-4) MH M.T.G.

Brushes, paint 2 in	ea.	0	0	20
Brushes, paint 4 in	ea.	0	0	6
Brushes, Stencil rd.	ea.	0	0	10
Lamp, incadescent 75W	ea.	0	0	200
Lamp, incadescent 100W	ea.	0	0	100
Heaps, complete	ea.	0	0	50
Hinges, butt, 2 in	ea.	0	0	50
Hinges, strap 6"in	ea.	0	0	20
Padlocks, any size	ea.	0	0	50
Paint, white	Gal.	0	0	25
Paint, O.D.	Gal.	0	0	25
Paint, red	Gal.	0	0	10
Paint, black	Gal.	0	0	25
Turpentine	Gal.	0	0	5
Plywood, 3/8"x4'x8'	Sheet	0	0	20
Masonite, 3/16"x4'x8'	Sheet	0	0	20
Nails, 16-penny	Lb.	0	0	100
Nails, 8-penny	Lb.	0	0	100
Nails, 6-penny	Lb.	0	0	100
Nails, roofing	Lb.	0	0	10
Sockets, bulb electric	ea.	0	0	100
Tape, friction	Roll	0	0	10
Wire, copperinsulated/6	##	0	0	3000
Wire, drop cord	ft	0	0	800

BASIS: Required for construction, operation and maintenance of the I.A.P. Motor School.

2045

Declassified E.O. 12356 Section 3.3/NND No. 785021

ENGINEERS - P.B.S.

1 1

23/3/45 Immediate

TR-21-45
G-4 Motor Transport Group ALCOM. APO 394

xx for the CO.

THOMAS R. SWISHER
Capt., C.E.
G-4 Motor Truck Group

LORENZO R. HOLMES
Lt.Col.Inf.
CO (G-4) HQ MTG.ALCOM

Extinguisher, 21/2-gal. Foam	ea.	0	0	20
Extinguisher, 40-gal. Foam	ea.	0	0	4
Pump, Water, stirrup type2&	ea.	0	0	45

18 kitchens, 3 school buildings and motor pool.
5 Barracks buildings and 16 supply rooms.

BASIS: Requirend for adequate fire protection of the Motor School buildings, kitchens and Motor pool.

1088

2047

Declassified E.O. 12356 Section 3.3/NND No. 785021

P.B.S. Quartermaster

"TS"-19-45 24/3/45 INITIAL

Motor Transport Group, ALCOM

xx for CO:

THOMAS E.SWISHER
Capt., CE
S-4, Amer.-It. MT Group

LORENZO R.HOLMES
Lt.Col., QMC
SO (G-4) A. M.T.Group

Binders, looseleaf, 3 ring 11x8½"	ea	0	0	36
Books, blank, pocket 3½x6"	do	0	0	72
Books, blank, note, stenographic	do	0	0	144
Books, record, drill, 8 3/4x x13 3/4	do	0	0	24
Brushes, typewriter, machine dusting	do	0	0	18
Brushes, typewriter, type cleaning	do	0	0	18
Cards, guide, field-desk, company, alphabetical	set	0	0	18
Cards, guide, field-desk, company, daily	do	0	0	18
Cards, guide, field-desk, company, miscellan.	do	0	0	180 87
Cards, guide, field-desk company, monthly	do	0	0	18
Cards, guide, field-desk regiment, miscellan.	ea.	0	0	6
Cards, index, filing 3x5"	do	0	0	6,000
Cards, index, filing 5x8"	ea	0	0	1,000
Clips, paper, wire, gem	box	0	0	150
Clips, paper, wire, ideal large	do	0	0	18
Clips, paper, wire, ideal medium	do			18

2048

Declassified E.O. 12356 Section 3.3/NND No. 785021

Crayons,chaalk,white	doz	0	0	36
Envelopes,mailing,2½x4¼/4 kraft	ea.	0	0	600
Envelopes,mailing 3 3/4x x5 7/8,kraft	do	0	0	1,200
Envelopes,mailing 4 1/8 x x 9½,kraft	do	0	0	1,200
Envelopes,mailing,5 x 11½, kraft	do	0	0	600
Envelopes,mailing,6½ x 9½, kraft	do	0	0	1,200
Envelopes,mailing,8½ x 11½ kraft	do	0	0	600
Envelopes,mailing,10x15, kraft	do	0	0	600
Envelopes,mailing,3 7/8 x x 8 7/8,white	do	0	0	1,200
Erasers,rubber,pencil, oblong	do	0	0	90
Erasers,rubber typewriter	do	0	0	60
Fasteners,paper,2 3/4", 1" cap	box	0	0	18
Fasteners,paper,2 3/4", 2" cap	do	0	0	6
Folders,file,manila,9½ x 11 3/4	ea	0	0	1,800
Folders,file,manila,6½ x 14 7/8	do	0	0	900
Ink,dupl;blak,1 pound can	can	0	0	21
Ink,marking,indelebie,pit bottle	btl	0	0	1986
Ink,numbering machine,blak 2 ounces	can	0	0	6
Ink stamp pad,blak,2 oz	btl	0	0	12
Ink;stamp pad,red,2 oz	do	0	0	9
Ink,writing,blue-blak,1 qt	do	0	0	6
Ink,writing,red,1 pint	do	0	0	6
Lables,gummed,paper,1 3/4 x 1 15/16	box	0	0	18
Mucilage,gum,4 oz btl	btl	0	0	72
Oil,typewriter,2 oz btl	btl	0	0	18
Pads,duplicating machine 8 1/4 x 16	ea	0	0	12

2047

Declassified E.O. 12356 Section 3.3/NND No. 785021

Pads, memo, white, 3 x 5"	do	0	0	600
Pads, memo, white, 8x10½"	do	0	0	240
Pads, stamp, dry, 3 1/4 x 6 1/4 x 6 1/4	do	0	0	12
Paper, blotting, 3 x 9½ "	sheet	0	0	300
Paper, blotting, 19 x 24"	do	0	0	48
Paper, carbon, typewriter 8 x 10½"	box	0	0	18
Paper, carbon, Typewriter 8 x 13"	do	0	0	6
Paper, computing machine 2 15/16"	roll	0	0	30
Paper, mimeograph, 8x10½"	ream	0	0	360
Paper, mimeograph, 8x13"	do	0	0	360
Paper, stencil, duplicating 8½ x 14"	quire	0	0	60
Paper, typewriter, bond, 8x10½"	ream	0	0	72
Paper, typewriter, bond, 8x13"	ream	0	0	18
Paper, typewriter, manifold 8 x 10½"	do	0	0	216
Paper, typewriter, manifold 8x13	do	0	0	60
Paste, office, with brush 4 oz jar	jars	0	0	36
Pencils, colored, blue	doz	0	0	6
" " red	do	0	0	6
Pencils, lead, N°2	do	0	0	48
Pencil lead N°3	do	0	0	18
Pencils, lead, N°4	do	0	0	6
Penholders, wood	ea	0	0	54
Pens, writing steel	gross	0	0	6
Pens, office, pyramid	cone	0	0	72
Ribbons, typewriter, record	ea	0	0	27
Rulers, maple, 12" or 18"	do	0	0	18
Staples, paper fastening 5,000 to box	box	0	0	6
Tacks, thumb, steel, 3/8", ½", 5/8"	do	0	0	36
Tags, shipping, 3 1/4x2 5/8"	ea	0	0	1,500

1085

2050

Declassified E.O. 12356 Section 3.3/NND No. 785021

Tape,linen,finish,½2 yards spool		0	0	6
Tape,paper,transparent, 5/8" wide,12 yards per roll	ea	0	0	30
Varnish,stencil correction fluid,1 oz btl	btl	0	0	12
Wax,sealing,red,4-oz sticks	stick	0	0	6

BASIS : Initial issue for setting up offices of Motor Transport Group
(American-Italian Motor Truck Group)
(Three Truck Battalions)
((Eight Companies each))

1 C.S.1

2051

Declassified E.O. 12356 Section 3.3/NND No. 785021

file wp.

ALLIED CONTROL COMMISSION

INTER-OFFICE MEMORANDUM

(1)

SUBJECT: Request for Soda Caustic. FILE No. C/340/Tn.5

Transport Group(Lt.Col.Holmes. 22 March 194 5

TO :

1. Attached is request from T.C for Soda Caustic.

2. Please present an official request from Transport Group for this material on T.C's behalf.

3. We will contact Industry Sub-Commission in this regard.

ROGER G. [redacted]
Roads Division

1083

2052

Declassified E.O. 12356 Section 3.3/NND No. 785021

file WP

HEADQUARTERS ALLIED COMMISSION
APO 394
TRANSPORTATION SUB-COMMISSION

WGP/ls

REF: AC/340/2/TN.5

21 March 1945

SUBJECT: 10-Ton wrecker for A.C. Vehicle Assembly.

TO : G-5 Section, AFHQ, APO 512 through S-4
2675 Regt. HQ. Allied Commission.

1. Request the loan for 120 days of a 10-ton wrecker for operation in the AC vehicle assembly plant in Rome.

2. Major Goodspeed, U.S. Army Ordnance Section, Allied Force Headquarters, states that one can be made available which is not in condition for satisfactory Army Service.

MERRITT H. TAYLOR
Director

1082

2053

Declassified E.O. 12356 Section 3.3/NND No. 785021

AC/340/TMD file-WP

Transportation Sub-Commission 1 1
Allied Commission APO 394
TO-5-15 13 March 1945 INITIAL
S-4, American-Italian Truck Group ALCOA APO 394

THOMAS R. SPIGNER
Capt., CE
S-4, American-Italian T.G.

LORENZO H.HOLMES
Lt.Col. AUS
S-3(S-4)HQ Group ALCOA

Flaps, for Tires 750x20	ea	0	0	72

AUTHORITY: Hq SOUSA AG 09L7LL/34 D-O 7 Feb 45

BASIS : To equip 7 1½ Ton Dodge Trucks issued without spare tires.

Flaps issued with tires to Transport Group
18 Mar 1945 - WP

1981

2054

Declassified E.O. 12356 Section 3.3/NND No. 785021

XX

CONFIDENTIAL

D IN 2397

Ltr AC/340/TMS

ALLIED FORCE HEADQUARTERS
G-5 Section
APO 512

11 March 1945

Ref. T-19

SUBJECT: 10-Ton Wrecker for A.C. Vehicle Assembly

TO : Headquarters, Allied Commission, APO 394
(Transportation Sub-Commission)

1. It is understood that the Transportation Sub-Commission, A.C., requested the loan for 120 days of a 10-ton wrecker for operation in the A.C. vehicle assembly plant in Rome.

2. The possibility of supply has been examined by both the U.S. and British services, and it is regretted that a wrecker is not presently available to be loaned.

For the Assistant Chief of Staff, G-5:

R. V. GRADY
Major, T.C.
Economics & Supply Division

HEADQUARTERS
12 MAR 1945
A. T. C.

1181

CONFIDENTIAL

2053

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS ALLIED COMMISSION
APO 394
Commerce Sub-Commission
Materials Division

Fld - WP.
340

Tel : 478905

LCW/gp/rjd

AC/5300/5/Commerce

2nd March 1945

SUBJECT : Window _ frames for the A.T.A.C. Warehouse - Rome

TO : Transportation Sub-Commission Hq. A.C.
(attn. Roads Division)

1. We attach hereto a copy of a letter of the A.T.A.C. sent thru the Transportation Sub_Commission of this Hq.

2. The above mentioned Transportation Sub-Commission in pointing out to this Sub-Commission that the request of the A.T.A.C. really concerns the premises which have been requisitioned to be used as depot for spare parts for vehicles, has suggested the opportunity that the requested window frames should be supplied as soon as possible.

3. Therefore we beg that Ministry to issue all the instructions pertaining to its competence and keep informed the waiting Sub-Commission.

W.P. EVANS
Colonel
Director
Commerce Sub-Commission

1979

2056

Declassified E.O. 12356 Section 3.3/NND No. 785021

HEADQUARTERS ALLIED COMMISSION
APO 394
COMMERCE SUB-COMMISSION
Materials Division

Tel: 478905 LCW/gp/rjd

AC/5300/5/Commerce 2 Marzo 1945

OGGETTO: Vetri per il Magazzino A.T.A.C. ROMA

AL : Ministero dell'Industria Commercio e Lavoro.

1. Si trasmette in allegato alla presente copia di lettera pervenuta dall'A.T.A.C. di Roma, tramite la Sottocommissione dei Trasporti di questo Quartier Generale.

2. La detta Sottocommissione dei Trasporti nel far presente a questa Sottocommissione che la richiesta della A.T.A.C. riflette effettivamente i locali requisiti da essa e destinati al deposito di parti di ricambio per veicoli, ha segnalato l'opportunità che i vetri domandati siano forniti al più presto.

3. Si prega codesto Ministero di voler prendere al riguardo con cortese sollecitudine i provvedimenti di sua competenza, dandone notizia alla scrivente Sottocommissione.

W.P. EVANS
Colonel
Director
Commerce Sub-Commission

All. 1 come al par. 1

1978

Copy to:
Transportation Sub-Commission HQ. AC.
(Attn. Roads Division) without enclosure

2057

Declassified E.O. 12356 Section 3.3/NND No. 785021

340

1 1

AFHQ, G-5 Section

AC-CHD-127-45 Feb. 45 SPECIAL

FROM: Campaign Transportation Subcommission, Allied Commission.

F. W. BOOBY,
Major, R. A.
Chief, Requisition Branch
Supply & Resources Division.

R. B. MCKINLAY
Brigadier General, U.S.A.
Acting Vice President
Economic Section

41-T-3528-75	Tool set, general mechanics.	Ea	17
14-G-1425	Gun, Lubricating, pump bucket, Low pressure, 25 lbs capacity.	"	2
40-G-498-25	Gun, Lubricating, air operated, 1 lb capacity	"	2
40-G-503	Gun, Lubricating, air operated, high pressure 25 lbs capacity.	"	2

NOTE: Stock numbers were taken from the Standard Nomenclature List No. SNL-G-27.

1977

LAST ITEM

DELIVERY: Ship to ROME consigned as above. Shipment to be made as soon as possible from Theatre stocks.

JUSTIFICATION: Reference is made to Requisition RCS-194-CHD/LAC Airgram 51 of 20 August 1944.

The items requested on this requisition are urgently needed by Transportation Subcommission, Allied Commission, for the assembling of trucks shipped and to be shipped against above referred to requisition.

Considering the urgency with which these items are required, it is recommended that they be provided soonest from Theatre stocks.

RATING: II

END OF REQUISITION

2058