

ACC

AC/24.3/TN6

10000/148/3440

PO
MA

10000/148/3440

PORT OF SAN ANTIOCO
MAR. 1945
SARAJEVO

HEADQUARTERS ALLIED COMMISSION

TRANSPORTATION SUB COMMISSION

PORTS & WAREHOUSE DIVISION

PORT REPORT

PORT OF SAN ANTIOCO

8 - 3 - 1945

10000 / 148 / 3440

THIS FOLDER

CONTAINS PAPERS

FROM

TO MARC. 45

CATALOGUE-

2

ABSTRACT FROM MONTHLY REPORT (FEBRUARY 1945) TO LT. COL. SCOGGINS

Ref. AC/1.1/6/Tn6

8 March 1945

SAINT ANTONIO

Coal can be mined at a rate of 1500/1600 tons per 24 hours out of which 300 tons are for local consumption and the balance for shipment elsewhere. The stockpile they had at the port has been completely used up, except for some coal dust which was used for land filling and which they are now digging for shipment.

The port is very well equipped for 24 hours operation, however, can only load two steamers at one time, at a rate of 1,000 tons per day; steamer's schedule should be arranged accordingly. While at the port there were three steamers, two working and one idle. Would suggest schedule be arranged to have only one steamer loading at one time, in order to use between 200/400 tons to build up stockpile. The mine's production could be materially increased if additional 2,000 laborers could be secured.

0 9 6 3 |