

ACC 060/PWU

10000/150/18  
(3RD PART)(VOL. VI)

APP  
JAN



10000/150/18  
(3RD PART)(VOL. VI)

APPLICATIONS FOR ELECTRICITY  
JAN. - MAY 1945



060/PWBJ

# APPLICATIONS FOR ELECTRICITY

3rd. PART - OPENED JAN. 18, 1945



0005

15  
12

10000 / 150 / 18

THIS FOLDER  
CONTAINS PAPERS  
FROM JAN. 1945  
TO MAY 1945  
CATALOGUE -

3rd PART



File 068

393

MEMORANDUM FOR FILE

Subject : Meeting on Electric Power Allocation - Crotone  
Chemical Plant - 1500 hours 30 April 1945

Present

|         |              |   |                         |    |      |
|---------|--------------|---|-------------------------|----|------|
| Lt.Col. | W.M.LAPPER   | - | P. W. & Util. S/C       | AC |      |
| Lt.Col. | V.S.RENTON   | - | "                       | "  | "    |
| Maj.    | E.J.BARRY    | - | "                       | "  | "    |
| Maj.    | R.A.RYAN     | - | "                       | "  | "    |
| Maj.    | L.W.LAUGHLIN | - | "                       | "  | "    |
| Capt.   | ROBERTS      | - | Industry Sub-Commission | AC | 1896 |
| Mr.     | DORKOVICH    | - | "                       | "  | "    |

The procedure with respect to the allocation of power to industries was explained by Lt.Col. Lapper as being a function of the Electric Power Committee of the A.F.I.R.(I)B. The question of priority of Industries was not a function of Public Works and Utilities Sub-Commission.

After discussion Mr. Dorkovich and Capt. Roberts <sup>were</sup> in agreement.

The meeting adjourned.

*L.W. Laughlin*  
 L.W. LAUGHLIN  
 Major, S.R.  
 P.W. & U. S/C

Copy in file 214



Tel. 478.906

HEADQUARTERS ALLIED COMMISSION  
INTER OFFICE MEMORANDUM

VSR/ms

REFERENCE : 060/PWU 1 May 1945 392

SUBJECT : Electricity Requirements of Southern Italy  
Fertilizer Factories.

TO : Economic Section, Attention Colonel L.A. Joany.

FROM : Public Works and Utilities Sub-Commission.

1. This memo refers to the request made today by Col. L.A. Joany to Lt. Col. V.S. Renton for the probable electricity requirements of two Southern Italy fertilizer factories. It is understood that this information is desired today.

2. Because today is a workers' holiday, it has not been possible to obtain this data either from Italian Government or from electric company sources.

3. From the Industry Sub-Commission, the following estimates of electricity have been obtained:

| <u>Plant</u> | <u>Kilowatt</u> | <u>Kilowatt-hours per Month</u> |
|--------------|-----------------|---------------------------------|
| Barietta     | 250             | 152,000                         |
| Brindisi     | 120             | 60,000                          |

4. In comparison with the above requirements, the electricity available in Southern Italy is 151,500 kilowatts and 75,550,000 kilowatt hours per month respectively. Hence the amount of electricity needed for these plants is small in comparison with the amount available in Southern Italy.

5. Since these plants are in Southern Italy, it will be the responsibility of the Italian Government to decide whether these plants should receive electricity in preference to users already being supplied.

R.J. RISTOTT,  
Colonel, C.E.,  
A/Director.



Tel. 317

HEADQUARTERS ALLIED COMMISSION

WML/ac

INTER OFFICE MEMO

389

28 April 1945

Reference : 060/PWU  
Subject : Power for Agricultural  
          Chemicals Plants  
To : INDUSTRY SUB-COMMISSION  
From : Public Works and Utilities Sub-Commission

1. Reference your letter AG/5628/Ind. dated 26 April 45.
2. The allocation of all electric power is done by the Electric Power Committee of the AFIR(I)B. The A.C. member on this Board is Capt. Roberts of Industry Sub-Commission.
3. It is recommended that if the Fertilizing Plant at Crotona is considered to be of a higher priority than the plant already consuming the electricity in Southern Italy this should be brought out at the Electric Power Committee meeting and a reallocation made accordingly.
4. Please let me know if there is any further assistance which we can give you.

W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.



Tel. 317

HEADQUARTERS ALLIED COMMISSION

LWL/ac

INTER OFFICE MEMO

388

28 April 1945

Reference : 060/PWU  
Subject : Provision of Electric Power  
          Railway Factory : Spoleto  
To : TRANSPORTATION SUB-COMMISSION  
From : Public Works and Utilities Sub-Commission

1. The attached request deals with transportation and is forwarded to you for consideration.
2. If Transportation Sub-Commission endorses the request formal application should be made through the Regional Commissioner to the Regional Engineer Umbria-Marche Region for further action with information copy to this Sub-Commission.

1893

W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

2 enclosures

cc : LABOUR SUB-COMMISSION



RECEIVED  
P.W. & U.S/C.A.C.

27 APR 1945 060

Tel. 543

VD/CP/gp

Ref. AC/5628/IND

26 April 1945

SUBJECT : Power for Agricultural Chemicals  
Plants.

TO : Public Works & Utilities Sub-Commission  
(Attn.: Col. Lapper) ✓

FROM : Industry Sub-Commission.

1. We have been requested by A.F.H.Q., G-5 in their letter F-9, 10 April 45 to prepare for them a report on the extent to which Italy's production of agricultural chemicals, i.e. superphosphate, nitrogenous salts and copper sulfate, has been limited through lack of electric power.

2. As you are aware, the question of withholding the power for Montecatini's synthetic ammonia plant at Crotone, where ammonium sulfate and nitrate could be made, has been a matter of continuous discussion since November 1944, when 14/15,000 KW were to have been granted for three months with a total maximum consumption of 30 million KWH. This allocation, a few weeks later, was rescinded, and further allocations refused until April 5th, when 9,000 KW were granted, instead of the 10,000 KW (peak 12,000 KW) requested.

3. Montecatini has lodged a series of protests based on technical grounds, showing that it is nearly impracticable and, in any case, quite unjustifiable to jeopardize their plant by running just under their power consumption threshold, which at Industry Sub-Commission's instance, had been already reduced from the original 15,000 KW asked to the 12,000 requested in January.



4. We have unofficially heard from Montecatini that AFLRB, Electric Power Committee, has given the Grotone plant permission to step up their line-take to 12,000 KW as soon as they can do so, and to continue at that peak until May 20 next.

5. We would be interested in learning from you authoritatively the exact position in this matter, in order that we may complete for A.F.H.Q. G-5 the report requested, which is now long overdue.

6. We note also that it will be possible to supply power (140 KW) to Montecatini's superphosphate plant at Orbetello only if other civilian users are cut off. Kindly confirm this in writing, in order that we may pass on the information to A.F.H.Q.

*W.J. Maskrey*

Copy to:-  
Economic Section  
Capt. Roberts.  
File 5599  
File 5557

W.J. MASKREY  
Lt. Colonel,  
Deputy Director,  
Industry Sub-Commission.

1891



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

WHL/ce

060/PWU.

23 Apr 45.

SUBJECT: Supply of Electric Power to  
Istituto Poligrafico dello Stato.

TO : Ministry of Public Works  
(att: Eng. Asta)

Attached memo dated 20 April 1945 from Istituto Poligrafico dello Stato reports interruptions in electric power. This matter is passed to you for attention.

1890

W.M. LAPPER,  
Lieut-Colonel,  
Chief, Elec. Div.

cc. to: Allied Financial Agency,  
c/o. Banca d'Italia.



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

WML/ce

380

060/PWU.

23 Apr 45.

SUBJECT: Electricity.

TO : R.A.A.C. (att: Electricity Control Board).

Attached copy letter dated 18 April requests additional allotment of electricity for reasons stated. This is passed to you for attention.

For the Chief Commissioner:

cc.to: Major Sir Philip M. Magnus, BT.  
Education Sub/Comm.

W.M. LAPPER,  
Lieut-Colonel,  
Chief, Elec.Div.

1889



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

Reference : 060/PWU

23 April 1945

Subject : Electric Power for street lights

To : MINISTRY OF PUBLIC WORKS  
(Att Eng. A.Asta)

1. Attached request forwarded by Città di Maglie on above subject is transmitted to you for handling this Town being located in Italian Government Territory.

W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

1888

1 enclosure



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

378

Reference : 060/PWU

20 April 1945

Subject : Industrial power for  
Romiti Giovanni Firm - Civitavecchia

To : MINISTRY OF PUBLIC WORKS  
(Att Eng. A. ASTA)

1. The attached request for industrial power is forwarded to you for handling.
2. The application should be filed through the prescribed channels.

*see folio 9*  
2 enclosures

1887  
W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.



RECEIVED  
P.W. & U.S./C.A.C.  
22 APR 1945 060

PORE AREA ALLIED OFFICE  
APO No 79, U.S. ARMY

C. 233/3

2/27

SUBJECT: Electricity Power

21 Apr 45

TO : CWS 104 Works (2)  
(Attention: E 280)

(365)

1. Reference attached copy letter No 74-9/72/P D dated  
14 April 45 from Food Sub Commission enclosing application for  
power from Electricite Italiana Consorzio Agrari.

2. Will you please investigate and forward report to this  
office.

1886

*R. H. Huxley*

R. H. HUXLEY  
Major  
Engineer

Copy to: Public Works & Utilities 22  
By AG  
(Your OGC/PWS of 18 Apr 45 refers)

(365)

*information  
only  
H. H. Huxley*



RECEIVED  
P.W. & U.S./C.A.C.  
20 APR 1945 060

HEADQUARTERS ALLIED COMMISSION  
APO 754  
Food Sub-Commission

VRAC/lg

Ref. 74-9/52/FOOD

19 April 1945

SUBJECT: Electric Power for Guarini Oronzo Firm

TO : Federazione Italiana Consorzi Agrari  
Servizio Distribuzione Alimentari  
Via XXIV Maggio 43 - Rome

Reference AE/12 dated 6 April 1945.

1. All applications for a supply of electric power for civilian purposes within the Italian Government territory should in all cases be made to the local office of the Electricity Supply Company.

2. Messrs Guarini should therefore be instructed to make application direct to the Rome Electricity Supply Company.

*H. J. LEEG* 1885  
Colonel  
Director, Food Sub-Commission

Copy to: Public Works & Utilities S/C  
060/PWU dated 18 April 1945 refers.

*Information*  
*mtb*



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ao

370

Reference : 060/PWU

19 April 1945

Subject : Industrial current for Vejo Cosimi  
Via Bocca di Leone N° 68

To : MINISTRY OF PUBLIC WORKS  
(Attention Eng. A.Asta)

1. The attached request for industrial power is forwarded to you for necessary action.
2. The applicant should be directed to file his application through the prescribed channels.

2 enclosures

W.M. LAPPER  
Lieut-Colonel  
Chief Elec. Div.



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

368

Reference : O60/PWU

18 April 1945

Subject : Electric Power for Guarini Oronzo Firm

To : ELECTRICITY CONTROL BOARD - RAAC - APO 784

1. Attached copies of request are transmitted to you for necessary action.

2. Please inform Food Sub-Commission of action taken with information copy to this Sub-Commission.

For the Chief Commissioner

376 refers  
cc : FOOD S/C, AC

2 enclosures

1883

367  
W.M. LATTER  
Lieut-Colonel,  
Chief Elec. Div.



Tel. 317

HEADQUARTERS ALLIED COMMISSION  
INTER OFFICE MEMO

LWL/ac

367

Reference : 060/PWU  
Subject : Electric Power for Guarini Oronzo Firm  
To : FOOD SUB-COMMISSION, AC  
From : Public Works and Utilities Sub-Commission

18 April 1945

Reference 74-9/79/Food - dated 14 April 45.

1. Due to the importance of the above activity we have by-passed the prescribed channels and sent a direct request as per attached letter.
2. We are anxious to get the procedure for civilian electric power applications under-way as soon as possible. We would appreciate your instructing the above firm to also make application in the manner prescribed in attached instructions captioned "Application for supply of electricity for civilian purposes in Italian Government Territory".

1882

W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

372 refer

1 enclosure

368  
Refer



INTER-OFFICE MEMO

RECEIVED  
P.W. & U. /C A  
16 APR 1945 060

VRAC/lg

14 April 1945

365

Ref. 74-9/79/FOOD

SUBJECT: Electric Power for Messrs Guarini Oronzo

TO : Public Works & Utilities S/C  
Attn Maj Laughlin

1. Confirming conversation of to-day's date (Laughlin-Cowper speaking) attached is copy of letter received through the Federazione Italiana dei Consorzi Agrari for electric power for the firm of Guarini Oronzo of Rome.

2. May this request, please, be forwarded to the appropriate Authorities.

*W. J. Long*  
W. J. LONG  
Colonel

Director, Food Sub-Commission

*R. A. A. C.*

*Food. S. C.*

1881

367 refers - 376 refers



COPY

FEDERAZIONE ITALIANA DEI CONSORZI AGRARI

TO: Food Sub-Commission  
AC

6 April 1945

SUBJECT: Request for electric power for the Firm Guarini Oronzo

The Firm, National Wholesaler, Guarini Oronzo of Rome, with warehouses in Viale Castrense 58, charged by us with the transfer of olive oil, requests the necessary allocation of electric power to action the pumps indispensable to unload the tank-cars and empty the tanks.

By recent instructions, the Allied Office of Via del Mare 45 (Capt. Heff) is competent to allocate electric power, and we beg you to use your authority for the firm's request to be granted.

Please confirm.

FEDERAZIONE ITALIANA CONSORZI AGRARI

1889



RECEIVED  
P.W. & U. S/C A.C.  
16 APR 1945 060

ROME AREA ALLIED COMMAND  
APO 794, US ARMY

364

Ref: C 233/3

WHH/af  
13 Apr 45

Subject: Electricity.

104 C.U.W. Works (Attn: E & MO) (2)

1. Please arrange for Electricity to be unrat-  
ioned in the apartment-office of Dr Domenico  
Saccardo, N° 199 Corso Trieste (int.12) which  
is used by Lt-Col K.M. Baldrige, Air Forces  
Sub-Commission.

*W.H. Hughes*

W.H. HUGHES  
Major  
DAQMG

1879

Copy: HQ AC (Public Works & Utilities Sub-Comm)  
(Your C60/PWU dtd 11 Apr 45 refers.)

Deputy Director Air Forces Sub Comm. A.C.  
(Your letter dtd 10 Apr 45 refers.)

*359 Refs*

*Col Lapper*  
*bike*



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ao

363

Reference : 060/PWU

13 April 45

Subject : Request for elevator service  
Ministry of Occupied Italy

To : MINISTRY OF PUBLIC WORKS  
(Att Eng. A.ASTA)

1. Attached request should be presented through the channels which have been outlined for Italian Government Territory.

*W.M. Lapper*  
W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

1878 18

cc : MINISTERO DELL'ITALIA OCCUPATA  
Ufficio IV° Alleati ed Esteri

1 enclosure

*folio 351*



Tel. 317

HEADQUARTERS ALLIED COMMISSION

LWL/ao

INTER OFFICE MEMO

362

Reference : 060/PWU  
Subject : Rome-Frosinone Light Railway  
To : TRANSPORTATION SUB-COMMISSION, AC  
o/o Transportation Increment, C.M.F.  
From : Public Works and Utilities Sub-Commission

13 April 45

Ref. our 060/PWU - 4 April 45.

1. Enclosed letter dated 11 April 1945 on the above transmitted for your information.

*W. M. Lapper*  
W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

1 enclosure

77

*refers to 354a + 344*



RECEIVED  
P.W. & U.S/G.A.C.  
13 APR 1945 060

TRANSPORTATION SUB-COMMISSION, AC.  
(RAIL DIVISION)  
C/o Transportation Increment  
C.M.F.

ACP/ev

36/

Tel. 843238  
Ref: AC/324/326/Tn 4

12 April 1945

TO : HQ.AC. Public Works and Utilities S/C

SUBJECT : Application for supply of electricity.

- (324) 1876
1. In connection with your circular of 19 March 45 setting out procedure for obtaining electrical supply, it is desired to know method of application for emergency needs.
  2. On occasion, this Sub-Commission has required Roma-Viterbo line to be energised during the daytime at short notice, and other items such as electrical supply for firms engaged on wagon repairs, which is a priority job, have been dealt with specially.
  3. Is there any special arrangement for short circuiting the procedure in such emergency?

14/4/45 - 14:15  
Called Major Ding  
Trans. S.C. and directed  
him to contact Capt. Metcalf  
Eng. Sec. or Capt. Metcalf  
6-4 of R.A.A.C. phone  
No 66077 or 66504  
respectively for emergency  
arrange ments as outlined  
above.

MERRITT H. TAYLOR  
Director

W. H. Taylor  
Major



Tel. 489081

Ext. 317

HEADQUARTERS ALLIED COMMISSION

APO 394

Public Works and Utilities Sub-Commission

FILE

LWL/ac

359

Reference : 060/PWU

11 April 1945

Subject : Request for electric power above  
ration allowance - Air Forces Sub-Commission

To : ELECTRICITY CONTROL BOARD  
R.A.E.C. - A.P.O. 794

1. Enclosed herewith request of Deputy Director for special allowance at 199 Corso Trieste for the purposes indicated.

2. Please inform the Deputy Director - Air Forces Sub-Commission direct with information copy to this office.

W.M. LAPPER

Lieut-Colonel, 1875  
Chief Elec. Div.

1 enclosure

364 Refs



AIR FORCES SUB COMMISSION  
ALLIED COMMISSION  
ROME

Ac 567

10th April 1945

Electric Power & Light  
Rationing Committee

Gentlemen,

I am Deputy Director of the Air Forces Sub-Commission of the A.C. We have the supervision and control of the Italian Air Force.

A good part of my work is in the evening on records and files with the Italian Liaison officers under Lt.Col. W Adrover. We work in the apartment office of Dr. Domenico Saccardo int. 12 199 Corso Trieste.

We need additional electric light beyond the usual ration allowance. I would appreciate if this could be granted to me at this address mentioned.

Sincerely

Lt.Col. F.M. BALDRIDGE, A.C.  
Deputy Director

1874



Tel. 317

HEADQUARTERS ALLIED COMMISSION

LWL/ac

INTER OFFICE MEMO

357

Reference : 060/PWU 11 April 1945  
Subject : Electric Power - Jesi Match Factory  
To : INDUSTRY SUB-COMMISSION  
From : Public Works and Utilities Sub-Commission

Reference AC/5648/IND - 9 April 1945.

1. Since this establishment is in AMG Territory the request for power should be presented through the usual channels that is the Regional Engineer of Umbria-Marche Region thence to Military District in order that it may be bid in at the Electrical Power Committee meeting of the A.F.L.R. (I) B.
2. These are the channels that this Sub-Commission is required to follow.
3. Public Works and Utilities Sub-Commission however wishes to have copies of such request for information purposes which information serves as a guide on anticipated loads and power line rehabilitation in connection therewith.

*see folio 350*

1873  
*W.M. Laffer*  
W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

356

11 April 1945

Reference : 060/PWU

Subject : Electric power allocation to Società Cartiere  
Tiburtina at Tivoli for pulp-wood production

To : MINISTRY OF INDUSTRY, COMMERCE & LABOUR  
(Att Industry Division)

348

1. Reference your letter N° 555/R dated 3 April 45.
2. Transmitted herewith for your information is copy of the letter forwarding your request to the Ministry of Public Works.

*W.E. Lapper*  
W.E. LAPPER

Lieut-Colonel,

Chief Elec. Div. 1872

1 enclosure



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

355

Reference : 060/PWU

11 April 1945

Subject : Electric power allocation to Società Cartiere  
Tiburtine at Tivoli for pulp-wood production

To : MINISTRY OF PUBLIC WORKS  
(Att Eng. A.ASTA)

1. Attached request for electric power to the Società Cartiere Tiburtine is herewith transmitted.

2. Since this is in Italian Government Territory the request should be presented through channels which have been set up for civilian request.

*see file 348*  
cc : INDUSTRY S/C  
cc : MINISTRY OF INDUSTRY, COMMERCE  
and LABOUR

*W.M. LAPIER*  
W.M. LAPIER  
Lieut-Colonel,  
Chief Elec. Div.



C O P Y

354

Rome 11th Aprile 1945

To A.C.

P.W. & U. SUB-COMMISSION  
Electrical Division

N° 116

Reference : 060/PWU

Subject : Application for power for  
Rome-Frosinone Light Railway

1. According to the new procedure, the Company already presented the application for increase of power, and it is known that the Provincial Commission for Rome is now handling it.

2. The Provincial Commission was already requested to include the application in the priority list to be submitted to the Central Italy Advisory Committee.

the original has been sent to  
Transportation S/C  
Refers to 344

"Isp.to Gen." 1871  
for Elec. Water & Gas.  
362 *infer* (signed Eng.A.Asta)





Roma, 3 april 1945 194

*Ministero dell'Italia Occupata*

351  
\* To the ALLIED COMMISSION  
Public Work and Utilities  
Sub-Commission

UFF IV° ALLEATI ED ESTERI

Prot. N° E/150

Allegato N°

Resposta al N°

del

UFF

OGGETTO

ROME

RECEIVED  
P.W. & U. S/C.A.C.  
7 APR 1945 060

H.E. the Minister for Occupied Italy considering the necessity of using the elevator in this Ministry will be grateful if the Allied Commission will authorize the Roman Electric Society to put it in function as soon as possible.


IL CAPO GABINETTO

*U. S. S. S. S.*

363 *ref*

1872





HEADQUARTERS ALLIED COMMISSION  
APO 394  
INDUSTRY SUB-COMMISSION

350  
RWR/ac

Tel. 396

9 April 45

Ref. AC/5648/IND

SUBJECT : Electric Power - Jesi Match Factory  
TO : Public Works & Utilities Sub-Commission ✓  
(Attn. Col. Lapper)

1. The S.A.P.F.A. plant at Jesi has just resumed normal rate of production.
2. This is of considerable importance inasmuch as it is part of the State Monopoly from which the Italian Government receives a fair proportion of its revenue.
3. This plant at present is only receiving a very small allotment of power from 2300 hrs to 0500 hrs. Their requirement for the production programme is 5000 Kwh per month.
4. As it is essential that match production is recommenced at normal scale, could this matter please be treated as urgent and the factory at Jesi placed on a priority rate.

357 refers

*A. B. Vaughan*  
A. B. VAUGHAN  
Director,  
Industry Sub-Commission.

col Lapper

1869



TRANSLATION

By : C. Tatti

MINISTRY OF INDUSTRY, COMMERCE AND LABOR  
General Direction of Industry and Mines  
Division V/ind

348

Reference : 555/R

3 April 45

To : Engineering Division - Electrical Section

& info to : Industry Sub-Commission, AC  
(Attn. Dott. Opatowsky)

: Società Cartiere Tiburtine - Rome

Subject : Allocation of electric power to Società Cartiere  
Tiburtine at Tivoli for production of pulp-wood.

1. The Società Cartiere Tiburtine - with Factory at Contrada Mecenate, Tivoli - further to agreements between this Ministry, is scheduled to produce during the month of April 125 tons of newsprint, 75 tons of which are to be produced in the first fortnight and 50 tons during the second fortnight of April.

2. The Tiburtine Paper Mills, for producing this quantity are in urgent need of supplementing their requirement of waste paper with a proper quantity of mechanical pulp-wood, nearly 2.5 - 3 tons of which could be produced every day by the plant existing by the Paper Mills, which is fully efficient.

3. The Tiburtine paper Mills need, for operating <sup>the above</sup> plant and transforming the wood into pulp, an allocation of electric power, for an amount of 250 KW/day.

4. Therefore, we beg your office to consider, at the light of what above, the said request, so that the quantity of electric power needed for the production of pulp-wood is allocated to the Tiburtine Paper Mills.

5. Please inform us of the action taken.

Sgd. THE MINISTER .

*original sent to  
Ministry of Public  
Works.*

11-4-45

356 refs



Tel. 317

HEADQUARTERS ALLIED COMMISSION

347 L7L/ac

INTER OFFICE MEMO

Reference : 060/PWU  
Subject : Request for Electric Power  
          : for Aziende Agricole Maremmane (Orbetello)  
To : AGRICULTURE SUB-COMMISSION, AC  
From : Public Works and Utilities Sub-Commission

6 April 1945

1. Inclosed letter requesting electric power to operate 10 HP in motors for the purpose of operating the above workshop machines is herewith transmitted for approval by your Sub-Commission.

2. If you endorse this application; request should be made to the Regional Commissioner Toscana Region for further action by the Regional Engineer.

W.M. LAPPER 1867  
Lieut-Colonel,  
Chief Elec. Div.

1 enclosure



Tel. 317

HEADQUARTERS ALLIED COMMISSION

LWL/no

INTER OFFICE MEMO

34-4

Reference : C60/PWU

4 April 1945

Subject : Rome-Frosinone Light Railway

To : TRANSPORTATION SUB-COMMISSION, AG  
c/o Transportation Increment, C.M.F.

From : Public Works and Utilities Sub-Commission

1. Since this railroad is in government territory the request for power should be handled as outlined in the attached instructions.

W.M. LAPPER  
Lieut-Colonel,  
Chief Elec. Div.

cc : MINISTRY OF PUBLIC WORKS  
(Att Eng. A. Asta) c/o P.W.U. S/C  
enclosure ltr 29/3/45 AG/57/16/Tn 4

1866

1 enclosure

354

333  
362



Tel. 396

Ref. AC/5716/IND

RECEIVED  
P.W. & U.S.C.  
5 APR 1945 060

RWR/ac

4 April 45

SUBJECT : Electric Power  
State Monopoly: Nicotine Sulphate

TO : Public Works & Utilities Sub-Commission

FROM : Industry Sub-Commission

1. It is essential to reactivate the Nicotine Sulphate and Tobacco Extract plant of the Manifattura Tabacchi at Lucca which is a branch of the State Tobacco Monopoly.
2. The products are in world short supply and vitally needed for the agricultural programme.
3. Application is therefore made for the supply of electric power to the extent of 80 Kw. per day.
4. May this request be placed before P.B.S., Leghorn, for immediate approval.

*W. S. VANDERHOF*  
W. S. VANDERHOF  
Director,  
Industry Sub-Commission.

*Mr. Langhlin*

*Suggest you write to P.B.S.  
after you get copy of above letter*

*Tell them to write to Reg. Eng.  
in the usual way.*

1865

*memo 4/4/45*

*called Capt. Roberts - Ind. S.C. instructing him  
to make application to Reg. Eng. Toscana Region  
since this is still A.M.G. territory. This closes the  
matter insofar as P.W. & Util. S.C. *W. S. Vanderhof*  
4/4/45*



31 MAR 1945

RECEIVED  
P.W. & U.S./C.A.C.  
-2 APR 1945 060

5613

Eng. Div  
ACP/1c

TRANSPORTATION SUB-COMMISSION, AC  
(RAIL DIVISION)  
c/o Transportation Increment  
C.M.F.

338

Tel. 843238  
Ref. AC/57/16/Tn 4

29 March 1945

TO : Regional Commissioner, Lazio-Umbria Region  
(Attention Capt. Wade-Brown, AMG).

SUBJECT : Rome-Frosinone Light Railway.

1. Recommendation in respect of provision of power for service between Fiuggi-Centro & Fiuggi-Città, Colonna-S.Cesareo & S.Cesareo-Palestrina have already been submitted.
2. May it now be known if the power position permits this.

By command of Rear Admiral STONE:

*acting me*  
A.C.PING, Major.  
*for Decree.*

AC/57/16/Tn 4  
Send to PW & U Sub Com.  
AC having this office  
closed

*May Apr 2nd*

*344 Refers*

*col Lappala*

*1861*



Subject: Electricity allocation,  
201 Sub Area.

TO : C.E. 3 District

RECEIVED  
P.W. & S.C.A.C.  
21 APR 1945 060

Egy. Div 41343

104 C.R.E. WORKS  
C.M.F.

Tel: 66023-4-5  
Ref: CRE/EM/264/2  
29 March 1945

337

The attached application is forwarded for your  
approval and necessary action.

*Blue Deamon*  
*Maistre*

RFHE/IV.

Copy to : A.M.C. Lazio Umbria Region -

Your R4/LFC/700.2 of 20/3/45 refers.


EM  
(M)

Information  
H. H. Langley  
4/4/45

304 Refers 1862

C.R.E. 104 WORKS





HEADQUARTERS  
ALLIED MILITARY GOVERNMENT  
Lazio Umbria Region  
(Engineering Division)  
ATO 394

Rome, 29th March 1945.

SUBJECT : Electric Power Supply to S.A.Cementerie di Guidonia.  
TO : HQ AG PW&U S/C - Electrical Division.  
FILE NO : RA/ENG/700.2

1. AG/5589/IND dated 26th March is passed to you for action as in accordance with instructions received.
  - a) We ceased action work on 16th March.
  - b) The Electrical files are closed for disposal.
  - c) Your instructions are that civil demands have to be submitted through civil channels.
2. As the matter appears urgent I have sent the enclosed note to S.A.Cementerie di Guidonia, copy to Electricity Provincial Commission ROME.

*Capt E. P. Wade - Reserve*  
for Lt. Col. R. E.  
Regional Engineer  
Lazio-Umbria Region A.M.G.

Enclosures:

- a) AG/5589/IND
- b) Letter to S.A.Cementerie di Guidonia
- c) Letter to Electricity Provincial Commission.

Copy to: Industry Sub-Commission.

4/4/45

Discussed this with Major  
Norton Wright Ind. S. E.  
They are following this  
matter arranging for coal  
and power. Transformers are  
also needed. Check with  
Major Price & Lt. Col. Panton.

*Col. Lapper*

*3/4*  
1862



334

ANG EMILIA REGION

4393

29 MARCH 45

ROUTINE

RESTRICTED PD

SUBJECT IS ELECTRICITY FOR SAN MARINO

PAREN TO ANG EMILIA REGION FOR REGIONAL ENGINEER FROM HQ ALCON CITE

ACPWB PAREN

(333)

PARA ONE PD REF YOUR EASY TWO ZERO TWO DATED TWENTY EIGHT PD

PARA TWO PD AGREE REFERENCE TO EXECUTIVE MEMORANDUM FOUR OF SEVEN  
MARCH PD

PARA THREE PD REGIONAL ENGINEER INFORMED US THAT HOSPITAL COULD USE  
PORTABLE GENERATOR PD

PARA FOUR PD WE HAVE PROVIDED THIS AND HANDED TO REGIONAL ELECTRICAL  
OFFICER

*hwh*

*hwh*

PUBLIC WORKS

317

1861



# INCOMING MESSAGE

HEADQUARTERS ALLIED COMMISSION

Originator's Reference: E/202  
Date/Time of Origin: MAR 280800A

Message Centre No: D/5265  
Date Time Rec'd: MAR 281540A  
Precedence: ROUTINE

FROM: AMG EMILIA REGION  
TO: HQ ALCOM

333

## RESTRICTED

RESTRICTED.

Have in hand motorized generator said destined for SAN MARINO as result of personal visit SANMARINESE official to Public Works SubCommission. Invite attention paragraph 2 Executive Memorandum 4 of 7 March.

As Regional Engineer had previously denied request will deliver equipment only if you specifically so direct.

## ACTION

DIST

RECEIVED  
P.W. & U.S/C A.C.  
28 MAR 1945

HEADQUARTERS  
28 MAR 1945  
A. C.

ACTION: P.Works S/C -  
INFO: A/President  
Chief Commissioner  
Econ Sec  
File 2  
Float

332 refers.  
334 refers.

## RESTRICTED

1860



RECEIVED  
P.W. & U. S/C A.C.  
28 MAR 1945 060

ADVANCED SECTION  
ELECTRICAL DIVISION  
PUBLIC WORKS & UTILITIES SUB-COMM.  
ALLIED COMMISSION

Florence, 6 Via Cerretani  
Telephone n° 1153  
25th March 1945

SUBJECT: Electric power for San Marino.

Ref. : A/1 RAB/ab

TO : Public Works & Utilities Sub-Commission  
Electrical Division - H.Q. A.C.  
A.P.O. 394

1. Reference your letter, same subject, dated 16th March 1945. This matter was turned over to Emilia Regional Engineer. His reply is as follows:

A small amount of power (200 KW) has been allocated to the Rimini area and this amount is used entirely by 8th Army. Bids for small amounts of power for civilian use have been made to "Q" Army with little results. In view of the very small amount of power now allocated to this area, it is quite understandable that no power is available for use in San Marino.

The water pumping referred to in paragraph 2 will require 105 KW, 3phase, 50 cycles power. The city of San Marino is located some 500 meters above the water pumping station and this explains the rather large demand of power for water pumping. At present the water for the city is being carried in water carts furnished by A.M.G. and by 86 Army Area. It cannot be expected that this situation can be continued when the military situation changes.

The hospital referred to in paragraph 2 of your letter could very well be served by a portable single-phase generator. The Hospital requires 15 KW for lighting and sterilization apparatus. A generator from 5th Army A.M.G. would serve this need ONLY.

2. Captain Rogers, Electrical Officer of the Emilia Region, has been in this office for the past few days. He has secured one of the 25 KW portable power plants from 5th Army A.M.G. and is leaving with it this morning for San Marino.

Copy to Emilia Regional Engineer



*Robert A. Bell*  
Robert A. Bell  
Major S.C.  
Officer in charge.



FILE

Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

IWL/ao

331

Reference : 060/PWU

26 March 1945

Subject : Allocation of electric power to  
Aristide Sordini Paper Mill - Tivoli

To : MINISTRY OF PUBLIC WORKS  
(Att Eng. A.Asta)

1) - Attached transmitted to you for handling.

*W.M. Lapper*  
for W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1 enclosure  
letter dated 23/3/45 N° 8969

1858



Tel. 489081 - Ext. 317

LWL/ac

INTER OFFICE MEMORANDUM

Reference : 060/PWU

26 March 1945

Subject : Electricity Sardini Paper Mill - Foligno

To : INDUSTRY SUB-COMMISSION, AC

From : Public Works and Utilities Sub-Commission

- 1) - Attached request should be presented to the Regional Engineer Lazio Umbria Region in order that it may be arranged with the Military District in which Foligno is located.
- 2) - The request has the indorsement of the Finance Sub-Commission AC.

*W.M. Laffer*  
W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

Enclosures

- 2 copies basic communication from  
Ministry of Industry, Commerce & Labour - 13/3/45
- 2 " translation of above
- 2 " ltr Finance S/C 23/3/45 - FAF/1.24

*see folio 317*



327

HEADQUARTERS ALLIED COMMISSION  
APO 394  
FINANCE SUB-COMMISSION  
ALLIED FINANCIAL AGENCY

RECEIVED  
P.W. & U. S/C A.C.  
25 MAR 1945 060

FAH/1.24

24 MAR 1945

23 March 1945.

SUBJECT: Electricity. Sardini Paper Mill, Foligno.

P. W. &amp; U. Sub-Commission

TO : ~~INDUSTRY SUB-COMMISSION,~~  
~~ELECTRICITY DIVISION.~~

320

1. Reference your 060/PWU dated 21 March 1945 enclosing copy of a letter received from Italian Ministry of Commerce (attached).

2. The facts as stated in the attached letter are quite true. This Headquarters has been preoccupied for some months in trying to secure a 24 hours' supply of Electricity without interruption for this Mill.

3. Agreement has been reached recently with 52 CRE (Works) at Perugia for a continuous 24 hours' supply of 100 kilowatts, and the Mill has commenced operations.

4. It is considered of paramount importance that this supply is not interfered with, and any assistance toward that end will be appreciated.

*E. J. GITS*  
E. J. GITS, Major, RA,  
Acting Chief of AFA.

Encls: as stated  
Copy to: Files (2)

*Col Ristetti* 498  
*Col Rappin* 118/57  
*Waf 26/3*



TRANSLATION

CT/ct

MINISTRY OF INDUSTRY, COMMERCE AND LABOUR  
Direction General of Industry and Mines

13 March 1945

Reference : 431

To : ALLIED COMMISSION  
Public Works and Utilities Sub-Commission

Subject : Supply of electric power - A.Sordini & Sons  
Paper Mill - Pale di Foligno

- 1) - The Sordini & Sons Paper Mill at Pale di Foligno (Perugia) is one of the three factories in Italy which produce water mark paper.
- 2) - It can manufacture the paper for 1,250,000 banknotes per day and is fitted with its own electric power producing plant, but the power generated is distributed for civilian purposes in Foligno area.
- 3) - The Paper Mill urgently needs a continuous (24 hrs/day) supply of electric power, for an amount of at least 130 KW (including the 100 KW already allocated for night hours only).
- 4) - We beg this Sub-Commission to take the matter up, and we wait to know the action taken.

1856  
THE MINISTER



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

WML/ac

326

Reference : 060/PWU

23 March 1945

Subject : Production of Sodium  
and Potassium nitrate

To : HEADQUARTERS CENTRAL PURCHASE & PRODUCTION  
ITALY (Ordnance) C.E.P. (Att ADOS-CP & P)

- 1) - The Electric Power Committee A.F.L.R. (I) B. allowed a total allocation of 9000 KW of demand and 5,800,000 kwh for the month of April 1945 for the Crotona Plant.
- 2) - This allocation will be considered and renewed each month as long as the water storage situation of the Sila reservoirs remains satisfactory and the generating equipment is not out of service due to breakdowns.

For the Chief Commissioner

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div. 1856

cc : REGIONAL COMMISSIONER SOUTHERN REGION  
(through Regional Engineer - att. May. Ryan)

1 enclosure

Letter ADOS CP & P - HQ/0/562 - 19/3/45

323  
Refer



Tel. 317

INTER OFFICE MEMORANDUM

LWL/ac

325

Reference : 060/PWU

22 March 1945

Subject : Power for Rieti Sugar Plant  
Rehabilitation

To : INDUSTRY SUB-COMMISSION, AC  
From : Public Works and Utilities S/C

Ref: AC/5628/END

Since this establishment is in Government Italy the request should be presented through civilian channels as outlined in circular letter of this Sub-Commission dated 19 March 1945 titled "Application for supply of electricity for civilian purposes in Italian Government territory".

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1854

su folio 307



FILE

3024

~~HEADQUARTERS ALLIED COMMISSION~~

APO 394

PUBLIC WORKS AND UTILITIES SUB-COMMITTEE

Electrical DivisionApplication for supply of electricity for civilian purposes in Italian Government Territory

- 1) - Application for a supply of electricity for civilian purposes within the Italian Government territory should in all cases be made to the Local Office of the Electricity Supply Company.
- 2) - Electricity Supply Companies will submit a list of all applications for electricity to the Provincial Commission within whose area the request is made.
- 3) - Provincial Commissions (included in the Italian Government electricity rationing decree dated 5 April 1944) will examine all applications for electricity, give priority rating and pass them to the Advisory Committee on Electric Power for the area concerned.
- 4) - Advisory Committee on Electric Power is a technical body to advise the Ministry on matters connected with electric power. They are formed in Sardinia, Sicily, Southern and Central Italy and will, for each of these areas, advise on the availability of electric power, passing the list



Application for supply of electricity for civilian purposes in Italian Government Territory

- 1) - Application for a supply of electricity for civilian purposes within the Italian Government territory should in all cases be made to the Local Office of the Electricity Supply Company.
- 2) - Electricity Supply Companies will submit a list of all applications for electricity to the Provincial Commission within whose area the request is made.
- 3) - Provincial Commissions (included in the Italian Government electricity rationing decree dated 5 April 1944) will examine all applications for electricity, give priority rating and pass them to the Advisory Committee on Electric Power for the area concerned.
- 4) - Advisory Committee on Electric Power is a technical body to advise the Ministry on matters connected with electric power. They are formed in Sardinia, Sicily, Southern and Central Italy and will, for each of these <sup>1852</sup> areas, advise on the availability of electric power, passing the list of applications forward to the Central Commission.
- 5) - Central Commission in the Ministry of Public Works (included in the Italian Government electricity rationing decree dated 5th April 1944) will coordinate applications for electricity, make final decisions and apply to the Allied Commission representative on the Electric Power Committee of the Allied Force Local Resources (Italian) Board for the power to be made available.



- 2 -

- 6) - Allied Commission representative ~~on~~ the Electric Power Committee will submit the applications for electricity to the Chief Engineer of the appropriate Military District who will include them in his bid on the Electric Power Committee of the A.F.L.R. (I) B. afterwards notifying the Electric Power Company direct regarding the power which is to be made available.

NOTE : By deleting (6) and altering (5) to read that the Central Commission will make request direct to the Electric Power Companies, the arrangements will be used at a later date by the Italian Government in their post war electricity rationing scheme.

19 March 1945

*W. E. L. Lapper*

W. E. L. LAPPER  
Lt-Colonel  
Chief Elec. Div.



Subject: Production of Sodium and Potassium nitrate

PW + 11

Ref: HW/O/562 3143

323

Headquarters  
Central Purchase & Production Italy (Ordinance)  
C.N.P.  
Phone: Naples Auto 15515

F.C.S. A.C.

19 March 45

1. May we be advised the date on which electric power supply is likely to be supplied to the Montecatini factory at Crotone.
2. We understand there has been considerable delay in the repair of the power station.
3. The a/m products are urgently required by the W.D.

HEADQUARTERS

21 MAR 1945

EZ/RR

19 March 1945

RECEIVED  
P.W. & U.S./C.A.C.  
21 MAR 1945 060

For  
ADOC CP 1852



Tel. 317

LWL/ac

INTER OFFICE MEMORANDUM

320

Reference : 060/PWU

21 March 1945

Subject : Electric power supply for  
A. Sordini & Sons Paper Mill  
Pale di Foligno (Perugia Province)

To : FINANCE SUB-COMMISSION, AC  
From : Public Works and Utilities Sub-Commission

- 1) Attached request is transmitted for indorsement and approval.
- 2) Please inform us if this is absolutely essential so that we may place request through proper channels.

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

See folio 318

1 enclosure

327 refers

1851



Tel. 317

319

LWL/ac

INTER OFFICE MEMORANDUM

Reference : 060/PWU

16 March 1945

Subject : Power supply for Malneme  
receiving station

To : COMMUNICATIONS SUB-COMMISSION, AC  
From : Public Works and Utilities S/C, Elec. Div.

- 1) - Attached request is passed to you for screening.
- 2) - It is to be forwarded to Electricity Control Board  
R.A.A.C. - A.P.O. 394 with your indorsement.

*W.M. Lapper*  
W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1 enclosure

*see folio 310*

1859



TRANSLATION

By : CT/ct

MINISTRY OF INDUSTRY, COMMERCE AND LABOUR  
 Direction General of Industry and Mines  
 ooooooooooooooooooooo

13 March 1945

Reference : 431To

: ALLIED COMMISSION

Public Works and Utilities Sub-Commission and then see what can be done to help

Subject

: Supply of electric power - A. Sordini &amp; Sons Paper Mill - Pole di Foligno.

1. The Sordini & Sons Paper Mill at Pole di Foligno (Perugia) is one of the three factories in Italy which produce water mark paper.

2. It can manufacture the paper for 1,250,000 banknotes per day, and is fitted with its own electric power producing plant, but the power generated is distributed for civilian purposes in Foligno area.

3. The Paper Mill urgently needs a continuous (24 hrs/day) supply of electric power, for an amount of at least 130 KW (including the 100 KW already allocated for night hours only)

4. We beg this Sub-Commission to take the matter up, and we wait to know the action taken.

THE MINISTER

Folio 320 Ref/s/

318 A  
 PLS take up with Finance  
 s/c to see if this is urgent  
 and then see what can be  
 done to help  
 14/3



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac  
317

Reference : 060/PWU

16 March 1945

Subject : Electric power for Paste Factory  
Natele Lucchini - Orbetello

To : REGIONAL COMMISSIONER TOSCANA REGION  
(Att. Regional Engineer)

Attached request is forwarded to you for necessary  
action.

By command of Rear Admiral STONE,

*see folio 309  
the original has been sent to  
Toscana Region*

*W.M. Lapper*  
W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1 enclosure

1849



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LWL/ac

316

Reference : 060/PWU

16 March 1945

Subject : Electric Power for Portiglione

To : REGIONAL COMMISSIONER TOSCANA REGION  
(Att Regional Engineer)

*copy of this  
letter sent to  
Major Goodfrey  
26/4/45  
by  
V. M. Smith*

- 1) - Attached request is herewith transmitted for necessary action.
- 2) - Please inform Industry and Transportation Sub-Commissions direct of action taken.

By command of Rear Admiral STONE,

*called Major Hamilton  
Toscana Region 15:20  
26/4/45 - No 11 checking  
and will report to  
Major Goodfrey.*  
cc : Industry S/C  
cc : Transportation S/C

*W.M. LAPPER*

Lt-Colonel

Chief Elec. Div. Phone 1828 454

2 enclosures

*see folio 308*

*Major Goodfrey  
Ind. S.C. called 26/4/45  
tracing this. H.M.  
11:00 A.M.  
26/4/45*



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

HJR/ac

315

Reference : 060/PWU

16 March 1945

Subject : Electric Power for San Marino

To : ADVANCED SECTION ELECTRICAL DIVISION  
PUBLIC WORKS & UTILITIES S/C, AC  
(Att. Major R.A. Bell)  
in care of Florence Province AMG

- 1) - Sr. Teodoro Lonferlin, Captiano Regente (President), of the Republic of San Marino was in the office to-day, requesting that a supply of electricity be made available to the Republic.
- 2) - Electricity is badly needed for water pumping, and to meet the requirements of a large hospital.
- 3) - We suggest that you investigate, through 8th Army AMG or the Emilia Regional Engineer, the possibility of supplying a small amount of power to San Marino, and if not possible, perhaps one of the single phase generators now in possession of 5th Army AMG could be made available for use in the hospital.

332 refers

*W.M. Laffer*  
W.M. Laffer  
Lt-Colonel  
Chief Elec. Div.

1847



Tel. 317

INTER OFFICE MEMORANDUM

LWL/ac

314

Reference : 060/PWU

14 March 45

Subject : Electric Power S.A. Cave e Concessioni  
Alumina hydrate silicate

To : INDUSTRY SUB-COMMISSION  
From : P.W. & U. Sub-Commission

- 1) The attached came to this Sub-Commission direct and is being referred to you for the usual procedure.
- 2) - This Sub-Commission, indorses the request since the product of the mine is essential to the Steelworks which are making parts for damaged hydro-electric machinery.

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1846

1 enclosure

copy of translation of the ltr 16/45 - 6/2/45

*see folio 294*



Tel. 317

LWL/ac

INTER OFFICE MEMORANDUM

313

13 March 45

Reference : 060/PWU

Subject : Request for power  
Società Italiana Breda - Ostia

To : INDUSTRY SUB-COMMISSION, AC

From : Public Works and Utilities S/C

302

Ref. letter Prot. 300 - 5/2/45.

- 1) - This request of the Ministry of Industry, Commerce and Labour should be presented by them through the Provincial Commission for Rome Province which has been set up under the Decree number 95 published 5 April 1944.

W.M. LAFPER  
Lt.-Colonel  
Chief Elec. Div.

cc : AGRICULTURE S/C

184

1 enclosure

*see folio 302*

Copy of translation of ltr dated 5/2/45 Prot. 300

original letter



Tel. 489081  
Ext. 317

LWL/ac

INTER OFFICE MEMORANDUM

312

Reference : 060/PWU

12 March 1945

Subject : Supply of Electric Power for the production  
of Ammonium Sulphate in the Montecatini Fac-  
tory at Grotone

To : AGRICULTURE SUB-COMMISSION, AC

From : Public Works and Utilities Sub-Commission

Reference AGR/19.42/- 7 March 1945.

- 1) + Present plans are to recommend an additional allocation to this factory starting 1st April 1945 with the allocation to be on a month to month basis, that is, <sup>the</sup> allocation will have to be considered each month and the allowance made based on the water storage situation at the Sila hydro plants.
- 2) - The recommended allocation will be 9,000 KW which includes the 2000 KW now allocated.
- 3) - On this demand the kwh per month is estimated at 5,800,000 which includes the 1,300,000 kwh now allocated.

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

cc : INDUSTRY C/S  
cc : REGIONAL COMMISSIONER SOUTHERN REGION  
(through Reg. Eng. attn Maj. R.A. Ryan)

2 enclosures with each c.c. :

copy translation of ltr Ministry of Agriculture - Div. II  
dated 23/2/45 N° 272

copy ltr from Agriculture S/C

see folio 306



Tel. 489081  
Ext. 317

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

LWL/ac  
311

Reference : 060/PWU

10 March 1945

Subject : Correspondence between Società Lucana  
per Imprese Idroelettriche and Campagna Singer

To : REGIONAL COMMISSIONER SOUTHERN REGION  
(through Reg. Eng. attn Maj. Ryan)

- 1) - Enclosed correspondence on the above is transmitted to you for disposition as it is a matter that should be handled at Regional levels.
- 2) - Please request Capt. Stephens to refer all electrical matters to you in the future so that you can handle them with the Company or Eng. Ruggiero of the Ministry of Public Works.

By command of Rear Admiral STONE,

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

1843

enclosures

copy letter 16/2/45 BZ/PU/6/14 - Bari Zone

letter 30/12/44 Compagnia Singer

*see folder 278*



Translation attached

Ministero dell'Industria, del Commercio e del Lavoro  
 Direzione Generale delle Miniere e della Metallurgia  
 Divisione VI  
 Prot. N. 431 Allegati

Roma 13 MAR 1945 318  
 A.C. SUBCOMMISSION  
 OF PUBLIC WORKS AND  
 UTILITIES  
 ROMA

OGGETTO: Cartiera A. Sordini & Figli - Pale di Foligno - Fornitura di energia elettrica -

- 1) La Cartiera A. Sordini & Figli di Pale di Foligno (Perugia) è una delle tre fabbriche di carta filigranata esistenti in Italia.
- 2) Essa può fabbricare la carta per 1.250.000 biglietti di banca al giorno ed è dotata di un proprio impianto per la produzione di energia elettrica, ma eroga l'energia prodotta per usi civili nella zona di Foligno.
- 3) La cartiera di cui si tratta ha urgente necessità di disporre per tutte le 24 ore del giorno di energia elettrica nella misura di almeno 130 kw (comprensivi dei 100 kw già assegnati per le sole ore notturne).
- 4) S'interessa al riguardo codesta S.C. e si rimane in attesa di notizie sui provvedimenti adottati.

RECEIVED  
 P.W. & U.S./C.A.C.  
 14 MAR 1945 060

IL MINISTRO  
 18/3/45  
 [Signature]



C O P Y

I T A L C A B L E

Rome, 14 March 45

Servizi Cablografici Radiotelegrafici e Radioelettrici  
= ROME =

310

Department : Man. Impianti - EEL.

To : ALLIED COMMISSION

Power Allocation Committee - Piazza Venezia, 11 - ROME

Subject : Electric Power supply at Malnome Receiving Station

- 1) - This Company is going to take control of its own Radio Receiving Station at Malnome (Ponte Galleria) and to carry out services for account of P.W.B. The Communications Sub-Commission is fully informed of this programme.
- 2) - P.W.B. has so far been able to carry out the same service by using some petrol generators belonging to Military Authorities. These generators will not be available to us.
- 3) - We have asked therefore the Società Romana di Eletticità to supply electric power to the aforesaid Malnome Station during at least 16 hours per day and preferably during all 24 hours.
- 4) - As Società Romana di Eletticità reports, that we must have the allocation of power from you, we are applying hereby for said allocation (20 KW max for 24 hours a day).

ITALCABLE 11

The original has been sent to Communications S/C  
for screening and indorsement.

16/3/45

319 Refers



COPY

PASTIFICIO NATALE LUCCHINI. - ORBETELLO  
Via Ricasoli, 54

309

Alla Società Romana di Elettricità

ORBETELLO

Si richiede a codesta Spett/ Società la fornitura di energia elettrica industriale da utilizzarsi per la produzione della pasta alimentare.

Il ns/ pastificio è dotato di motori elettrici della potenza complessiva di HP 40 con un assorbimento di circa 30 KW suddivisi in motori per la ventilazione di 18 HP in complesso e motori per le macchine di complessivi HP 22.

Dato il tipo speciale di lavorazione si richiede la fornitura in continuazione con un assorbimento giornaliero di 450 KW circa.

Gradite migliori saluti.

NATALE LUCCHINI

Stamp approvals by :

- 1 - AC Grosseto Province Toscana Region
- 2 - Maj. FRANK J. CHIARA Prov. Supp. Off.

317 refer

COMUNE DI ORBETELLO (Provincia di Grosseto)


18/11

Visto : Si esprime parere favorevole. Orbetello 9/3/45

THE MAYOR

The original has been sent to Toscana Region.





Tel. 447

308  
FGR/ep

348  
Ref./AC/5700/IND

12 March 1945

SUBJECT : Electric Power.

TO : Public Works and Utilities Sub-Commission. ✓

FROM : Industry Sub-Commission.

1. The attached copy of Tn. S/C letter 541/<sup>118</sup>~~45~~/Tn 3 is forwarded herewith. Will you please reply direct to Transportation Sub-Commission with copy to this Sub-Commission.

2. For your information Portiglione is 7 Km. west of Scarlino in Grosseto Province.

Copy to:  
Economic Section.  
Transportation S/C  
File 5628.

*[Signature]*  
W.S. VAUGHAN  
Director,  
Industry Sub-Commission.

1 Incl.:-  
Copy ltr. 541/118/Tn. 5.  
dtd. 9 March 45 from  
Transportation S/C.

*Col Rapper*  
*Pls reply*  
*13/3*

316 *ref*

1839



copy

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Transportation Sub-Commission.  
(Movements Division)

MJS/vb

Tel. Ext. 318

9th March 1945

541/118/Tn. 3

SUBJECT : Port of Portigliene.  
TO : Industry Sub-Commission.

1. You are aware that it is intended to commence operations at Portigliene at the end of March or early in April.
2. Will you please confirm that power is available for operating the equipment necessary for loading ships.
3. Will you please also confirm the period daily for which the power is available as the rate at which ships can be loaded depends on this factor. The amount made available should be sufficient to enable operations to continue uninterrupted whenever a ship is put in for loading.

MERRITT H. TAYLOR,  
Director,  
Transportation Sub-Commission.

cc. Port & Warehouse Division, Tn. S/C.  
Shipping Sub-Commission.  
M.W.T.  
W.S.A.

1838



307

HEADQUARTERS ALLIED COMMISSION  
AFG 394  
INDUSTRY SUB-COMMISSION

LM/ag

Tel. 323

RECEIVED  
P.W. & U.S./C.A.C.

10 March 1945

Ref. AC/5628/IND.

11 MAR 1945 060

SUBJECT : Power for Rieti Sugar Plant  
Rehabilitation.

TO : Public Works and Utilities Sub-Commission.

1. The sugar beet processing plant located at Rieti (Rieti) is scheduled for reactivation for the coming sugar campaign.

2. To effect the essential and urgent repairs in time, the machine shop and associate equipment will require an immediate allocation of 60 KW of power.

3. The following is the list of equipment which will require the power allocation. Break-down is as follows :

| Type Machine                             | KW  | Hours worked daily | Daily KWII Requirement |
|------------------------------------------|-----|--------------------|------------------------|
| Turner's lathes and drills               | 3.7 | 10                 | 37                     |
| Forge                                    | 0.8 | 10                 | 8                      |
| Cylindrical Press                        | 3.3 | 3                  | 10                     |
| Wood Saw "Ideal"                         | 2.2 | 4                  | 9                      |
| Rip-saw                                  | 1.1 | 3                  | 4                      |
| Electric welder No. 2                    | 6   | 3                  | 1837                   |
| Water pump for general and fire services | 3.7 | 2                  | 7                      |
| Forge                                    | 1.8 | 8                  | 15                     |


323  
Refers

Entered  
in allocation  
by my Dept  
Sent to  
no much  
conference  
for  
letter  
AMM  
16/3/45









HEADQUARTERS ALLIED COMMISSION  
APO 394  
Agriculture Sub-Commission

NWH/is

306

Tel: 248

AGR/19.42

7 March 1945.

SUBJECT : Supply of Electric Power for the production of  
Ammonium Sulphate in the Montecatini Factory  
at Crotone.

TO : Public Works & Utilities Sub-Commission.

1. Enclosed please find translation of a letter  
received from the Ministry of Agriculture requesting the  
assignment of electric power for the Crotone Factory of  
the Società Montecatini for the production of ammonium  
sulphate.

2. We will appreciate receiving your comments on  
this request.

312 refers

*Leland G. Allbaugh*  
LELAND G. ALLBAUGH  
Director.

*W. C. C. Hopper*  
*Ref 7/3*

INCL. (1)

Translation as above.

DISTRIBUTION:

Industry S/C.

1838



TRANSLATION:

IS/18

FROM : Ministry of Agriculture

23 February 1945.

TO : AG, Agriculture S/C

Div. II

No. 2721

SUBJECT : Supply of Electric Power for the manufacture of fertilizers.

The National Committee for the improvement of fertilizing in its memorandum, the original of which is attached hereto, has called the attention of this Ministry to the necessity of assigning to the Crotone factory of the Società Montecatini the electric power necessary for resuming its activities which would result in the production of 2,000 tons of ammonium sulphate per month.

Such quantity of fertilizer is indispensable to the national agriculture as it is not certain that the fertilizers to be imported will arrive in time and at any rate these would not be sufficient to meet requirements.

Therefore, the Ministry which has already dealt in the matter, would ask this Commission to have the competent organs concerned take an interest in the matter so as to obtain the assignment without harmful delays, of the requested 10 million KW/h per month of electric power for the aforesaid plant of Crotone.

We shall be glad to know the result of such request.

For the MINISTER


Carrante

1835



Ext. 93

DB/rm



HEADQUARTERS  
ALLIED MILITARY GOVERNMENT!  
Lazio-Umbria Region  
(Engineering Division)  
APC 394

646  
103956

304

8th March 1945

TO : Società Romana di Elettricità  
Via Poli 14

SUBJECT : Electric power supply to Calcei & Cementi di Segni Colleferro  
and to BPD Colleferro repair shops.

IN REPLY QUOTE: B4/ENG/700.2

1. Following sanction given by C.E. N°3rd District you are requested to supply an additional electric load of 1250 KW at the Colleferro Cement Plant - Calce e Cementi di Segni.

2. This additional load will make a total 1600 KW connected load for the 24 hours period of each day, that is 38000 KWH monthly.

3. Up to further notice part of this load will be shifted to the Bombrini-Parodi-Delfino Colleferro repair shops at the following schedule of load.

|                     |        |
|---------------------|--------|
| from 000 to 700 hrs | 45 KW  |
| " 700 to 800 "      | 200 KW |
| " 800 to 1200 "     | 170 KW |
| " 1200 to 1300 "    | 27 KW  |
| " 1300 to 1600 "    | 170 KW |
| " 1600 to 1700 "    | 200 KW |
| " 1700 to 2400 "    | 27 KW  |

For the Regional Engineer

*337*  
*337*  
*1834*  
*at Cal. Rappin*  
*Had 10/3*  
*Defense*  
*E.P. Wade-Brown*  
E.P. WADE-BROWN, Capt. R.A.  
Chief E & M Section

Copy to:-

— PW&U Sub-Commission  
Industry Sub-Commission  
Colleferro Cement Plant - Calce & Cementi di Segni



TRANSLATION

By : CT/ct

302

MINISTRY OF INDUSTRY, COMMERCE AND LABOR  
General Direction of Industry and Mines

5 Feb. 45

Reference : 300 Prot.

To : Public Works & Utilities S/C - HQ. Allied Commission

Subject : Request for power - Soc. Ital. Ernesto Breda.

1. The Ernesto Breda Coy. needs an allocation of 40 KW of electric power for the purpose of rehabilitating its Agricultural Machines Factory in Ostia. The power is needed for 125 hours per month.

2. The power can be supplied by A.C.E.A. Coy, which has already put into operation, near the a/m Factory, the necessary transformer.

3. Considering the importance of the mechanical constructions carried out by the Factory, we beg this Sub-Commission to see to this matter and to let us know the action taken.

*The original has been sent to Industry S/C*

THE MINISTER

313 *NY*  
183



Tel. 489081  
Ext. 317

INTER OFFICE MEMO

LWI/ac

301

Reference : 060/PWU

5 March 45

Subject : Electric power for Pasta  
Factories - Southern Italy

To : FOOD SUB-COMMISSION  
From : Public Works and Utilities S/C

(287)

(289)

- 1) - Reference letters 71-1/7/Food dated 24/2/45 and 060/PWU dated 27 February 1945.
- 2) - Attached copy of letter and report, on above subject, are transmitted to you for information.

*W. M. Laffer*  
W. M. Laffer  
Lt-Colonel  
Chief Elec. Div.

2 enclosures

cc : Economic Section *see folio 285-289-287*



HEADQUARTERS ALLIED COMMISSION  
Tel. 489081 APO 394  
ECONOMIC SECTION

*file*  
LAJ/ram/lrw

300

Reference 060/PTU ✓

5 March 1945

SUBJECT: Rationing of Electricity for Civilian Use

TO : Commanding General - Rome Area Allied Command

1. In conformity with the present policy of turning over to the Italian Government more functions and responsibilities particularly in Italian Government territory, we have on various occasions discussed the problem of the rationing of electricity available for civilian use in Rome.

2. We believe that the question of how this civilian electricity is to be used, what rules are to be set up for controlling it and whether it is to be used for house lighting or whatever other purpose, should be a question to be decided by the Rome authorities themselves.

3. Rome Area Allied Command Electricity Control Board would continue to designate the amount of current required for military purposes and the amount available for civil purposes. This Board could then advise the appropriate civil authority in Rome of the amount of current available for civilian use and the civilian authority could then make its rules and state how such current is to be used.

4. The Italian authorities have appointed a Provincial Commission to handle electrical problems within the Rome Province and we believe that this Commission could take over these functions. At our request, the Lazio-Umbria Region electrical engineer has advised the Rome Area Allied Command Electricity Control Board of the existence of this Provincial Commission and has asked this Board that this Commission be recognized. We desire to go one step beyond that and to ask that this Commission be placed in charge of the rationing of electricity for civilian use.

1832



- 2 -

5. It is felt by this Headquarters that such a step would be in keeping with the present general policy of according more responsibility to the Italian Administration. If you agree, may the necessary instructions for implementation be issued by you.

For the Chief Commissioner:

E. B. MCKINLEY  
Brigadier General, U.S.A.  
Acting Vice President  
Economic Section

1831



RECEIVED  
PW & U.S. A.C.

1-3 MAR 1945 060

Tel. 447

HGR/eg

Ref. AC/5628/IND

2 March 1945

SUBJECT : Electric Power - Siena

TO : Public Works and Utilities Sub-Commission

FROM : Industry Sub-Commission.

1. Reference attached copy of Toscana Region letter Ref. R VIII/78/61/32 dated 26 February 1945, can you please say when an improved voltage may be expected in Siena, or if any steps can be taken now to provide the necessary power for this factory.
2. The importance of this plant lies in the fact that it is the only one capable of manufacturing filter cloths which are now urgently required for an increased yeast production to meet Army demands.
3. Application to AFHQ for motor driven generators has proved unsuccessful.
4. Power requirements are detailed in this Sub-Commission's letter AC/5628/IND of 24 February 1945.

Copy to:-  
Economic Section  
File 5572.

1 Incl.:-  
copy ltr. as p/  
para 1 above.

W.S. VAUGHAN,  
Director,  
Industry Sub-Commission.

Also talked  
to Major Howden  
on this matter on  
3 March. He had  
already looked into  
this matter.

Also talked to  
Major Penfan  
who was to check  
up with  
see. H.H. 1m

12/3/45  
called Major Ried  
12/3 and referred to  
A.F.L.R.(I)B letter over  
File 214 - Folio 68. He  
stated that that  
letter was  
considered  
this.

W.S.

see Folio 68  
File 214

W.S. Vaughan to Col

1837

W.S.



C O P Y

HEADQUARTERS  
ALLIED MILITARY GOVERNMENT  
TOSCANA REGION

RVIII/78/61/32.

26 February 45

SUBJECT : Electric Supply - Siena.

To : H.Q. A.C. Industry Sub-Commission.

Ref. telephone conversation of this afternoon regarding the electric supply to S.A. Industriale Commerciale Tessuti, manufactures of filter cloth for yeast.

1. The Electrical Section of Regional P.H. & U. Divisions states that the power is controlled from Rome and therefore your request for an improved supply should be made accordingly. The difficulty of low voltage is being experienced by other firms.

2. It is suggested that the plant works at night.


JFH/ra

1 x 2


J.F. HARRIS  
Major R.A.  
Industry Division

1829





ROME AREA ALLIED COMMAND  
APO No 794 U.S. ARMY  
Electricity Control Board



297

Q. 233/3

FJM/mv

SUBJECT: Electricity

2 Mar 45

TO : Public Works & Utilities  
Sub-Commission AC

275

Reference 060/FWU of 17 Feb 45.

1. It is regretted that it is not possible to make exceptions to the rationing plan at present, and no new connections are being made, except for essential purposes, as the electricity situation is still acute.

2. It is hoped that the Naval Mess may be able to put bathing facilities at Miss Evans disposal, or some other suitable arrangements made.

see file 124  
Folio 76

file 487

Phone 591

called mess's  
lounge and gave her  
the contents of this  
letter. 11/11/45  
P.S. As to 'rationing' - Miss Evans is bound by  
General Orders No 24 & No 27 1823 requisitioned.  
premises. Therefore she is not necessarily bound  
to keep under 10 Kw hrs p.m. for electric  
light, as in the case for Italian civilians, and military  
billettees.

W. H. HUGHES  
Major  
DAQMG  
Chairman

44th Infantry Capt. H.

4.9.2



Tel. 489081  
Ext. 320

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

HJR/ac

296

Reference : 060/PWU

2 March 45

Subject : Correspondence between Società  
Lucana per Imprese Idroelettriche  
and Compagnia Singer

To : REGIONAL COMMISSIONER SOUTHERN REGION  
(Attention Regional Engineer)

- 1) - This Sub-Commission cannot become involved in disputes between Utility Companies and their consumers.
- 2) - The matter should be referred to the proper Italian Authorities.


By command of Rear Admiral STONE,

L.A. JENNY  
Colonel, C.E. 1827  
Director

*reference folio 278*



HEADQUARTERS  
SOUTHERN REGION, ALLIED COMMISSION  
APO 94, U.S. Army  
PUBLIC WORKS AND UTILITIES SECTION



27 February 1945

SUBJECT : Electric Power for Pasta Factories - South Italy

TO : HQ. Allied Commission  
Public Works & Utilities Section  
(Att. Lt. Col. W.M. LAPPER)

1. Recently your office contacted this office relative to additional electric power for pasta factories in this area.

2. This office has contacted the Supply Officer of Naples Zone and arrangements have been made to provide power for off peak operation of certain pasta factories in this area.

3. Enclosed herewith are copies of requests to 18 GRE to provide electric power to additional pasta factories.

For the Regional Engineer :

RAR.ws

Encls.

*289 Refers*  
*R. A. Ryan*  
R. A. RYAN  
Maj. Spec. Res.

*W. C. Lapper*  
W. C. LAPPER  
1828



HEADQUARTERS  
SOUTHERN REGION, ALLIED COMMISSION  
APO 394, U.S. Army  
PUBLIC WORKS AND UTILITIES SECTION

Elec/72

26 February 945

SUBJECT : Request for Energy

TO : Headquarters 56 Area 18 C.R.E. Wks  
(Att.Capt.FORD)

The following Pastificii have been recommended by the  
Supply Officer Naples Zone and by this Section. They are now  
forwarded on to you for your approval :

|                  |                  |       |
|------------------|------------------|-------|
| MALACARIC F.     | TORRE ANNUNZIATA | KW 20 |
| VILLANI A.       | " "              | KW 25 |
| GARGIULO P.      | " "              | KW 10 |
| GUARALDI         | " "              | KW 35 |
| MANZILLO S.      | " "              | KW 25 |
| LA ROCCA F.      | " "              | KW 15 |
| AMORUSO A.       | " "              | KW 10 |
| APPELTRA P.      | " "              | KW 40 |
| GENOVESE S.      | " "              | KW 8  |
| RUGGIERO & CUOMO | " "              | KW 20 |
| PASSEGGLIA G.    | " "              | KW 8  |
| PINTO L.         | " "              | KW 10 |
| DOTA V.          | S.MARIA LA BRUNA | KW 36 |
| GALLO F.         | " "              | KW 8  |
| LANDOLFI G.      | TORRE DEL GRECO  | KW 25 |
| DI NOLA & PROTA  | GRAGNANO         | KW 30 |

./.

1825



|                     |          |       |
|---------------------|----------|-------|
| LIQUORI & MENECHINO | GRAGNANO | KW 20 |
| RUSBO GENTILE       | "        | KW 15 |
| BALSAMO             | POMPEI   | KW 80 |
| RENDINA L.          | STRIANO  | KW 10 |

The above mentioned Partifici are authorized to work only during the hours from 2200 to 0700.

For the Regional Engineer :

RAR/ws

R . A . RYAN  
Maj.Spec.Res.

Dist : 1 copy to the Supply Officer Naples Zone  
Capt.E.E.KING  
1 copy to the S.E.P.R.AL. Naples  
1 copy to HQ.Southern Region,A.C.  
(Att.E.& S.Industries)  
1 copy to HQ.Allied Commission  
P.W.U.SECTION



BEST COPY POSSIBLE




S. A. CAVE E CONCESSIONI  
SEDE IN MILANO

SEZIONE AUTONOMA CAVE DI FIANO ROMANO

ROMA,  
VIALE REGI, 52  
TEL. 859.361 - 83.730

5 febbraio 1945

Prot. No. 16/45



OGGETTO = Fornitura di energia elettrica

*Dr. C. L. Rappin*  
*ha 2/3*

On.le  
Comando Militare Alleato  
ROMA  
-----  
Via Veneto 25

La sottoscritta Società si permette far presente

quanto segue:

3/4 refer  
è concessionaria in territorio del Comune di Fiano Romano delle miniere di silicati idrati di allumina con annesso stabilimento per la produzione di argille calcinate (chamotte) e di cemento refrattario.

Per il funzionamento di detto stabilimento sono necessari, come minimo, Kw ore 31.500 annui di energia industriale per una utilizzazione minima garantita annua di ore 900 della potenza di Kw 35, e Kw ore 200 annui di energia elettrica per uso di illuminazione.

Poiché la ripresa dell'attività industriale è subordinata alla concessione della fornitura dell'energia elettrica da parte della Società Romana di elettricità si prega 1824 On.le Comando di compiacersi accordare il permesso relativo.

La sottoscritta Società si permette far presente l'importanza sia delle cave che dello Stabilimento in quanto essa è fornitrice delle maggiori società siderurgiche nazionali, quali la TERNA, la COGNE, l'ILVA, le ACCIAIERIE E FERRIERE PUGLIESI, nonché della

*translation attached*



Società ceramica Richard Ginori ecc. Attualmente ha in corso una importante fornitura di argille refratteria alla Società TERNI.

Per quanto ha tratto alla fornitura di energia industriale la scrivente fa osservare che il precedente contratto con la Società Romana di elettricità contemplava una fornitura minima annua di Kw ora 105.000, mentre attualmente, compenetrandosi delle necessità del momento, ha ridotto il fabbisogno al minimo indispensabile, che come sopra detto è di Kw ora 31.500 annui.

Nella fiducia che la presente istanza venga benevolmente accolta si ringrazia e si porgono distinti saluti.

S. A. CAVE E CONCESSIONI  
Il Consigliere Delegato

*Luigi...*



S.A. CAVE E CONCESSIONI

/ms

Rome, 6 February 1945

Reference: n.16/45

294A  
Received 1/3/45.  
R.

SUBJECT : Supply of electric power.  
TO : ALLIED COMMAND.

The undersigned Company points out as follows:

in the territory of Fiano Romano Comune the above mentioned Company is entitled to utilize the mines of alumina hydrate silicate with the annexed factory for production of calcinated chamotte and refractory cement.

For operation the mentioned factory needs 31,500 KW yearly of industrial power, which correspond to a min. yearly utilization of 900 hrs of 35 KW power and 200 KW of yearly power for lighting purpose.

As the above mentioned industry depends on the allocation of electric power from the Romana Coy, it would be very appreciated if the Allied Command would release the above mentioned permission.

The Company points out the importance both of the mines and of the factory as they supply the main iron-working national Companies as TERNI, COGNE, ILVA, ACCIAIERIE and FERRIERE PUGLIESI, and RICHARD GINORI COY. Actually an important supply of refractory chamotte to TERNI Company is under way.

As far as the electric power supply is concerned, the Company remarks that the previous contract with the Romana Company foresaw an yearly allocation of 105,000 Kwh., while now due to the actual bad conditions, they reduce their request to the minimum necessary as 31,500 Kwh yearly.

Hoping that the present request will be favorably accepted they thank.

S.A. CAVE E CONCESSIONI

1823

*Maj. Kenton*  
*do you know*  
*whether this being*  
*sponsored by any*  
*S.C.? They should be the*  
*1/1/45*  
*to follow it.*



RECEIVED  
P.W. & U. S/C A.C.  
1 MAR 1945 060

291

Subject: Elevator Service.  
A.C. H.Q.

104 C.R.E. WORKS  
C.M.F.  
Tel: 66023-4-5  
Ref: CRE/EM/254

To : H.Q. ALLIED COMMISSION  
Public Works and Utilities  
Sub-Commission.  
(Attention Col.L.A.Jenny).

28 Feb 45

Ref your 060/1WU dated 24 Feb. (284)

1. This letter will be placed before the Electricity Control Committee of the RAAC at their next meeting. It is understood some consideration has already been given to this matter by the Committee.
2. You will be informed direct by the Committee of the decision of the Commanding General in due course.
3. The "slight improvement in the electric situation" mentioned in para 3 of your letter doubtless refers to the reduction in power allocation to the Rome Area which has recently been enforced.

*At Col Rapper had*  
*Pa 1/3*  
*7*


*McMurtre L.W.M.*  
C.R.E. 104 WORKS

1822

AEC/AG



290



HEADQUARTERS ALLIED COMMISSION  
 APO 394  
 FINANCE SUB-COMMISSION  
 ALLIED FINANCIAL AGENCY

TGE/jc

28 February 1945.

SUBJECT : Electricity.

TO : Electricity Control Board, RAAG,  
 (Attention: Capt. Neff).

*Ed. C. Rappier*  
*May 1/3*

1. The Engraving Plant A. Staderini 45, Via Maccina, Rome, will commence within a few days, important work on behalf of the Italian Government and the Banca d'Italia, in connection with currency production.

2. It is requested that a higher priority be granted to this Plant equal to that of the Istituto Poligrafico who are carrying out a similar operation. The Staderini Plant require 150 Kilowatt three phase 105 Volts continuously with an additional 30 Kilowatts per day for lighting.

3. The envisaged programme is under supervision by this Sub-Commission and is considered of paramount importance.

4. Your co-operation is therefore requested in this matter.

*E. J. GITS*  
 E. J. GITS, Major, RA,  
 Acting Chief of AFA.

Distribution:

1. Hq Finance Sub-Com.
1. Public Works & Utilities Sub-Com.  
 (Attention: Major Laughlin)
1. Regional Engineer, Lazio-Umbria  
 (Attention: Capt. Wade Brown)
2. Files.



Tel. 489081  
Ext. 317

*File*  
HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

LWL/ac

289

Reference : O60/PWU

27 Feb. 45

Subject : Electric power supply for  
Fleur Mills and Pasta making

To : REGIONAL COMMISSIONER SOUTHERN REGION  
through Regional Engineer - Attn Major Ryan  
REGIONAL COMMISSIONER TOSCANA REGION  
Attention Regional Engineer

- 1) - Enclosed letter Food Sub-Commission 24 Feb. 45 is forwarded requesting that every consideration be given to the possibility of providing the necessary electric power to the mills and pasta plants in Naples and Toscana Areas.

By command of Rear Admiral STONE

*301 refers*

*295 refers*

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

182

cc : ECONOMIC SECTION  
cc : FOOD S/C  
1 enclosure



RECEIVED  
P.W. & U. S/C.A.C.  
25 FEB 1945 060

HEADQUARTERS  
AMG/AC  
ABRUZZI-MARCHE REGION  
C. M. F.

TO : HQ. AC. P.W. & U. Sub Commission.  
(Atten Maj. Renton)  
SUBJECT : S. Giacomo. Power for construction.  
REF. : R5/516/2/1  
DATE : 24 Feb. 1945

Terni have completed a line to work at 30 KV between Aquila and S. Giacomo by means of which they wish to supply 300 KW to S. Giacomo for operating construction plant.

This additional load cannot be met from the present Aquila resources and it is requested that a special supplementary allocation be made through Antrodoco. Terno state they are ready to make use of this power immediately.

For the Regional Engineer

*J. E. Foden*  
J. E. FODEN  
Major

Regional Electrical Officer

*AMT*  
HEADQUARTERS  
25 FEB 1945  
A. C.

*Copy made 2/26/45  
R.*

*De C. C. Harper*  
1819  
26/2



RECEIVED  
P.W. & U. S/C.A.C.  
25 FEB 1945 060

## INTER OFFICE MEMO

JL/ak

287

24 February, 1945

Tel: 478807

Ref: 71-1/71 /FOOD

SUBJECT: Flour Milling and Pasta Making.

FROM : Food Sub-Commission.

TO : Public Works and Utility Sub-Commission.

1. Recent visits to regions have disclosed the fact that in certain cases some trouble was being experienced in milling sufficient flour and manufacturing sufficient pasta to meet the present ration scale for these commodities, and that much greater difficulty will be experienced in milling the amounts of flour and making the amounts of pasta for the implementation of the new ration scale which will operate in all Central Italy from 1 March 1945.

2. The difficulties with regard to electric power supply are understood here, and it is also realized that you have given priority in civil demands to the power requirements of mills and pasta factories. It would, however, be appreciated if something more could be done in areas where lack of electric power may handicap the implementation of the new increased ration.

3. This Sub-Commission is particularly interested in the milling capacity of Toscana Region, particularly the Arno Valley, and in the milling and pasta manufacturing capacity of Naples Area, as the latter place will be required to manufacture monthly about half the pasta requirements for Rome and neighbouring provinces, i.e. about 2500 tons of pasta over and above the requirements of the Naples Zone.

Copy to:  
Economic Section.

W. J. LEGG  
Colonel

Director, Food Sub-Commission

1818

Will you pls look into this matter.  
The increased ration will probably mean increased elec. consumption in Central Italy generally.

26/2



285

Tel. 489081 Ext. 320HEADQUARTERS ALLIED COMMISSION  
APO 394  
ECONOMIC SECTION

LAJ/ram

060/PWU

24 February 1945

SUBJECT: Rationing of Electricity for Civilian Use

TO : Commanding Officer - Rome Area Allied Command

1. In conformity with the present policy of turning over to the Italian Government more functions and responsibilities particularly in Italian Government territory we have on various occasions discussed the problem of the rationing of electricity available for civilian use in Rome.
2. We believe that the question of how this civilian electricity is to be used, what rules are to be set up for controlling it and whether it is to be used for house lighting or whatever other purpose, should be a question to be decided by the Rome authorities themselves.
3. Rome Area Allied Command Electricity Control Board would designate the amount of current required for military purposes and the amount available for civil purposes. This Board could then advise the appropriate civil authority in Rome of the amount of current available for civilian use and this civilian authority could then make its rules and state how such current is to be used.
4. The Italian authorities have appointed a Provincial Commission to handle electrical problems within the Rome Province and we believe that this Commission could take over these functions. At our request the Lazio-Umbria Region electrical engineer has advised the Rome Area Allied Command Electricity Control Board of the existence of this Provincial Commission and has asked this Board that this Commission be recognized. We desire to go one step beyond that and to ask that this Commission be placed in charge of the rationing of electricity for civilian use.
5. Will you be so good as to look into this matter and advise us of the decision reached and instructions given so that we all may act accordingly?

For the Chief Commissioner:

L. D. DENSMORE  
Colonel, F. A.  
Chief Staff Officer  
Economic Section1817  
*File*



Tel. 489081 Ext. 320

File 28H

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

LAJ/ram

060/PWU

24 February 1945

SUBJECT: Elevator Service - Allied Commission Headquarters  
TO : Rome Area Allied Command - Electricity Control Board  
(Attention: Lt. Col. A. E. Cockerton)

1. The question of resuming operation of two of the elevators in this building has been discussed with you and we herewith make official application for authority to operate the small elevator in the south wing of this building and one of the elevators in the east wing of the building.
2. These elevators would start at the ground floor and would make stops only on the fourth, fifth, sixth, seventh and eighth floors.
3. We believe that the work and efficiency of our personnel is impaired under present conditions and we also believe that, in view of a slight improvement in the electric situation, this headquarters should be entitled to the relatively small amount of electricity required for the re-opening of this elevator service under the restrictions outlined above.
4. Will you be so good as to take this matter up with your Board and advise us so that we can take appropriate steps to get the service going again?

L. A. JENNY  
Colonel, C. E.  
Director

*Col. Cockerton*  
*24/2*  
I saw Col. Cockerton last night. He said we had not yet made official application to the Board for this. So I made such an application. *trg*

291  
*Refer*  
181  
also 276A  
~~276~~



RECEIVED  
P.W. U. S/C A.C.  
21 FEB 1945 060

HEADQUARTERS ALLIED COMMISSION  
APO 394  
INDUSTRY SUB-COMMISSION

283

Tel. 391

TGB/eg

Ref. AG/5628/IND

20 February 1945

SUBJECT : Electric power bid for cement  
plant of Guidonia

TO : Regional Engineer - Umbria Lazio Region  
(Attn.: Capt. E.P. Wade Brown)

1. Further to our letter same subject dated 12 February.
2. Please note that the peak load of 1.400 KW. - indicated between 06.00 and 22.00 hours as per para 3 of above letter - is required between 18.00 and 06.00 hours, i.e. during the hours of minor total load.
3. Electric power requirement should be therefore as follows:
 

|            |                                                       |
|------------|-------------------------------------------------------|
| Power:     | 800 KW. (24 hours)                                    |
| Peak load: | 1.400 KW. (12 hours - between 18.00 and 06.00 hours). |
4. Please inform this Sub-Commission when power is made available in the plant.

By command of Rear Admiral STONE:

(Signed) W. S. VAUGHAN

Copy to:-  
Public Works & Ut. S/C  
E.C. Umbria-Lazio Region  
(Attn.: Ec. & Supplies Div).

W.S. VAUGHAN,  
Director,  
Industry Sub-Commission.

1815



*Call Maj Bell**Have about 1000*

ENGINEER SECTION  
A.F.H.Q.  
C.M.F.  
Tele No. Freedom 818

RECEIVED  
P.W. & U.S./C.A.C.  
30 JAN 1945 060

281

SUBJECT :- Electric Power for Oxygen Plant in FLORENCE. ENG/2004  
TO :- HQ Allied Commission (Public Works & Utilities Sub-Commission). 29 Jan 45.

1. The Micheli Oxygen Plant at FLORENCE being operated by 94 CGD and producing oxygen for both Fifth and Eighth Armies is not able to meet the heavy demand owing to serious fluctuations in the electricity supply.
2. Owing to the drop in voltage between 1730 hrs and 2200 hrs, the plant must be shut down daily during this period, the total loss of production time being 9 hours per day as  $4\frac{1}{2}$  hours are required to build up the liquid again after restarting the plant.
3. Please ensure that all possible steps are taken to provide continuously a supply of 200 KW at proper voltage and frequency as it is vitally important that these works manufacture oxygen at maximum capacity.

*No Com'p*

A.W. PAGE,  
Lieut Colonel RE,  
for M.G.R.E.

Copy to : 77 CRE (Works).

*Det Col Rapper*  
*18/1/45*

*Has Rutter*

(over)

*hnl*

What do you think. Suggest that  
we inform him that drop in voltage was  
due to overload at Florence and and  
is of course under the control of the CRE  
That the extra allotment for Feb  
and improved Grid Connection  
should put matters right. So that  
as they do not overload their system



23 Feb 1945  
Called Maj Beils Office Florence to check on  
voltage at present.

Major Crowther informed me (after checking)  
that voltage is ok.

Morman

Crowther



APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

TO

Regional Commissioner REGIONE VIII TOSCANA REGIONE  
Attn. Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: Miniero Carbonifero di Marlo - S.A. Marlo - Siena  
(Denominazione dell'industria)

Location of nearest town or city Siena  
(Posizione della città più vicina)

Address Mine situated at village of Marlo, near Buonconvento Prov. Siena  
(Indirizzo)

Estimated demand in KW (+) 20 K.W.  
(KW necessari)

KWH required per month Number of months power required  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which the Factory is to start operations: When power available  
(Data in cui si iniziano i lavori) 20 KW for 15 hrs/day for one month

Hours of operation per day: from hr above to hr above  
(Ore lavorative al giorno: da ore a ore) (appross) (appross)

Can the industry operate during off peak hours (i.e. 2200 hrs till 0600 hrs the following day) yes  
(puo l'industria operare fuori delle ore di punta (es. dalle 22 alle 6 del giorno seg.))

Can the industry operated at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above yes  
(puo l'industria lavorare al minimo durante il giorno dalle 6 alle 22 o al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantita necessarie per i due periodi).

Describe briefly the product manufactured: Lignite  
(Descrivere brevemente i prodotti)

Justification and remarks: This mine can produce up to 200 tons lignite/day  
(Motivazione e Note) 1815  
It is necessary that the mine be de-watered which will take a month hence  
20 KW for 15 hrs and later 20 KW for 5 hrs for operation.

Date: 27 Feb. 45  
(Data)

Signature and appointment  
of applicant: A. Maddalena  
Capo GE

(Firma e posizione del richiedente)

for Chief, Flu Mining  
Division. A.C.




SOUTHERN REGION  
ALLIED COMMISSION  
PUBLIC WORKS & UTILITIES SECTION  
BARI ZONE

278

Ref. BZ/PU/8/14  
16 February 1945

SUBJECT. Correspondence between  
Societa Lucana per Imprese Idro-Elettriche and  
Compagnia Singer.  
TO .H.Q. Public Works & Utilities Sub-Commission

- 1; The attached correspondence is forwarded to you for action as necessary.
2. Investigation at Potenza shows that the Singer Company at present wishes to use 20-25 KW per annum and wishes to pay for this on a meterage system.
3. Societa Lucana however offers an allotment of 68 KW per annum.
4. Pending a solution of the dispute, the supply to Singer Company has been cut off.



Note:- No copies  
correspondence  
retained. but in

*Let Col. Rypper*  
*15/2/45*  
*15/2/45*  
Capt RE  
Public Works Engineer  
1812

RECEIVED  
MATER STATION  
H. Q. PUBLIC WORKS  
UTILITIES SECTION  
BARI ZONE

3/11 ref



ROME AREA ALLIED COMMAND  
APO 794, U.S. Army  
ELECTRICITY CONTROL BOARD

276  
A

WHH/va  
16 February 1945

SUBJECT: Request for Elevators.

TO : Headquarters Allied Commission,  
Office of Headquarters Commandant, APO 394.

1. Receipt is confirmed of your letter of 15 February 1945.
2. It is regretted that the power available for distribution at the present time is not sufficient to enable the Electricity Control Board to make any new connections or grant increased allocations.
3. No further commitments can be accepted unless an increased allocation is made to the Rome area by the Central Electricity Board.
4. However, your application, together with others, will be presented to the Central Electricity Board in support of this Board's application for a greater allotment of power.

W.H. HUGHES  
Major DAQMG  
Chairman

284 *[Signature]*

1811



**700.3** APPLICATION FOR INDUSTRIAL POWER IN UNITED STATES  
 (Domanda per energia industriale nell'Italia occupata)

Publ 271  
 Week 1

TO: Regional Commissioner: REGION VIII TOSCANA REGION  
 Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
 (Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: S.A. STAB. MIN. DEL. SIENA  
 (Denominazione dell'Industria)

Location of nearest town or city: GROSSETO - SOLFORATE MINE  
 (Posizione della città più vicina)

Address: Prov. of Siena  
 (Indirizzo)

Estimated demand in KW: (+) 150  
 (KW necessari)

KW required per month: 50,000 Number of months power required  
 (KW necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which the factory is to start operations: When power allocated  
 (Data in cui si iniziano i lavori)

Hours of operation per day: from hr 24 to hr 24 (approx)  
 (Ore lavorative al giorno: da ore a ore) (APPROX)

Can the industry operate during off peak hours (i.e. 2200 hrs till 0600 hrs the following day) yes  
 (Pos' l'industria lavorare fuori delle ore di punta (es. dalle 2200 alle 0600) del giorno seguente)

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: yes  
 (pos' l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positive indicare sopra (+) le quantità necessarie ai due periodi)

Describe briefly the product manufactured: MERCURY  
 (Descrivere brevemente il prodotto)

Justification and Remarks: The mine is badly in need of maintenance, caving has occurred  
 (Motivazioni e Note) and unless this maintenance is commenced there is considerable danger of losing the present workings.

Date: 4-2-45  
 Data

RECEIVED  
 PW & U S/C AD  
 9 FEB 1945 260

Signature and Appointment  
 of applicant: S. A. Kuyler Capt CF  
 Mining Division Ministry of War  
 Firma e incarico del richiedente



701.3 APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

20

Regional Commissioner  
Attn: Regional Engineer

REGION V ABRUZZI-MARCHE REGION

270

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabilimenti seguenti):

Name of Industry: MONTEBATTI COMPANY  
(Denominazione dell'industria)

Location of nearest town or city: CARPIGNOLE, Prov. of Ancona  
(Posizione della città più vicina)

Address: CARPINOLE SULTRUM MINES - street 2 - 9.0637  
(Indirizzo)

Estimated Demand in KW: (+) 200 K.W.  
(KW necessary)

KWH required per month: \_\_\_\_\_ Number of months power required: \_\_\_\_\_  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: \_\_\_\_\_ When power is allocated  
(Data in cui si iniziano i lavori)

Hours of operation per day: from hr 21 to hr 21 (Approx.)  
(Ore lavorative al giorno: da ore a ore (Appross.)

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): yes  
(Puo' l'industria lavorare fuori delle ore di punta (es. dalle 22 alle 6 del giorno seg))

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: yes  
(Puo' l'industria lavorare al minimo durante il giorno dalle 6 alle 22 ed al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)

Describe briefly the product manufactured: SULTRUM  
(Descrivere brevemente i prodotti)

Justification and remarks: The mine is in a dangerous state thru lack of ventilation  
(Motivazione e note) and maintenance. Risk of fire and mine explosion is serious.

Date: 2-8-45  
(Data)


Signature and appointment  
of applicant: M. S. Kuyin Cond. CA

M. S. Kuyin (Firma e mansioni del richiedente)

RECEIVED  
P.W. & U. S/G A.O.  
9 FEB. 1945 060



HEADQUARTERS ALLIED COMMISSION  
AFO 394  
FINANCE SUB-COMMISSION



14 February 1945

13032/P

SUBJECT : Match Factories, Jesi and Perugia.

TO : Director, Industry Sub-Commission.  
Director, Commerce Sub-Commission.

1. Attached is a translation of a letter Service III Prot. No.03/20056 dated 2 February 1945 addressed to this Sub-Commission by the Director General (Reggente) of the State Monopolies.
2. It is understood that the provision of electric power for the Jesi and Perugia match factories has already been the subject of action by Commerce Sub-Commission, who are well aware of the importance of maintaining the existing match ration.
3. No requests for tyres for the C.I.F. vehicle have been received by this Sub-Commission. C.I.F. have been instructed to lodge a formal detailed request for tyres to Lazio-Tabria Region.

(Signed) R. F. L. TIMMONS  
Major

Joint Director  
Finance Sub-Commission.

Copy to:

Public Works and Utilities Sub-Commission  
(Electrical Operations and Transmission Dept.)

WEP/ev

*WEP*

*Col Rappin*

1808

*F.110 Report  
215  
268*

*Ref 15/2*



STATE MONOPOLY ADMINISTRATION  
General Direction

Service III  
Prot. No. 03/20056

Rome 2 February 1945

SUBJECT : Rationed distribution of matches throughout the  
Italian liberated territory.

TO : Hq. AC. Finance Sub-Commission, Revenue Sub-Section.

Reference to our letter No. 03/20457 dated 29 Dec. 1944.

We desire to inform you as to the grave situation in which C.I.P. finds itself on account of the impossibility to reactivate the factories at Jesi and Perugia on account of the lack of electric power.

The factory at Jesi is still silent and the output of that at Perugia is scarcely sufficient to supply the needs of the vicinity with very small quantities available for Southern Italy.

Another insurmountable difficulty arises from the fact that the only 'autotrens' which the Consorzio possesses requires new tyres which have been repeatedly requested from A.C.

We renew these requests therefore with lively haste in order that they may be complied with with the maximum possible urgency so that the Consorzio might be in a position to assure anew adequate provision of matches for liberated territory, without having recourse to an inopportune reduction of the present ration.

We will be pleased to receive an acknowledgement.

The Reggente

Sgd. TARANTOLA

Folio 268  
1807  
Folio 215  
Ruffert



ALLIED ~~COMMISSION~~ COMMISSION  
INTER OFFICE MEMO

Tel. 559  
From: MINING DIVISION, IND. S/C HQ AC.

RECEIVED  
P.W. & U.S. C.A.  
13 FEB 1945 060

File No: 700.3

13 February 1945

Subject: POWER BIDS  
To: PUBLIC WORKS AND UTILITIES S/C  
HQ. ALLIED COMMISSION.

The attached copies of Power Bids submitted by the Terni Company are transmitted for your information and action. The originals have been forwarded to the Regional Commissioner and the Regional Engineer, Lazio-Umbra Region.

For the Director, Industry Sub-Commission:

Incl - Six Bids (copies)

Morgnano - Branca, Padule -  
Aspra Roccantica - Collazione -  
Colle dell'Oro.

D.S. Kingery  
D.S. KINGERY,  
Captain, C.E.  
Chief, Mining Division.

1806



APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

Ref: Linea- 700.3

TO: Regional Commissioner

Lazio - UMBRA REGION

Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti:

Name of Industry: Miniere di Morgano - "Terni"-Soc. per l'Ind. e l'Elett.  
(Denominazione dell'Industria)

Location of nearest town or city: 6 km. a NW di Spoleto  
(Posizione della città più vicina)

Street Address: Spoleto - Direzione Miniere  
(Indirizzo)

Estimated Demand in KW: (+) 900  
(KW Necessary)

KWH Required per month: 400,000 Number of months power required: 12  
(KWH Necessary al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: Le Miniere sono già in attività  
(Data in cui si iniziano i lavori)

Hours of operation per day: From hr. 24 to hr. --- (Approx)  
(Ore lavorative al giorno; da ore (tre turni al giorno) a ore (Appross)

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600  
hrs the following day): No

(Può l'industria lavorare fuori delle ore di punta (Es. dalle 22 alle 6  
del giorno seguente).

Can the industry operate at a reduced load during the period of the day  
0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs?  
If so give estimated demand for the two periods under (+) above: No - deve  
lavorare tutte le 24 ore

(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al  
massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità neces-  
sarie per i due periodi).



Name of Industry: Miniere di Morciano - "Torni"-Soc. per l'Ind. e l'Elett.  
(Denominazione dell'Industria)

Location of nearest town or city: 6 km. a NW di Spoleto  
(Posizione della città più vicina)

Street Address: Spoleto - Direzione Miniere  
(Indirizzo)

Estimated Demand in KW: (+) 900  
(KW necessari)

KWH Required per month: 400,000 Number of months power required: 12  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: Le Miniere sono già in attività  
(Data in cui si iniziano i lavori)

Hours of operation per day; From hr. 24 to hr. — (Approx.)  
(Ore lavorative al giorno; da ore (tre) al giorno a ore (tre) (Approx.)

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): No  
(Può l'industria lavorare fuori delle ore di punta (Es. dalle 22 alle 6 del giorno seguente).

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? 1805  
If so give estimated demand for the two periods under (+) above: No - deve lavorare tutte le 24 ore  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi).

Describe briefly the product manufactured: Lignite turbo-xiloide  
Produzione attuale: Tonn. 480 - 500 (giorno lavorativo)  
(Descrivere brevemente i prodotti)

Justification and Remarks: La lignite prodotta viene fornita soprattutto agli Stabilimenti Siderurgici della Soc. "Torni", alle Forze Armate Alleate delle zone di Ancona, Rimini, Cesena ed alla città di Roma per la raffinazione.  
(Motivazione e Note)

Signature and Appointment  
of Applicant: Vice Direttore delle Miniere

Date: 5 febbraio 1945  
(Date)

(Firma e mansione del richiedente)



APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

TO: Regional Commissioner \_\_\_\_\_ LAZIO - UMBRA REGION. 243  
ATTN: Regional Engineer \_\_\_\_\_

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: Miniera di Branca-"Terni" Soc. per l'Ind. e l'Elettricità  
(Denominazione dell'industria)

Location of nearest town or city: 15 km. a Sud di Gubbio (Perugia)  
(Posizione della città più vicina)

Street address: Miniera di Branca - Gubbio (Provincia di Perugia)  
(Indirizzo)

Estimated Demand in KW: (+) 100  
(KW Necessari)

KW Required per month: 50.000 Number of months power required: 12  
(KW necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: Febbraio 1945  
(Data in cui si iniziano i lavori)

Hours of operation per day; From hr. 24 to hr. \_\_\_\_\_ (Approx)  
(Ore lavorative al giorno; da ore tre turni al giorno ore \_\_\_\_\_ (Approx))

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): no  
(Può l'industria lavorare fuori delle ore di punta (es. dalle 22 alle 6 del giorno seguente))

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: no - Deve lavorare tutte le 24 ore  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)

Describe briefly the product manufactured: Lignite

(Descrivere brevemente i prodotti)

Justification and Remarks: La lignite prodotta sarà fornita soprattutto alle  
(Motivazione e Note)

Forze Armate Alleate, agli Stabilimenti di calce e cementi di Senigallia  
ed alle fornaci laterizi della zona di Ancona.

Date: 5 Febbraio 1945  
(Data)

Signature and Appointment 1807  
of Applicant: V. Direttore delle Miniere  
Menghi  
(Firma e Mansione del Richiedente)



APPLICATI<sup>3 copie per Ministero</sup> FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

TO: Regional Commissioner  
(Attn: Regional Engineer) ~~LAZIO - UMBRA REGION~~

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: Miniere di Padule - "Terni" Soc. per l'Ind. e l'Elettricità  
(Denominazione dell'Industria)

Location of nearest town or city: 5 Km. a sud di Gubbio (Provincia di Perugia)  
(Posizione della città più vicina)

Street Address: Miniera di Padule - Gubbio - Provincia di Perugia  
(Indirizzo)

Estimated Demand in KW: (+) 50  
(KW Necessari)

KWH Required per month: 20,000 Number of months power required: 12  
(KWH Necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: Febbraio 1945  
(Data in cui si iniziano i lavori)

Hours of operation per day; From hr. 34 to hr. \_\_\_\_\_ (Approx)  
(Ore lavorative al giorno; da ore tre turni al giorno a ore \_\_\_\_\_ (Approx))

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): no  
(Puo' l'industria lavorare fuori delle ore di punta (Es. dalle 22 alle 6 del giorno seguente)

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: no  
(Puo' l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantita' necessarie per i due periodi)

Describe briefly the product manufactured: lignite  
(descrivere brevemente i prodotti)

Justification and Remarks: La lignite prodotta sarà fornita soprattutto alle  
(Motivazione e Note) Forze Armate Alleate, agli Stabilimenti di calce e cemento di Sanigal-  
lia ed alle fornaci laterizi della zona di Rocca.

Date: 5 Febbraio 1945  
(Data)

Signature and Appointment 180  
of Applicant: V. Direttore Miniere  
(Firma e Mansioni del Richiedente)



APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

TO: Regional Commissioner

LAZIO - UMBRA REGION

Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabilimenti seguenti):

Name of Industry: Miniera di Aspra-Roccantica "Torni" Soc. per l'Ind. e l'Elet.  
(Denominazione dell'Industria)

Location of nearest town or city: 60 Km. a Nord di Roma  
(Posizione della città più vicina)

Street Address: Miniera di Aspra Roccantica - Prov. di Rieti  
(Indirizzo)

Estimated Demand in KW: (+) 50  
(KW necessari)

KWH Required per month: 25,000 Number of months power required: 12  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: La miniera è già in attività  
(Data in cui si iniziano i lavori)

Hours of operation per day: From hr. 24 to hr. --- (Approx)  
(Ore lavorative al giorno) da ore tra tutti al giorno a ore --- (Approx)

Can the industry operate during off peak hours? (1.e. 2200 hrs till 0600 hrs the following day): no

(Può l'industria lavorare fuori delle ore di punta (2.e. dalle 22 alle 6 del giorno seguente))

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: no - data lavorare

tutte le 24 ore  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)



(Denominazione dell'Industria)

Location of nearest town or city: 60 Km. a Nord di Roma  
(Posizione della città più vicina)Street Address: Miniera di Aspra Roccantica - Prov. di Rieti  
(Indirizzo)Estimated Demand in KW: (+) 50  
(KW necessari)KW Required per month: 25,000 Number of months power required: 12  
(KW necessari al mese) (Numero dei mesi per cui occorre l'energia)Date on which Factory is to start operations: La miniera è già in attività  
(Data in cui si iniziano i lavori)Hours of operation per day: From hr. 24 to hr. --- (approx)  
(Ore lavorative al giorno: da ore tra turni al giorno a ore --- (approx))Can the Industry operate during off peak hours? (1.e. 2300 hrs till 0600 hrs the following day): No  
(Può l'industria lavorare fuori delle ore di punta (Es. dalle 23 alle 6 del giorno seguente))Can the Industry operate at a reduced load during the period of the day 0600 hrs till 2300 hrs and at a greater load between 2300 and 0600 hrs? If so give estimated demand for the two periods under (+) above: no - deve lavorare tutte le 24 ore  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)Describe briefly the product manufactured: Lignite torbexiloida  
(Descrivere brevemente i prodotti)Justification and Remarks: La lignite prodotta viene fornita solo tutto  
(Motivazione e note)alla città di Roma ed alle forze armate alleate.Date: 5 Febbraio 1945  
(Data)Signature and Appointment  
of Applicant: V. Direttore delle Miniere

(Firma e Qualifica del Richiedente)



APPLICAZIONE PER INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

260

TO: Regional Commissioner LAZIO - UMBRA REGION  
Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: Miniera di Collazzone-"Terni" Soc. per l'Ind. e l'Elett.  
(Denominazione dell'Industria)

Location of nearest town or city: 20 Km. a Sud di Perugia  
(Posizione della città più vicina)

Street Address: Miniera di Collazzone - Provincia di Perugia  
(Indirizzo)

Estimated Demand in KW: (+) 100  
(KW Necessari)

KWH Required per month: 50.000 Number of months power required: 12  
(KW Necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: 10 Febbraio 1945  
(Data in cui si iniziano i lavori)

Hours of operation per day: From hr. 24 to hr.            (Approx)  
(Ore lavorative al giorno; da ore tre turni al giorno ore            (Approx))

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): no  
(Può l'industria lavorare fuori delle ore di punta (Es. dalle 22 alle 6 del giorno seguente)

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: no - deve lavorare tutte le 24 ore  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)

Describe briefly the product manufactured: Lignite turbo-xiloide

(descrivere brevemente i prodotti)

Justification and Remarks: La lignite prodotta sarà fornita alle fornaci  
(Motivazione e Note)

interiori della zona ed alle forze armate alleate.

Date: 5 Febbraio 1945  
(Data)

Signature and Appointment 1801  
of Applicant: V. Direttore Miniere  
(Firma e Mansioni del Richiedente)



RECEIVED  
P.W. & U.S/C A.C.  
18 FEB 1945 060

HEADQUARTERS ALLIED COMMISSION  
APO 394  
INDUSTRY SUB-COMMISSION

257

*[Handwritten signature]*

Tel. 391

TGE/eg

Ref. AC/5628/IND

12 February 1945

SUBJECT : Electric power bid for cement plant of Guidonia.

TO : ~~Regional Engineer - Umbria-Lazio Region~~  
(Attn.: Capt. E.P. Wade Brown)

1. The cement plant of Guidonia "Cementerie Italiane di Guidonia", already scheduled for reactivation by this Headquarters, will get coal starting from 19th of this month.
2. Please arrange power be made available by this date.
3. Electric power requirement is as follows:  
Power : 800 KW. (24 hours)  
Peakload : 1.400 KW. (16 hours - from 6 to 22 o'clock)

By command of Rear Admiral STONE:

*Information  
to M. M.*

Copy to:-  
Public Works & Utilities S/C  
Regional Commissioner -  
Umbria-Lazio Region  
(Attn.: Economic & Supply Div.)

W.S. VAUGHAN,  
Director,  
Industry Sub-Commission.

*Chas. L. Hopper*

*Feb 14/2 1800*

283 refers



Tel. 489081  
Ext. 317

*File*  
HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

LWL/ac

*256*

Reference : OGO/PWU  
Subject : Electric power for the  
Court of Accounts

10 February 45

To : ELECTRICITY CONTROL BOARD - R.A.A.C. APO 794

- 1) - Attached copies of letters are transmitted to you for reconsideration and necessary action.
- 2) - Please inform Finance Sub-Commission of action taken with information copy to this Sub-Commission.

*259 Refers*

W.M. LAPPER  
Lt-Colonel  
Chief Elec. Div.

cc : REG.COM. LAZIO-UMBRIA REGION  
(Attn Regional Engineer)

cc : FINANCE SUB-COMMISSION

*see folio 253*

1799

2 enclosures



700.3 APPLICATION FOR INDUSTRIAL POWER IN COMPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

Public Works  
254

TO : Regional Commissioner : REGION VIII TOSCANA REGION  
Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabilimenti seguenti):

Name of Industry: S.A. MIN. ARGUS  
(Denominazione dell'Industria)

Location of nearest town or city: ARRETTA MINE, Sheet 15 A 0769  
(Posizione della città più vicina)

Address: PROV. SIENA  
(Indirizzo)

Estimated Demand in KW: (+) 100  
(KW necessari)

KWH required per month: 30,000 Number of months power required:  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: When power allocated  
(Data in cui si iniziano i lavori)

Hours of operation per day: from hr 24 to hr 24 (Approx)  
(ore lavorative al giorno): da ore a ore (appross)

Can the industry operate during off peak hours? (i.e; 2200 till 0600 hrs the following day): Yes  
Puo' l'industria lavorare fuori delle ore di punta? (Es: dalle 2200 alle 0600 del seguente giorno):

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above Yes  
(puo' l'industria lavorare al minimo durante il giorno dalle 6 alle 22 ed al massimo dalle 22 alle 6? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)

Describe briefly the product manufactured: Mercury  
(Descrivere brevemente i prodotti)

Justification and Remarks: This mine is badly in need of maintenance, the shaft is caving  
(Motivazioni e Note) and should be repaired as soon as possible. The extent of damage on the 179 levels has not yet been ascertained owing to absence of power.

Date: 8-2-45  
(Data)

Signature and Appointment of  
Applicant: Donald S. Higgins Capt. G.E.  
Chief Mining Division and. Capt. Amari  
(Firma e mansione del richiedente)

RECEIVED  
P.W. & U.S.O.A.C.  
9 FEB 1945 060



RECEIVED  
P.W. & U.S./C.A.C.  
9 FEB 1945 060

HEADQUARTERS ALLIED COMMISSION  
APO 394  
FINANCE SUB COMMISSION  
Tel: 478604

8 February 1945.

13059/F

SUBJECT: Electric Power for the Court of Accounts.

TO : Public Works and Utilities sub-Commission. ✓

1. The attached application for an increased ration of electric power to be allotted to the Corte dei Conti is transmitted for favourable consideration.
2. The Corte dei Conti exercises a judicial and financial control over all decrees and financial instruments. In the present emergency it is essential that it be granted every possible facility in order that it may maintain current and efficient control over Italian State expenditure. The importance of the work of the Corte dei Conti cannot be too strongly stressed, and the effectiveness of its control must be regarded as a major stabilising factor in the present abnormal economic conditions.

*Bel Simmons*  
Joint Director,  
Finance Sub-Commission.

256 refers

*At Col Rappin*

For action

*Wag 1/2*

1797



B

Rome Feb.3 1945

Court of Accounts

SUB: Electric power for the Court of Accounts

In consideration of the obvious connection of the central Italian Administration, especially Finance and Treasury, with the Court of Accounts, I am applying to your Hon. Allied Financial Commission begging it to examine the following question and to exert its authority to the effect of an equitable decision.

*Consequently* Following the limitation of the output of electric power, ~~an~~ availability ~~semiannual~~ equal to a fourth of the consumption of the ~~semiannual~~ period January-February 1944 (which was of Kw. 10.400) was allotted to the Court of Accounts - via Pastrengo residence-.

With an availability of only Kw. 1300 monthly, the Court of Accounts cannot fulfil ~~his~~ task with the speed required by the present circumstances, particularly the control and the recording of proceeds pertaining to reconstruction and to military activities.

The above amount allotted is not adequate to the needs of offices operating in the afternoon and in the evening, of figuring machines operated by electric motors, of the telephone power station and the relative charge of accumulators, of electric bells, of the electric type-writer plant, etc.

This is evidenced by the fact that the consumption of Dec. 1944 and Jan. 1945, even after strict economy had been adopted (reduction of number of bulbs and abolition of electric stoves), could not be reduced to less than 60 % of consumption of last year.

Owing to this situation, the Court, with letter of Jan. 17, asked the Hon. Power Allocation Committee G.4 Section RAAC to authorize the Azienda Comunale di Elettricità (Via Milano) and the Società Romana di Elettricità (Via Poli) to grant our Establishment a larger amount of power; but the Electricity Control Board sent back our application with a foot-note: "disapproved".

As this reply is seriously handicapping the activity of the Court of Accounts, we trust in the kind sympathy and intervention of your Hon. Sub-Commission.


THE PRESIDENT

1796



Mod. 16

Roma, 5 Febbraio 1945 A



Corte dei Conti

DEL  
REGNO D'ITALIA  
IL PRESIDENTEALLA SOTTOCOMMISSIONE FINANZIARIA  
VIA ALDEBRANA

ROMA

OGGETTO: Energia elettrica per uso della Corte dei Conti.

Per l'evidente connessione tra l'Amministrazione centrale italiana, specie quella delle Finanze e del Tesoro, e la Corte dei Conti, mi rivolgo a codesta On. Commissione Finanziaria Alleata, perchè voglia benevolmente considerare la seguente questione e intervenire con la sua autorevole competenza, al fine di una equanime decisione.

In seguito alle restrizioni nell'erogazione dell'energia elettrica, alla Corte dei Conti - Sede di Via Tastren-  
go - è stato assegnato un consumo illimitato bimestrale pari a un quarto di quello del bimestre gennaio-febbraio 1944, che fu di Kw. 10.400.

Con appena Kw. 1300 al mese, la Corte dei Conti non può adempiere a tutti i suoi compiti con quella speditezza e solerzia che le attuali contingenze richiedono, in particolare negli adempimenti per il controllo e registrazione di atti che hanno attinenza con la ricostruzione e finanche con le necessità militari.

L'accennata quantità di energia evidentemente non è commisurata all'esigenza che alcuni uffici svolgano l'ore-

1793



OGGETTO: Energia elettrica per uso della Corte dei Conti.

Per l'evidente connessione tra l'amministrazione centrale italiana, specie quella delle Finanze e del Tesoro, e la Corte dei Conti, mi rivolgo a codesta Cn. Commissione Finanziaria Allieva, perchè voglia benevolmente considerare la seguente questione e intervenire con la sua autorevole competenza, al fine di una equanime decisione.

In seguito alle restrizioni nell'erogazione dell'energia elettrica, alla Corte dei Conti - Sede di Via Pastrengo - è stato assegnato un consumo limite bimestrale pari a un quarto di quello del bimestre gennaio-febbraio 1944, che fu di Kw.10.400.

Con appena Kw.1300 al mese, la Corte dei Conti non può adempiere a tutti i suoi compiti con quella speditezza e scelerzia che le attuali contingenze richiedono, in particolare negli adempimenti per il controllo e registrazione di atti che hanno attinenza con la ricostruzione e finanche con le necessità militari.

L'accennata quantità di energia evidentemente non è commisurata all'esigenza che alcuni uffici svolgano l'opera loro anche nelle ore pomeridiane e serali, né tiene conto che parecchie macchine calcolatrici sono azionate da motore elettrico, che occorre assicurare il funzionamento del

|      |
|------|
| SEEN |
| AHFS |
| JRHH |
| CG   |

29 FEB 1945

ATTIVO POUKARNO MILITARY



la centrale telefonica e il caricamento dei relativi accumulatori, nonché altri servizi (campanelli elettrici, motore della tipografia, ecc.).

Ciò è tanto vero che, da un riscontro delle cifre del contatore, è risultato che nei mesi di dicembre 1944 e gennaio 1945, pur essendosi ricorso a provvedimenti di economia (ritiro di apparecchi di riscaldamento e riduzione delle lampadine); il consumo di energia non ha potuto essere limitato al di sotto del 50 per cento di quello di un anno fa.

In questa situazione, la Corte, con lettera 17 gennaio u.s., si è rivolta all'On. Power Allocation Committee G. 4 Section RIAC, perché volesse autorizzare l'Azienda Comunale di Elettricità (Via Milano) e la Società Romana di Elettricità (Via Poli) a concedere a questo Istituto un maggior quantitativo di energia rispetto all'insufficiente limite assegnato, ma l'Electricity Control Board ha restituito la richiesta con l'annotazione stampigliata "disapproved".

Di fronte a siffatta risposta, che mette in serio imbarazzo l'attività della Corte dei Conti, confido nell'apprezzamento e interessamento di codesta On. Sottocommissione.

IL PRESIDENTE

*Giuseppe*



7 FEB 1945 060

Ref: 700.3

APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)TO: Regional Commissioner  
Attn: Regional Engineer

REGION VIII

TOSCANA REGION

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):Name of Industry: SOCIETA' MINIERA DEL VALDARNO  
(Denominazione dell'Industria)Location of nearest town or city: FIRENZE  
(Posizione della città più vicina)Address: CASTELNUOVO MINE  
(Indirizzo)Estimated demand in KW (+) 500 K.V.  
(KW necessari)KWH required per month: 150,000 Number of months power required  
(KWH necessari al mese) (Numero dei mesi per cui occorre l'energia)Date on which factory is to start operations: when power is allocated  
(Data in cui si iniziano i lavori)Hours of operation per day: from hr 24 to hr 24 (approx)  
(Ore lavorative al giorno: dalle ore alle ore (appross))Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): yes  
(Può l'industria lavorare fuori delle ore di punta (Es. dalle 22 alle 6 del giorno seguente)Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater loading between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above yes  
(può l'industria operare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 22 alle 6? Se positivo indicare sopra (+) la quantità necessaria per i due periodi)

Describe briefly the product manufactured: Lignite

(Descrivere brevemente il prodotto)

Justification and Remarks: This was the largest lignite mine in Italy and had a large stockpile but since liberation the 5th Army and together with the City of Florence have been drawing heavily on this stockpile and it is necessary that the mine be brought again into production.  
179Date: 7- Feb. 1945  
DataSignature and Appointment  
of Applicant: Donald S. Kennedy Capt/CE  
Chief Mining Division 1st Sub. Comm  
(Firma e mansione del richiedente)



**APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY**  
(Domanda per energia industriale nell'Italia occupata)

Public Works

TO: Regional Commissioner REGION IV LAZIO-UMBRIA REGION  
 Regional Engineer

Application is hereby made for industrial power in the following premises:  
 (Si fa domanda per energia industriale negli stabili seguenti):

244

Name of Industry: SPERANTIA Società per l'Industria e l'Elettricità  
 (Denominazione dell'industria)

Location of nearest town or city: CURBIO, approx. 25 miles N.E. of Perugia  
 (Posizione della città più vicina)

Street Address: CASA LORO OF PADULA MINE  
 (Indirizzo)

Estimated Demand in KW: (+) 100  
 (KW Necessari)

KWH Required per month: 50,000  
 (KWH Necessari al mese)

Number of months power required:  
 Numero di mesi per cui occorre l'energia

Date on which Factory is to start operations: When power is allocated  
 (Data in cui si iniziano i lavori)

Hours of operation per day; from hr 24 hrs to hr 24 hrs (approx)  
 (Ore lavorative al giorno; da ore a ore (approx))

Can the industry operate during off peak hours? (i.e. 2200 hrs till 0600 hrs the following day): yes

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: yes  
 (Puo' l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 2200 alle 0600? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)


Describe briefly the product manufactured: Lignite

(Descrivere brevemente i prodotti)

Justification and Remarks: This mine is the furthest N.E. in liberated  
 (Motivazione e Note) territory and is necessary to supply the needs in that area.

179

Date: 6/2/45  
 (Data)



Signature and Appointment  
 of Applicant: St. S. Mangini Capt CF  
Chief Mining Division Ital S.R.  
 (Firma e Mancione del Richiedente)



- LAZIO - UMBRIA REGION

243

Signature and Appointment  
of Applicant: El S. V. Gilling Capt. CR  
Chief Mining Division and S.C.  
Firma e Marcas del Registrante

Ex-Puller, Worker - AC



Recd. 7 FEB 1945 760

700.3 APPLICATION FOR INDUSTRIAL POWER IN OCCUPIED ITALY  
(Domanda per energia industriale nell'Italia occupata)

To: Regional Commissioner REGION IV - LAZIO UMBRIA REG.  
Attn: Regional Engineer

Application is hereby made for industrial power in the following premises:  
(Si fa domanda per energia industriale negli stabili seguenti):

Name of Industry: "TERNI" Società per l'Industria e l'Elettricità  
(Denominazione dell'Industria)

Location of nearest town or city: BRANCA MINE, 27 Miles to city of Fabriano.  
(Posizione della città più vicina)

Street Address: BRANCA MINE  
(Indirizzo)

Estimated Demand in KW: (+) 150 K.W.  
(KW Necessari)

KWH Required per month: 55,000 Number of months power required: 12  
(KW Necessari al mese) (Numero dei mesi per cui occorre l'energia)

Date on which Factory is to start operations: When power is allocated  
(Data in cui si iniziano i lavori)

Hours of operation per day: From hr 24 hrs to hr. 24 hrs (Approv)  
(Ore lavorative al giorno; da ore a ore) (Approv)

Can the industry operate during off peak hours?(i.e. 2200 hrs till 0600 hrs the following day): yes  
(Può l'industria lavorare fuori delle ore di punta (Se: dalle 2200 alle 0600 del giorno seg.))

Can the industry operate at a reduced load during the period of the day 0600 hrs till 2200 hrs and at a greater load between 2200 and 0600 hrs? If so give estimated demand for the two periods under (+) above: yes  
(Può l'industria lavorare al minimo durante il giorno dalle 6 alle 22 e al massimo dalle 2200 alle 0600? Se positivo indicare sopra (+) le quantità necessarie per i due periodi)

Describe briefly the product manufactured: Lignite

(Descrivere brevemente i prodotti)

Justification and Remarks: The Branca Mine lignite is required for the  
(Motivazione e Note)

Sanigallia Cement Works, it being the nearest available. Since

Sardinian Coal through the Port of Ancona will not be available for  
several months, Branca lignite will have to be supplied.


Date: 6-2-45  
(Data)

Signature and Appointment  
of Applicant: H. L. Mancini, Chief  
Chief Mining Division, Public Works  
(Firma e Mansioni del Richiedente)

Public Works AC



HEADQUARTERS  
AMG/AC  
ABRUZZI-MARCHE REGION  
C.M.F.



TO : HQ., AC., P.W. & U. Sub-Commission  
(Atten. Lt. Col. W.M. Lapper) ✓ 229  
SUBJECT : Porto S. Giorgio - Amandola Railway. R  
REF. : R5/516/2/4/  
DATE : 31 January 1945. 194

Further to my letter of 13 Jan. 45 ref. R5/516/2/4 the Director at Fermo of the above railway has commenced reconstruction of the UNES hydro plant of S. Caterina, MR R7501, about 5 Km. north of Fermo.

The power station was extensively damaged by enemy action but the canal, penstock and turbine have survived. The turbine is 600 HP and the Rly. Coy. are transferring one of their 600 KW D.C. generators from the Lanciano power station of the Sangrattana Rly.

I visited the site on 27 Jan. and found the work well in hand. The generator was due to arrive early this week, the Fermo Director hoped to have the plant turning over by 10 February.

Negotiations are in progress with UNES Ascoli to use a 10 KV line, not now in operation, which runs direct from Sta. Caterina to Fermo.

This is much better solution than taking power from UNES as it renders the railway independent. The Director is satisfied that Sta. Caterina will meet his needs for the present - 800 KW seems to have been a slight overstatement.

A spare copy of this letter is enclosed for info. of Tpn S.C. — Sent to Port of Fermo

For The Regional Engineer

HEADQUARTERS  
2 FEB 1945

W. M. Lapper  
Chas. 2/2

J. E. FODEN  
Major

Regional Electrical Officer



Tel. 489081

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

LWL/ao

Reference : 060/PWU

1st Feb. 45

Subject : Disconnection of Ice Cream Coy  
MARI e IURILLI - Spinazzola

To : REGIONAL COMMISSIONER SOUTHERN REGION  
(Attn Maj. Ryan through Regional Engineer)

- 1) - Attached correspondence is transmitted for information and necessary action.

By command of Rear Admiral STONE,

W.M. LAFPER  
Lt-Colonel  
Chief Elec. Div.

enclosures :

ltr 16/1/45 - Commissione Prov.  
" 29/12/44 - Soc. Lucana per Impr. Elett.

*no copies  
retained for  
our files*  
1789



Tel. 317

MEMORANDUM

224 LWL/ao

Reference : 060/PWU  
Subject : Porto S.Giorgio-Amandola 0.95 m. gauge railway 29 Jan. 45  
To : TRANSPORTATION S/C, A.C.  
Rail Section  
From : P. W. & U. S/C

- 1) - Reference AC/57/22/Tn - letter 30 Dec. 44.
- 2) - Attached letter 13 Jan. 45 from Abruzzi-Marche Region for information.
- 3) - In view of the fact that the demand for power by important industrial plants has not yet been met in spite of Galleto coming in it is recommended that the above request be deferred until March or April.

W.M. LAPPER  
Lt-Colonel  
Chief Elec.Div.

cc : REG.COM. MARCHE-ABRUZZI REGION  
(Attention Regional Engineer)

enclosure : copy letter 13/1/45 Ref/R5/516/2/4

see folio 1783/174



RESTRICTED

RECEIVED  
PW & U.S/C.A.C.  
12 JAN 1945 060

1215

PWV

1115

JAN 11 1945

FOR INFORMATION ONLY

07165

JAN 11 1945

IMMEDIATE

ALCOM AMCHNA

ALCOM IN COMMENCE SUBCOMMISSION ALCOM AMCHNA MARCH REGION 24

RESTRICTED.

Following my signal A/111 dated 5 January.

In answer to your nr 2178 electric power for SAJIA JESI due from CASCADIA  
at end of November still routed to SINGALIA by 20 C M E. Every effort made to  
obtain generator in this area without success but trials now proceeding with small  
local plants during slack hours. Position unsatisfactory. No matches been or  
being made and present supply for country's rations finished in fortnight.  
Request immediate allocation 35 KW generator or electric power be made available  
from TAMEL.

PART

ACTION: Commerce  
INFO: A/President  
Chief Command. Signal  
Mcom  
M E H  
File 2  
Flocat

197 dpa 12/1



URGENT.

Following my signal #111 dated 5 January.

In answer to your nr 9178 electric power for SAFFA JESI due from CASCAMIFOND  
at end of November still routed to SUESSALIA by SO C H E. Every effort made to  
obtain generator in this area without success but trials not proceeding with small  
local plants during slack hours. Position unsatisfactory. No matches been or  
being made and present supply for country's rations finished in fortnight.  
request immediate allocation 35 KW generator or electric power be made available  
from TUNIS.

PLM

ACTION: Commerce  
INFO: A/President  
Chief Commissioner  
Reon  
J & H  
File 2  
Float

Folio 197

197 01/1

Folio 200, 2nd part

1787

RESTRICTED

HEADQUARTERS

21 JAN 1945

Folio 211

Folio 211

Folio 211



RECEIVED  
P.W. & U. S/C.A.C.  
20 JAN 1945 060

ROME AREA ALLIED COMMAND  
APO 794, U. S. Army  
ELECTRICITY CONTROL BOARD

213

WHH/va  
19 January 1945

SUBJECT: Request for Power for Monterotondo  
and Castel Giubileo Brickworks

TO : Allied Commission, Public Works & Utilities Sub Commission,  
APO 794, U. S. Army.

206

1. Receipt is confirmed of your letter of 16 January 1945,  
ref. 060/FWU, subject as above.
2. Owing to the extremely critical power situation all new  
connections have been suspended for a period of one month.
3. The next meeting of the Board will take place on 29 January,  
when your applications will be considered, depending on the power  
situation and the amount of electricity available for distribution.

*W.H. Hughes*  
W.H. HUGHES  
for Major DAQMG  
Chairman


*Det Col Rappin*

*Det 20/1*

*W.H. Hughes*

1786





HEADQUARTERS ALLIED COMMISSION  
APO 394  
INDUSTRY SUB-COMMISSION  
MINING DIVISION

212

Tel: 559

AFR/cc.

Ref: Mines-926.3

20 January 1945.

SUBJECT: Power - Manziana Sulphur Mine.

TO : Regional Commissioner, Lazio Umbria Region  
Attn. Regional Engineer.

1. Reference is made to your R4/ENG/700.2 of 13 January and to our Ref: Mines-926.3 of 4 January 1945 in which power at the rate of 40 KW was requested for the Manziana Sulphur mine, owned by Società Montecatini, at sheet 17, F.4788, close to Lake Bracciano.

2. It is regretted that the two phrases "continuous operation" and "commencing 1 March 1945" were omitted from the final draught.

3. On receipt of your letter the Montecatini Company was approached to find out whether the demand could be reduced during peak hours.

4. While the Company urges the necessity for continuous operation over the 24 hours, it could by reducing output accept power at either the following rates:

Morning shift - Afternoon shift - Night shift.

|    |    |    |
|----|----|----|
| 15 | 15 | 50 |
| -  | 40 | 40 |

Either arrangement would consume 12,000 K.W.H. per month.

1785



- 2 -

5. The product is ground sulphur rock at 33 % sulphur which is in urgent demand as fungicide by agriculture. Operations will continue throughout the year.

6. The plant will be ready to start up on 1 March 1945. It will be appreciated if power at the above rate can be supplied and increased to 40 KW for continuous operation at the first opportunity.


For The Chief Commissioner,

W. S. VAUGHAN,  
Director,  
Industry Sub-Comm.

c/c - Public Works & Utilities S/C (1)  
Float (1)  
Files, Mining Division (1)

1784





HEADQUARTERS ALLIED COMMISSION  
APO 394  
COMMERCE SUBCOMMISSION  
Availability Section

211  
H. C. L. Rappin  
Ras

TEL: 478703

CAM/JR/16

REF: AC/5026/Commerce

18 January 1945

SUBJECT: Power allocation to SAFFA match factory at Jesi.

TO : Regional ~~Engineer~~, Abruzzi-Marche Region.

1. Reference your letter R5/516/2/5 dated 16 Jan. 45.
2. We are glad to learn that the work of repair on the Ancona-Jesi line is proceeding and is expected to be completed by the end of this month, so that it is hoped, that it will be possible to supply power to the Jesi match plant.
3. It is requested that, meantime, any available day or night load power be allocated to the SAFFA in order to enable them to start production at once even on a reduced scale.

For the Chief Commissioner:

208 Refers.  
215- Refers.  
W. P. EVANS  
Colonel, Director  
Commerce Sub-Commission.

Copy to: Public Works & Utility S/C. ✓  
Industry S/C (Mr MANKREY)  
C.I.F., 128, Via Nizza, Roma.

1783



Tel. 843.274

HEADQUARTERS  
LALIO-UMBRIA REGION ANG  
(Engineering Division)  
APO 394

RECEIVED  
F.M. & U. S/C A.C.  
10 JAN 1945 060

WB/VO

318  
623023

Rome, January 17th 1945.

SUBJECT: Electric Power Request for construction  
of fishing boats - Gaeta.

TO : HQ AG 1st Cavalry SC.

FILE NO : 247 ENG/700.2

1. Further to our 700.2 dated 20th December 1944 same subject in reply to your AGP/312.1 dated 3th December and passed to us by PW & USC under 060/PWU dated 13th December 1944.

The petrol generator set located at Ditta Naitoni, Perugia Province, appears to be suitable for employment at Gaeta.

2. Perugia Province (Pubbli Works) has sent the following information:

|                   |   |           |
|-------------------|---|-----------|
| Condition of set  | - | fair      |
| Maker's name      | - | Lancia    |
| HP                | - | 30-35     |
| Alternate current | - | 50 cycles |
| Volts             | - | 220-250   |
| Ampere            | - | 100       |

3. It is suggested that the industry Division should be consulted as to the availability from an industrial standpoint.

For Regional Commissioner

M. T. P.



FILE No: 14/500/700.2

Further to our 700.2 dated 20th December 1944 same subject in reply to your AGP/512.1 dated 8th December and passed to us by EW & USC under 060/KWJ dated 13th December 1944.

The petrol generator set located at Ditta Tuitoni, Perugia Province, appears to be suitable for employment at Caete.

Perugia Province (Public Works) has sent the following information:

|    |                                 |                   |   |           |
|----|---------------------------------|-------------------|---|-----------|
| 2. | Perugia Province (Public Works) | Condition of set  | - | Fair      |
|    |                                 | Maker's name      | - | Lancia    |
|    |                                 | RV                | - | 30-35     |
|    |                                 | Alternate current | - | 50 cycles |
|    |                                 | Volts             | - | 220-250   |
|    |                                 | Ampere            | - | 100       |

3. It is suggested that the industry Division should be consulted as to the availability from an industrial standpoint.

For Regional Commissioner

*E. H. Wade-McCown*  
E. H. WADE-MCCOWN, Capt. RA  
E & M Section.

Copy to:  
AC HQ IT & U SC

1782

*149*  
*149*  
*149*



RECEIVED  
P.W. & U. S/C A.C.  
10 JAN 1945 060

HEADQUARTERS ALLIED COMMISSION  
Public Safety Sub-Commission  
APO 394

209

Tel , 47-800

17 January, 1945.

AC/14012/2/45

SUBJECT : Electricity - Police Buildings.

TO : Engineer Section, R.A.A.C.  
Via del Mare, 45.

*in part II file*

Further to this office letter AC/14012/2/45 dated 12 December, 1944, enclosing list of Police Buildings to which preferential circuits are desired.

It would be appreciated if information could be given as to progress being made in this matter.

*John W. Chapman*  
JOHN W. CHAPMAN  
Colonel J.A.C.D.  
Director Public Safety  
Sub-Commission


Copy to Electricity Control Board R.A.A.C.  
Public Works & Utilities S/C  
Economic Section.

B/C.

*228 refers*

1781





HEADQUARTERS ALLIED COMMISSION  
APO 394  
COMMERCE SUBCOMMISSION  
Availability Section

OAM/JR/1c

TEL: 478703

REF: AC/5156/Commerce

17 January 1945

SUBJECT: Power for the match factories at Jesi and Perugia area.

TO : Industry Sub-Commission.  
(Attn: Major Maskrey)

*Re: C. L. Hopper*  
*2/11/45*

1. Reference attached copy of letter Anc/S/11/MI/9 from AMG Ancona Province of 11 January 1945.

2. You are aware of the importance of the SAFPA plant at Jesi for the national distribution of matches. It is understood that there are 250 workers who have been paid by SAFPA since the liberation of Jesi; in spite of this the factory is not working. It is highly desirable that the question of power supply to this plant be solved, either in the way suggested by the Provincial Commissioner Ancona, or through allocation of night load power.

3. Your attention is drawn to the fact that the Perugia plant is so far working with night load power which affects the quantity and the quality of the output. It would be, therefore, of great help if normal power during day time could be allocated to this factory.

4. It will be greatly appreciated if you will emphasize these two points at the meeting of the Electric Power Committee to be held on 20 January 1945.

*200 Refers.*  
*211 Refers.*

*to be taken up with Maj. 2/11/45*  
*Peretti*

Copy to: -Public Works & Utility S/C.  
-Finance S/C (Mjr Price)  
-C.I.F., 128, Via Rizza, Rome.

W. P. EVANS  
Colonel  
Director  
Commerce Sub-Commission.

Incls: 1 Copy of letter as per para 1.

1780



Tel. 439.061 Ext. 317

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

FE/ms

206

060 /PNU

16 January 45

Subject : Request of power for Monterotondo  
and Castel Giubileo Brickworks.  
To : Regional Commissioner Lazio - Umbria Region  
(Att. Regional Engineer)

*with*  
*me*

1. Attached request for a supply of electric power to Fornace di Monterotondo (Tiberina Company) and to Fornace di Castel Giubileo (Immobiliare Company).
2. Monterotondo Brickworks need 120 KW and Castel Giubileo Brickworks 190 KW. Both factories can operate from 2230 to 0600 and should start on February 1st.
3. Please take necessary action in order that the requested power be granted to the above Brickworks.

W.M. LAPPER  
Lieut-Colonel  
Chief Electrical Div.

c.c. Electricity Power Committee - R.A.A.C.

1 enclosure: 2 copies letter 18 Dec, 44 - Ministry Public Works.

213 *repro*

1779



MINISTRY OF PUBLIC WORKS  
General Director of Technical Services

18 Dec 1944

To: The Allied Commission

SUBJECT: Measures to Facilitate the Production and  
Transport of Tiles.

1. The Sinalunga Brickworks.

With its letter No. 795 of the 7th October 1944 this Ministry pointed out to the Allied Commission the great need of roofing material and glass to repair war-damaged buildings and to give shelter to the homeless, and requested the intervention of this A. Commission to be granted the use of some railway trucks to transport a million tiles (which were then available at the Sinalunga brickworks) from the Cortona station to the Rome goods-station.

Now that the brickworks of Sinalunga and Torrita have resumed production, thanks to the intervention of the Allied Authorities, who have also granted part of the necessary electric power, we consider that it would be more advisable and profitable to have the said tiles which will be allotted to Lazio and Abruzzi transported not from Cortona (which would mean using motor-lories with trailers from Sinalunga to Cortona) but directly from the goods-station at Sinalunga to Rome. For this purpose the Italian State Railways had leased out a contract for the repairing of the damages to the line (28 kilometers) between Sinalunga and Chiusi of the Empoli-Chiusi railway. The contract was leased to the Cattola Giuseppe and Co. firm. But the Allied Authorities, before giving their approval for the putting into effect of said repairs, expressed a wish to examine the whole work program concerning the Empoli-Chiusi railway.

For the reasons exposed above, we beg the Allied Commission to grant their approval of this work as soon as possible.

The two Sinalunga and Torrita brickworks can produce a million tiles a month.



10/30  
6:00  
8 hours.

2. Monterotondo Brickworks (Societa Tiberina) and Castel Giubileo Brickworks (Societa Generale Immobiliare).

These two brickworks, which could each produce from 250,000 to 300,000 tiles a month, are in full machine order. All they need to begin production is a distribution of electric power for their various engines:

120 K.W for the first and 130 K.W for the second.

It would be of service to the above brickworks of transport of lignite from the Montefollonico mines (at first from the Camucia or Chiusi goods-station, and later from the Torrita goods-station on the Sinalunga-Chiusi railway) were facilitated by the granting of two railway trucks every three days for the Monterotondo brickworks, and of one railway-truck a day for the Castel Giubileo brickworks.

3. Benevento Brickworks, belonging to the Societa Anonima Sanvito (Sanvito Ltd. Co.)

This is in working order, but could produce much more if it were granted the use of four motor-lorries a day to transport lignite from the Morcone mines to Benevento (42 kilometers by road).

4. Glassworks of G. Ricciardi Co. Ltd. at Vietri sul Mare.

These works can produce 100,000 square meters of glass a month. Fuel is needed to resume work. In the obvious impossibility of obtaining good foreign coal or even Culcis coal, the company would be willing to use lignite from the Montefollonico mines in order to resume production at once. For this purpose it would be necessary to transport 30 metric tons a day, for which three railway trucks, of 20 m. tons capacity, would be needed every other day to transport such quantity from Chiusi station, in the beginning, and later from Sinalunga station, to the goods-station at Vietri sul Mare.

This Ministry trusts that the Allied Commission will do its best to grant the above requests, as the A. C. has always shown its willingness to concur in the repairing of buildings to give shelter to the homeless.

This Ministry will keep the A.C. duly informed as to other needs which may arise to facilitate the production and supply of tiles and further material in other zones.

1777

THE MINISTER  
/s/ Rinaldi

22 8 24 km  
Via S. Maria



Tel. 489.081 Ext. 317

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

PA/ms

205

AC/060/PWU

16 January 45

Subject : Electric Energy for roof tile plants at Sinalunga  
and Territa.

To : Regional Commissioner Toscana Region  
(Att. Regional Engineer).

1. Attached a request for an increase in power supplied to Sinalunga and Territa tile furnaces.
2. No mention is made as to the amount of power requested, but the total for capacity operation is 600 KW. Only 60 KW are now being supplied.
3. Will you please take necessary action and let to know the amount of additional power that you can obtain in excess of the present 60 KW in order that the output of this plant can be increased.

W.M. LAPPER  
Lieut-Colonel  
Chief Electrical Div.

c.c. Lt.Col. V.S. Thompson  
Chief Public WKE Div. AC HQ.

1 enclosure; letter 12 Jan. 45 - file 176/PWU

1776

Tel. 489081 Ext. 339

HEADQUARTERS ALLIED COMMISSION  
APO 394  
Public Works and Utilities Sub-Commission

DS/ram

176/PWU

12 January 1945

Subject: Electric Energy for Roof Tile Plants

To : Director, Public Works and Utilities S/C

1. A group of roof tile furnaces known as Sinalunga Torrita plants now have fuel, machinery and raw materials sufficient to work to capacity at which point they could supply a large proportion of the repair program needs for this material.
2. They are now working at partial capacity due to the fact that they have only 60 KW of the total of 600 KW they require for capacity operation.
3. Any increase in electric energy granted them will help very materially. The plants are equipped to work 24 hours each day.
4. This information comes to us from the Inspector General of the Genio Civile.

*V. S. Thompson*

V. S. THOMPSON  
Lt. Col. R.C.E.  
Chief Public Wks. Div.

*By Col Hopper*

*a. tiles are sorely needed for our housing program will you see what you can do to adequately supply this plant with electricity*

*Ray 12/1 1775*

*where in this place*  
*ind*



Ref. 489081

File 860

LML/ao

## MEMORANDUM

13 Jan. 45

Reference : ~~W/12AU~~  
 Subject : Conversion of Electric Power  
 From : P. S. & U. S/C

To : Agriculture S/C, AC  
 Air Force S/C, AC  
 Army S/C, AC  
 Commerce S/C, AC  
 Communications S/C, AC  
 Displaced Persons & Repatriation S/C, AC  
 Economic Section  
 Education S/C, AC  
 Finance S/C, AC  
 Food S/C, AC  
 Industry S/C, AC  
 Labor S/C, AC  
 Legal S/C, AC  
 Local Government S/C, AC  
 Navy S/C, AC  
 Public Health S/C, AC  
 Public Safety S/C, AC  
 Shipping S/C, AC  
 Transportation S/C, AC

1) - Attached General Order for your information and distribution.

*Wm. J. L. L. L.*  
 Lt-Colonel  
 Chief Elec. Div.

1771



204

- Agriculture S/C, AC
- Air Force S/C, AC
- Army S/C, AC
- Commerce S/C, AC
- Communications S/C, AC
- Displaced Persons & Repatriation S/C, AC
- Economic Section
- Education S/C, AC
- Finance S/C, AC
- Food S/C, AC
- Industry S/C, AC
- Labor S/C, AC
- Legal S/C, AC
- Local Government S/C, AC
- Navy S/C, AC
- Public Health S/C, AC
- Public Safety S/C, AC
- Shipping S/C, AC
- Transportation S/C, AC

1) - attached General Order for your information and distribution.

*Wm. J. L. L. L.*  
 Lt. Colonel  
 Chief Sec. Div.

1771

cc: File 051  
 cc: File 050

1 enclosure

COPY

RESTRICTED

ALLIED FORCE HEADQUARTERS  
APO 512

AG/675/171 GDS-O

31 October 1944

Subject : Conservation of electric power  
facilities of Italian Utilities

To : ALL CONCERNED

- 1) - A critical shortage of electric utility service exists throughout wide sections of occupied Italy. In order to conserve the limited supply of electric power available, and in order to meet the increasing military and essential civilian requirements, it is necessary that all possible means be utilized to reduce non-essential electric consumption from utility sources, by both military and civilian users in Italy.
- 2) - The following steps will be taken to reduce loads on commercial electric systems :
  - (a) - LIGHTING
    - (1) Offices - No lights will be burned during daylight hours except in cases where natural lighting is insufficient for proper working conditions. Wattage of lamps will be limited to a minimum requirement, and fixtures will be located for most economical utilizations of light source.
    - (2) Halls and Stairways - Lamps in halls, corridors and stairways will be of the smallest wattage commensurate with safety, and a minimum number will be illuminated.
    - (3) Hotel rooms, and private living quarters - No more than two (2) lamps per private living room or one (1) lamp per bath room will be permitted to be connected. No more than one (1) lamp per private living room will be illuminated at the same time. The lamp bulb will not exceed 60 watt rating. Lighting, when permitted in living tents of military personnel, will be limited to one (1) lamp of 60 watt rating in pyramidal or small wall tent.



conserve the limited supply of electric power available, and in order to meet the increasing military and essential civilian requirements, it is necessary that all possible means be utilized to reduce non-essential electric consumption from utility sources, by both military and civilian users in Italy.

- 2) - The following steps will be taken to reduce loads on commercial electric systems :

(a) - LIGHTING

(1) Offices - No lights will be burned during daylight hours except in cases where natural lighting is insufficient for proper working conditions. Wattage of lamps will be limited to a minimum requirement, and fixtures will be located for most economical utilizations of light source.

(2) Halls and Stairways - Lamps in halls, corridors and stairways will be of the smallest wattage commensurate with safety, and a minimum number will be illuminated.

(3) Hotel rooms, and private living quarters - No more than two (2) lamps per private living room or one (1) lamp per bath room will be permitted to be connected. No more than one (1) lamp per private living room will be illuminated at the same time. The lamp bulb will not exceed 60 watt rating. Lighting, when permitted in living tents of military personnel, will be limited to one (1) lamp of 60 watt rating in pyramidal or small wall tent.

(4) Public Space in hotels, cafes, clubs and public buildings - Reduce wattage to a bare essential commensurate with area, use and occupancy. Discontinue all electric signs or display lighting.

(5) Other Military facilities - Lighting of mess halls, kitchens, work shops, etc. will not exceed the following scale :

| Type of Accommodation                                  | Watts per sq ft |
|--------------------------------------------------------|-----------------|
| Store Room, Latrine .....                              | 0,2             |
| Mess halls, Post Exchange, Hospital Ward, Bath House ) | 0,3             |
| Kitchen, Recreation Building                           |                 |



- 2 -

- (6) Outdoor areas - Guarded areas, POW enclosures, storage areas, streets, etc., will be lighted only in accordance with necessity.
- (7) Turn off of all lights not in use - Post signs conspicuously and make every individual economy-minded in use of electricity.

(b) - HEATING AND COOKING

- (1) Electric heating will be permitted only in essential industrial processes engaged in production for the military effort, and in hospitals for the treatment of patients.
- (2) No electric cooking will be permitted.

(c) - POWER

- (1) The use of electric power will be limited to :
  - (a) Those industries contributing directly to the military effort or essential to the civilian economy.
  - (b) Installations necessary to safeguard public health.
- (2) Elevators will be operated by electric power only for movement of hospital patients or for heavy freight.
- (3) No electric motors will be allowed to idle for extended periods.

(d) - ELECTRIC RAILWAY POWER

Will be utilized only on approval by the Electric Power Committee of the A.F.L.R. (Italian) Board.

(e) - ELECTROLYTIC PROCESSES AND ELECTRIC ARC FURNACES

Will be utilized only on approval by the Electric Power Committee of the A.F.L.R. (Italian) Board.

- 3) - Military Commanders will be responsible that these instructions are carried out within their jurisdiction of military installations.



... only in essen-  
 tial industrial processes engaged in production  
 for the military effort, and in hospitals for the  
 treatment of patients.

(2) No electric cooking will be permitted.

(c) - POWER

(1) The use of electric power will be limited to :

(a) Those industries contributing directly to the  
 military effort or essential to the civilian  
 economy.

(b) Installations necessary to safeguard public  
 health.

(2) Elevators will be operated by electric power only  
 for movement of hospital patients or for heavy  
 freight.

(3) No electric motors will be allowed to idle for  
 extended periods.

(d) - ELECTRIC RAILWAY POWER

Will be utilized only on approval by the Electric  
 Power Committee of the A.F.L.R. (Italian) Board.

(e) - ELECTROLYTIC PROCESSES AND ELECTRIC ARC FURNACES

Will be utilized only on approval by the Electric  
 Power Committee of the A.F.L.R. (Italian) Board.

3) - Military Commanders will be responsible that these in-  
 structions are carried out within their jurisdiction of  
 military installations, and civilian authorities will be  
 required to enforce similar measures in those civilian  
 installations which are allowed to receive electric  
 service.

By command of General WILSON,

(Sgd) H.V. ROBERTS  
 Colonel, ACD  
 Adjutant General

Tel. 489061

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

*File*  
LWI/ac  
203

Reference : OGO/PWU

11 Jan. 45

Subject : Permanent electric light for  
the residence of the High Com-  
missioner for Food

To : ELECTRICITY CONTROL BOARD - R.A.A.C. - APO 794

- 1) - Attached request is forwarded to you for appropriate action.
- 2) - Please inform Agriculture Sub-Commissioners of action taken with information copy to this Sub-Commission.

cc : REG.COM.LAZIO-UMBRIA REGION  
(Atta Regional Engineer)

W.M. LAPPER  
Lt-Colonel  
Chief Elec.Div.

cc : Agriculture Sub-Commission

1 enclosure

*189  
LWI*  
1772



COPY

PRESIDENZA DEL CONSIGLIO DEI MINISTRI  
l'Alto Commissario dell'Alimentazione

Rome, January 10th, 1945

To : P.W. & U. S/C; A.C. (Attn Capt. Laughlin)

Subject : Permanent electric light for the re-  
sidence of the High Commissioner for Food

With a pending decree I have been appointed High Commissioner for Food, ranking between the Undersecretary and Minister.

Therefore, as a member of the Italian Government, I ask for permanent power and electric light for the residence assigned to me :

220, Via Nomentana

Scala A - Flat 9

The electric supply is in charge of Società Romana di Eletticità.

Formerly I was Undersecretary for Agriculture, living in the Ministry of Agriculture - Via XX Settembre.

Yours

Sgd BERGAMI

177

Tel. 489081

HEADQUARTERS ALLIED COMMISSION  
Public Works and Utilities Sub-Commission  
APO 394

LWL/ac

FILE

Reference : O60/PWU  
Subject : Electricity for Judicial Officials  
of Italian Government Courts

9 Jan. 45

202

To : R.A.A.C. (Attention Engineers Section)  
N° 45 Via del Mare

- 1) - Transmitted herewith is copy of memorandum, from Legal S/C, A.C. 4 Jan. 45, requesting that 25 officials of the courts be given special dispensation with respect to the amount of electricity they be allowed to use.
- 2) - Please inform the Legal S/C, A.C. of the decision reached by Electricity Control Board, with information copy to this Sub-Commission.
- 3) - Legal S/C, A.C. will provide the names and addresses of the 25 officials involved.

193 Refers

W.M. LAPIER  
Lt-Colonel  
Chief Elec. Div.

sec 216

cc : REG.COM. LAZIO-UMBRIA REGION  
(Attn Regional Engineer)

cc : LEGAL S/C - File 4174/L

see legal file 2174

COPY

To : CA SEC.

1) - As it is understood that lawyers and doctors are to receive preferential treatment with regard to the number of hours of light to be used daily it is requested that similar facilities be given to the judicial officials of the various courts of Rome.

2) - It is suggested that at least 25 officials be considered in this connection. This figure, which is considered a reasonable minimum, would be broken down as follows :

5 officials of the Military Tribunals & Procure Militari

3 officials of the Court of Cassation

17 officials of the Court of Appeal, Tribunali, Preture.

In the last mentioned category the selection will be made with particular consideration for counselors and judges charged with pretrial investigation (istruttoria) as there is a reason to believe that increased light facilities may contribute to a speedier preparation of cases for trial.

3) - In view of the ever increasing number of cases and the congestion of prisons it is strongly recommended that the above suggestion be considered by the competent authorities at their earliest convenience.

1769

Reference : 4174/I  
4 Jan. 45

G.C. HANNAFORD, Lt-Col.  
Officer i/c Italian Branch  
for Chief Legal Advisor



RECEIVED  
P.W. & U.S/C A.C.  
10 JAN 1945 060

HEADQUARTERS ALLIED COMMISSION  
APO 394  
INDUSTRY SUB-COMMISSION  
MINING DIVISION

JSG/ce

Ref:Mines-700.3

9 January 1945

SUBJECT: Electricity Supply for Soc. An. Lignite Dunarobba  
Montecastrilli (Terni)

TO : Regional Commissioner, Lazio-Umbria Region  
Attn: Capt. J.N.L. Butcher

1. Reference letter R4/Eng/700.2, dated 2 January 1945.
2. The attached application for power for the Dunarobba mine is approved by me, with the exceptions that 10 KW be furnished during the day light hours to operate the machine shops and 50 KW be furnished during the off peak time to run the pumps, fans and hoists necessary to recover the mine.

For The Chief Commissioner:

JOSEPH S. GILLESPIE,  
Captain, C.E.,  
Mining Officer,  
Lazio-Umbria Region.

Incl - as per para. 2

c/o -

Public Works & Utilities S/C (1)  
Float (1)  
Files, Mining Division (2)

*Public Works & Utilities S/C 201*  
*by Capt. J.N.L. Butcher*  
*10/1*  
*1768*



86-21180

# MINISTERO DELLE CORPORAZIONI

DIVISIONE INDUSTRIA

1 - 11/11/80

86-21180  
8/11/80

Officine Meccaniche Giuseppe Russo,

A. Russo

ribuente certificato presso le massime



DIVISIONE INDUSTRIA

I - Ser. 2<sup>a</sup>*Officine Meccaniche Giuseppe Russo,**A. Corino**valenta centrifugato prodotto normale*118



0158