Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 078/2/III

10000/150/334

ACC/1
MAR.

Declassified E.O. 12356 Section 3.3/NND No. 785019

10000/150/334

ACC/1, REGION III
MAR. - OCT. 1944

0785/100

OTS/9/III

3 APRIL 44

27 SEPT 44

10000 /150/334

THIS FOLDER
CONTAINS PAPERS
FROM MAR. 44
TO OCT. 44
CATALOGUE.

Declassified E.O. 12356 Section 3.3/NND No. 785019

078/2/III

078/2/III

3 APRIL 44
27 SEPT 44

10000 /150/334

THIS FOLDER
CONTAINS PAPERS
FROM MAR. 44
TO OCT. 44
CATALOGUE.

Declassified E.O. 12356 Section 3.3/NND No. 785019
NARA, Date 11-27-78

| | Date | Ref | From | Subject |
|---|---|---|---|---|
| 157 | 27-9-44 | 333 | Hewby | Crossing Casalmoro and Acesso |
| 158 | 29-9-44 | 334 | 4 | Route 7 - Ariano and Benevento |
| 159 | 27-9-44 | 335 | 4 | Bridge on Astiavello, km. 183+800 - Route 6 |
| 160 | 27-9-44 | 336 | 4 | Bridge on Teferno, km. 157+042 - Route 6 |
| 161 | | | | |

527

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | Date | Ref | From | Subject |
|---|---|---|---|---|
| 118 | 18-8-44 | 249 | Hemsley | Repair to pavement Hy 18 Vietri - Salerno |
| 119 | 18-8-44 | 250 | " | Maintenance of W. of Vehicles operated by A-SS |
| 120 | 18-8-44 | 251 | " | Route Sile no Hy 18 Salerno |
| 121 | 18-8-44 | 252 | " | Maintenance of Hy 18 Cancello - Vietri |
| 122 | 18-8-44 | 253 | " | Road 18 Pozzano - Cancello |
| 123 | 18-8-44 | 254 | " | Reconstruction Bridge on Hy 18 at Battipaglia |
| 124 | 18-8-44 | 255 | " | Maintenance Hy 18 Vietri - Salerno |
| 125 | 18-8-44 | 256 | " | Maintenance Rd Pompei - Scafati |
| 26 | 18-8-44 | 257 | " | Hy 18 Angri - Pozzano |
| 127 | 28-7-44 | 260 | Lt. Gyendy | Autostrada S. Giovanni to Pompei |
| 128 | 21-8-44 | 261 | Hemsley | Road 7 Sessa Aurunca - Capua |
| 129 | 21-8-44 | 262 | " | Road 90 Ponte Calore - Ariano |
| 130 | 28.8.44 | 281 | " | Route 7 Bis Avellino Interno |
| 131 | 28.8.44 | 282 | " | Bridge at Km 67+620 Route 7 bis |
| 132 | 28.8.44 | 283 | " | Road from Sala to San Lucia |
| 133 | 4.9.44 | 284 | " | Bridge River Sabato Route 7 Km 301 |
| 134 | 28.8.44 | 285 | " | Bridge near Montesarchio Km 71+250 Rt 7 bis |
| 135 | 5.9.44 | 285 | " | Bridge Tufariello Km 262+550 Route 7 |
| 136 | 5.9.44 | 296 | " | Road 87 between Caserta - Pt. Annibale |
| 137 | 28.8.44 | 297 | " | Retaining wall km. 265+990 Route 7 |
| 138 | 8-9-44 | 298 | " | Labours to quarry of Road Route 6 and Piccilli |
| 139 | 8-9-44 | 299 | " | Operation of Bitumen Plant near Caraffore. |
| 140 | 2-9-44 | 300 | " | Route 18 Widening Cancello - Vietri (km 42 - 52) |
| 141 | 19.9.44 | 311 | " | Overpass on Salerno - S. Severino |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | | | | |
|---|---|---|---|---|
| 124 | 18-8-44 | 255 | " | Maintenance Rd. 6 Viadotto Salerno |
| 125 | 18-8-44 | 256 | " | Maintenance Rd. Pontoni - Scalati |
| 126 | 18-8-44 | 257 | | Hy 18 Angri - Sarno |
| 127 | 28-7-44 | 260 | Lt. Gentry | Autostrada S. Giovanni to Pompei |
| 128 | 21-8-44 | 261 | Hensley | Road 7 Sessa Aurunca - Capua |
| 129 | 21-8-44 | 262 | " | Road 90 Ponte Calore - Ariano |
| 130 | 28.8.44 | 281 | " | Route 7 bis Bretting Interno |
| 131 | 28.8.44 | 282 | " | Bridge at Km 67+620 Route 7 bis |
| 132 | 28.8.44 | 283 | " | Road Lom Sala to San Lucia |
| 133 | 4.7.44 | 284 | " | Bridge River Sabato Route 7 Km 201 |
| 134 | 28.8.44 | 285 | " | Bridge near Montesarchio Km 71+350 Rte 7 bis |
| 135 | 5.9.44 | 295 | " | Bridge Tintoriello Km 252+550 Route 7 |
| 136 | 5.9.44 | 296 | " | Road 87 between Caserta - P. Annibale |
| 137 | 28.8.44 | 297 | " | Retaining wall Km. 265+910 Route 7 |
| 138 | 8-9-44 | 298 | " | Labour for quarry at Rasa Route 6 and Piccilli |
| 139 | 8-9-44 | 299 | " | Operation of Bitumen Plant near Caserta. |
| 140 | 2-9-44 | 300 | " | Route 18 Widening Cancello - Vietri (Km 1+2 - 52) |
| 141 | 19.4.44 | 311 | " | Overpass on Salerno - S. Severino |
| 142 | 14-9-44 | 312 | " | Crossing of Calandrino and Cairano |
| 143 | 14-9-44 | 313 | " | Demolition of Diversion on Camaldoli River |
| 144 | 14-9-44 | 314 | " | Route 87 + 18 A at Aversa |
| 145 | 14-9-44 | 315 | " | ~~Road~~ Highway N.88 Km. 19+800 Avellino |
| 146 | 14-9-44 | 316 | " | Route 88 + supplem. estimate Avellino Bridge |
| 147 | 14-9-44 | 317 | " | Highway N. 18 from Km. 31+600 e 32+600 |
| 148 | 29-9-44 | 326 | " | Supplem. estimat. of Schiava Bridge Km. 56+850 Route 7 |
| 149 | 29-9-44 | 344 | " | Widening Molo S. Vincenzo, Naples Port |
| 150 | 29-9-44 | 343 | " | Bridge Tirone, Km. 186+140, Route 6 |
| 151 | 27-9-44 | 327 | " | Bridge Torricella Route 6, Km. 182+710 |
| 152 | 29-9-44 | 328 | " | Bridge Isclo, Route 7, Km. 45+910 |
| 153 | 29-9-44 | 329 | " | Paving at Pier - Naples Port |
| 154 | 29-9-44 | 330 | " | Military Highway Possuoli Cut. |
| 155 | 29-9-44 | 331 | " | Drainage at Route 7 bis near Mercogliano |
| 156 | 29-9-44 | 332 | " | Retaining Wall by S. Agata dei Goti |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | Date | Ref | From | Subject |
|---|---|---|---|---|
| 79 | 4-7-44 | 171 | Feldman | Routes 87 Caserta - Ponte Annibale |
| 80 | 13-6-44 | 173 | " | Bridge Ufita river - Km. 14+320 |
| 81 | 4-7-44 | 174 | Hendy | Route 7 Aquano-Pozzuoli |
| 82 | 14-7-44 | 175 | Feldman | Bridge Km. 247+850 Route 7 |
| 83 | 20.6.44 | 176 | " | Bridge on Calore river Route 90 |
| 84 | 15-7-44 | 177 | Hendy | Bridge - Route 7 bis - Km. 56+650 |
| 85 | 15.7.44 | 178 | " | Bridge on Tremonticci river - Km. 300+120 Route 7 |
| 86 | 15.7.44 | 179 | " | Route 7 bis Napoli - Avellino |
| 87 | 10-7-44 | 180 | " | Bridge Mezzatorre - Road 14 |
| 88 | 10.7.44 | 181 | " | Bridge over Comea river - Road 7 |
| 89 | 14.7.44 | 182 | " | Pantanello Bridge - Positano |
| 90 | 14-7-44 | 183 | " | Bridge Camerelle - Road 4 |
| 91 | 10.7.44 | 184 | " | 2 Bridges - Road 12 - Km 11-12 and 12-13 |
| 92 | 10.7.44 | 185 | " | Bridge Conturzi - Road 53 |
| 93 | 10.7.44 | 186 | " | Bridge over Alento - Road 14 |
| 94 | 10.7.44 | 187 | " | Route Capua-S. Maria C.V. Route 7 |
| 95 | 10.7.44 | 188 | " | Bridge Sala di Corbara |
| 96 | 14.7.44 | 189 | " | Bridge Fontana Nuova - Positano |
| 97 | 4.7.44 | 189 | " | Quadriano-Pozzuoli Routes 7/3 |
| 98 | 12.7.44 | 199 | " | Bridge S. Francesco - Cava - Km. 47+100 |
| 99 | 12.7.44 | 200 | " | Route 7 - Benevento-Ponte Calore |
| 100 | 12.7.44 | 201 | " | Route 7 - Caserta - S. Maria C. V. |
| 101 | 22.7.44 | 220 | " | Roads - Pozzuoli-Bagnoli |
| 102 | 29.7.44 | | | Forms A.C.C./1. |
| 103 | 27.7.44 | | | Transmittal of estimates and contracts |
| 104 | 23.6.44 | | | Transmittal of estimates |
| 105 | 4-8-44 | 223 | Hendy | Road 87 Napoli-Caiazzo |
| 106 | 4-8-44 | 224 | " | Road Caianello-Sportinverno Alvanni on SS n6 |
| 107 | 7.8.44 | 225 | Feldman | Road 7 bis Napoli - Avellino |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | | | | |
|---|---|---|---|---|
| 86 | 15.7.44 | 179 | " | Route 7 bis Napoli - Avellino |
| 87 | 10.7.44 | 180 | " | Bridge Mezzatorre - Road 14 |
| 88 | 10.7.44 | 181 | " | Bridge over Cornea river - Road 5 |
| 89 | 14.7.44 | 182 | " | Pantanello Bridge - Positano |
| 90 | 14.7.44 | 183 | " | Bridge Camerelle - Road 6 |
| 91 | 10.7.44 | 184 | " | 2 Bridges - Road 12 - Km 11-12 and 12-13 |
| 92 | 10.7.44 | 185 | " | Bridge Conturri - Road 63 |
| 93 | 10.7.44 | 186 | " | Bridge over Alento - Road 14 |
| 94 | 10.7.44 | 187 | " | Route Capua - S. Maria C.V. Route 7 |
| 95 | 10.7.44 | 188 | " | Bridge Sala di Corbara |
| 96 | 14.7.44 | 189 | " | Bridge Fontana Nuova - Positano |
| 97 | 4.7.44 | 169 | " | Quaiano - Pozzuoli Route 713 |
| 98 | 12.7.44 | 199 | " | Bridge S. Francesco - Cava. Km. 47+100 |
| 99 | 12.7.44 | 200 | " | Route 7 - Benevento - Ponte Calore |
| 100 | 12.7.44 | 201 | " | Route 7 - Caserta - S. Maria C. V. |
| 101 | 22.7.44 | 220 | " | Road - Pozzuoli - Bagnoli |
| 102 | 29.7.44 | | | Forms A.C.C./1. |
| 103 | 27.7.44 | | | Transmittal of estimates and contracts |
| 104 | 23.6.44 | | | Transmittal of estimator |
| 105 | 4-8-44 | 223 | Henley | Road 87 Napoli - Cairano |
| 106 | 4-8-44 | 224 | " | Road Caianello - Sportsmans House on SS 6 |
| 107 | 7-8-44 | 225 | Lt Thomsen | Road 7 bis Napoli - Avellino |
| 108 | 4-8-44 | 226 | Henley | Diversion Cavalleria 220 - Caserta S Leucio |
| 109 | 7-8-44 | 227 | Lt Thomsen | Clearance of Rubble at Roman Bridge on Volturno |
| 110 | 2-8-44 | 228 | Henley | Road no 6 S. Pietro Infr - Caianello |
| 111 | 2-8-44 | 229A | Lt Sadler | Bridge No 7 Romito |
| 112 | 7-8-44 | 229B | Lt Thomsen | Bridge No 7 Romito |
| 113 | 27-7-44 | 230 | Henley | Road 7 bis S Maria C.V. Junc |
| 114 | 7-8-44 | 231 | Lt Thomsen | Taking over Northmoor Troop 16 June to 15 August |
| 115 | 27-7-44 | 232 | Henley | Provincial Rd Troop 6 to 6 bis through Mondragone |
| 116 | 27-7-44 | 233 | Henley | Provincial S Maria CV Junc to Formicola |
| 117 | 18-8-44 | 238 | " | Determine Work on the 8 mile Section |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | Date | Ref | From | Subject |
|---|---|---|---|---|
| 40 | 9.5.44 | 23C | Gentry | Route 18 - Naples - Pompei |
| 41 | 9.5.44 | 23D | " | Route 18 - Naples - Pompei |
| 42 | 9.5.44 | 23E | " | Route 18 - Naples - Pompei |
| 43 | 9.5.44 | 23F | " | Route 18 Naples - Pompei |
| 44 | 9.5.44 | 23G | " | Route 18 - Naples - Pompei - Diversion |
| 45 | 9.5.44 | 12 | " | Autostrada - Naples - Pompei |
| 46 | 19.5.44 | 14 | Feldman | Ponte Calor - Arienzo |
| 47 | 13.5.44 | 77 | " | Arienzo - Ponte - Carbonara Route 87 |
| 48 | 30.5.44 | 89 | " | Santa Maria - Capua Route 7 |
| 49 | 12.5.44 | 2-C | " | Caserta - Santa Maria - Route 7 |
| 50 | 22.5.44 | 76 | " | Caserta - Arienzo Junc. |
| 51 | 22.5.44 | 35 | " | Railroad Crossing - Caserta |
| 52 | 18.5.44 | 79 | " | Secondigliano - Aversa - Route 7 Bis |
| 53 | 22.5.44 | 18 | " | Camelle - Arienzo - Route 710 |
| 54 | 22.5.44 | 24 | " | Bridge Qualiano - Marano - Road |
| 55 | 22.5.44 | 22A | " | Cajani - Camerelle - Route 18 |
| 56 | 22.5.44 | 22.1 | " | Camerelle - Vietri - Route 18 |
| 57 | 22.5.44 | 27 | " | Bridge Km 250+200 Route 7 |
| 58 | 22.5.44 | 34 | " | Bridge Maretta Km. 296+700 |
| 59 | 22.5.44 | 26 | " | Bridge Tufara - Km. 249+200 |
| 60 | 22.5.44 | 31 | " | Route 18 - Naples - Pompei |
| 61 | 22.5.44 | 2.5 | " | Bridge - Qualiano - Quarto Road |
| 62 | 22.5.44 | 15-B | " | Mercianise - SS. Maintenance |
| 63 | 30.5.44 | 92 | " | Camerelle - Vietri Clearance of Rubble |
| 64 | 30.5.44 | 90 | " | Ponte Carbonara - Caserta Route 87 |
| 65 | 30.5.44 | 93 | " | Camelle - Arienzo |
| 66 | 30.5.44 | 20 | " | Giugliano - Qualiano At 713 |
| 67 | 30.5.44 | 19-B | " | Giugliano - Parete |
| 68 | 30.5.44 | 19.C | " | Aversa - Trentola - Parete - Trentola |
| 69 | 26.5.44 | 39 | " | Bridge on Volore River |
| 70 | 19-7-44 | 57 | Hensley | Bridge Cavalcavia - Hy. 19 - Km. 99+100 |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | | | | |
|---|---|---|---|---|
| 47 | 13.5.44 | 77 | " | Caivano - Ponte - Carbonara Route 87 |
| 48 | 30.5.44 | 89 | " | Santa Maria - Capua Route 7 |
| 49 | 12.5.44 | 2-C | " | Caserta - Santa Maria - Route 7 |
| 50 | 22.5.44 | 76 | " | Caserta - Orienzo Junc. |
| 51 | 22.5.44 | 35 | " | Railroad Crossing - Caserta |
| 52 | 18.5.44 | 77 | " | Secondigliano - Aversa - Route 7 Bis |
| 53 | 22.5.44 | 12 | " | Cancello - Orienzo - Route 710 |
| 54 | 22.5.44 | 24 | " | Bridge Qualiano - Marano - Road |
| 55 | 22.5.44 | 22A | " | Capua - Caserta - Route 18 |
| 56 | 22.5.44 | 23:1 | " | Caserta - Vietri - Route 18 |
| 57 | 22.5.44 | 27 | " | Bridge Km 250+200 Route 7 |
| 58 | 22.5.44 | 34 | " | Bridge Maretta Km 296+700 |
| 59 | 22.5.44 | 26 | " | Bridge Tufara - Km 249+200 |
| 60 | 22.5.44 | 31 | " | Route 12 - Naples - Pompei |
| 61 | 22.5.44 | 25 | " | Bridge - Qualiano - Quarto Road |
| 62 | 22.5.44 | 15-B | " | Mercianise - SS Maintenance |
| 63 | 30.5.44 | 92 | " | Caserta - Vietri clearance of Rubble |
| 64 | 30.5.44 | 90 | " | Ponte Carbonaro - Caserta Route 87 |
| 65 | 30.5.44 | 93 | " | Cancello - Orienzo |
| 66 | 30.5.44 | 20 | " | Giuliano - Qualiano Rt 713 |
| 67 | 30.5.44 | 19-B | " | Giuliano - Parete |
| 68 | 30.5.44 | 19.C | " | Aversa - Trentola - Parete - Trentola |
| 69 | 26.5.44 | 38 | " | Bridge on Volone River |
| 70 | 19.7.44 | 57 | Hensley | Bridge Carabbiano - Hy. 19 - Km. 92+100 |
| 71 | 3-7-44 | 10B | Feldman | Route 7 - Aversa - S. Gennaro |
| 72 | 19-7-44 | 86 | Hensley | Route 87 - Marcianise |
| 73 | 22-7-44 | 105 | " | Route 7 - Ponte Calore - Avellino |
| 74 | 4-7-44 | 165 | " | Route Qualiano - Quadrivio di Ischiatella |
| 75 | 4-7-44 | 166 | " | Route 714 Quadrivio di Ischiatella - Aversa |
| 76 | 4-7-44 | 167 | " | Route 714 - Napoli - Qualiano |
| 77 | 4.7.44 | 168 | " | Route 713 Marano - Quiliano |
| 78 | 27.6.44 | 170 | Feldman | Route 87 Caivano e Ponte Carbonaro |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | | | | |
|---|---|---|---|---|
| 1 | 3.4.44 | | Feldman | Route 7 Capua - Caserta. Km 41.2 |
| 2 | 3.4.44 | | " | S. Maria Intema - Maintenance |
| 3 | 3.4.44 | | " | Route 7 Capua - Caserta - Napolitana |
| 4 | 3.4.44 | | " | Route 7 Bis Capua - Napoli |
| 5 | 3.4.44 | | " | Route 7 Gaeta - Capua |
| 6 | 3.4.44 | | " | Route 6 - Spartimento - S Pietro - Infine |
| 7 | 2.5.44 | | " | Napoli - Caivano |
| 8 | 3.4.44 | | " | Naples - Caserta - |
| 9 | 3.4.44 | | " | Naples - Caserta |
| 10 | 2.5.44 | | " | Marcianise - S. Nicola Jano. |
| 11 | 3.4.44 | 3 | " | Naples - Caserta |
| 12 | 20.4.44 | | " | Ponte Carbonara - Marcianise Jano. |
| 13 | 3.4.44 | | " | Naples - Caserta |
| 14 | 10.4.44 | | " | Route 7 Jano. - Orsengo |
| 15 | 3.4.44 | | " | Cancello - Orsengo |
| 16 | 3.4.44 | | " | Bridge - Near Turfara km. 250+200 |
| 17 | 3.5.44 | | Gentry | Pompei - Salerno - Stretch Pompei - Angri |
| 18 | 3.4.44 | | Feldman | Bridge - Near Portola km. 296+700 |
| 19 | 3.4.44 | | " | Bridge - Near Turfara km. 249+200 |
| 20 | 10.4.44 | | " | Ponte Colore - Ponte Aquara (Orsengo) |
| 21 | 29.4.44 | | " | Route 7 Bis - Marcianise - Recale - Caserta |
| 22 | 3.5.44 | 28 | " | Bridge Serratela Route 7 km. 251+750 |
| 23 | 3.5.44 | | " | Bridge Mule - Route 7 km 278+180 |
| 24 | 3.4.44 | 5 | " | Pozzuoli - Naples - Route 7 11 |
| 25 | 3.4.44 | 6 | " | Naples - Pozzuoli Route 7 11 |
| 26 | 3.4.44 | 7 | " | Naples - Pozzuoli - Route 7 11 |
| 27 | 3.4.44 | 3 | " | Naples - Avellino - Route 7 Bis. |
| 28 | 3.4.44 | 4 | " | Naples - Avellino Route 7 B |
| 29 | 3.4.44 | 1 | " | Caserta Interno 5 km. |
| 30 | 3.4.44 | 1 | " | Orsengo - Benevento - Avellino |
| 31 | 4.5.44 | | " | Bridge Telleriello - km. 252+800 |

Declassified E.O. 12356 Section 3.3/NND No. 785019

| | | | | |
|---|---|---|---|---|
| 7 | 2.5.44 | | " | Napoli - Caivano |
| 8 | 3.4.44 | | " | Naples - Caserta - |
| 9 | 3.4.44 | | " | Naples - Caserta |
| 10 | 2.5.44 | | " | Marcianise - S. Nicola Junc. |
| 11 | 3.4.44 | 3 | " | Naples - Caserta |
| 12 | 2.4.44 | | " | Ponte Carbonara - Marcianise Junc. |
| 13 | 3.4.44 | | " | Naples - Caserta |
| 14 | 10.4.44 | | " | Route 7 Junc. - Avienzo |
| 15 | 3.4.44 | | " | Cancello - Avienzo |
| 16 | 3.4.44 | | " | Bridge - Near Tufara Km. 250+200 |
| 17 | 3.5.44 | | Gentry | Pompei - Solmo - Stretch Pompei - Angri |
| 18 | 3.4.44 | | Feldman | Bridge - Near Pratola Km. 296+700 |
| 19 | 3.4.44 | | " | Bridge - Near Tufara Km. 249+200 |
| 20 | 10.4.44 | | " | Ponte Calore - Ponte Aqueno (Avienz) |
| 21 | 2.4.44 | | " | Route 7 Bis - Marcianise - Recale - Caserta |
| 22 | 3.5.44 | 18 | " | Bridge Serratile Route 7 Km. 251+750 |
| 23 | 3.5.44 | | " | Bridge Mule - Route 7 Km. 278+180 |
| 24 | 3.4.44 | 5 | " | Pozzuoli - Naples - Route 711 |
| 25 | 3.4.44 | 6 | " | Naples - Pozzuoli Route 711 |
| 26 | 3.4.44 | 7 | " | Naples - Pozzuoli - Route 711 |
| 27 | 3.4.44 | 3 | " | Naples - Avellino - Route 7 Bis. |
| 28 | 3.4.44 | 4 | " | Naples - Avellino Route 7 B |
| 29 | 3.4.44 | 1 | " | Caserta Interno 5 Km. |
| 30 | 3.4.44 | 1 | " | Avienzo - Benevento - Avellino |
| 31 | 4.5.44 | | " | Bridge Tuffariello - Km. 252+850 |
| 32 | 4.5.44 | 1 | " | Bridge S. Fiorde - Km 264+100 |
| 33 | 4.5.44 | | " | Bridge Corso - Km. 257+500 |
| 34 | 6.5.44 | 79 | " | Naples - Aversa - Route 7 Bis |
| 35 | 8.5.44 | 17-A | " | Giom 7 Bis - 87 |
| 36 | 8.5.44 | 17-B | " | Frattamaggiore Interno |
| 37 | 8.5.44 | 16 | " | Crossing Del Bravo - Frattamaggiore |
| 38 | 9.5.44 | 23-A | Gentry | Route 18 Naples - Pompei |
| 39 | 9.5.44 | 23-B | " | " " Naples - Pompei - |

Declassified E.O. 12356 Section 3.3/NND No. 785019

149

FORM. ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q. File, one to be *Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

ESTIMATES - CAPITAL EXPENDITURE
Perizia Costo

( APPROVALS )
Approvazioni

Region Meridionale

Province Napoli

Comune - Napoli -

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Ampliamento praticabile
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Borgo Nolo S.Vincenzo -
Porta Napoli -

(b) By contract or direct labour Per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 2.060.000,00 (salvo risultati della gara di appalto).
*Ammontare della perizia*

(d) Urgency of project: Lavoro da eseguire subito per necessità militari.
*Urgenza del progetto*

(e) Probable time for completion Giorni Novanta (90)
*Data probabile per l'esecuzione*

(f) Special remarks = = =
*Note speciali*

= = =

5037
25-9-944

2 Certificates:
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire L. 2.060.000,00
*Certifico che l'accluse perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

5273

Visto l'Ing. Mittente (Fort. DANIELI)

Italian Engineer
Ingegnere Italiano

Signature Geometra Capo DI MURO Leonardo
*Firma*

Official designation Genio Civile Marittimo - Napoli -
*Designazione Ufficiale*

Date, and place Napoli, 25 settembre 1944
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ( APPROVALS )
**Approvazioni**

Region ____ Province Napoli

Comune - Napoli -

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location *Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Ampliamento praticabile borgo Solo - S. Vincenzo - Porta Napoli -

(b) By contract or direct labour *Per contratto o lavoro in economia* Per contratto

(c) Amount of approximate estimate *Ammontare della perizia* L. 2.060.000,00 (salvo risultati della gara di appalto).

(d) Urgency of project: *Urgenza del progetto* Lavoro da eseguire subito per necessità militari.

(e) Probable time for completion *Data probabile per l'esecuzione* Giorni Novanta (90)

(f) Special remarks *Note speciali* = = = N. 5037 in data 25-9-944

= = =

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire *Certifico che l'acclusa perizia ammontante a lire* 2.060.000,00

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole*

Visto l'Ing. Mirgento (Port. illegible)

Italian Engineer
*Ingegnere Italiano*

Signature *firma* Geometra Capo DI SUNO Leonardo

Official designation *Designazione Ufficiale* Genio Civile Ramitting - Napoli -

Date, and place *Data e luogo* Napoli, 25 settembre 1944

(b) I agree with the preceding certificate and recommend approval.

Date Sept 29, 1944

Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
(Other funds) 2/10/44

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** Lt. Col. A.F.

Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(115)

Officer in Charge of Works, Naples.
C/o Naval Officer in Charge,
Naples.
26th September 1944.

Col. Hemsley
Public Works and Utilities Division
Southern Region
Allied Control Commission.

No. 583/44.

It is requested that early approval of expenditure involved in the work of widening the available carriageway along the Molo San Vincenzo be obtained.

Genio Civile of Naples have been asked to carry out the work and it is understood that details and estimate have been forwarded by them to your office.

T. J. Candell.

Commander (Sp.) R.N.V.R.
Officer in Charge of Works.

(120) 1500

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III^a

**(APPROVALS)**
**Approvazioni**

Province Napoli

1. (a) ~~Building, Bridge,~~ Road, ~~Power Stn, Pumping Stn etc. and location~~ Lavori di ricostruzione del ponte sul fosso ~~Fabbricato, ponte,~~ strada, ~~centrale elettrica, idrovora, etc. ubicato~~ Tirone alla progressiva km.ca 186+140 della strada statale N.6 "Via Casilina"

(b) By contract or direct labour .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 660.000.00 (lire seicentomila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion Mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap. Perry Marshall-RE- HQ 82 - C/R.E
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 660.000.00 5271
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Ing. Raffaele Mancini)
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento della Viabilità
*Designazione Ufficiale*

Date, and place Caserta 18 SET. 1944 5012
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III^

## (APPROVALS)

**Approvazioni**

Province Napoli

1. (a) ~~Building, Bridge;~~ Road, ~~Power Stn, Pumping Stn etc. and location~~ Lavori di ricostruzione del ponte sul fosso Tarbne alla progressiva km.ce
~~Fabbricato; ponte;~~ *strada,* ~~centrale elettrica, ecc. ed ubicazione~~ I86+I40 della strada statale N.6
"Via Casilina"

(b) By contract or direct labour .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 660.000.00(lire seicentomila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion Mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap.Parry Marshall-
*Note speciali* RE- HQ 82 - C/R.E

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 660.000.005271
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini)
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento delle Viabilità
*Designazione Ufficiale*

Date, and place Caserta 18 SET. 1944 5012
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

O.K. RL

Regional Engineer, or his representative. Date Sept 29 1944

2 **Approved.** (Highway Fund)

~~(Other funds)~~

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C. 3/10/44

3. **Approved.** GCR. 2d Lt. C.E

Director Public Works and Utilities. Sub-Commission A. C. C.

Reg. Eng. Reg. III.

(33)

Declassified E.O. 12356 Section 3.3/NND No. 785019




Declassified E.O. 12356 Section 3.3/NND No. 785019

160

FORM ACC. 1
(Estimate Rev - 7 June 44)

(113)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

STRADA MILITARE

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III^

(APPROVALS)
**Approvazioni**

Province Napoli

1. (a) ~~Building~~, Bridge, ~~Road, Power Supply, Mining, Sanitation, Irrigation~~ ~~Fabbricato~~ ponte, ~~strada, centrale elettrica, centrale idroelettrica, etc., o località~~ Lavori di ricostruzione del ponte sul foss
da Statale N.6 a Casilina6 pozzo dell'Inferno, alla pro_ gressiva km.ca 157+042 della st

(b) By contract or direct labour ..... per contratto
Per contratto o lavoro in economia

(c) Amount of approximate estimate ..... L. 400.000,00 (lire quattrocentomila)
Ammontare della perizia

(d) Urgency of project: ..... Urgente ed indifferibile
Urgenza del progetto

(e) Probable time for completion ..... Mesi quattro
Data probabile per l'esecuzione

(f) Special remarks ..... I lavori sono stati richiesti dal Cap. Parry Marchall -RE -
Note speciali HQ 82 - C.R.E. Ref. Letter 1/2/0 Aug. 1944

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 400.000,00
Certifico che l'acclusa perizia ammontante a lire

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

Signature (Raffaele Menaini)

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento della Viabilità
Designazione Ufficiale

Date, and place Caserta 24 SET. 1944
Data e luogo

5134

...and recommend approval.

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III^

## (APPROVALS)

**Approvazioni**

Province Napoli

1. (a) ~~Building~~ Bridge, ~~Road, Power Sta., Pumping Sta. etc. ed i relativi~~ Lavori di ricostruzione del ponte sul foss
~~Fabbricato~~ *ponte, strada, centrale elettrica, centrale idraulica etc. e dipendenze* o pozzo dell'Inferno, alla pro_
gressiva km.ca 157+042 della st
da Statale N.6 a Casilina

(b) By contract or direct labour ..... per contratto .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 400.000.00 (lire quattrocentomila) .....
*Ammontare della perizia*

(d) Urgency of project: ..... Urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion ..... Mesi quattro .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... I lavori sono stati richiesti dal Cap. Parry Marchall -RE -
*Note speciali*

..... HQ 82 - C.R.E. Ref. Letter 1/2/0 Aug 1944 .....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 400.000.00 .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Signature (Raffaele Menchini) [signature] 5273

Italian Engineer / *Ingegnere Italiano*

Official designation ..... Capo Compartimento della Viabilità .....
*Designazione Ufficiale*

Date, and place ..... Caserta 24 Set. 1944 5184
*Data e luogo*

ALLIED MILITARY GOVERNMENT

(b) I agree with the preceding certificate and recommend approval.

O.K. [signature] Lt. Col. Date Sept 27 1944

Regional Engineer, or his representative.

2. ~~Approved.~~ (Highway Fund)
~~(Other funds)~~ [signature] Maj 30/9/44

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. ~~Approved.~~ [signature] Lt. Col. R.E

Director Public Works and Utilities. Sub-Commission A. C. C.

Reg Eng. Reg III

37

Declassified E.O. 12356 Section 3.3/NND No. 785019




Declassified E.O. 12356 Section 3.3/NND No. 785019

(12) 159

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

337

**ESTIMATE OF WORK TO BE CARRIED OUT** STRADA MILITARE
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

Region III^a

**(APPROVALS)**
**Approvazioni**

Province Napoli

1. (a) ~~Building~~ Bridge, ~~Road, Sewer, Str., Pumping Station, and location~~: Lavori di ricostruzione del ponte sul torrente Astaviello alla progressiva Km.ca 18+600 della strada statale n.6 "Via Casilina"
*~~Fabbricato~~ ponte, ~~strada, condotta, elettrica, centrale, idraulica, ubicazione~~*

(b) By contract or ~~direct labour~~
*Per contratto o ~~lavoro in economia~~*

(c) Amount of approximate estimate L.2.500.000.00(duemilioncinquecentomila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap. MARSHALL PARRY
*Note speciali* RE - HQ 82 - C R E - Ref. LETTER. 4/2/0 Aug. 1944.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.500.000.00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini)
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation CAPO COMPARTIMENTO DELLA VIABILITA'
*Designazione Ufficiale*

Date, and place Caserta 24 SET. 1944 5183
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III^

**(APPROVALS)**

**Approvazioni**

Province Napoli

1. (a) ~~Building~~ Bridge, ~~Road, Power Stn, Pumping Station and Location~~
*Fabbricato ponte, ~~strada, centrale elettrica, centrale idraulica etc. e località~~* Lavori di ricostruzione del ponte sul torrente Astaviello alla progressiva Km.ca 183+600 della strada stata le n.6 "Via Casilina"

(b) By contract or ~~direct labour~~
*Per contratto ~~o lavoro in economia~~*

(c) Amount of approximate estimate L.2.500.000.00(duemilionicinquecentomila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap.MARSHALL PARRY
*Note speciali* RE - HQ 82 - C R E - Ref. LETTER 1/2/3 Aug. 1944.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.500.000.00
*Certifico che l'accluse perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini) 5264
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation CAPO COMPARTIMENTO DELLA VIABILITA'
*Designazione Ufficiale*

Date, and place Caserta 24 SET. 1944 5183
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

O.K. AS [illegible] - Lt Col CE Date Sept 27 1944
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ [illegible] Thompson Maj 30/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** GEO. Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

H.Q. A.C.C.

(36)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



158

(17)

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

224

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada Militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be *Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà resti-* returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works. *tuita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III^

Province Benevento

**(APPROVALS)**
**Approvazioni**

1. (a) ~~Building, Bridge~~, Road, ~~Power, Sub, Pumping, Sin etc. and location~~ Statale N.7 - Lavori straordinari di riparazione del tro: ~~fabbricato, ponte~~, *strada*, ~~centrale elettrica, centrale idraulica etc. e località~~ co compreso fra il bivio per Arienzo e Benevento -

(b) By contract or direct labour ..... in economia .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 2.630.000.00(duemilioniseicentotrentamila
*Ammontare della perizia*

(d) Urgency of project: ..... urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion ..... mesi tre .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... ===== .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 2.630.000.= .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.* 3362

Italian Engineer / *Ingegnere Italiano*

Signature ..... Ingl R/ Mancini .....
*Firma*

Official designation ..... Ing. Capo Compartimento A.A.S.S. .....
*Designazione Ufficiale*

Date, and place ..... 27 luglio 1944 n. 3362 - Caserta .....
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III^

## (APPROVALS)

**Approvazioni**

Province Benevento

1. (a) ~~Building, Bridge~~, Road, ~~Power Site, Pumping Stn. etc. and location~~ Statale N.7 - Lavori straordinari di riparazione del tro: ~~Fabbricato ponte~~, *strada*, ~~centrale elettrica, centrale idraulica etc. e località~~ co compreso fra il bivio per Arienzo e Benevento -

(b) By contract or direct labour ..... in economia .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 2.630.000.00(duemilioniseicentotrentamila
*Ammontare della perizia*

(d) Urgency of project: ..... urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion ..... mesi tre .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... ==== .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.630.000.= .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.* 5268

Signature Ing. R/ Mancini
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Ing. Capo Compartimento A.A.S.S.
*Designazione Ufficiale*

Date, and place 27 luglio 1944 n. 3362 - Caserta
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

..... Date Sept 7, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) O.K.
(Other funds) ..... 3/10/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G.S. Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

H. Q. A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(III) 157

FCR 3. AC3, 1
(Estimate Rev - 7 June 46)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

333

**ESTIMATE OF WORK TO BE CARRIED OUT**
**Perizia lavori da eseguirsi** STRADA MILITARE

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q. File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti-*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

Region III

**( APPROVALS )**
**Approvazioni**

Province Napoli

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ Attraversamenti Comuni
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* di Casalnuovo ed Acerra

(b) By contract or direct labour a contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £ 3.270.000,00
*Ammontare della perizia*

(d) Urgency of project: urgente
*Urgenza del progetto*

(e) Probable time for completion 3 mesi
*Data probabile per l'esecuzione*

(f) Special remarks Impresa Carrito Gennaro di Giosuè
*Note speciali*

I lavori sono stati iniziati per disposizione dell'Uff.di Campo.

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 32 5'000.00
*Certifico che l'acclusa perizia ammontante a lire*

5267

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. Raffaele Manaini
*Firma*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Questo modulo va fatto in triplice copia; una co[illegible]

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia Costo**

**( APPROVALS )**
**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn. etc. and location~~ Attraversamenti Comuni
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* di Casalnuovo ed Acerra

(b) By contract or direct labour a contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £ 1.270.000,00
*Ammontare della perizia*

(d) Urgency of project: urgente
*Urgenza del progetto*

(e) Probable time for completion 3 mesi
*Data probabile per l'esecuzione*

(f) Special remarks Impresa Comito Gennaro di Giugliano
*Note speciali*

I lavori sono stati iniziati per disposizione dell'Uff.di Campo.

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 32 Fooo.oo
*Certifico che l'acclusa perizia ammontante a lire*

5267

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. Raffaele Manduri
*firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento dell'A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta 13/6/1944 N° 2327
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

[signature] - 47 anni - Date Sept 27 1944

Regional Engineer, or his representative.

2. Approved. (Highway Fund)
~~(Other funds)~~ [signature] 3/10/44

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3 Approved. Ger.

Director Public Works and Utilities, Sub-Commission A. C. C.

33

Reg. Eng. Reg. III

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019



(122) 156

FORM ACC. 1
(Estimate Rev -7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Urgentissimo 332

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region III

Province Benevento

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~
~~Fabbricato, ponte~~, *strada*, ~~centrale elettrica, centrale idraulica etc. e località~~ Esterna a S.Agata dei Goti - Ricostruzione muro di sostegno.

(b) By contract ~~or direct labour~~ per contratto
Per contratto o ~~economia~~

(c) Amount of approximate estimate L. 220.000.= ( duecentoventimila)
*Ammontare della perizia*

(d) Urgency of project: Urgente
*Urgenza del progetto*

(e) Probable time for completion 15 novembre 1944
*Data probabile per l'esecuzione*

(f) Special remarks La ricostruzione del muro è richiesta dal Reparto Alleato
*Note speciali*

per prevenire l'interruzione della strada di accesso al Campo Scuola Ufficiali Alleati.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 220.000.=
*Certifico che l'accluse perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; esse risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

5266

Signature Ing. R. Mancini
*Firma*

Italian Engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

**(APPROVALS)**

**Approvazioni**

Region III

Province Benevento

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ Esterna a S.Agata dei Goti - Ricostruzione muro di sostegno.
*~~Fabbricato, ponte~~, strada, ~~centrale elettrica, centrale idraulica etc. ed ubicazione~~*

(b) By contract ~~or direct labour~~ per contratto
*Per contratto o ~~economia~~*

(c) Amount of approximate estimate L. 220.000.= ( duecentoventimila)
*Ammontare della perizia*

(d) Urgency of project: Urgente
*Urgenza del progetto*

(e) Probable time for completion 15 novembre 1944
*Data probabile per l'esecuzione*

(f) Special remarks La ricostruzione del muro è richiesta dal Reparto Alleato per prevenire l'interruzione della strada di accesso al Campo Scuole Ufficiali Alleati.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 220.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

5265

Italian Engineer / *Ingegnere Italiano*

Signature Ing. R. Mancini
*Firma*

Official designation Capo Compartimento A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta 27 SET. 1944
*Data e luogo*

No F246

(b) I agree with the preceding certificate and recommend approval.

OK OS Luigi Ulmo - Lt Col C.E. Date Sept 29 1944
Regional Engineer, or his representative.

2. ~~Approved.~~ (Highway Fund)
~~(Other funds)~~ F.L. Thompson Maj 3/10/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** GER - A.Cml. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

VB/
Reg. Eng. Reg. II

(69)

Declassified E.O. 12356 Section 3.3/NND No. 785019

(116) 155

FERV. ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

331

**ESTIMATE OF WORK TO BE CARRIED OUT**
**Perizia lavori da eseguirsi** STRADA MILITARE

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà resti tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

Region III

**( APPROVALS )**
**Approvazioni**

Province di AVELLINO

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn, etc. and location~~ This — Espurgo di tombino e cunetta bivio per Mercogliano
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour in amministrazione diretta
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 100.000,00 =
*Ammontare della perizia*

(d) Urgency of project: per lo scolo delle acque ( urgente )
*Urgenza del progetto*

(e) Probable time for completion un mese
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono incorso .
*Note speciali*

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 100.000,00 = 5265
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature / *Firma* Ing. Raffaele Mancini

Official designation / *Designazione Ufficiale* Ing. CAPO COMPARTIMENTO A.A.S.S. - CASERTA

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tutta all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
~~Perizia~~ ~~Costo~~

## ( APPROVALS )
**Approvazioni**

Region III

Province di AVELLINO

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ 7bis – Espurgo di tombino e cunetta bivio per Mercogliano
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour in amministrazione diretta
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 100.000,00 =
*Ammontare della perizia*

(d) Urgency of project: per lo scolo delle acque ( urgente )
*Urgenza del progetto*

(e) Probable time for completion un mese
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono incorso .
*Note speciali*

2 **Certificates :**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 100.000,00 = 5265
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole*

Italian Engineer
*Ingegnere Italiano*

Signature Ing. Raffaele Mancini
*Firma*

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S. - CASERTA
*Designazione Ufficiale*

Date, and place Caserta 26 Luglio 1944 n. 3317
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

O.K. WS

Date Sept 29, 1944
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ 3/10/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** Gen. Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

Reg. Eng. Reg. III

59

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESPURGO del tombino e della cunetta al bivio di Mercogliano




Sezione tombino




Sezione cunetta




Declassified E.O. 12356 Section 3.3/NND No. 785019

(118)

154

FCR3. ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

330

ESTIMATE OF WORK TO BE CARRIED OUT — Strada Militare
Perizia lavori da eseguirsi

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q. File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

ESTIMATES - CAPITAL EXPENDITURE
Perizia — Costo

Region III

Province Napoli

( APPROVALS )
Approvazioni

interne di Pozzuoli 2° gruppo

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ (strada a carattere milita
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour a contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 2.I50.000,00 =
*Ammontare della perizia*

(d) Urgency of project: normale
*Urgenza del progetto*

(e) Probable time for completion tre mesi
*Data probabile per l'esecuzione*

(f) Special remarks ====
*Note speciali*

2 Certificates:
Certificati

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

520

Italian Engineer
*Ingegnere Italiano*

Signature Ing. Raffaele Mancini
*Firma*

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.
*Designazione Ufficiale*

Date and place Caserta 9 Agosto 1944 a. 3762

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tutta all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero LL.PP. per la Pubblica.

ESTIMATES - CAPITAL EXPENDITURE
Perizia Costo

( APPROVALS )
Approvazioni

Region III

Province Napoli

interne di Pozzuoli 2° gruppo

1 (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ (strada a carattere milita
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour a contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 2.150.000,00 =
*Ammontare della perizia*

(d) Urgency of project: normale
*Urgenza del progetto*

(e) Probable time for completion tre mesi
*Data probabile per l'esecuzione*

(f) Special remarks ======
*Note speciali*

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.* 520.-

Italian Engineer
*Ingegnere Italiano*

Signature Ing. Raffaele Mencini
*firma*

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.
*Designazione Ufficiale*

Date, and place 8 aserta 9 Agosto 1944 n. 3762
*Data e luogo*

(5) I agree with the preceding certificate and recommend approval.

OK WS

Date Sept. 29 1944.
Regional Engineer, or his representative.

2. Approved (Highway Fund)
~~(Other funds)~~ 3/10/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved. Gen. Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

Reg. Eng. Rep. III.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019



114

153

FORM. ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

227

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
Perizia / Costo

**( APPROVALS )**
Approvazioni

Region Merid.

Province Napoli

Comune Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location *Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* PORTO DI NAPOLI - Pavimentazione zona bacini

(b) By contract or direct labour *Per contratto o lavoro in economia* per contratto

(c) Amount of approximate estimate *Ammontare della perizia* 3.800.000,-

(d) Urgency of project: *Urgenza del progetto* i lavori devono eseguirsi subito per necessità militari

(e) Probable time for completion *Data probabile per l'esecuzione* 90 giorni

(f) Special remarks *Note speciali*

ISPETTORATO SUPERIORE DEL GENIO (A.C.)
CON SEDE IN NAPOLI
N. 5036 VISTO
Napoli 26-9-44 IL DIRETTORE
dei LL. PP. ITALIA MERIDIONALE

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 3.800.000
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

5263

Visto: L'ING. DIRIGENTE
(Dott. Gangemi)

Signature Geometra Capo VERSACE
*Firma*

Declassified E.O. 12356 Section 3.3/NND No. 785019

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
Perizia Costo

## ( APPROVALS )
Approvazioni

Region Merid.

Province Napoli

Comune Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location PORTO DI NAPOLI -Pavimentazione zona bacini
*Fabbricato ponte, strade, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 3.800.000,-
*Ammontare della perizia*

(d) Urgency of project: i lavori devono eseguirsi subito per necessità militari
*Urgenza del progetto*

(e) Probable time for completion 90 giorni
*Data probabile per l'esecuzione*

(f) Special remarks
*Note speciali*

ISPETTORATO GENERALE DEL GENIO MILITARE
CON SEDE IN NAPOLI
N. 5036 VISTO
Napoli 26-9-44 IL DIRETTORE
dei LL. PP. ITALIA MERIDIONALE

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 3.800.000
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Visto: L'ING. DIRIGENTE
( Fort. Gangemi )

Signature Geometra Capo VERSACE Pasquale
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Genio Civile Marittimo Napoli
*Designazione Ufficiale*

Date, and place Napoli 25 settembre 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date Sept 29 1944
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
(Other funds)

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G. E. Rhodes Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

# - PORTO DI NAPOLI -

## - PAVIMENTAZIONE ZONA DEI BACINI -

PLAN - SCALE 1:2000



Declassified E.O. 12356 Section 3.3/NND No. 785019

- PORTO DI NAPOLI -

- PAVIMENTAZIONE ZONA DEI BACINI -

PLAN - SCALE 1:2000



Declassified E.O. 12356 Section 3.3/NND No. 785019

(114)

Officer in Charge of Works, Naples.
C/o Naval Officer in Charge,
Hanlon.

25th September 1944.

Col.Marshall
Public Works and Utilities Division
Southern Sector
Allied Control Commission.

No.501/44.

Further to our conversation this morning it is requested that all efforts be made to secure early approval of expenditure on the formation and surfacing of a temporary two-lane road-way at the head of No.1 Dry Dock, to join up with the existing road near Porta 75.

The approach of winter and the use of the road in connection with operational ships makes the speedy construction of this road a vital necessity.

Your assistance in this matter will be appreciated.

H. Cantell.

Commander (S.) R.N.V.R.
Officer in Charge of Works.

5262

Declassified E.O. 12356 Section 3.3/NND No. 785019

Officer in Charge c.
C/o Naval Officer in Charge,
Naples.

26th September 1944.

Col.Hemsley
Public Works and Utilities Division
Southern Region
Allied Control Commission.

No.582/44.

Further to our conversation this morning it is requested that speedy approval of estimate be given for the work of repair of Naval Establishment access roads in the vicinity of Capua.

The roads in question are marked on the plan enclosed with my letter to Genio Civile and are of vital importance for the operations of the establishment.

W. Candell.

Commander (Sp.) R.N.V.R.
Officer in Charge of Works.

5290

(123)

152

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

328

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region .....

Province .....

1. (a) Building, Bridge, Road, Power Sta, Pumping Stn etc., and location
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Lavori di ricostruzione del ponte sul torrente S.Sossio alla progressiva ca 45+94 della strada statale n.7bis

(b) By contract or direct labour
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L.1.730.000,00 (un milionesettecentotrentamila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono necessari per dare regolare deflusso alle acque provenienti dalla vasca di raccolta esistente a monte della strada, le quali nella prossima stagione invernale potrebbero esondare per deficienza di scolo attraverso i tubi collocati provvisoriamente nell'alveo del canale di bonifica.
*Note speciali*

2. Certificates:
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 1.730.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me: esta risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R. Mancini
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento delle Viabilità
*Designazione Ufficiale*

Date, and place Caserta, 29 SET 1944
*Data e luogo*

5259

5300

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE

Perizia — Costo

## (APPROVALS)

Approvazioni

Region .....

Province .....

1. (a) Building, Bridge, Road, Power Sta, Pumping Stn etc and location. Lavori di ricostruzione del
Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località ponte sul torrente S.Rocco al-
la progressiva km. ca 45+540 della Strada statale n.7bis

(b) By contract or direct labour
Per contratto o lavoro in economia

(c) Amount of approximate estimate L.1.730.000,00 (un milionesettecentotrentamila)
Ammontare della perizia

(d) Urgency of project: urgente ed indifferibile
Urgenze del progetto

(e) Probable time for completion mesi quattro
Data probabile per l'esecuzione

(f) Special remarks I lavori sono necessari per dare regolare deflusso alle
Note speciali acque provenienti dalla vasca di raccolta esistente a monte del-
la strada, le quali nella prossima stagione invernale potrebbero esondare
per deficienza di scolo attraverso i tubi collocati provvisoriamente nel-
l'alveo del canale di bonifica.

2. Certificates:
Certificati

(a) Certified that the attached approximate estimate amounting to lire 1.730.000,00
Certifico che l'accluso perizia ammontante a lire

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

Signature Ing. R. Mancini
Firma

Italian Engineer
Ingegnere Italiano

Official designation Capo Compartimento della Viabilità 5259
Designazione Ufficiale

Date, and place Caserta, 29 SET. 1944 5300.
Data e luogo

I agree with the preceding certificate and recommend approval.

Date Sept 3 1944
Regional Engineer, or his representative.

2. Approved. (Highway Fund)
(Other funds) H. L. Thompson Col 3/10/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved. A.E.R. Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

REG. ENG. REG. III

(38)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



151

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada Militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III^a

Province Napoli

### (APPROVALS)
**Approvazioni**

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Lavori di ricostruzione del
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* progr. Km/ca 182+710 della strada statale n° 6 "Via Casilina" Ponte sul torrente Torricella al
(b) By contract ~~or direct labour~~ per contratto
*Per contratto ~~o lavoro in economia~~*

(c) Amount of approximate estimate L. I.700.000.= ( un milione settecentomila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap. MARRY MARSHALL RE
*Note speciali* HQ82 - CRE Ref. Letter 1/2/0 Aug. 1944

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.700.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R. Mancini
*Firma*

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tutta all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region III°

Province Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Lavori di ricostruzione del
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Ponte sul torrente Torricella al progr. Km/ca 182+710 della strada statale n° 6 "Via Casilina"

(b) By contract ~~or direct labour~~
*Per contratto ~~o lavoro in economia~~* per contratto

(c) Amount of approximate estimate L. I.700.000.= (un milione settecentomila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi quattro
*Data probabile per l'esecuzione*

(f) Special remarks I lavori sono stati richiesti dal Cap. MARRY MARSHALL RE
*Note speciali* HQ82 - CRE Ref. Letter 1/2/0 Aug. 1944

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.700.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature R. Mancini
*Firma*

Official designation Capo Compartimento della Viabilità 523ª
*Designazione Ufficiale*

Date, and place Caserta 20 SET. 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date Sept. 27 1944
Regional Engineer, or his representative.

2. Approved. (Highway Fund)
~~(Other funds)~~ J.A. Thompson Col. 30/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved. Gen., Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

VB/

H.Q. A.C.C.

32

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(121) I 148 I

FORM ACC. 1
(Estimate Rev -17 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

STRADA MILITARE

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III

### (APPROVALS)
**Approvazioni**

Province Napoli

1. (a) ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn. etc. and location~~ Lavori suppletivi per il completamento del ponte Schiava al progressiva Km/ca 56+850 della Strada Statale n° 7-bis "Di Terra di Lavoro"
*Fabbricato ponte, ~~strada, centrale elettrica, centrale idrovora ecc. e località~~*

(b) By contract ~~or direct labour~~ per contratto
*Per contratto ~~o lavoro in economia~~*

(c) Amount of approximate estimate L. 380.000.= ( lire trecentottantamila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi uno
*Data probabile per l'esecuzione*

(f) Special remarks I lavori principali sono stati affidati all'Impresa ATTENA Sebastiano, che per ragioni tecniche sta eseguendo anche i suppletivi.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. R. Mancini
*Firma*

Italian Engineer 5257
*Ingegnere Italiano*

Official designation Capo Compartimento della Viabilità
*Designazione ufficiale*

Date, and place CASERTA 24 SET., 1944 N° 5181
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III

## (APPROVALS)

**Approvazioni**

Province Napoli

1. (a) ~~Building, Bridge, Road, Power Stn, Pumping Stn. etc. and location~~ *Fabbricato ponte, strada centrale elettrica centrale idrovora ecc. e località*

Lavori suppletivi per il completamento del ponte Schiava al progressiva Km/ca 56+850 della Strada Statale nr 7-bis "Di Terra di Lavoro"

(b) By contract ~~or direct labour~~ *Per contratto ~~o lavoro in economia~~* per contratto

(c) Amount of approximate estimate L. 380.000.= ( lire trecentottantamila)
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi uno
*Data probabile per l'esecuzione*

(f) Special remarks I lavori principali sono stati affidati all'Impresa ATENA Sebastiano, che per ragioni tecniche sta eseguendo anche i suppletivi
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature *Firma* Ing. R. Mancini

Italian Engineer *Ingegnere Italiano* 5257

Official designation *Designazione Ufficiale* Capo Compartimento della Viabilità

Date, and place *Data e luogo* CASERTA 24 SET. 1944 No 5181

Allied Military Government OFFICIAL:

(b) ~~Approved~~ agree with the preceding certificate and recommend approval.

O.K. for Regional Engineer Date Sept 7 1944

Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)

(Other funds) Oct 3/10/44

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** GER - Lt. Col R.E

Director Public Works and Utilities. Sub-Commission A. C. C.

VB/

H. Q. A. F. B.

26

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(102) 197

FCRH- AOS. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

317 P

**ESTIMATE OF WORK TO BE CARRIED OUT** strada militare
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti-*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

MILITARY HIGHWAYS.

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

Region SOUTHERN.

Province Salerno

**( APPROVALS )**
**Approvazioni**

1. (a) ~~Building, Bridge,~~ Road, ~~Power Sta., Pumping Stn. etc. and location~~ Strada Statale "18" - Tronco fra Km. 31+600 e 34+600
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour a contratto trattamento superficiale
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 2.800.000 con trasporti e 2.000.000 senza trasporti
*Ammontare della perizia*

(d) Urgency of project: urgente
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks trattasi di sistemazione generale superficiale eseguita con
*Note speciali*

bitumi forniti dagli Alleati

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 5256
*Certifico che l'accluso perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole*

Signature Ing. R.le Mancini
*Firma*

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

MILITARY HIGHWAYS.

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia Costo**

**( APPROVALS )**
**Approvazioni**

Region SOUTHERN.

Province Salerno

1. (a) ~~Building, Bridge,~~ Road, ~~Power Sta., Pumping Stn. etc. and location~~ Strada Statale "18" - Tronco fra Km. 31+600 e 34+600
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour a contratto trattamento superficiale
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 2.800.000 con trasporti e 2.000.000 senza trasporti
*Ammontare della perizia*

(d) Urgency of project: urgente
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks trattasi di sistemazione generale superficiale eseguita con bitumi forniti dagli Alleati
*Note speciali*

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 5256
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature Ing. R.le Mancini
*firma*

Official designation Capo Compartimento A.A.S.S. - Caserta
*Designazione Ufficiale*

Date, and place Caserta, lì 28 Agosto 1944 n° 194/RA
*Data e luogo*

12.9.44.

(b) I agree with the preceding certificate and recommend approval.

Date Sept. 18. 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~
21/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G. E. Rhodes - Lt. Col. R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(100)

1460

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

316

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizie lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

MILITARY HIGHWAYS.

Region SOUTHERN.

Province SALERNO.

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location S.S. N. 88 - Perizia suppletiva ponte di Avellino.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £. I. 550.000,00
*Ammontare della perizia*

(d) Urgency of project: Urgente
*Urgenza del progetto*

(e) Probable time for completion 2 mesi
*Data probabile per l'esecuzione*

(f) Special remarks si tratta della perizia suppletiva ai lavori di riparazione dei danni bellici del ponte a 9 arcate di Avellino per le fondazioni e le pile.-
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.550.000.00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

5255

Italian Engineer
*Ingegnere Italiano*

Signature (Ing. Giuseppe SCALERA)
*Firma*

Official designation L'Ing. dirigente la Sezione Staccata
*Designazione Ufficiale*

Date, and place 12 settembre 1944
*Data e luogo*

(b) I agree with the preceding certificate and

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

**(APPROVALS)**

**Approvazioni**

Region SOUTHERN.

Province S A L E R N O .

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location S.S. N. 88 - Perizia supple=
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* tiva ponte di Avellino .

(b) By contract or direct labour Per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £. I. 550.000,00
*Ammontare della perizia*

(d) Urgency of project: Urgente
*Urgenza del progetto*

(e) Probable time for completion 2 mesi
*Data probabile per l'esecuzione*

(f) Special remarks si tratta della perizia suppletiva ai lavori di riparazione
*Note speciali*

dei danni bellici del ponte a 9 arcate di Avellino per le fondazioni e le pile.-

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.550.000,00
*Certifico che l'acclusa perizia ammontante a lire*

5255

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature G. Scalera ( Ing. Giuseppe SCALERA )
*Firma*

Official designation L'Ing. dirigente la Sezione - Staccata
*Designazione Ufficiale*

Date, and place 12 settembre 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

12.9.44 [illegible] Date [illegible]
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)

(Other funds) [illegible] 21/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G. E. Hadden [illegible]
Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019




Ponte in località "Ferrara"

Declassified E.O. 12356 Section 3.3/NND No. 785019

497 101

1450

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

215

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

MILITARY HIGHWAYS.

Region SOUTHERN.

Province SALERNO

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Strada Statale N. 88 Km. 19 + 800 Avellino .
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £. 730.000,00
*Ammontare della perizia*

(d) Urgency of project: massima urgenza
*Urgenza del progetto*

(e) Probable time for completion 2 mesi
*Data probabile per l'esecuzione*

(f) Special remarks Per la esecuzione del lavoro necessita la fornitura di Tonn. 50 di bitume e l'uso di un autocarro tra quelli già concessi dal= l' A.C.C.-
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 730.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature L'Ingegnere (Ing. Giuseppe SCALERA) 525
*Firma*

Official designation L'Ing. dirigente la Sezione Distaccata
*Designazione Ufficiale*

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

MILITARY HIGHWAYS.

Region SOUTHERN.

Province SALERNO

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Strada Statale N. 88 Km. 19 + 800 Avellino .
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour ..... contract .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... 2. 730.000,00 .....
*Ammontare della perizia*

(d) Urgency of project: ..... massima urgenza .....
*Urgenza del progetto*

(e) Probable time for completion ..... 2 mesi .....
*Data probabile per l'esecuzione*

(f) Special remarks Per la esecuzione del lavoro necessita la fornitura di
*Note speciali*

Tonn. 50 di bitume e l'uso di un autocarro tra quelli già concessi dal= l' A.C.C.-

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 730.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature ..... Ing. Giuseppe SCAIFE 525
*Firma*

Official designation ..... L'Ing. dirigente la Sezione Distaccata
*Designazione Ufficiale*

Date, and place ..... 13. Settembre 1944
*Data e luogo*

13.9.44

(b) I agree with the preceding certificate and recommend approval.

..... Date Sept. 18, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ ..... 21/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G. E. Rhodes F.C.R.E
Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



(107) 1114 ○

FORM ACC. 1
(Estimate Rev -17 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

3/4 P

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Strada Militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge,~~ Road, ~~Erosion Stopping, Sea wall, Land wall, Extension to pier,~~ *strada,* ~~concrete mixer, power identification plate,~~ Circonvallazione di Aversa e strada 8718 A.

(b) By contract or direct labour ..... in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... I.100.000.00
*Ammontare della perizia*

(d) Urgency of project: ..... urgente (Richiesto da Reparto Alleato)
*Urgenza del progetto* This is one of our roads. Authority PBS. Letter Ref HJJ 26 June 44 from C Route 8718 B & C signed Col Barnes.

(e) Probable time for completion ..... 90 giorni
*Data probabile per l'esecuzione*

(f) Special remarks .....
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... I.100.000.00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini) 5253

Italian Engineer
*Ingegnere Italiano*

Official designation Ingegnere Capo Compartimento dell'AA.SS.-Caserta
*Designazione Ufficiale*

Caserta 9 agosto 1944 - 3760

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III

**(APPROVALS)**

**Approvazioni**

Province Napoli

1. (a) ~~Building, Bridge,~~ Road, ~~[illegible]~~ Circonvallazione di Aversa e ~~Extraordinary~~ strada, ~~[illegible]~~ strada 8718 A.

(b) By contract or direct labour ..... in economia.

*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... I.100.000.00

*Ammontare della perizia*

(d) Urgency of project: ..... urgente (Richiesto da Reparto Alleato)

*Urgenza del progetto* This is one of our roads. Authority FBS Letter Ref HJJ 26 June 44 from C Route 8718 B+C original Col Bruno.

(e) Probable time for completion ..... 90 giorni

*Date probabile per l'esecuzione*

(f) Special remarks .....

*Note speciali*

2. **Certificates:**

**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... I.100.000.00

*Certifico che l'acclusa [illegible] ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.

*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

(Signature) (Raffaele Mancini) 525?

Italian Engineer / *Ingegnere Italiano*

Official designation / *Designazione Ufficiale* Ingegnere Capo Compartimento dell'AA.SS.-Caserta

Date, and place / *Data e luogo* Caserta 9 agosto 1944 - 3760

(b) I agree with the preceding certificate and recommend approval.

O.K. HL — [signature] Date Sept 8, 1944.

Regional Engineer, or his representative.

2. **Approved** (Highway Fund)

~~(Other funds)~~ [signature] Col. 21/9/44.

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** C.E. Rhodes

Director Public Works and Utilities. Sub-Commission A. C. C.

Col Hurley File -

62

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019

(106) 143

FORM ACC. 1
(Estimate Rev :7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

3178

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

Stradale Militare

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge~~ Road, ~~Power Sta, Pumping Sta etc and location~~ Provinciale Marano- Qualiano
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Demolizione della deviazione sul l'alveo dei Camaldoli.

(b) By contract or direct labour ..... in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 155.000.00
*Ammontare della perizia*

(d) Urgency of project: ..... urgente=Prevenire allagamenti
*Urgenza del progetto*

(e) Probable time for completion ..... trenta giorni
*Data probabile per l'esecuzione*

(f) Special remarks ..... ====
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 155.000.00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me: risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature ..... Raffaele Mancini 5252

Italian Engineer
*Ingegnere Italiano*

Official designation ..... Ing. Capo Compartimento A.A.S.S. - Caserta
*Designazione Ufficiale*

Declassified E.O. 12356 Section 3.3/NND No. 785019

...ore l'ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge,~~ Road, ~~Power Sta., Pumping Sta. etc. and location~~ Provinciale Marano - Qualiano
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Demolizione della deviazione sul l'alveo dei Camaldoli.

(b) By contract or direct labour ~~in economia~~
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. I55.000.00
*Ammontare della perizia*

(d) Urgency of project: ~~urgente~~ Prevenire allagamenti
*Urgenza del progetto*

(e) Probable time for completion trenta giorni
*Data probabile per l'esecuzione*

(f) Special remarks ---
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I55.000.00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. Raffaele Mancini 5252

Italian Engineer — Official designation Ing. Capo Compartimento A.A.S.S. - Caserta
*Ingegnere Italiano* — *Designazione Ufficiale*

Date, and place Caserta 9 agosto 1944 n. 3763
*Data e luogo*

~~(b)~~ I agree with the preceding certificate and recommend approval.

Date Sept. 18, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ 21/9/44
Chief Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** G.E. Reade
Director Public Works and Utilities. Sub-Commission A. C. C.

H. Q. A. C. C.

(1)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



(108) 142

FCR'N. ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Ro.Ll 713

312

**ESTIMATE OF WORK TO BE CARRIED OUT** Strada Militare
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocomissione, una sarà resti*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**
**Perizia Costo**

**( APPROVALS )**
**Approvazioni**

Region 3^

Province Napoli

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and location~~ Traversamenti di Casandrino
*~~Fabbricato ponte~~, strada, ~~centrale elettrica, centrale idraulica etc. e località*
e parte di Caivano.

(b) By contract or direct labour contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 2.885,000,00
*Ammontare della perizia*

(d) Urgency of project: urgente per assicurare la viabilità ai mezzi alleati.
*Urgenza del progetto*

(e) Probable time for completion giorni cinquanta
*Data probabile per l'esecuzione*

(f) Special remarks I lavori saranno affidati all'impresa Catromio S.A. che
*Note speciali*
ha in corso i lavori sul tratto di strada Caivano Colonna di Giugliano.

2 **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.885,000,00
*Certifico che l'accluse perizie ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Signature Ettore d'Elia
*firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Ing.Capo Ufficio Tecnico Provinciale-Napoli
*Designazione Ufficiale*

Visto: IL CAPO COMPARTIMENTO

Declassified E.O. 12356 Section 3.3/NND No. 785019

Inviata all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

Perizia Costo

( APPROVALS )

Approvazioni

Region 3^

Province Napoli

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc.~~ and location Traversamenti di Casamarino
~~Fabbricato ponte~~, strada, ~~centrale elettrica, centrale idraulica etc.~~ e località
e parte di Cajvano.

(b) By contract or direct labour contratto
Per contratto o lavoro in economia

(c) Amount of approximate estimate 2.885,000,00
Ammontare della perizia

(d) Urgency of project: urgente per assicurare la viabilità ai mezzi alleati.
Urgenza del progetto

(e) Probable time for completion giorni cinquanta
Data probabile per l'esecuzione

(f) Special remarks I lavori saranno affidati all'impresa Petrosio S.A. che
Note speciali ha in corso i lavori sul tratto di strada Caivano Colonna
di Giugliano.

2 Certificates :
Certificati

(a) Certified that the attached approximate estimate amounting to lire 2.885,000,00
Certifico che l'acclusa perizia ammontante a lire

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

5257

Italian Engineer
Ingegnere Italiano

Signature Ettore d'Elia
firma

Official designation Ing.Capo Ufficio Tecnico Provinciale-Napoli
Designazione Ufficiale

Date, and place Napoli, 1-9-1944
Data e luogo

OK 22/9

(b) I agree with the preceding certificate and recommend approval.

Date Sept. 18, 1944.
Regional Engineer, or his representative.

2. Approved. (Highway Fund)
~~(Other funds)~~ 21/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved.
Director Public Works and Utilities. Sub-Commission A. C. C.

Col. Hunley File

24a

Visto: IL CAPO COMPARTIMENTO

Declassified E.O. 12356 Section 3.3/NND No. 785019




Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



141

FORM ACC. 1
(Estimate Rev.-7 June 43)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

MILITARY HIGHWAYS.
S.S. N° 88.
311 0

94

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be *Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà resti-*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works. *tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III

## (APPROVALS)
**Approvazioni**

Province SALERNO

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Cavalcavia Ferrovia Salerno
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* S. Severino .

(b) By contract or direct labour per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate I.841.000 -
*Ammontare della perizia*

(d) Urgency of project: Precedenza I°,
*Urgenza del progetto*

(e) Probable time for completion 3 mesi
*Data probabile per l'esecuzione*

(f) Special remarks Urgentissimo per traffico ferrovia - Già al lato Tecnico
*Note speciali*
già approvato da Chief. Eng. 3 Distr. C.M.F. in data 2-8-1944

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'accluse perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount. 5250
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature
*Firma*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

Perizia Costo

Region III

## (APPROVALS)

Approvazioni

Province SALERNO

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Cavalcavia Ferrovia Salerno S. Severino .
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate I.841.000 -
*Ammontare della perizia*

(d) Urgency of project: Precedenza I° .
*Urgenza del progetto*

(e) Probable time for completion 3 mesi
*Data probabile per l'esecuzione*

(f) Special remarks Urgentissimo per traffico ferrovia — Pal lato Tecnico
*Note speciali*

già approvato da Chief. Eng. 3 Distr. C.M.F. in data 2-8-1944

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount. 5250
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature
*Firma*

Official designation
*Designazione Ufficiale*

Date, and place 31 agosto 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

6.9.44. Date 19 Sept 44

Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)

~~(Other funds)~~ Mot 23/9/44

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.**

Director Public Works and Utilities. Sub-Commission A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



140

(Perizia Rif.7/6/44-)

COMMISSIONE ALLEATA DI CONTROLLO
Sotto-Commissione Lavori Pubblici e Servizi
Perizia di lavoro da farsi.

NOTA : Questo Modulo deve essere riempito in triplice copia; una copia deve essere trattenuta alla Sotto-Commissione C.C., una deve essere restituita all'Ufficiale Regionale, appena approvata; ed una deve essere mandata al Ministero dei Lavori Pubblici.

PERIZIA - SPESE

(Approvazioni-)

I- (a) ~~Edifici, ponte~~ strade, ~~forza motrice~~ Statale 18 - Allargamento nel ~~installazione di pompe, e mezzo di opera~~ tratto Camerelle-Vietri (km. 48 e 52)
(b) Per contratto e in economia contratto
(c) Importo della perizia approssimata L. 4.700.000=
(d) Urgenza del progetto urgente
(e) Tempo probabile per l'esecuzione mesi due
(f) annotazioni speciali

2- CERTIFICATI :

(a) Certifico che l'acclusa perizia approssimata, dell'importo di lire é stata preparata da me: essa é pienamente rispondente al progetto, ed é ragionevole nell'importo.

Firma

Carica Ufficiale V.C. CAPO COMPARTIMENTO A.A.S.S.

Ingegnere Italiano

Data e Luogo Caserta, 9 - Agosto 1944

(b) Sono d'accordo con il precedente certificato e raccomando l'approvazione .

5249

Data

Ingegnere regionale o suo rappresentante

Declassified E.O. 12356 Section 3.3/NND No. 785019

[illegible] all'Ufficiale Regionale, appena approvata; ed una deve essere rendata al Ministero dei Lavori Pubblici.

PERIZIA - SPESE

(Approvazioni-)

I- (a) ~~Edifici, ponte~~ strade, ~~forza motrice~~ Statale 18 - Allargamento nel ~~installazione di pompe, e mezzi di sollevamento~~ tratto Cancerelle-Vietri (km.42 e 52)
(b) Per contratto e in economia contratto
(c) Importo della perizia approssimata L. 4.700.000=
(d) Urgenza del progetto urgente
(e) Tempo probabile per l'esecuzione mesi due
(f) annotazioni speciali

2- CERTIFICATI :

(a) Certifico che l'acclusa perizia approssimata, dell'importo di lire è stata preparata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma

Carica Ufficiale F.U. CAPO COMPARTIMENTO A.A.S.S.

Ingegnere Italiano

Data e Luogo Caserta, 7 - Luglio 1944

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione .

Data

Ingegnere regionale o suo rappresentante

5244

3- APPROVATO (Rendi della strada)
~~(altri fondi)~~

CAPO DIVISIONE LAVORI PUBBLICI DELLA SOTTO-COMM. P.W. & U. DELL'ACC.

4- APPROVATO

DIRETTORE P. W. & U. SOTTO - COMMISSIONE ACC.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(92) 139

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

TB

A 99

CANTIERE PIETRISCO BITUMATO PER STRADE MILITARI.

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region III

Province Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location. Funzionamento del cantiere di pietrischetto bitumato impianta to nei pressi di Caggiove.
*Fabbricato, ponte, strada, centrale elettrica, centrale idraulica etc., e località*

(b) By contract or direct labour in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L.550.000,00 ( lire cinquecentocinquantamila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks = =
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire L.550.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

4552

Signature -E.Fannini-
*Firma*

Official designation Ingegnere Capo Compartimento A.A.S.S. 5248
*Designazione Ufficiale*

Date, and place Caserta, 11 SET. 1944
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region III

Province Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Funzionamento del cantiere di
*Fabbricato, ponte, strada, centrale elettrica, centrale idraulica etc. e località* pietrischetto bitumato impianto nei pressi di Casagiove.

(b) By contract or direct labour in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L.550.000,00 ( lire cinquecentocinquantamila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks = =
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire L.550.000,00
*Certifico che l'accluse perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature -E.Fancini-
*Firma*

Italian Engineer
*Ingegnere Italiano*

4552

Official designation Ingegnere Capo Compartimento A.A.S.S. 5248
*Designazione Ufficiale*

Date, and place Caserta, 11 SET. 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date Sept 8, 1944

Regional Engineer, or his representative.

2. Approved. (Highway Fund)
~~(Other funds)~~

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C. 11/9/44

3. Approved.

Director Public Works and Utilities. Sub-Commission A. C. C. 14/9/44

H.Q. A.B.C.

(3)

Declassified E.O. 12356 Section 3.3/NND No. 785019




Declassified E.O. 12356 Section 3.3/NND No. 785019

(41) 138

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

FORM ACC. 1
(Estimate Rev - 7 June 40)

298

Strada Militare

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione; una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** — **Costo**

**(APPROVALS)**
**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge, Road, Power Station, Pumping Station, Excavation~~
~~Fabbricato, ponte, strada, centrale elettrica, centrale idraulica, sito scavo~~ Fornitura di mano d'opera alla Cava di Rora e Piccilli gestita dagli Alleati per la Strada n° 6.

(b) ~~By contractor~~ direct labour in economia
~~Per contratto~~ *lavoro in economia*

(c) Amount of approximate estimate I.030.000.=
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks la perizia è stata richiesta dall'Ufficiale di Campo della Sottocommissione ai Lavori e Servizi Pubblici dell'A.C.C.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.030.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R. Mancini
*Firma*

Official designation Cap. Capo Compartimento dell'A.
*Designazione Ufficiale*

Italian Engineer
*Ingegnere Italiano*

Declassified E.O. 12356 Section 3.3/NND No. 785019

...Approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region III

Province Napoli

1. (a) ~~Building, Bridge, Road, Power Station, Pumping Station, etc. and location~~
*~~Fabbricato, ponte, strada, centrale elettrica, centrale idraulica ecc. e località~~*

Fornitura di mano d'opera alla Cava di Rora e Piccilli gestita dagli Allea ti per la Strada n° 6.

(b) ~~By contractor~~ direct labour in economia
*~~Per contratto~~ lavoro in economia*

(c) Amount of approximate estimate I.030.000.=
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks la perizia è stata richiesta dall'Ufficiale di Campo della Sottocommissione ai Lavori e Servizi Pubblici dell'A.C.C.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire I.030.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R. Mancini
*Firma*

Italian Engineer
*Ingegnere Italiano*

4529

Official designation Cap. Capo Compartimento dell'A.A.S.S.
*Designazione Ufficiale*

Date and place Caserta 31 AGO. 1944
*Data e luogo*

52/7

(b) I agree with the preceding certificate and recommend approval.

Date 6 Sept 1944
Regional Engineer, or his representative.

2. ~~Approved.~~ (Highway Fund)
~~(Other funds)~~

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved. Lt Col C.E. 14/9/44
Director Public Works and Utilities. Sub-Commission A. C. C.

VB/
H.Q.A.B.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

297
137
Strada Militare

## ESTIMATE OF WORK TO BE CARRIED OUT

**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III

Province Benevento

**(APPROVALS)**

**Approvazioni**

1. (a) ~~Building~~ ~~Bridge~~, Road, Statale n° 7 lavori di ricostruzione di un muro di sost
~~Fabbricato~~, strada, ~~ponte~~ ~~costruzione~~ ~~ricostruzione~~ ~~riparazione~~ ~~riattamento~~ gno alla progr. Km. 261+010 pe
ricostruzione corpo stradale, dan-
neggiato in seguito ad offensive aeree

(b) By contract or direct labour contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L.2.350.000.= ( duemilioni trecentocinquantamila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks ~~NIL~~
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.350.000.=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. R. Mancini

Italian Engineer Official designation Ing. Capo Compartimento A.A.S.S.
*Ingegnere Italiano Designazione Ufficiale*

Date, and place 26 luglio 1944 n° 3290 = CASERTA

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia Costo Region

(APPROVALS) Province Benevento

Approvazioni

1. (a) Building, Bridge, Road, Statale n° 7a, lavori di ricostruzione di un muro di soste
Fabbricato, strada, gno alla progr. Km. 261+010 pe
ricostruzione corpo stradale, dan-
neggiato in seguito ad offensive aeree

(b) By contract or direct labour ..... contratto
Per contratto o lavoro in economia

(c) Amount of approximate estimate L.2.350.000.= ( duemilioni trecentocinquantamila)
Ammontare della perizia

(d) Urgency of project: Urgente ed indifferibile
Urgenza del progetto

(e) Probable time for completion mesi tre
Data probabile per l'esecuzione

(f) Special remarks
Note speciali

2. Certificates:
Certificati

(a) Certified that the attached approximate estimate amounting to lire 2.350.000.=
Certifico che l'acclusa perizia ammontante a lire

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

Signature Ing. R. Mencini

Italian Engineer Official designation Ing. Capo Compartimento A.A.S.S.
Ingegnere Italiano Designazione Ufficiale

Date, and place 26 luglio 1944 n° 3290 = CASERTA
Data e luogo

(b) I agree with the preceding certificate and recommend approval. 5215

Date Aug. 19 1944

Regional Engineer, or his representative.

Approved. (Highway Fund)

(Other funds)

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. Approved. Director Public Works and Utilities. Sub-Commission A. C. C.

VB/
Minister of Public Works

Allied Military Government

OK

29

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



FORM ACC. 1
(Estimate Rev - 7 June 44)

156

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

291

KB

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

STRADE MILITARI

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà resti-*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**

**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region III^

Province Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn, etc. and location: Lavori straordinari di ripa-
*Fabbricato, ponte, strada, centrale elettrica, centrale idraulica, etc. e località* razione del tronco della strada statale n.87 compreso fra Caserta e Ponte Annibale.

(b) By contract or direct labour ..... In economia .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L.980.000,00 (lire novecentottantamila) .....
*Ammontare della perizia*

(d) Urgency of project: ..... Urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion ..... giorni cinquanta .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... = = .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 980.000,00 .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full equirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature ..... - R.Mancini - .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III^

## (APPROVALS)

**Approvazioni**

Province Napoli

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location: Lavori straordinari di ripa-
*Fabbricato, ponte, strada, centrale elettrica, centrale idraulica etc. e località* razione del tronco della strada statale n.87 compreso fra Caserta e Ponte Annibale.

(b) By contract or direct labour ..... In economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L.980.000,00 (lire novecentottantamila)
*Ammontare della perizia*

(d) Urgency of project: ..... Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion ..... giorni cinquanta
*Data probabile per l'esecuzione*

(f) Special remarks ..... = =
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 980.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature ..... - R.Mancini -
*Firma*

Italian Engineer
*Ingegnere Italiano*
4530

Official designation Ingegnere Capo Compartimento della Viabilità
*Designazione Ufficiale*

Date, and place Caserta, 31 AGO. 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

OK ok ..... Date Sept 5 1944
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ ..... 1379/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

G.R. - Pt.Cd. R.E

3. **Approved.** .....
Director Public Works and Utilities. Sub-Commission A. C. C.

HQ A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



(7)

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

RB

285

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

STRADA MILITARE

135

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region III

Province Benevento

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc and location Tufariello alla Progressiva Km.ca 252+850 della S.S.n.7 "Appia"
*Fabbricato, ponte, strada, centrale elettrica, centrale idraulica etc e località*

(b) By contract or direct labour
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate suppletiva L.214.000 (duecentoquattordicimila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion giorni venti
*Data probabile per l'esecuzione*

(f) Special remarks La detta somma occorre per maggiori lavori resisi necessari durante l'esecuzione dell'opera.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 214.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R.Mancini
*Firma*

Italian Engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

...ne Regione Cp. Te, provvisoria ed ha sar... inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region Il

Province Benevento

1. (a) Building, Bridge, Road, Power Sta./Pumping Sta. etc. and location. Tufariello alla Progressiva
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* Km.ca 252+650 della S.S.n.7 "Appia"

(b) By contract or direct labour .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate... suppletiva L.214.CCO (duecentoquattordicimila)
*Ammontare della perizia*

(d) Urgency of project: Urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion..... giorni venti
*Data probabile per l'esecuzione*

(f) Special remarks .... La detta somma occorre per maggiori lavori resisi necessari durante l'esecuzione dell'opera.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 214.CCC,CC
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature R.Mancini
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Capo Compartimento della Viabilità
*Designazione Ufficiale*

Date, and place Caserta, 29 AGO. 1944
*Data e luogo*

4458

(b) I agree with the preceding certificate and recommend approval.

Date Sept 5 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
(Other funds)
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.**
Director Public Works and Utilities. Sub-Commission A. C. C.

Allied Military Government OFFICIAL OK dft

H.Q. A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

285

134

STRADA MILITARE

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region .....

Province .....

1. (a) ~~Building~~ Bridge, ~~Road~~, ~~Power Stn~~, ~~Pumping Stn~~ etc. and location .....
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*
~~gressiva~~ Km/ 71+350 della S.S. n° 7-bis "Di Terra di Lavoro" nei pressi di Monteforte, alla
(b) By contract or ~~direct labour~~ per contratto .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate .....
*Ammontare della perizia* L. I.820.000.00 ( un milione ottocentoventimila)

(d) Urgency of project: Urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion mesi quattro .....
*Data probabile per l'esecuzione*

(f) Special remarks //// .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire* I.820.000.00 (un milioneottocentoventimila)
has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. R. Umaini .....
*Firma*

Official designation Capo Compartimento .....
*Designazione Ufficiale*

Italian Engineer
*Ingegnere Italiano*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region .....

## (APPROVALS)
**Approvazioni**

Province .....

1. (a) ~~Building~~ Bridge, ~~Road~~, ~~Power Stn.~~ ~~Pumping Stn.~~ etc. and location .....
*~~Fabbricato~~ ponte, ~~strada, centrale elettrica, centrale idraulica~~ etc. e località* nei pressi di Monteforte, alla gressiva Km/ 71+350 della S.S. n° 7-bis "Di Terra di Lavoro"

(b) By contract or ~~direct labour~~ ..... per contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate .....
*Ammontare della perizia* L. I.820.000.00 ( un milione ottocentoventimila)

(d) Urgency of project: ..... Urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probable time for completion ..... mesi quattro .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... ////
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire* I.820.000.00/ (un milioneottocentoventimila)

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature / *Firma* ..... Ing. R. Manini .....

Official designation / *Designazione Ufficiale* ..... Capo Compartimento .....

Date, and place / *Data e luogo* ..... Caserta .....

23 AGO. 1944 4297

(b) I agree with the preceding certificate and recommend approval.

OK HS ..... 52nd FAU ..... Date Aug. 29 1944
Regional Engineer, or his representative.

2. **Approved** (Highway Fund) ~~(Other funds)~~ ..... Thompson Maj. 6/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** ..... Lt Col C.E. 8/9/44
Director Public Works and Utilities. Sub-Commission A. C. C.

28

Col Hensley F.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



VM/

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al Capo dell'area (Lt. Col. Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE + COSTO = APPROVAZIONE

I (a) Lavori di ricostruzione del ponte sul fiume Sabato alla progressiva km/ca 301+180 della strada statale N.7 "Via Appia"

(b) Se contratto o lavoro in economia - Contratto

(c) Se il contratto include tutti gli elementi - si se non segnare brevemente ciò che è escluso

(d) Importo della perizia L.7.540.000.00(lire settemilionicinquecentoquarantamila)

(e) Quante richieste si sono ricevute - N.7 la più alta dell'Impresa Cipriani Raffaele per L.10.480.000.00 e la più bassa dall'Impresa Polese Ing. Arturo per L. 6.440.000.00

(f) La più bassa può accettarsi? - si

(g) Somma della offerta accettabile - L.7.540.000.00 delle quali L.6.440.000 per lavori a base d'asta e L. 1.100.000.00 a disposizione dell'Amm/ne

(h) Tempo probabile per l'esecuzione - Mesi cinque

(i) Qualsiasi rilievo d'importanza - ==

2- CERTIFICATI:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.7.540.000.00 è stata preparata da me; essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo -

l'Ingegnere ( Firma

( Carica Ufficiale -Capo Compartimento dell'~~A.S.~~

( Data e luogo - Caserta 3 [illegible] 1944

(b) Approvo il precedente attestato e raccomando l'approvazione della

484

133

N°2759

Declassified E.O. 12356 Section 3.3/NND No. 785019

(c) Se il contratto include tutti gli elementi - si
se non segnare brevemente ciò che è escluso

(d) Importo della perizia L.7.540.000.00(lire settemilionicinquecentoquaran_
tamila)

(e) Quante richieste si sono ricevute - N.7
la più alta dell'Impresa Cipriani Raffaele per L.10.480.000.00 e la più bassa dall'Impresa Polese Ing. Arturo per L. 6.440.000.00

(f) La più bassa può accettarsi? - si

(g) Somma della offerta accettabile - L.7.540.000.00 delle quali L.6.440.000
per lavori a base d'asta e L. 1.100.000.00 a disposizione dell'Amm/ne

(h) Tempo probabile per l'esecuzione - Mesi cinque

(i) Qualsiasi rilievo d'importanza - ==

2- CERTIFICATI:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.7.540.000.00 è stata preparata da me: essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo -

l'Ingegnere ( Firma
( Carica Ufficiale -Capo Compartimento dell'~~AA.SS.~~
( Data e luogo - Caserta 3 LUG. 1944 N°2759

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 7.540.000 (cioè offerta accettata)

(I) ..... Data .....
Ingegnere di Campo

(II) ..... Data 6/9/44
Ingegnere in carica generale della regione

3 - Approvato
..... Il Direttore della Sottocommissione

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev -(7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà resti-*
returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*tuita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region .....

Province .....

**(APPROVALS)**
**Approvazioni**

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location .....
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate .....
*Ammontare della perizia*

(d) Urgency of project: .....
*Urgenza del progetto*

(e) Probable time for completion .....
*Data probabile per l'esecuzione*

(f) Special remarks .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature .....
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation .....
*Designazione Ufficiale*

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region .....

**(APPROVALS)**

**Approvazioni**

Province .....

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location .....
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour ..... in economia .....
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 900.000.00 .....
*Ammontare della perizia*

(d) Urgency of project: ..... Urgente ed indifferibile .....
*Urgenza del progetto*

(e) Probabile time for completion ..... Mesi due .....
*Data probabile per l'esecuzione*

(f) Special remarks ..... Su disposizione del Cap. Feldman i
*Note speciali* lavori furono iniziati e sono in corso

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 900.000.00 .....
*Certifico che l'accluso perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mucini)
Firma

Italian Engineer — Official designation Ingegnere Capo Compartimento A.A.A.-Caserta
*Ingegnere Italiano* — *Designazione Ufficiale*

Date, and place Caserta 6 agosto 1944 - Anno XXII
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date Aug. 8, 1944.
Regional Engineer, or his representative.

**Approved.** (Highway Fund)
~~(Other funds)~~ [illegible] Thompson Maj 6/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** [illegible] Lt Col C.E. 8/9/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Minister of Public Works

61

ALLIED MILITARY GOVERNMENT OFFICE

Declassified E.O. 12356 Section 3.3/NND No. 785019




Declassified E.O. 12356 Section 3.3/NND No. 785019

53

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

FORM ACC. 1
(Estimate Rev - 7 June 44)

181
282

RB

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

STRADA MILITARE

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region .....

Province .....

1. (a) ~~Building~~, Bridge, ~~Roads, Repair, Dry Dredging, Structural Inspection~~ Ponte
~~Fabbricato~~, ponte, ~~strade, riparazioni, draga, ispezione strutturale~~ sul Fiume Savuto al Km.67+600 della Strada Statale n.7bis "Di Terra di Lavoro"

(b) By contract or ~~direct labour~~
*Per contratto o ~~lavoro in economia~~*

(c) Amount of approximate estimate
*Ammontare della perizia* L.4.250.000,00 (lire quattromilioniduecentocinquantamila)

(d) Urgency of project:
*Urgenza del progetto* Urgente ed indifferibile

(e) Probable time for completion
*Data probabile per l'esecuzione* mesi sei

(f) Special remarks
*Note speciali*

2. Certificates:
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 4.250.000,- (lire quattromilioniduecentocinquantamila)
*Certifico che l'acclusa perizia ammontante a lire* has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. (G. Mancini)
*Firma*

~~Italian~~ Engineer
*~~Ingegnere Italiano~~*

Official designation Capo Compartimento dell'ANAS
*Designazione Ufficiale*

Date, and place

Declassified E.O. 12356 Section 3.3/NND No. 785019

...Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici. ...Minister of Public Works.

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region .....

## (APPROVALS)

**Approvazioni**

Province .....

1. (a) ~~Building~~, Bridge, ~~Roads, Sewer, Sheet piling, Structural Steel, Water Fabricated~~ ponte, ~~Supplemental Agreement~~ Ponte Nasucci alla Progressiva Km.ca 67+680 della Strada Statale n.7bis "Di Terra di Lavoro"

(b) By contract or ~~direct labour~~
*Per contratto o ~~lavoro in economia~~*

(c) Amount of approximate estimate
*Ammontare della perizia* L.4.250.000,00 (lire quattromilioniduecentocinquantamila)

(d) Urgency of project:
*Urgenza del progetto* Urgente ed indifferibile

(e) Probable time for completion
*Data probabile per l'esecuzione* mesi sei

(f) Special remarks
*Note speciali* Lavori molto urgenti !!!

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire* 4.250.000,- (lire quattromilioniduecentocinquantamila)
has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature Ing. (G. Mancini)
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation
*Designazione Ufficiale* Capo Compartimento dell'A.N.A.S.

Date, and place
*Data e luogo* Caserta, 29 AGO 1944 4983

OFFICIAL: Allied Military Government

(b) I agree with the preceding certificate and recommend approval.

OK Date Aug. 28 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
(Other funds) Thompson Col 6/9/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** R.A. Emmy Col C.E. 8/9/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Col. Hensley File

27

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019

3 SEP Recd
108 CC/S

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394, U.S. Army

2 September 1944

CU-1055

SUBJECT: Estimates

TO : Advanced Headquarters Allied Control Commission
Public Works & Utilities Sub-Commission

We forward to you eight (8) sets of Forms ACC/1, numbers 27 - 28 - 64 + 65 - 66 - 67 - 68 - 69, for your approval.

LJH/pc.

LESTER J. HENSLEY
Lt. Col. C.E.
Regional Engr. Officer
Southern Region.

Lt Col Thompson

A/P

a 12 AM showed amount for
$42.500 = Need!

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

13°
281
Strada Militare

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviato al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region III

Province Avellino

**(APPROVALS)**
**Approvazioni**

1. (a) Building, ~~Bridge~~, Road, ~~Power Stn, Pumping Stn~~ etc. and location.
~~Fabbricato ponte~~, *strada*, ~~centrale elettrica, centrale idraulica~~ etc. e località

Statale N.7"Via Appia".Riparazione basolato della traversa interna di Avellino

(b) By contract or direct labour ..... contratto
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 2.360.000,00
*Ammontare della perizia*

(d) Urgency of project: ..... URGENTE ED INDIFFERIBILE
*Urgenza del progetto*

(e) Probable time for completion ..... mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks ..... //
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... 2.360.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini)
*Firma*

Italian Engineer

Official designation Ingegnere Capo Compart. A.A.S.S. Caserta
*Designazione Ufficiale*

N° 2304

Declassified E.O. 12356 Section 3.3/NND No. 785019

tutta all' Ingegnere Capo della Regione dopo l'approvazione ed una [illegible]

## ESTIMATES - CAPITAL EXPENDITURE

Perizia Costo

Region III

(APPROVALS)

Approvazioni

Province Avellino

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and locality~~ Statale N.7 "Via Appia". Riparazione basolato della traversa interna di Avellino

~~Fabbricato pelle~~, strada, ~~centrale elettrica, centrale idraulica etc. e località~~

(b) By contract or direct labour contratto

*Per contratto o lavoro in economia*

(c) Amount of approximate estimate L. 2.360.000,00

*Ammontare della perizia*

(d) Urgency of project: URGENTE ED INDIFFERIBILE

*Urgenza del progetto*

(e) Probable time for completion mesi tre

*Data probabile per l'esecuzione*

(f) Special remarks //

*Note speciali*

2. **Certificates:**

**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 2.360.000,00

*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.

*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini)

Firma

Italian Engineer

*Ingegnere Italiano*

Official designation Ingegnere Capo Compart. A.A.S.S. Caserta

*Designazione Ufficiale*

Date, and place Caserta, addì 10.8.1944 N° 3804

*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date Dec. 28. 1944.

Regional Engineer, or his representative.

2. **Approved.** (~~Highway Fund~~)

~~(Other funds)~~

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

OK. W.

3. **Approved.**

Director Public Works and Utilities. Sub-Commission A. C. C.

(5)

Minister of Public Works

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

129 212

STRADA MILITARE

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** — **Costo**

(APPROVALS)
**Approvazioni**

Region III

Province Napoli

1. (a) Building, Bridge, Road, Power Sta, Pumping Sta etc. and location: N.90 tronco Ponte Calore-Ariano. Lavori straordinari di riparazione
(b) By contract or direct labour: in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate: L. 1.100.000,00
*Ammontare della perizia*

(d) Urgency of project: urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion: giorni trenta
*Data probabile per l'esecuzione*

(f) Special remarks: //
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire L. 1.100.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Signature (Raffaele Mancini)
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation: Ing. Capo Compartimento A.A.S.S.
*Designazione Ufficiale*

OFFICIAL: Allied Government

Declassified E.O. 12356 Section 3.3/NND No. 785019

*tuite all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region III

## (APPROVALS)

**Approvazioni**

Province Napoli

N.90 tronco Ponte Calore-Ariano.Lavori straordinari di riparazione

1. (a) Building, Bridge, Road, Power Sta, Pumping Sta etc. and location
~~Fabbricato-ponte, strada, centrale elettrica, centrale idroelettrica-locali~~

(b) By contract or direct labour ..... in economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 1.100.000,00
*Ammontare della perizia*

(d) Urgency of project: ..... urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion ..... giorni trenta
*Data probabile per l'esecuzione*

(f) Special remarks ..... //
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ..... L. 1.100.000,00
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me, it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

(Raffaele Nuncini)

Signature .....
*Firma*

Italian Engineer
*Ingegnere Italiano*

Official designation Ing.Capo Compartimento A.A.S.S. Caserta
*Designazione Ufficiale*

Date, and place Caserta,addì 18 AGO. 1944 N° 4095
*Data e luogo*

OFFICIAL: Allied Military Government

(b) I agree with the preceding certificate and recommend approval.

..... Date Aug 21, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) 523
~~(Other funds)~~ ..... 24/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** ..... Lt Col C.E. 26/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Col. Wensley File See Map Behind.

17

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



FORM ACC. 1
(Estimate Rev - 2 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

128 201

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

STRADE MILITARE

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region .....

Province .....

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn, etc. and location~~ statale N.7"Via Appia"Lavori di
~~Fabbricato, ponte~~, *strada, centrale elettrica, centrale idraulica etc. e località* manut.straor. ed ordin. durante
il periodo dal I°/9 al 30/II/44 del tronco compreso tra il bivio per Ses
Sa Aur. e Capua (Innesto SS.7bis)

(b) By contract or direct labour
*Per contratto o lavoro in economia* In economia

(c) Amount of approximate estimate ..... L. 2.600.000.00 (duemilioniseicentomila)
*Ammontare della perizia*

(d) Urgency of project: ..... urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion ..... mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature (Ing. Raffaele Mancini)
*Firma*

Official designation Capo Compartimento dell'A.A.S.S.
*Designazione ufficiale*

Date .....

OFFICIAL: Allied Military Government

OK

Declassified E.O. 12356 Section 3.3/NND No. 785019

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

Region .....

**(APPROVALS)**
**Approvazioni**

Province .....

1. (a) ~~Building, Bridge~~, Road, ~~Power Sta, Pumping Sta etc. and location~~ statale N.7"Via Appia"Lavori di
~~Fabbricato, ponte~~, *strada, centrale elettrica, centrale idraulica etc. e località* manut.straor. ed ordin. durante
il periodo dal I°/9 al 30/II/44 del tronco compreso tra il bivio per Ses
se Aur. e Capua (Innesto SS.7bis)

(b) By contract or direct labour ..... In economia
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ..... L. 2.600.000.00 (duemilioniseicentomila)
*Ammontare della perizia*

(d) Urgency of project: ..... urgente ed indifferibile
*Urgenza del progetto*

(e) Probable time for completion ..... mesi tre
*Data probabile per l'esecuzione*

(f) Special remarks .....
*Note speciali*

.....

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me, essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

OFFICIAL: Allied Military Government OK

Italian Engineer
*Ingegnere Italiano*

Signature ~~(Dag. Raffaele Mancini)~~
*Firma*

Official designation Capo Compartimento dell'A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta 18 AGO. 1944 4094
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

Date 21. Aug. 1944
Regional Engineer, or his representative.

2. **Approved** (Highway Fund) 5235
~~(Other funds)~~ Thompson Lt Col 23/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** Lt Col C.E. 24/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

20 H.Q.A.C.C. 20

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019



127

REGION III,
PROVINCE NAPLES.

ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION
Estimate of Work to be carried out

Form ACC/1
(Estimate
Rey- 7 June 44)

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

1. (a) Building, Briage, Road, Power Stn, Pumping Stn etc, and location Repair & Maintenance of Autostrada from S.Giovanni to Pompei (Km 2 + 0 to Km 22 + 0).

(b) By contract or direct labour CONTRACT.

(c) Amount of approximate estimate Lire 6,000,000.

(d) Urgency of project PRIORITY I.

(e) Probable time for completion 30 September, 1944.

(f) Special remarks Projects already under way since I May 1944 (Contractor - De Lieto) - no pay received to date.

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire... 6,000,000. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature Dr. Ing. Fatigati

Official designation Capo Sezione - Genio Civile

Date, and place NAPLES 17 June, 1944.

(b) I agree with the

Declassified E.O. 12356 Section 3.3/NND No. 785019

Comman. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Repair & Maintenance of Autostrada from S.Giovanni to Pompei (Km 2 + 0 to Km 22 + 0).

(b) By contract or direct labour CONTRACT.

(c) Amount of approximate estimate Lire 6,000,000.

(d) Urgency of project PRIORITY I.

(e) Probable time for completion 30 September, 1944.

(f) Special remarks Projects already under way since I May 1944 (Contractor - De Lieto) - no pay received to date.

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire... 6,000,000. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature [signature]

Official designation Capo Sezione - Genio Civile

Date, and place NAPLES 17 June, 1944.

(b) I agree with the preceding certificate and recommend approval

W.R.Keatley, Capt CMP Date 28 July, 1944.

Regional Engineer, or his representative.

3. Approved. (Highway Fund) (Other funds) [signature] Lt Col. C.E. 26/7/44

Chief, Public Works Div. P.W.& U.Sub-Com.A.C.C.

4. Approved. [signature] Lt Col C.E. 24/8/44

Director, P.W. & U. Sub-Commission A.C.C.

5235

Copy for Minister of Public Works. ✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

257
136

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region 3

Province SALERNO.

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location. Repair maintenance and furnishing aggregate for Sec. Km 18 between Angri & Pagani from Km 31+60 to Km 34+60.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour CONTRACT.
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ±1,100,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion 15 October, 1944.
*Data probabile per l'esecuzione*

(f) Special remarks Above estimate is for repair of the poor Rd section which had been constructed by CCS Works Section. Repair work already in progress.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ±1,100,000.
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature ing. Ghidera per R. MANCINI.
*Firma*

Official designation Capo Compartimento dell I.A.S.S.
*Designazione Ufficiale*

Date, and place CASERTA, 1 August, 1944.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia Costo Region

## (APPROVALS)
**Approvazioni**

Province CASERTA

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Repair maintenance and furnishing adequate for Sec. Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località CONTRACT. by 18 between Arpi & Pagani from Km 91+60 to Km 94+50.

(b) By contract or direct labour
Per contratto o lavoro in economia

(c) Amount of approximate estimate £1,100,000.
Ammontare della perizia

PRIORITY I.

(d) Urgency of project:
Urgenza del progetto

15 October, 1944.

(e) Probable time for completion
Data probabile per l'esecuzione

(f) Special remarks Above estimate is for repair of the poor RR section which
Note speciali had been constructed by SOS Works Section. Repair work already in
progress.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire £1,100,000.
Certifico che l'accluso perizia ammontante a lire

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me; esse risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

Italian Engineer / Ingegnere Italiano

Signature ing. Ghisleri per R. MARCINI.
Firma

Official designation Capo Compartimento dell I.A.S.S.
Designazione Ufficiale

Date, and place CASERTA, 1 August, 1944.
Data e luogo

(b) I agree with the preceding certificate and recommend approval.

RR Wks. 15/8/44

Date 18 AUGUST, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ 5231

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. H.Q. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

256
125

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region 3

Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*
Ordinary Maintenance of Section Naples-Salerno Rd from Pompei to Scafati (Km 240 to 27+1)

(b) By contract or direct labour Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 580,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion 31 Dec. 1944.
*Data probabile per l'esecuzione*

(f) Special remarks To cover Maintenance work from 1st August to 31 Dec. 1944.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature per R. Mancini
*Firma*

Official designation Capo Compartimento della V.d.S.
*Designazione Ufficiale*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia | Costo

Region 3

## (APPROVALS)
**Approvazioni**

Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location: Ordinary Maintenance of Section Naples-Salerno Rd from Pompei to Scafati (Km 24+0 to 27+1)
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour: Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate: Lire 530,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion: 31 Dec. 1944.
*Data probabile per l'esecuzione*

(f) Special remarks: To cover Maintenance work from 1st August to 31 Dec '44.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature: per R. Montini
*Firma*

Official designation: Capo Compartimento del III A.A.S.
*Designazione Ufficiale*

Date, and place: Caserta, 1st August '44
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

15/8/44

Date: 18 August 1944.

Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~

Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** 21/8/44

Director Public Works and Utilities, Sub-Commission A. C. C.

Copy for Sub-Comm. A.C. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

255
124

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region 3

Province Salerno.

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Regular maintenance of Section No 18 from Vietri to Salerno Km 52 + 0 to Km 54 + 0.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract.
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate ±600,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion 3 months.
*Data probabile per l'esecuzione*

(f) Special remarks Bituminous "Prenix" maintenance of this 2 km Pavement Section in place of former A.A.S.S. "basalto" reconstruction project for ±2,900,000. Bitumen to be drawn from M.D. Stock.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire ±600,000;
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature ing. G. Scudese per R. MANCINI.
*Firma*

Official designation Capo Compartimento dell A.A.S.S.
*Designazione Ufficiale*

Dated 14 August 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tutte all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.

## ESTIMATES - CAPITAL EXPENDITURE

~~Perizia~~ ~~Costo~~

## (APPROVALS)

**Approvazioni**

Region 3

Province Salerno.

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Regular maintenance of Section No 15 from Vietri to Salerno Km 52 + 0 to Km 54 + 0.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract.
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £500,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion 3 months.
*Data probabile per l'esecuzione*

(f) Special remarks Bituminous "Premix" maintenance of this 2 km Pavement Section in place of former A.A.S.S. "Basalato" reconstruction project for £2,900,000. Bitumen to be drawn from M.D. Stock.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire £500,000;
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature *ing. G. Scudellaro* per P. MANCINI.
*Firma*

Official designation Capo Compartimento dell A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta, 14 August, 1944.
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

R.C. Ltr. 15/8/44

*Leroy Hunsaker* Date 18 August, 1944.
5239
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ *W. Thompson Maj.* 19/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** *R.A. Cumming Lt Col C.E.* 21/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. H.Q. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

### ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

2 54
123

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

### ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region 3

Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Reconstruction Bridge at Battipaglia on Hy. No 18, Km. 94+130; (AP 880231.)
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 4,482,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion 2 months
*Data probabile per l'esecuzione*

(f) Special remarks Cement and prices to be drawn from F.P.;
*Note speciali*
Transportation by A.A.F.S. operated M.T. vehicles, (if any)

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature
*Firma*

Official designation Corps Engineers dell'A.A.F.S.
*Designazione Ufficiale*

Date, and place Salerno, 10 Oct '44
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia — Costo — Region

## (APPROVALS)
**Approvazioni**

Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Reconstruction Bridge at Battipaglia on Km. 24+190; (AF 930231.)
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 4,422,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion 3 months
*Data probabile per l'esecuzione*

(f) Special remarks Cement and bricks to be drawn from W.D.;
*Note speciali*
Transportation by A.M.G. required U.S. vehicles (if any)

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature *Firma* [signature]

Official designation *Designazione Ufficiale* Capo Ingegnere della A.M.G.S.

Date, and place *Data e luogo* Salerno, 10 Aug '43.

(b) I agree with the preceding certificate and recommend approval.

QMW. 17/VIII/43 [signature] Date Aug. 18, 1943.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) 5231 [signature] Lt Col CE 19/8/43
~~(Other funds)~~
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** [signature] Lt Col C.E. 19/8/43
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. A.C.C. File. Copy for Regional Engineer, Region III.
" " Minister of Public Works. Extra copy for Field Engineer.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

253
120

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

## (APPROVALS)
**Approvazioni**

Region 3

Province SALERNO.

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Section No 18 Pagani to Cameralle from Km 34+6 to Km 42+0.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour CONTRACT.
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate £1,900,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion 31 December, 1944.
*Data probabile per l'esecuzione*

(f) Special remarks Covers Road Maintenance cost from Sept. to December, 44 (inclusive). Including repair of Parapet Walls.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature ing G Scalera per R. MANCINI.
*Firma*

Official designation Capo Compartimento Genio A.A.S.S.
*Designazione Ufficiale*

Date, and place CASERTA, August, 14th 1944.
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia Costo Region

## (APPROVALS)
**Approvazioni**

Province BARI. Section 40 is Pages 1 to Camerelle from Km 3+3 to Km 32+0.

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location
Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località

(b) By contract or direct labour CONTRACT.
Per contratto o lavoro in economia

(c) Amount of approximate estimate £2,900,000.
Ammontare della perizia

(d) Urgency of project: PRIORITY I.
Urgenza del progetto

(e) Probable time for completion 31 December, 1944.
Data probabile per l'esecuzione

(f) Special remarks Covers Road Maintenance cost from Sept. to December, 44
Note speciali (inclusive). Including repair of Parapet Walls.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
Certifico che l'acclusa perizia ammontante a lire

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.

Italian Engineer / Ingegnere Italiano

Signature ing G Scatera per R. MANCINI.
Firma

Official designation Capo Compartimento dell A.A.S.S.
Designazione Ufficiale

Date, and place CASERTA, August, 14th 1944.
Data e luogo

(b) I agree with the preceding certificate and recommend approval.

28 Aug. 15/8/44

Date 18 August, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) £523
~~(Other funds)~~ H Thompson Col 19/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** R.A. Lemay Lt Col. C.E. 19/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. H.Q. file.

Declassified E.O. 12356 Section 3.3/NND No. 785019

252 121

REGION VII.
Province - Salerno.

ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Form ACC/1
(Estimate
Rey- 7 June 44)

Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

1. (a) ~~Building, Bridge,~~ Road / ~~Power Stn, Pumping Stn etc,~~ and location Repair and Maintenance of Section My 18 from Camerelle to Metr (Km 42 + 4 to Km 58 + 0).....

(b) By contract or direct labour CONTRACT.....

(c) Amount of approximate estimate £3,200,000.....

(d) Urgency of project PRIORITY I.....

(e) Probable time for completion 31 December, 1944.....

(f) Special remarks Is estimate for 4 months Road Maintenance & materials from Sept. to December'44 incl. including repair of Parapet Walls.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire... ..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....per. P. MANCINI.....

Official designation Capo Compartimento dell A.A.S.S.

Date, and place Caserta, 14 August, 1944.....

(b) I agree with the preceding certificate and recommend approval

Allied 15/8/44

.....Date 18 August, 44.

Regional Engineer, or his representative.

3. Approved. (Highway Fund)
(Other Funds) ..... Thompson Maj 19/8/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS ) Repair and Maintenance of Section No 16 from Comerelle to Metri (Km 42 + 4 to Km 52 + 0).

1. (a) Building, Bridge, ~~Road~~ Road, Power Sth, Pumping Stn etc, and location .....

CONTRACT.

(b) By contract or direct labour .....

£3,200,000.

(c) Amount of approximate estimate .....

PRIORITY I.

(d) Urgency of project .....

31 December, 1944.

(e) Probable time for completion .....

Is estimate for 4 months Road Maintenance & materials from Sept. to December incl. including repair of Parapet Walls.

(f) Special remarks .....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire... ..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....per. P. MANCINI.

Official designation Capo Compartimento del L.A.S.S.

Date, and place Caserta, 14 August, 1944.

(b) I agree with the preceding certificate and recommend approval

APHS 15/8/44

.....Date 18 August, 44.

Regional Engineer, or his representative.

3. Approved. (Highway Fund) J. Thompson Lt Col 19/8/44

~~(Other funds)~~.....

Chief, Public Works Div. P.W.& U.Sub-Com.A.C.C.

4. Approved. R.A. Penny Lt Col C.E. 19/8/44

Director, P.W. & U. Sub-Commission A.C.C.

5229

Copy for Sub-Comm. H.Q. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

251
120

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

**(APPROVALS)**
**Approvazioni**

Region 3

Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Ponte Sele on RR. No 18 at Km 87+291 (AR. 38III).
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 500,000.-
*Ammontare della perizia*

(d) Urgency of project: One
*Urgenza del progetto*

(e) Probable time for completion 15 September
*Data probabile per l'esecuzione*

(f) Special remarks Is additional amount at present be needed
*Note speciali* of this amount. Contractor on "Cost Plus" basis is Ferrobeton Co. Naples. Original ACC Ha's Approval No 49, 2 June '44 for Lire 1,000,000.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature
*Firma*

Official designation Capo Ing. dell'A.M.G.
*Designazione Ufficiale*

Date, and place Salerno, 20 July 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

## (APPROVALS)
**Approvazioni**

Region: ..... Province Salerno

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Ponte Sele on R.No 18 at Km 87+361 (Nr. Eboli).
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 500,000-
*Ammontare della perizia*

(d) Urgency of project: One
*Urgenza del progetto*

(e) Probable time for completion 15 September
*Data probabile per l'esecuzione*

(f) Special remarks Is additional amount or money to complete Reconstruction needed
*Note speciali* of this article. Contractor on" Dust Pins " basis is Ferrobeton Co. Genoa. Original ACC Bids. Increase up to, 2 Mio Lire for Lire 1,000,000.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire .....
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature ..... *Firma*

Official designation Capo Tec. dell'A.M.G. *Designazione Ufficiale*

Date, and place Salerno, 20 July 1944. *Data e luogo*

(b) I agree with the preceding certificate, and recommend approval.

P.W. 18/VIII/44

5228

Leon J. Lensky - Lieut. C.E. Date Aug. 18, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
(Other funds) H. L. Thompson Maj 19/8/44.
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** R.A. Lunn, Lt Col C.E. 19/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. Rec. File. Copy for Regional Engineer, Region III.
" " Engineer of Public Works. Extra copy for Field Engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

250
119

## ESTIMATE OF WORK TO BE CARRIED OUT

**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

**(APPROVALS)**

**Approvazioni**

Region III

Province Salerno

1. (a) Building, ~~Bridge, Road, Power Stn, Pumping Stn etc.~~ and location Veicole ministeriale per servizio del Sottosegretario ai Lavori Pubblici.
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Diretta Amm.ne
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 2,500,000=
*Ammontare della perizia*

(d) Urgency of project: Priorità I
*Urgenza del progetto*

(e) Probable time for completion
*Data probabile per l'esecuzione*

(f) Special remarks In as. se. request to cover vehicle expenditures.
*Note speciali*

from 15 June 1944 to 15 sept. 1944.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire Lire 2,500,000=
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature C. Gandolfo
*Firma*

Official designation Capo Ingegnere della A.M.G. Salerno.
*Designazione Ufficiale*

Date, and place Salerno 10 June 1944
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

# ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region III

Province Salerno

Relate ultimate on [illegible] ultimate use [illegible]

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc. and location [illegible]
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Direct labour
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 2,500,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion
*Data probabile per l'esecuzione*

(f) Special remarks In this request to cover partial expenditures.
*Note speciali*

From date now to 5 Sept. 1944.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire Lire 2,500,000
*Certifico che l'accluso perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti del progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature C. G. Andrews
*Firma*

Official designation Capo Ingegnere della III. Sez. Salerno
*Designazione Ufficiale*

Date, and place Salerno 15 Aug. 1944
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

20 Mil. 17/VIII/44 Lieut. Colonel Corps of Engineers Date Aug. 16, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) 5 107
~~(Other funds)~~ A. E. Thompson Lt Col 19/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** R. A. Sevin Lt Col C.E. 19/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. A.C.C. File. Copy for Regional Engineer, Region III.
" " Minister of Public Works Extra copy for Field Engineer.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

249
118

## ESTIMATE OF WORK TO BE CARRIED OUT

**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia, una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all'Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

**ESTIMATES - CAPITAL EXPENDITURE**

**Perizia** **Costo**

Region 3

Province Salerno.

**(APPROVALS)**

**Approvazioni**

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Repair of "sostituto" pavement, Hy 16 from Km 52+0 to 54+0 (West to Salerno.),
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract "Cost Plus".
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 230,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion Completed.
*Data probabile per l'esecuzione*

(f) Special remarks Is money needed for payment of work done on this Section by Contractor Giuantonio; Work proposed by A.A.S.S. for £2,900,000 was not approved and informal contract with contractor cancelled.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire £230,000.
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature ing. G. Arcolesi per R. MANCINI.
*Firma*

Official designation Capo Compartimento dell A.A.S.S.
*Designazione Ufficiale*

Declassified E.O. 12356 Section 3.3/NND No. 785019

# ESTIMATES - CAPITAL EXPENDITURE

**Perizia** **Costo**

## (APPROVALS)

**Approvazioni**

Region 3

Province Salerno.

Repair of "Sassiato" pavement, Km 18 from Km 5340 to 5440 (Direct to Salerno.);

1. (a) Building, ~~Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract "Cost Plus".
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 230,000.
*Ammontare della perizia*

(d) Urgency of project: PRIORITY I.
*Urgenza del progetto*

(e) Probable time for completion Completed.
*Data probabile per l'esecuzione*

(f) Special remarks Is money needed for payment of work done on this Section by Contractor Giamantonio; Work proposed by A.L.S.S. for £2,900,000 was not approved and informal contract with contractor cancelled.
Note speciali

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire £230,000.
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer / *Ingegnere Italiano*

Signature Ing. G. Molino per R. MANCINI.
*Firma*

Official designation Capo Compartimento dell A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta, 18 August, 1944.
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

R.P.W. 15/8/44

Date 18 August, 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund)
~~(Other funds)~~ 19/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** 19/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. H.Q. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

FORM ACC. 1
(Estimate Rev - 7 June 44)

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

2478
117

## ESTIMATE OF WORK TO BE CARRIED OUT
**Perizia lavori da eseguirsi**

NOTE: This form to be filled in in triplicate; one copy to be retained in Sub-Comm. H. Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.
*Questo modulo va fatto in triplice copia; una copia rimarrà al Quartiere Generale della Sottocommissione, una sarà restituita all' Ingegnere Capo della Regione dopo l'approvazione ed una sarà inviata al Ministero dei Lavori Pubblici.*

## ESTIMATES - CAPITAL EXPENDITURE
**Perizia** **Costo**

Region 8

Province Palermo

## (APPROVALS)
**Approvazioni**

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location. Repair of retaining wall on Hy 18 Cinisi-Solanto Milour Secta at Km. 27+000 to Km. 27+250
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località*

(b) By contract or direct labour Contract (Cost Plus)
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate 130,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion 15 Oct. '44
*Data probabile per l'esecuzione*

(f) Special remarks Is additional funds needed to complete Project. Contractor Raffaele Di Girolo. Original ACC/Hq's Approval in ACC/Est form No 97, dated 5th June 1944.
*Note speciali*

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 130,000-
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature per P. Venzini
*Firma*

Official designation Capo Compartimento della A.A.S.S.
*Designazione Ufficiale*

Date, and place Caserta, 10 August '44
*Data e luogo*

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia Costo Region

## (APPROVALS)
**Approvazioni**

Province Palermo

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc. and~~ location Repair of railway R.11 on Lg 18 (Lercara-Palermo R.) from Sesto
*Fabbricato ponte, strada, centrale elettrica, centrale idraulica etc. e località* at Km. 27+000 to Km. 27+820

(b) By contract or direct labour Contract (Cost Plus)
*Per contratto o lavoro in economia*

(c) Amount of approximate estimate Lire 130,000
*Ammontare della perizia*

(d) Urgency of project: Priority I
*Urgenza del progetto*

(e) Probable time for completion 15 Oct. 1944
*Data probabile per l'esecuzione*

(f) Special remarks Additional items required to complete Project.
*Note speciali* Contractor Raffaele di Grazia. Ordered ACC/Sec's Approval in ACC/Sec Form No 99, dated 5th June 1944.

2. **Certificates:**
**Certificati**

(a) Certified that the attached approximate estimate amounting to lire 130,000-
*Certifico che l'acclusa perizia ammontante a lire*

has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.
*è stata preparata da me; esse risponde a tutti i dati richiesti dal progetto e l'ammontare è ragionevole.*

Italian Engineer
*Ingegnere Italiano*

Signature Lì Graham per D. Vanotti
*Firma*

Official designation Capo Compartimento della A.M.G.O.T.
*Designazione Ufficiale*

Date, and place Caserta, 10 August 1944.
*Data e luogo*

(b) I agree with the preceding certificate and recommend approval.

R.S.M.C. 15/8/44 Lieut. Nunn - RE unit Date 15 August 1944.
Regional Engineer, or his representative.

2. **Approved.** (Highway Fund) ~~(Other funds)~~ 5 [illegible] Thompson Maj 19/8/44
Chief, Public Works Div. P. W. & U. Sub-Comm. A. C. C.

3. **Approved.** R.A. Emmy Lt. Col. C.E. 19/8/44
Director Public Works and Utilities. Sub-Commission A. C. C.

Copy for Sub-Comm. H.Q. File.

Declassified E.O. 12356 Section 3.3/NND No. 785019

239

115

ALLIED CONTROL COMMISSION
Public Works And Utilities sub-Commission (Perizia)
Estimate of Work to be carried out
Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) ~~Edificio, ponte~~, strada, ~~stazione elettrica, stazione di pompaggio ubicazione~~ Prov/le S.Maria C.V. -Rivio P.Annibale

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia 616.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione 31.12.1944

g) Speciali osservazioni fra nº 30 Ditte concorrenti il migliore offerente è stata l'Ing. Savarese Vincenzo.

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 616.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

OK. Eff. 24-7-44

Ingegnere } Firma

Declassified E.O. 12356 Section 3.3/NND No. 785019

deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Edificio, ponte, strada, ~~stazione elettrica, stazione pompaggio~~ ubicazione Prov/le S.Maria C.V. - Rivio P.Annibale

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia 616.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione 31.12.1944

g) Speciali osservazioni fra n° 30 Ditte concorrenti il migliore offerente è stata l'Ing. Savarese Vincenzo.

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 616.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

OK. EAF. 24-7-44

Ingegnere Italiano } Firma [signature]
Designazione Ufficiale Capo Com/to AA.SS.
Data e luogo 22 LUG. 1944 N°3208

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data 27 luglio 44

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri~~ fondi 5824

[signature]
Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.
7/8/44

4. Approvato. [signature] 8/8/44 LT. COL. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

H.Q. ACC

Declassified E.O. 12356 Section 3.3/NND No. 785019

232/15

ALLIED CONTROL COMMISSION
Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Edificio, ponte, strada, ~~Provinciale allacciante la Statale 7 e~~ ~~Officina elettrica, stazione~~ pompaggio ubicazione 7-bis passanti per Marcianise

b) contratto o lavoro diretto ~~contratto~~

c) costo approssimato della perizia ~~996.000.=~~

d) urgenza del progetto

e) tempo probabile di esecuzione

g) Speciali osservazioni ~~I lavori sono stati affidati alla Impresa ZINZI Francesco da Marcianise~~

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. ~~996.000.=~~ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

O.K.
EMF
JN

Ingegnere Italiano } Firma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Approvazioni

I. a) Edificio, ponte, strada, ~~Provinciale e allacciante la Stazione elettrica, Stazione~~ Statali 7 e 7-bis passanti per Marcianise
~~pompaggio ubicazione~~

b) contratto o lavoro diretto ~~contratto~~

c) costo approssimato della perizia ~~996.000.=~~

d) urgenza del progetto

e) tempo probabile di esecuzione

g) Speciali osservazioni ~~I lavori sono stati affidati~~ alla Impresa ~~ZINZI Francesco da Marcianise~~

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. ~~996.000.=~~ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano — Firma [signature]
Designazione Ufficiale ~~Capo Comp/to AA.SS.~~
Data e luogo 22 LUG. 1944 N°3209

O.K. EHF. 24-7-44

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data 27 July 44

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Militare) ~~Altri fondi~~ 522 [signature] 7/8/44
Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.

4. Approvato. [signature] 8/8/44 LT. COL. EE.
Director, P.W.& U. Sub-Commission A.C.C.

Terminata
Pratica Works.

Declassified E.O. 12356 Section 3.3/NND No. 785019

D.D.

231/14

ALLIED CONTROL COMMISSION

Public Works And Utilities sub- Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a-) ~~Tronco:Rivio S.Pietro Infine-Eparr.Abruzzi (SS.6) Tronco:~~ Pagamento operai impiegati lavori straordinari e riparazione Caianiello Klm.8 (SS.85) e ~~Tronco:P.Annibale-P.Principe (SS 87 durante il periodo 16 Giugno 15 agosto 1944~~

b) contratto o lavoro diretto ~~in economia~~

c) costo approssimato della perizia ~~1.615.000,00~~

d) urgenza del progetto URGENTE ED INDIFFERIBILE

e) tempo probabile di esecuzione ~~mesi due~~

f) Speciali osservazioni _____

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L._____ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano

Firma _____

Designazione Ufficiale ~~Capo Comp.A.A.S.S.~~

Data e luogo Caserta 5/8/44 A-3654

b) Approvo il precedente attestato e raccomando l'approvazione _____ Data _____

Per Capitano

L'Ingegnere Regionale e suo rappresentante

Declassified E.O. 12356 Section 3.3/NND No. 785019

blici.

Perizie- Costo
Approvazioni

1. a-) Pagamento operai impiegati lavori straordinari e riparazione ~~Tronco:Rivio S.Pietro Infine-Sparf.Abruzzi (SS.6) Tronco:~~ Caianiello Klm.8 (SS.85) e Tronco:P.Annibale-P.Principe (SS 87 ~~durante il periodo~~ 16 Giugno 15 agosto 1944

b) contratto o lavoro diretto ~~in economia~~

c) costo approssimato della perizia 1.615.000,00

d) urgenza del progetto URGENTE ED INDIFFERIBILE

e) tempo probabile di esecuzione ~~mesi due~~

f) Speciali osservazioni _____

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L._____ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano

Firma [signature]

Designazione Ufficiale ~~Capo Comp.A.A.S.S.~~

Data e luogo Caserta 5/8/44 XXII-3654

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data _____

per Captain

L'Ingegnere Regionale e suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri Fondi~~ [signature] 7/8/44

Chief, Public Works Div. P.W & U, Sub-Commission A.C.C.

5222

4. Approvato. [signature] P/8/44 LT. Col. C.E.

Director, P.W & U. Sub4 Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

230
113

ALLIED CONTROL CO'MISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Prov/le S.Maria C.V. bivio SS. 7-bis strada, di

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia 760.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione 31.12.1944

g) Speciali osservazioni fra nº 36 ditte invitate la migliore offerta è stata quella dell'Impresa Attena Sebastiano

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 760.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

O.K.

Ingegnere } Firma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Prov/le S.Maria C.V. bitio SS. 7-bis strada, di

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia 760.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione 31.12.1944

g) Speciali osservazioni fra nº 36 ditte invitate la migliore offerta è stata quella dell'Impresa Attena Sebastiano

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 760.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

OK. Eff. 24 Jan. 44

Ingegnere Italiano — Firma [signature] Designazione Ufficiale Capo Comp/to AA.SS. Data e luogo 22 DIC. 1944 Nº 3207

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data 27 July 44

L'Ingegnere Regionale o suo rappresentante

Distribution: Orig. HQ. ACC. cc Reg Engr. cc. Genio Civile Napoli ✓

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) Aperi fondi 5.207 [signature] 7/8/44

Chief, Public Works Div. P.W & U. Sub-Com- A.C.C.

4. Approvato. [signature] 8/8/44 LT. COL. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1. (Estimate Rev-7 June 43)

B 22923

112

ALLIED CONTROL COMMISSION

PUBBLIC WORKS AND UTILITIES SUB COMMISSION

Estimate of worf to be carrted out

Note: This form to be filled in triplicate;one copy to be retained in Sub-Comm H.Q., File,one to be returned to the Regionale Engineer when approved and one to be sent to the Minister of Pubblic Works

ESTIMATES CAPITAL-EXPENDITURE

(APPROVALS)

1. (a) Building Bridge Road Power Stn, Pumping Stn etc and Location *Ponte Romito - Statale n. 7 -*

(b) By contract or direct labor *Contratto*

(c) Amount of approximate estimate *L: 510.000 -*

(d) Urgency of project *urgente*

(e) Probable time for completion *20 - Luglio 1944 -*

(f) Special remarks *L'urgenza del lavoro è richiesta dall'importanza del traffico -*

2 Certificates

(a) Certified that the attached approximate estimate amounting to lire. *510.000 -* has been prepared by me it covers the full requirements of the project and is reasonable in amount

Italian } Signature *Lavoro Costr.*

Declassified E.O. 12356 Section 3.3/NND No. 785019

to the Regional Engineer when approved and one to be sent to the Minister of Public Works

ESTIMATES CAPITAL-EXPENDITURE

(APPROVAL)

1. (a) Building Bridge Road Power Ponte Romito - Statale n° 7 -
Stn, Pumping Stn etc and Location

(b) By contract or direct labor Contratto

(c) Amount of approximate estimate L. 510.000 -

(d) Urgency of project urgente

(e) Probable time for completion 20 - Luglio 1944 -

(f) Special remarks l'urgenza dei lavori è richiesta dall'importanza del traffico -

2 Certificates

(a) Certified that the attached approximate estimate amounting to lire 510.000 - has been prepared by me it covers the full requirements of the project and is reasonable in amount

Italian Engineer } Signature Lauro Costa

Official Position L'INGEGNERE CAPO

Date and Place Avellino - 5 - maggio 1944.

(b) I agree voit the preceding certificate and recommend approval

A/E A. Sant Capitan for
Regional Engineer or his Representative

3 Approved (Highway Fund)
~~(Other Funds)~~ W. Thompson Lt Col 7/8/44
Chief Public Works Div. P.W & U Sub Comm. A.C.C.

4. Approved

8/8/44 Lt. Col. C.E.
Director, Public Works ~~and Utilities~~ Sub Commission A.C.C.-

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/I
(Estimate Rev- 7 June 44)

(2)

ALLIED CONTROL COMMISSION

PUBBLIC WORKS AND UTILITIES SUB-COMMISSION

ESTIMATE of Work to be carried out

Note: This form to be filled in triplicate: one copy to be retained in Sub-Comm H Q., File one to be returned to the Regional Engineer when approved and one to be sent to the Minister of Pubblic Works.-

ESTIMATE-CAPITAL-EXPENDITURE

(APPROVALS)

1. (a) Building Bridge, Road Power Stn, Pumping Stn etc and Location . Ponte Romito - Statale - 7 - .
(b) By contract or direct labor . . . Contratto suppletivo . . . .
(c) Amount of approximate estimate . . 550.000 - . . . . . .
(d) Urgency of project . . . . . urgente . . . . . .
(e) Probable time for completion . 20 - Luglio 1944 . . . . . .
(f) Special remarks L'urgenza dei lavori è richiesta dall'importanza del traffico -

2. Certificates

(a) Certified that the attached approximate estimate amounting to lire . . . 550.000 - . . . has been prepared by me it covers the full requirements of the project and is reasonable in amount

Italian Engineer — Signature . . . Saverio Croce . . . .
Official designation . L'INGEGNERE CAPO . . .
date, and Place Avellino 5 - maggio 1944 -

(b) I agree with the preceding certificate and recommend approval.

111

Declassified E.O. 12356 Section 3.3/NND No. 785019

to the Regional Engineer when approved and one to be sent to the Minister of Public Works.-

ESTIMATE-CAPITAL-EXPENDITURE

(APPROVALS)

1. (a) Building Bridge, Road Power Stn, Pumping Stn etc and Location Ponte Romito - Statale - J. -
(b) By contract or direct labor. . . Contratto suppletivo . . . . .
(c) Amount of approximate estimate . ? . 550.000 - . . . . . .
(d) Urgency of project . . . . . urgente . . . . . .
(e) Probable time for completion . 20 - luglio 1944
(f) Special remarks L'urgenza dei lavori è richiesta dall'importanza del traffico -

2. Certificates

(a) Certified that the attached approximate estimate amounting to lire ...550.000 -... has been prepared by me it covers the full requirements of the project and is reasonable in amount

Italian Engineer — Signature . . . Saverio Cutri . . . .
Official Designation . INGEGNERE CAPO . .
date, and Place Anzano 5 - maggio 1944 -

(b) I agree with the preceding certificate and recommend approval.

P.E. Lord Capt. Date 7/8/44
Regional Engineer or his Representative.

3. Approved ( Highway Fund)
~~(Other Funds)~~ Thompson Maj 7/8/44
Chief Public Works Div. P.W. & U Sub.Comm. A.C.C.

4 Approved
8/5219 KE
Director Public Works and Utilities Sub-Commission A.C.C. LT. COL. C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

19
298
110

ALLIED CONTROL COMMISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Lavori straordinari di riparazione del tronco della strada stat. n.6 compreso fra il bivio per S.Pietro Inf.e la Staz.Caianello ~~Edificio, porte-carrada, stazione elettrica, stazione di pompaggio-ubicazione~~

b) contratto o lavoro diretto in economia

c) costo approssimato della perizia ~~L.2.910.000,00~~ (lire due-milioninovecentodiecimila)

d) urgenza del progetto urgente ed indifferibile

e) tempo probabile di esecuzione mesi tre

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L2.910.000,00 è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano

Firma

Designazione Capo Compartimento della Viabilità

Data e luogo 2 AGO 1944

OK. EAF

Declassified E.O. 12356 Section 3.3/NND No. 785019

deve essere [illegible]

vazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Edificio, ponte, strada, stazione elettrica, stazione di pompaggio, ubicazione **Lavori straordinari di riparazione del tronco della strada stat. n.6 compreso fra il bivio per S.Pietro Inf.e la Staz.Caianello**

b) contratto o lavoro diretto **in economia**

c) costo approssimato della perizia **L.2.910.000,00 (lire duemilioninovecentodiecimila)**

d) urgenza del progetto **urgente ed indifferibile**

e) tempo probabile di esecuzione **mesi tre**

g) Speciali osservazioni **x**

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. **2.910.000,00** è stata preparata da me esse risponde a tutti i dati richiesti del progetto ed è ammissibile nel- l'importo.

Ingegnere Italiano — Firma [signature]

Designazione **Capo Compartimento della Viabilità**

Data e luogo **Caserta** **2 AGO. 1944** **N. 3460**

QM. EAF. 2-8-44

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data **Aug. 3 1944**

L'Ingegnere Regionale o suo rappresentante

3. **Approvato.** (Fondi finanziati dalla Sotto-Commissione Strade Militare) ~~Altri fondi~~ [signature]

Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.

4. Approvato. [signature] 8/8/44 LT. COL. R.E.

Director, P.W.& U. Sub-Commission A.C.C.

Ministry of Public Works

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION (Perizia)

Publik-Works And Utilities sub-Commission

Estimate of Work to be carried out

Perizia lavori da farsi

831

227 100

Nota: Questo modello deve essere compilato in tre copie, una copia deve essere trattenuta dalla sottocommissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie - Costo

Approvazioni

I. a) Lavori di somma urgenza per lo sgombro dall'alveo del fiume Volturno delle macerie provenienti dal crollo del ponte Romano in servizio della strada Comunale Capua- Innesto SS/N.7

b) contratto o lavoro diretto Contratto

c) costo approssimato della perizia L.600.000.00(lire seicentomila)

d) urgenza del progetto - Urgente ed indifferibili

e) tempo probabile di esecuzione - Giorni cinquanta

g) Speciali osservazioni

2. Certificati:

a)Si certifica che l'unita approssimativa perizia ammontante a lire 600.000.00 è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano { Firma _____ Capo Compartimento dell'A.A.S.S. Caserta _____

b)Approvo il precedente attestato e raccomando l'approvazione

_____ Data

Declassified E.O. 12356 Section 3.3/NND No. 785019

Ministero dei Lavori Pubblici.

Perizie - Costo
Approvazioni

I. a) Lavori di somma urgenza per lo sgombro dall'alveo del fiume Volturno delle macerie provenienti dal crollo del ponte Romano in servizio della strada Comunale Capua- Inventario 85/N.7

b) contratto o lavoro diretto Contratto

c) costo approssimato della perizia L.600.000.00(lire seicentomila)

d) urgenza del progetto - Urgente ed indifferibili

e) tempo probabile di esecuzione - Giorni cinquanta

f) Speciali osservazioni

2. Certificati:

a)Si certifica che l'unita approssimativa perizia ammontante a Lire 600.000.00 è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano (Firma _____)
(Capo Compartimento dell'A.A.S.S.
(Caserta _____

b)Approvo il precedente attestato e raccomando l'approvazione

_____ Data _____

L'Ingegnere Regionale o suo rappresentante

_____

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri~~ fondi _____ 7/8/44

Chief, Publik Works Div. P.W & U. Sub- Com. A.C.C.

4. Approvato. 5217 _____ 8/8/44 LT. COL. RE

Director, P.W.& U. Sub-Commission A.C.C.

Minister of Public Works

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL CO'MISSION
Public Works And Utilities sub-Commission (Perizia)

291 108 13A

Estimate of Work to be carried out
Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Lavori di sistemazione e pavimentaz. della via Cavallerizza a Cemaficio, ponte, strada, stazione elettrica, stazione di pompaggio ubicazione serte e S.Leucio.
Lavori di sistemazione e pavimentaz. della via Cavallerizza a Caserta e di un diversivo alla S.S.n.87 nel tratto tra Sala di Caserta e S.Leucio.

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia L.1.580.000,00 (lire un milione cinquecentottantamila)

d) urgenza dei provvedimenti Urgente ed indifferibile

e) tempo probabile di esecuzione mesi due

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 1.580.000,- è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Firma
Italiano

Declassified E.O. 12356 Section 3.3/NND No. 785019

Segretario Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Lavori di sistemazione e pavimentaz.della via Cavallerizza a Casmicio, ponte, strada, stazione elettrica, stazione di pompaggio ubicazione serta e S.Leucio. serta e di un diversivo alla S.S.n.87 nel tratto tra Sala di Ca-

b) contratto o lavoro diretto contratto

c) costo approssimato della perizia L.1.580.000,00 (lire un milione cinquecentottantamila.)

d) urgenza del progetto Urgente ed indifferibile

e) tempo probabile di esecuzione mesi due

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 1.580.000.- è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano } Firma

Designazione ufficiale CAPO COMPARTIMENTO della VIABILITA'

Data e luogo Caserta 2= AGO. 1944

b)Approvo il precedente attestato e raccomando l'approvazione Data Aug. 9, 1944

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) Altri fondi

Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.

4. Approvato. 8/8/44 LT. COL. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

Minister of Public Works

5215

Declassified E.O. 12356 Section 3.3/NND No. 785019

Modulo ASC/1
(Circolare 242.7/6/44)

8a

Sezione - Commissione Lavori Pubblici e Servizi

## Perizia di lavoro da farsi

L 95.102

NOTA: Questo modulo deve essere diligentemente compilato in triplice esemplare, uno dei quali deve essere trattenuto all'ufficio-sezione L.P., uno deve essere rimesso all'Ufficiale Regionale, quarto rappresentante, uno deve essere rimesso al Ministero dei Lavori Pubblici.

---

(Approvazioni-)

I- (a) Natura, genere, strada, ferrovia ecc. S.S. 7bis Napoli-Avellino
sistemazione di pompe, e opere in opera
(b) Per contratto o in economia lavori in Amministrazione diretta
(c) Importo della perizia approssimato ~~L. 6.105.000,00~~ 3.000.000
(d) urgenza del progetto
(e) tempo probabile per l'esecuzione ultimazione a tutto il 31/12/944
(f) provvedimenti speciali dalla perizia è escluse il bitume che deve essere fornite dal Comando Alleato.

2- PARTECIPANTI:
(a) certifico che l'unclusa perizia approssimata dell'importo di Lire 6.105.000= è stata preparata da me, come è pienamente rientrante al progetto, ed è ragionevole nell'importo.

Firma: [signature]

Carica Ufficiale CAPO SEZIONE LAVORI A.A.F.H.Q.
L'Ingegnere Italiano

Data e luogo Caserta, 14 5 AGO. 1944 N°3642-A

(b) non d'accordo con il precedente certificato e raccomanda l'annullazione.

Data [signature] A.G.A. Sandercock Capt.

Ingegnere Capo/unile o suo rappresentante

3- APPROVATO ( Capo della strada / ~~Capo Zona~~ ) [signature] A. Thompson Col. 7/8/44
U.S. ARMY.

4- APPROVATO (Capo DIVISIONE LAVORI PUBB. ANGLO-AMERICANA - A.A.F.H.Q.) [signature] 8/8/44 LT. COL. ~~C.E.~~
U.S. ARMY CHIEF ENGINEER SEC.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1- (a) Natura, sorte, strade, forma catrica S.S. Tobio Napoli-Avellino
installazione di pompe, e uomo in opera
(b) Per contratto o in economia lavori in Amministrane diretta
(c) Importo della perizia approvata ~~L. 6.I05.000,00~~ 3.000.000
(d) urgenza del progetto
(e) tempo probabile per l'esecuzione ultimazione a tutte il 3I/I2/944
(f) annotazioni speciali della perizia é escluse il bitume che deve essere fornito dal Comando Alleato.

2- ~~OSSERVAZIONI~~ :
(a) certifico che l'esclusa perizia approvata, dell'importo di lire 6.I05.000= fu stata preparata da me, essa é pienamente rispondente al progetto, ed é regolarmente da l'importo.

Firma

Genio Ufficiale
L'Ingegnere Italiano

Data e luogo Caserta, li 5 A/O 1944 N°3842.

(b) son d'accordo con il precedente certificato e riconosco l'approvazione.

Data

Ingegnere Capo e suo rappresentato

1- APPROVATO ( Capo della strada )
( ~~altri fondi~~ )

CASE DIVISIONE A VOI INDI. SEZIONE U. S. ENGR.

2- AI FONDI

P/P/44 LT. COL. ~~C.E.~~

5215

Minister of Works Public

Declassified E.O. 12356 Section 3.3/NND No. 785019

16

284

106

ALLIED CONTROL COMMISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo. URGENZ

Approvazioni

I. a) **Lavori straord.di riparazione del tronco della S.S.n.6 compreso fra la stazione di Caianello e lo Spartimento Abruzzi.**

b) contratto o lavoro diretto **in economia**

c) costo approssimato della perizia **L.2.000.000,= (lire duemilioni)**

d) urgenza del progetto **urgenti ed indifferibili**

e) tempo probabile di esecuzione **giorni 80 (ottanta)**

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante

Declassified E.O. 12356 Section 3.3/NND No. 785019

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo. URGENTI

Approvazioni

I. a) Lavori straord.di riparazione del tronco della S.S.n.6 compreso fra la stazione di Caianello e lo Spartimento Abruzzi.
~~Edificio, corte, strada, stazione elettrica, stazione di pompaggio ubicazione~~

b) contratto o lavoro diretto in economia

c) costo approssimato della perizia L.2.000.000,= (lire duemilioni)

d) urgenza del progetto urgenti ed indifferibili

e) tempo probabile di esecuzione giorni 80 (ottanta)

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. 2.000.000,00 è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

OK, CAF. 2-8-44

Ingegnere Italiano Firma [signature]
CAPO COMPARTIMENTO della Viabilità
Data e luogo Caserta 2 AGO 1944

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data 30 L 1944
L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri~~ fondi [signature] 2 Lt. R.E. 7/8/44
Chief, Public Works Div. P.W & H. Sub-Com. A.C.C.

Reg. Eng. Reg. II 4. Approvato. [signature] 8/8/44 LT. COL. R.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

P (10)

223

105

ALLIED CONTROL COMMISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) ~~Lavori straordinari di riparazione del tratto stallonstrada statal~~ ~~Perizia come strada~~ ~~Riparazione~~ ~~del tratto~~ ~~stallonstrada statal~~ ~~87 "Sannitica"~~ ~~compreso~~ ~~fra Napoli e Caivano~~

b) contratto o lavoro diretto ~~in economia~~

c) costo approssimato della perizia ~~L. 1.600.000.=( un milione e seicentomila)~~

d) urgenza del progetto ~~urgente ed indifferibile.~~

e) tempo probabile di esecuzione ~~mesi tre~~

g) Speciali osservazioni //

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. ~~1.600.000.=~~ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano } Firma

Declassified E.O. 12356 Section 3.3/NND No. 785019

vazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) Lavori straordinari di riparazione del tratto dalla strada statal 87 "Sannitica" compreso fra Napoli e Caivano

b) contratto o lavoro diretto ~~in economia~~

c) costo approssimato della perizia L. I.600.000.=( un milione e seicentomila)

d) urgenza del progetto urgente ed indifferibile.

e) tempo probabile di esecuzione mesi tre

g) Speciali osservazioni //

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. I.600.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano } Firma [signature]

Designazione Ufficiale Capo Comp/to AA.SS.

Data e luogo ~~CASERTA~~ 2 AGO 1944 N° 3478

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data Aug 9 1944

L'Ingegnere Regionale o suo rappresentante

5213

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) Altri fondi [signature] 7/8/44

Chief, Public Works Div. P. W & U. Sub-Com. A.C.C.

4. Approvato. [signature] 8/8/44 Lt. Col. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

Otto EAH 2-8-44

Reg. Eng. Reg. III.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
APO 394

VET/lp

104

23 June 1944

Subject: Estimates.

To : Regional Engineer Officer, Region III.

1. We are forwarding herewith, the following estimates which reached this Sub-Commission without having had your review and consideration:

(a) Maintenance and operation of trucks by the Genio Civile.

(b) Repairs to Highway, Route 91 .

2. If these proposals meet with your approval, please resubmit to this office, together with the proper covering forms and your comments.

27 June

(A) given to Webb to make AC&C/1 forms

V.T. THOMPSON
Lt-Colonel, C.E.
Chief, Public Wks.Div.ACC.

(B) sent to Dunning to prepare forms

action?

5212

Declassified E.O. 12356 Section 3.3/NND No. 785019

103

RWS/fr

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

27 July 1944

Subject: Estimates and Contracts. Transmittal of

To : Regional Engineer Officer, Region III.

1. Attached hereto are the following approved documents.

| Number | Description |
|---|---|
| 57 | Estimate and Contract |
| 86 | Estimate and Contract |
| 105 | Estimate and Contract |
| 142 | Contract |
| 143 | Contract |
| 146 | Contract |
| 150 | Contract |
| 151 | Contract |
| 153 A | Contract |
| 153 B | Contract |
| 155 A | Contract |
| 155 B | Contract |
| 187 | Estimate and Contract |
| 199 | Estimate and Contract |
| 200 | Estimate and Contract |
| 201 | Estimate and Contract |

V.E.THOMPSON
Lt. Col. R.C.E.
Chief, Public Works Div. ACC.

5217

Declassified E.O. 12356 Section 3.3/NND No. 785019

102

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

29 July 1944

Subject: Forms ACC/1.

To : Major, Hyland.

1. The attached Forms ACC/1 have been received from Region III covering work on Highways 18 and 191. These routes are normally under the supervision of Capt. Weeber therefore we are at a loss to understand why these were not originated by him.

2. The description should also include more location detail so that we may ensure that no existing contracts are duplicated.

3. Please review these and give us the benefit of your comments, returning the estimates if, in your opinion, they are justified.

V.S.THOMSTON
Lt. col. F.C.E.
Chief, Public Wks. Div. ACC.

ALLIED CONTROL COMMISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

220

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

101

Perizie- Costo

Approvazioni

I. a) ~~Edificio, ponte~~, strada, ~~stazione elettrica, stazione di pompaggio~~ ubicazione: Militare Pazzuoli - Pagnoli

b) contratto o lavoro diretto lavoro diretto

c) costo approssimato della perizia I.420.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione

f) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. I.420.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo

Firma

Designazione Ufficiale Ing.Capo Comp/to

Data e luogo 10 [illegible] 1944 Nº 2905

b)Approvo il precedente attestato e raccomando l'approvazio

Declassified E.O. 12356 Section 3.3/NND No. 785019

Approvazioni

I. a) Edificio, ponte, strada, stazione elettrica, stazione di pompaggio ubicazione Pozzuoli - Bagnoli

b) contratto o lavoro diretto lavoro diretto

c) costo approssimato della perizia I.420.000.=

d) urgenza del progetto

e) tempo probabile di esecuzione

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. I.420.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo

Ingegnere Italiano

Firma

Designazione Ufficiale Ing.Capo Comp/to

Data e luogo 10-[illegible] Nº2905

b)Approvo il precedente attestato e raccomando l'approvazione Data

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri fondi~~ 59

Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.

22/7/44.

4. Approvato. 31/7/44 LT Col. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

VB/

PUBLIC WORKS AND UTILITIES SUB-COMMISSION - A.C.C. - CHECKED DATE 27/7/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

201

100

COMMISSIONE ALLEATA DI CONTROLLO
SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

Nota: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla sottocommissione del Q.G. una deve essere restituita al Capo dell'area (Lt.Col.Thompson e Magg. Hyland) quando approvata e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

I (a) Lavori straordinari di riparazione del piano viabile nel tratto da Caserta verso S.Maria C.V. della strada statale N.7 "Via Appia"

(b) Se contratto o lavoro in economia. Lavori in economia

(c) Se il contratto include tutti gli elementi - si
se no segnare brevemente cio' che è escluso - ==

(d) Importo della perizia L.2.210.000.=(lire duemilioniduecentodiecimila)

(e) Quante richieste si sono ricevute - I lavori data l'urgenza sono stati affidati all'Impresa Giugliano Ing. Pompeo Giuseppe da Napoli

(f) La più bassa puo' accettarsi - ==

(g) Somma della offerta accettabile - ==

(h) Tempo probabile per l'esecuzione - Mesi tre

(i) Qualsiasi rilievo di importanza - ==

2. Certificati:

(a) Certifico l'acclusa perizia approssimata ammontante a L.2.210.000.00 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo -

l'Ingegnere Italiano (Firma [signature]
(Carica Ufficiale Capo Compartimento AA.SS.
(Data e luogo - Caserta 12 LUG. 1944 N°2224

Declassified E.O. 12356 Section 3.3/NND No. 785019

serta verso S.Maria C.V. della strada statale N.7 "Via Appia"

(b)Se contratto o lavoro in economia. Lavori in economia

(c)Se il contratto include tutti gli elementi - si
se no segnare brevemente cio' che è escluso - ==

(d)Importo della perizia L.2.210.000.=(lire duemilioniduecentodiecimila)

(e)Quante richieste si sono ricevute - I lavori data l'urgenza sono stati affidati all'Impresa Giugliano Ing. Pompeo Giuseppe da Napoli

(f)La più bassa puo' accettarsi - ==

(g)Somma della offerta accettabile - ==

(h)Tempo probabile per l'esecuzione - Mesi tre

(i)Qualsiasi rilievo di importanza - ==

2. Certificati:

(a)Certifico l'acclusa perizia approssimata ammontante a L.2.210.000.00 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo -

l'Ingegnere Italiano (Firma [signature]
Carica Ufficiale Capo Compartimento AA.SS.
Data e luogo - Caserta 12 LUG. 1944 N°2974

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2.210.000..... (cioè offerta accettata)

(I) [signature] data [illegible]

Ingegnere di Campo

5208

(II) [signature] Data 22/7/44

LT. COL. R.C.E.

Ingegnere di carica generale della regione

3. Approvato -

22/7/44

..... IL DIRETTORE DELLA SOTTOCOMMISSIONE

LT. COL., C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

200

ALLIED CONTROL CO'MISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out 99

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) ~~Edificio, ponte, strada, stazione elettrica, stazione di pompaggio od irrigazione~~ Lavori straordinari di riparazione del tronco della Strada Statale n° 7 "Via Appia" compreso fra Benevento e P.Calore

b) contratto o lavoro diretto Lavoro in economia

c) costo approssimato della perizia L. I.085.000 (un milione ed ottantacinquemila)

d) urgenza del progetto Lavori urgenti, intesi ad assicurare la regolarità del traffico su di un'arteria stradale di grande interesse militare

e) tempo probabile di esecuzione mesi tre

g) Speciali osservazioni //

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. I.085.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere } Firma
Italiano } Designazione Ufficiale Capo Compto AA.SS.

11 LUG 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

vazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

Lavori straordinari di riparazione del tronco della Strada Statale

I. a) ~~Edificio, ponte, strada, stazione elettrica, stazione di pompaggio ubicazione~~ n° 7 "Via Appia" compreso fra Benevento e P.Calore

b) contratto o lavoro diretto Lavoro in economia

c) costo approssimato della perizia L. I.085.000 (un milione ed ottantacinquemila)

d) urgenza del progetto Lavori urgenti, intesi ad assicurare la regolarità del transito su di un'arteria stradale di grande interesse militare

e) tempo probabile di esecuzione ____ mesi tra ____

g) Speciali osservazioni //

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. I.085.000.= è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano } Firma [signature]

Designazione Ufficiale Capo Compto AA.SS.

Data e luogo Caserta 11 LUG. 1944 N 2931

b) Approvo il precedente attestato e raccomando l'approvazione [signature] Data 12 Luglio 44

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri fondi~~ 5207 [signature] LT.COL.CE.

Chief, Public Works Div. P.W & U. Sub-Com-A.C.C.

22/7/44

4. Approvato. [signature] 22/7/44 LT. COL, C.E.

Director, P.W.& U. Sub+Commission A.C.C.

VB/

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of work to be carried out.

Form ACC/1. (Estimate)
Rev - 7 June, 1944).

Region III
PROVINCE SALERNO.

Note : This form to be filled in triplicate, one copy to be retained in Sub-Comm. H.Q. File, one to be returned to the Regional Engineer, when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE.

(APPROVALS)

98

1. (a) Building, Bridge, Road, Power Sta., Pumping Sta etc. and Location... Reconstruction of Bridge at Transcesco at CAVA on Hy 18 at Km 47 +100 (A.R.502836).

(b) By contract or direct labor..... Contract.

(c) Amount of approximate estimate..... £5,000,000.

(d) Urgency of project..... PRIORITY I.

(e) Probable time for completion..... 30 September, 1944.

(f) Special Remarks..... Cement to be drawn from A.D. stock. Transportation in A.A.S.S. operated A.D. Vehicles.

2. Certificates.

(a) Certified that the attached approximate estimate amounting to Lire..7,000,000...has been prepared by me, it covers the full requirements of the project and is reasonable in amount.

Italian Engineer.

Signature..P. MANCINI.....

Official Designation..Ing. Capo Compartimento.....

Date and Place..Salerno, 15 June, 1944.....

(b) I agree with the preceding certificate and recommend approval.

RPHE. 16/VI/44

.....Date.....July, 1944.

Regional Engineer.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(b) By contract or direct labor.....

(c) Amount of approximate estimate £5,000,000.

(d) Urgency of project PRIORITY I.

(e) Probable time for completion 30 September, 1944.

(f) Special Remarks. Cement to be drawn from A.D. stock.
Transportation in A.A.S.S. operated M.D. Vehicles.

2. Certificates.

(a) Certified that the attached approximate estimate amounting to Lire 7,000,000 has been prepared by me, it covers the full requirements of the project and is reasonable in amount.

Italian Engineer.
Signature P. MANCINI
Official Designation Ing. Capo Compartimento.
Date and Place Palermo, 15 June, 1944.

(b) I agree with the preceding certificate and recommend approval.

RO Lle. 16/VII/44 ..... Date JULY 1944.
Regional Engineer, or his Representative.

3. APPROVED. (Highway Fund) ~~(Other Funds)~~ J. Thomson 22/7/44
Chief, Public Works Div. P.W. & U. Sub-Comm. A.C.C.

4. APPROVED. 22/7/44 LT. COL. C.E.
Director, Public Works and Utilities Sub-Commission, A.C.C.

5206

Copy for Sub-Commission H.Q. ✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

197

Ist. Ind.

CU-706

Hq. Region 3, ACC., APO 394, U.S. Army, 19 July 1944

TO: Advance Headquarters Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. V.S. Thompson)

Forwarded.

LESTER J. HENSLEY
Lt. Col. C.E.
Regional C.U.Officer
Region 3.

LJH/pc.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

REGION III - PUBLIC WORKS DIVISION EPW/St.

Salerno Area. Field Office.

Ref : SAL/2.5/2/PWU. 19 July, 1944.

Subject : Approval for Reconstruction Bridge at CAVA.

To : A.C.C., Public Works and Utilities Sub-Commission,
Public Works Division,
(Att : Lt.-Col. V.S. Thompson).

Through : Regional Engineer, Region III.
(Att : Lt.-Col. Hensley).

1. There are enclosed for your approval 4 copies each of Forms ACC/1 and ACC/2 for the reconstruction of Bridge S. Francesco at CAVA, on Highway No.18 at Km 47 + 100 (LR 602326).

2. The plans have been approved by the Chief Engineer, III District, C.M.F., per letter dated 25 June, 1944, File No. CE.4513.

3. It is the understanding of this office, that copies of plans are already on file at Sub-Commission H.Qs. office.

Richard P. Weeber.
RICHARD P. WEEBER,
Capt., C.E.,
Field Engineer.

2 Incls -

Incl 1 - Form ACC/1 (4 copies).
Incl 2 - Form ACC/2 (4 copies).

5207

Allo scopo
Perizia n°. 7/6/1944 )

169

97

Sotto-Commissione Lavori Pubblici e Servizi

Perizia di lavori da farsi

Nota: questo modulo deve essere riempito in triplice copia: una copia deve essere trattenuta alla Sotto-Commissione C.C., una deve essere restituita all'Ufficiale Regionale, appena approvata, ed una deve essere spedita al Ministero dei Lavori Pubblici.

PERIZIA - PER A LAVORI

1- (a) Strada : Qualiano - Pozzuoli

(b) Per contratto o in economia a contratto
(c) Importo della perizia approssimata L. 2.650.000.=
(d) Oggetto del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) annotazioni speciali : Perizia redatta dall'Ing/re Prov. di Napoli

2 - CERTIFICATI:

(a) Certifico che l'anzidetta perizia approssimativa, dell'importo di lire I.407.520.= è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma

Grado Ufficiale: Capo Comp/t. delle Pubbliche

L'Ingegnere Italiano

Data e luogo Caserta 27-6-1944 N°2639

(b) Con d'accordo con il precedente certificato io raccomando l'approvazione.

Data

Ingegnere regionale o suo rappresentante

3- Approvato ( data della stessa)

( Allied Comm )

Declassified E.O. 12356 Section 3.3/NND No. 785019

1- (a) Strada : Qualiano - Pozzuoli a contratto

(b) Per contratto o in economia

(c) Importo della perizia approssimata L. 2.650.000.=

(d) Urgenza del progetto

(e) Tempo probabile per l'esecuzione 31.12.1944

(f) Annotazioni speciali : Perizia redatta dall'Ass/te Ing. Al Sepoli

2 - OSSERVAZIONI

(a) Certifico che l'anzidetta perizia approssimata, dell'importo di lire I.407.520.= è stata approvata da me; essa è pienamente rispondente al progetto ed è ragionevole nell'importo.

Firma

Grado Ufficiale: Capo Comp/to delle Strade

Data e luogo Caserta 24-6-1944 N° 2639

L'Ingegnere Italiano

(b) Non d'accordo con il precedente certificato e raccomando l'esecuzione.

Data

Ingegnere regionale o suo rappresentante

3- Approvato ( tanto delle strade ~~e altri lavori~~ )

CAPO UFFICIO LAVORI PUBBLICI PUBBLICA AMM. A.M.G.S. DELL'ACC.

4 - Approvato 10/7/44

DIRETTORE LL.PP. & U. PUBBLICA AMM. A.M.G.S. DELL'ACC.

VB/

5203

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AGO/1
(Estimate
Reg-7 June 44)

189

96

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND BUILDING RE-CONSTRUCTION

Estimate of work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comm. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

CONTRACT - GENERAL STANDARD

( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Pontana Nuova Bridge Positano .....

(b) By contract or direct labour Contract .....

(c) Amount of approximate estimate Lire 575.000,00 .....

(d) Urgency of project Requested by Sub-Area .....

(e) Probable time for completion completed .....

(f) Special remarks To open up area for rest camps and training work completed but not paid for. .....

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 575.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation Ing. Capo Ufficio Tecnico Prov.le

Date, and place Salerno

(b) I agree with the [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, Sewer, Sta, Pumping Sta etc, and location: Fontana Nuova Bridge Positano

(b) By contract or direct labour: Contract

(c) Amount of approximate estimate: Lire 575.000,00

(d) Urgency of project: Requested by Sub-Area

(e) Probable time for completion: completed

(f) Special remarks: To open up area for rest camps and training work completed but not paid for.

2. Certification:

(a) Certified that the attached approximate estimate amounting to Lire 575.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature: [signature]

Official designation: Ing Capo Ufficio Tecnico Prov.le

Date, and place: Salerno

(b) I agree with the preceding certificate and recommend approval

[signature]
Capt. Engineer, or his representative.

3. Approved: (Highway Fund) (Public Funds)

[signature] 14/7/44
Chief, Public Works, F.W.T.U. Subsection A.C.C.

5209

4. Approved. [signature] 15/7/44
Director, F.W.T.U. Sub-Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rey-7 June 44)

188

95

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comman. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location ..... Bridge Sala di Corbara
   (b) By contract or direct labour ..... Contract
   (c) Amount of approximate estimate ..... Lire 170.000,00
   (d) Urgency of project ..... Military Requeste
   (e) Probable time for completion ..... one month from 1st July
   (f) Special remarks ..... cement supplied by R.E. a Bailey Bridge is to be replaced.

2. Certificates :

   (a) Certified that the attached approximate estimate amounting to Lire ..... 170.000,00 ..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation Ing. Capo Ufficio Tecnico Prov.le

Date, and place ..... Salerno

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Bridge Sala di Corbara

(b) By contract or direct labour Contract

(c) Amount of approximate estimate Lire 170.000,00

(d) Urgency of project Military Requests

(e) Probable time for completion one month from 1st July

(f) Special remarks cement supplied by R.E. a Bailey Bridge is to be replaced.

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 170.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature *Ing. Capo Ufficio Tecnico Prov.le*

Official designation *Ing. Capo Ufficio Tecnico Prov.le*

Date, and place *Salerno*

(b) I agree with the preceding certificate and recommend approval.

*Luig Henry - Lt Col C E* Date *Luig 19, 1944*

Regional Engineer, or his representative.

3. Approved. (Highway Fund) ~~(Other funds)~~ *H. L. Thompson Lt Col C.E. 14/7/44*

Chief, Public Works Div. P.W.& U. Sub-Com. A.C.C.

4. Approved. *5/8/7/44* *Lt. Col. C.E.*

Director Public Works and Utilities. Sub-Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1877

94

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

Nota: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al Capo dell'area (Lt Col Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

I (a) Fabbricati, ponti, strada, centrale di ..... Lavori straordinari di riparaz.piano viabile tratto da Capua verso S.Maria C.V. della S.S.n.7 Appia .....

(b) Se contratto o lavoro in economia..... Lavori in economia

(c) Se il contratto include tutti gli elementi se no segnare brevemente ciò che è escluso.....

(d) Importo della perizia..... L.1.750,000,(lire unmilionesettecentocinquantamila)

(e) Quante richieste si sono ricevute la più alta e la più bassa. I lavori sono stati affidati alla Impresa SEPE Nunzio da Afragola.

(f) La più bassa può accettarsi ? se non perchè?..... =

(g) Somma della offerta accettabile..... =

(h) Tempo probabile per l'esecuzione..... mesi tre

(i) Qualsiasi rilievo di importanza..... =

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L. 1.750.000,00 è stata preparata da me: essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

l'Ingegnere Italiano { Firma.....
Carica ufficiale.....
Data e luogo.....

(b) Approvo il precedente attestato e rilascio l'approvazione della somma di L..... (cioè of...

Capo Compartimento della A.A.S.S.
Caserta 12 LUG. 1944 N°2995

Declassified E.O. 12356 Section 3.3/NND No. 785019

I (a) Fabbricati, ponti, strada, centrale di
**Lavori straordinari di riparaz.piano viabile stratto da Capua verso S.Maria C.V. della S.S.n.7 e Appia** località.....
.....

(b) Se contratto o lavoro in economia.....
**Lavori in economia**

(c) Se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso.....

(d) Importo della perizia.....
**L.1.750.000,(lire unmilionesettecentocinquantamila)**

(e) Quante richieste si sono ricevute .....
la più alta e la più bassa. **I lavori sono stati affidati al la Impresa SEPE Nunzio da Afragola**

(f) La più bassa può accettarsi ? se non perchè?.....
=

(g) Somma della offerta accettabile.....
=

(h) Tempo probabile per l'esecuzione.....
**mesi tre**

(i) Qualsiasi rilievo di importanza.....
=

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L..... è stata preparata da me: essa rispon
**1.750.000,00**
da a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

l'Ingegnere Italiano { Firma..... Carica ufficiale..... Data e luogo.....

**Capo Compartimento della A.A.S.S.**
**Caserta 12 LUG. 1944 N°2975**

(b) Approvo il precedente attestato e dò quindi l'approvazione della somma di L.....(cioè offerta accetta ta)

(I) ..... Data 12 July 44
Ingegnere di Campo

(II) J.V.Thompson Data 22/7/44
LT.COL.R.I.E.
Ingegnere in carica generale della regione

3 Approvato
..... 22/7/44
Il Direttore della Sottocommissione
LT. COL., C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rev-7 June 44)

186
43

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB- COMMISSION

Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comm. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATE - CAPITAL EXPENDITURE

( APPROVALS ) Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location . . . . . Bridge over Alento Prov. Road 14

(b) By contract or direct labour . . . . . contract

(c) Amount of approximate estimate . . . . . Lire 450.000,00

(d) Urgency of project . . . . . urgent for agriculture and R.A.F.

(e) Probable time for completion . . . . . 3 months

(f) Special remarks . . . . . requested by R.A.F. also opens up important agricultural area

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 450.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature [signature]

Official designation Ing. Capo Ufficio Tecnico Provle

Date, and place . . . . . Salerno

(b) I agree with the preceding certificate and recommend approval

Declassified E.O. 12356 Section 3.3/NND No. 785019

(APPROVALS) Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location . . . Bridge over Alento Prov. Road 14 . . .

(b) By contract or direct labour . . . contract . . .

(c) Amount of approximate estimate . . Lire 450.000,00 . . .

(d) Urgency of project . . . urgent for agriculture and R.A.F. . . .

(e) Probable time for completion . . . 3 months . . .

(f) Special remarks . . . requested by R.A.F. also opens up important agricultural area . . .

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 450.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer — Signature Ing. Capo Ufficio Tecnico Prov.le
Official designation
Date, and place Salerno

(b) I agree with the preceding certificate and recommend approval

Date 10.6.44
Regional Engineer, or his representative.

3. Approved. (Highway Fund) (~~Other funds~~) Chief, Public Works Div. P.W.& U. Sub-Comm. A.C.C. 14/7/44

4. Approved. 15/7/44 Lt. Col. C.E.
Director, P.W. & U. Sub-Commission A.C.C.

5199

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rey-7 June 44)

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comm. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc; and location ..2 Bridges Prov. Road 12 at Km. 11-12 and 12-13.....

(b) By contract or direct labour ..Contract.....

(c) Amount of approximate estimate ..Lire 375.000,00.....

(d) Urgency of project ..completed.....

(e) Probable time for completion ...completed.....

(f) Special remarks ...these two bridges were rebuilt at request of Military Authorities to allow for traffic diversion. Balance not yet paid Lira 158.250,00 -.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire 375.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and ...

Declassified E.O. 12356 Section 3.3/NND No. 785019

( APPROVALS ) Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc; and location ..2 Bridges Prov. Road 12 at Km. 11-12 and 12-13.....
(b) By contract or direct labour ..Contract.....
(c) Amount of approximate estimate ..Lire 375.000,00.....
(d) Urgency of project ..completed.....
(e) Probable time for completion ...completed.....
(f) Special remarks ...these two bridges were rebuilt at request of Military Authorities to allow for traffic diversion. Balance not yet paid Lira 158.250,00 -.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire 375.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and recommend approval/

.....Date .....
Regional Engineer, or his representative.

3. Approved. (Highway Fund)
~~(Other funds)~~

.....
Chief, Public Works Div. P.W.& U. Sub-Commis.
A.C.C.

4. Approved.

.....LT. COL. C.E.
Director Public W. & U. Sub-Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rey-7 June 44)

183 V

# ALLIED CONTROL COMMISSION
## PUBLIC WORKS AND UTILITIES SUB-COMMISSION
## Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Commission H.Q., File, one copy to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

## ESTIMATES - CAPITALS EXPENDITURE
## ( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location .Bridge Camerelle Prov. Road 4.
(b) By contract or direct labour .contract
(c) Amount of approximate estimate .Lire 380.000,00
(d) Urgency of project ..Requested by Military
(e) Probable time for completion ..one month from 1st July
(f) Special remarks .Bridge connects with highway 18 and troop area have been requested by Sub-Area to complete.

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire .380.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer
Signature .....Giuseppe Mirabella.....
Official designation Sg. Capo Ufficio Tecnico Provle
Date, and place .....Salerno.....

(b) I agree with the preceding certificate and recommend approval.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Bridge Camerelle Prov. Road 4.

(b) By contract or direct labour contract

(c) Amount of approximate estimate Lire 380.000,00

(d) Urgency of project Requested by Military

(e) Probable time for completion one month from 1st July

(f) Special remarks Bridge connects with highway 18 and troop area have been requested by Sub-Area to complete.

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 380.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature [signature]

Official designation Ing. Capo Ufficio Tecnico Prov.le

Date, and place Palermo

(b) I agree with the preceding certificate and recommend approval.

[signature] Date 16 July 44

Regional Engineer, or his representative.

3. Approved. (Highway Fund) ~~(Other funds)~~ [signature] Lt Col C E 19 July 44

Chief, Public Works Div. P.W.& U. Sub-Com. A.C.C.

5197

4. Approved. [signature] 15/7/44 Lt. Col. C.E.

Director, P.W. & U. Sub- COMMISSION A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Roy-7 June 44)

182

89

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comm. H.Q., File; one to be returned to the Regional Engineer when approved; and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Pentaniello Bridge Positano....

(b) By contract or direct labour ..Contract.....

(c) Amount of approximate estimate ..Lire 380.000,00.....

(d) Urgency of project ...Requested by Sub-Area.....

(e) Probable time for completion ...Completed.....

(f) Special remarks ..94 Sub-Area requested urgent reconstruction..... work completed not paid for .....

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire ..380.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation Ing. Capo Ufficio Tecnico Prov.le

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Pentariello Bridge Positano....

(b) By contract or direct labour .Contract.....

(c) Amount of approximate estimate ..Lire 380.000,00.....

(d) Urgency of project ...Requested by Sub-Area.....

(e) Probable time for completion ...Completed.....

(f) Special remarks .94 Sub-Area requested urgent reconstruction.....
work completed not paid for
.....

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 380.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer

Signature .....

Official designation Ing. Capo Ufficio Tecnico Prov.le

Date, and place .....Salerno.....

(b) I agree with the preceding certificate and recommend approval

.....
Regional Engineer, or his representative

3. Approved. (Highway Fund)
~~(Other funds)~~ .....
Chief, Public Works Div. P.W.& U. Sub-Com. A.C.C.

5196

4. Approved. .....
Director, P.W.& U. Sub-Commission A.C.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rey-7 June 44)

180
87

ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION
Estimate of Work to be carried out

Note : This form to be filled in triplicate; one copy to be retained in Sub-Commn. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

## ESTIMATE - CAPITAL EXPENDITURE

( APPROVALS )

Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location ..Bridge Mezzatorre Prov. Road 14
   (b) By contract or direct labour ..Contract
   (c) Amount of approximate estimate ..Lire 300.000,00
   (d) Urgency of project ....Requested by R.A.F.
   (e) Probable time for completion ...completed
   (f) Special remarks ...The R.A.F. Station in vicinity requested reconstruction

2. Certificates :

   (a) Certified that the attached approximate estimate amounting to Lire .300.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

   Italian Engineer
   Signature ...[signature]
   Officiale designation Ing. capo Ufficio Tecn. Dist.
   Date, and place .....Salerno

   (b) I agree with the preceding certificate and recommended approval

120 [signature] 17 Lug. 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

( APPROVALS ) Salerno Province

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location .Bridge Mezzatorre Prov. Road 14
   (b) By contract or direct labour ..Contract
   (c) Amount of approximate estimate ..Lire 300.000,00
   (d) Urgency of project ....Requested by R.A.F.
   (e) Probable time for completion ...completed
   (f) Special remarks ...The R.A.F. Station in vicinity requested reconstruction

2. Certificates :

   (a) Certified that the attached approximate estimate amounting to Lire .300.000,00..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

   Italian Engineer
   Signature ...[signature]
   Officiale designation Ing. capo Ufficio Tecnico Prov.
   Date, and place .....Salerno

   (b) I agree with the preceding certificate and recommended approval

   [signature] Lieut. Comm. - C.E. July 10, 1944
   Regional Engineer, or his representative.

3. Approved. (Highway Fund)
   ~~(Other funds)~~ [signature] W.C.R.C.E. 14/7/44.
   Chief, Public Works Div. P.W. & U. Sub-Com. A.C.C.

4. Approved. [signature] 15/7/44 LT. COL. C.E.
   Director, P.W. & U. Sub-Commission A.C.C.

5197

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

Sotto-Commissione Lavori Pubblici e Servizi

Perizia di lavori da farsi

179
56

NOTA: Questo modulo deve essere riempito in triplice copia, una copia deve essere trattenuta alla Sotto-Commissione Q.G., una deve essere restituita all'Ufficiale Regionale, appena approvata; ed una deve essere mandata al Ministero dei Lavori Pubblici -

PERIZIE = SPESE APPROVAZIONI -

1 - (a) strada 7 bis - Napoli Avellino

(b) Per contratto o in economia - Lavori in Amministrazione diretta
(c) Importo della perizia approssimata - L. 3.466.000.00
(d) urgenza del progetto
(e) tempo probabile per l'esecuzione - mesi due
(f) annotazioni speciali

2- CERTIFICATI :

(a) Certifico che l'acclusa perizia approssimata, dell'importo di lire 3.466.000 è stata preparata da me, essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma

Carica Ufficiale

Data e Luogo Caserta 4. 7. 1944

(b) Son d'accordo con il precedente certificato e raccomando la approvazione

Data

Ingegnere regionale e suo rappresentante

3- Approvato ( fondo della strada)
( altri fondi)

Capo Divisione Lavori Pubb. della Sotto-Commissione

Lt. Col. R.C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1 - (a) strada 7 bis - Napoli Avellino

(b) per contratto o in economia - Lavori in Amministrazione diretta
(c) Importo della perizia approssimata - L. 3.466.000.00
(d) urgenza del progetto
(e) tempo probabile per l'esecuzione - mesi due
(f) annotazioni speciali

2- CERTIFICATI :

(a) Certifico che l'accluso perizia approssimata, dell'importo di lire 3.466.000 è stata preparata da me, essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma

Valore Ufficiale

Data e Luogo Caserta 4. VII 1944

(b) Son d'accordo con il precedente certificato e raccomando la approvazione

Data

Ingegnere regionale e suo rappresentante

3- Approvato ( fondo della strada)
( ~~olesi Sarai~~)

CAPO DIVISIONE LAVORI PUBB. DELLA SOTTO-COMM. P.W. & U. DELL'ACC.

4- Approvato

DIRETTORE P.W. & U. SOTTO-COMMISSIONE ACC.

5194

Declassified E.O. 12356 Section 3.3/NND No. 785019

RB

178
85

## COMMISSIONE ALLEATA DI CONTROLLO

### Sottocommissione Lavori e Servizi Pubblici

### Perizia lavori da farsi

NOTA - Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.,una deve essere restituita al Capo dell'Area (It.Col.Thompson) e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

### PERIZIE - COSTO - APPROVAZIONE

I- (a) Lavori di ricostruzione del ponte sul torrente Tremolizzi,alla progress. km.300+120 della S.S.n.7 "Appia"
(b) se contratto o lavoro in economia:Contratto
(c) se il contratto include tutti gli elementi: si
se no segnare brevemente ciò che è escluso =
(d) Importo della perizia: L.3.200.000,00 (tremilioniduecentomila)
(e) Quante richieste si sono ricevute:: n.6
la più alta dell'Imp.Cipriani Raffaele per L.4.800.000,00 e la più bassa dell'Impresa Campanella & Caputo per L.2.700.000,00
(f) La più bassa può accettarsi ? : si
(g) Somma della offerta accettabile e L.3.200.000,00 delle quali lire 2.700.000,- per lavori a base d'asta e L.500.000,00 a disposizione dell'Amministrazione
(h) Tempo probabile per l'esecuzione: mesi quattro
(i) qualsiasi rilievo di importanza =

2 - Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.3.200.000, è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

OR. CBF 1-7-44

L'Ingegnere Firma . . . . . .

Italiano Carica Ufficiale: Capo Compartimento Viabilità Caserta

Caserta li, 7-7-1944 N° 2883

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L..... ( cioè offerta accett...

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIE - COSTO - APPROVAZIONE

I- (a) Lavori di ricostruzione del ponte sul torrente Tremolizzi, alla progress. Km.300+120 della S.S.n.7 "Appia"
(b) se contratto o lavoro in economia: Contratto
(c) se il contratto include tutti gli elementi: si
se no segnare brevemente ciò che è escluso =
(d) Importo della perizia: L.3.200.000,00 (tremilioniduecentomila)
(e) Quante richieste si sono ricevute:: n.6
la più alta dell'Imp.Cippiani Raffaele per L.4.800.000,00 e la più bassa dell'Impresa Campanella & Caputo per L.2.700.000,00
(f) La più bassa può accettarsi ? : si
(g) Somma della offerta accettabile e L.3.200.000,00 delle quali lire 2.700.000,- per lavori a base d'asta e L.500.000,00 a disposizione dell'Amministrazione
(h) Tempo probabile per l'esecuzione: mesi quattro
(i) qualsiasi rilievo di importanza =

2 - Certificati:
(a) Certifico che l'acclusa perizia approssimata ammontante a L.3.200.000, è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

OR. CBF 1-7-44

L'Ingegnere Firma . . . . . .
Italiano Carica Ufficiale: Capo Compartimento Viabilità Caserta
Caserta li, 7-7-1944 N° 2883

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L..... ( cioè offerta accettata)

(1) . . . . . data . . . . . .
Ingegnere di Campo
LT. COL. R.C.E. 15 July 44
(II) . . . . . data . . . . . .
Ingegnere in carica generale della regione

3 - Approvato
. . . . . 10 7 44 519
IL DIRETTORE DELLA SOTTOCOMMISSIONE
LT. COL. C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

177/84

Perizia lavori da farsi

NOTA: Questo modello dev'essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G. una deve essere restituita al Capo dell'area (Lt.Col.Thompson e magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

1-(a) lavori di ricostruzione del ponte alla prog.Km.ca 56+630 della strada, Stat.n.7bis "Di Terra di Lavoro" danneggiato in seguito ad azioni belliche.

(b) se contratto o lavoro in economia: contratto

(c) se il contratto include tutti gli elementi: si
se no segnare brevemente ciò che è escluso

(d) importo della perizia L.1.290.000,00 (lire un milione duecentonovantamila delle quali L.1.100.000,00 per lavori a base d'asta e L.190.000, a disposizione dell'Amministrazione

(e) quante richieste si sono ricevute: n.4
la più alta dell'impresa Campanelle e Caputo per L.1.632.000,00 e la più bassa dell'impresa Attena Ing.Sebastiano per L.1.100.000,-

(f) La più bassa può accettarsi: Sì

(g) somma della offerta accettabile L.1.290.000,00 delle quali L.1.100.000, per lavori a base d'asta e L.190.000,00 a disposizione dell'Amm.ne

(h) Tempo probabile per l'esecuzione: mesi quattro

(i) qualsiasi rilievo d'importanza

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.1.290.000, è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

L'Ingegnere Italiano — Firma. [signature]
Carica Ufficiale: Capo Compartimento Viabilità
Data e luogo: Caserta 6 Luglio 1944 N° 2845

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. . . . . ( cioè offerta accettata )

( I ) . . . . . data . . . . . .

Ingegnere di Campo

Declassified E.O. 12356 Section 3.3/NND No. 785019

1-(a) lavori di ricostruzione del ponte alla prog.Km.ca 56+650 della strada, Stat.n.7bis "Di Terra di Lavoro" danneggiato in seguito ad azioni belliche.

(b) se contratto o lavoro in economia: contratto

(c) se il contratto include tutti gli elemanti: si
se no segnare brevemante ciò che è escluso

(d) importo della perizia L.1.290.000,00 (lire un milione duecentonovantamila delle quali L.1.100.000,00 per lavori a base d'asta e L.190.000, a disposizione dell'Amministrazione

(e) quante richieste si sono ricevute: n.4
la più alta dell'Impresa Campanella e Caputo per L.1.632.000,00 e la più bassa dell'impresa Attena Ing.Sebastiano per L.1.100.000,-

(f) La più bassa può accettarsi: Si

(g) somma della offerta accettabile L.1.290.000,00 delle quali L.1.100.000, per lavori a base d'asta e L.190.000,00 a disposizione dell'Amm.ne

(h) Tempo probabile per l'esecuzione: mesi quattro

(i) qualsiasi rilievo d'importanza

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.1.290.000, è stata preparata da me; essa risponde a tutti i dati richiesti del progetto, ed è ammissibile nell'importo.

L'Ingegnere Italiano — Firma. [signature]
Carica Ufficiale: Capo Compartimento Viabilità
Data e luogo: Caserta 6 luglio 1944 N° 2845

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. . . . . ( cioè offerta accettata )

( I ) . . . . . Data . . . . . .

Ingegnere di Campo

( II ) [signature] data Lt.Col. R.C.E. 15 July '44

[signature] Lt. Col C.E.
Ingegnere in carica generale della regione

5° Approvato

/ . . . . . 15/7/44
Il SOPRINTENDENTE della SOTTOCOMMISSIONE
5192
LT. COL. C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RB

COMMISSIONE ALLEATA DI CONTROLLO

Sottocommissione lavori e servizi pubblici

176
83

Perizia lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G. una deve essere restituita al Capo dell'area (Lt.Col.Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato n.2.

PERIZIA - COSTO - APPROVAZIONE

I (a) Lavori di costruzione di n.3 arcate del ponte sul fiume Calore alla progressiva Km.ca 0.280 della strada statale n.90 "delle Puglie"

(b) Se contratto o lavoro in economia: Contratto

(c) Se il contratto include tutti gli elementi: Si
se no segnare brevemente ciò che è escluso

(d) Importo della perizia : L.4.000.000,00 (lire quattromilioni)

(e) Quante richieste si sono ricevute : n°6
la più alta di L.5.800.000,00 e la più bassa di L.4.000.000,00

(f) La più bassa può accettarsi? Può accettarsi l'offerta della Impresa VINCIGUERRA Ottone da Ariano (Avellino) perchè la più conveniente per l'Amministrazione

(g) Somma della offerta accettabile: L.4.000.000,00 delle quali L.3800000,00 per lavori a base d'asta e L.820.000,00 a disposizione dell'Amministr.

(h) Tempo probabile per l'esecuzione: mesi quattro

(i) Qualsiasi rilievo di importanza

2 Certificati:

(a) Certifico che l'accluso perizia approssimata ammontante a L.4.000.000, è stata preparata da me: essa risponde a tutti i dati richiesti del progetto, ed è ammissibile nell'importo.

L'Ingegnere

Carica Ufficiale: Capo Compartimento d/Viabilità

Data e luogo: Caserta li 19.6.1946 n: 2446

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 4.000.000 (cioè l'offerta accettata)

Data [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

esclusiva km.da 0.200 della strada statale n°go "delle Puglie"

(b) Se contratto o lavoro in economia: Contratto

(c) Se il contratto include tutti gli elementi: Si
se no segnare brevemente ciò che è escluso

(d) Importo della perizia : L.4.000.000,~~00~~ (lire quattromilioni)

(e) Quante richieste si sono ricevute : n°6
la più alta di L.5.800.000,~~00~~ e la più bassa di L.4.000.000,~~00~~

(f) La più bassa può accettarsi? Può accettarsi l'offerta della Impresa VINCIGUERRA Ottone da Ariano (Avellino) perchè la più conveniente per l'Amministrazione

(g) Somma della offerta accettabile: L.4.000.000,~~00~~ delle quali L.3800000,~~00~~ per lavori a base d'asta e L.820.000,~~00~~ a disposizione dell'Amministr.

(h) Tempo probabile per l'esecuzione: mesi quattro

(i) Qualsiasi rilievo di importanza

2 Certificati:

(a) Certifico che l'accluse perizia approssimata ammontante a L.4.000.000, è stata preparata da me: essa risponde a tutti i dati richiesti del progetto, ed è ammissibile nell'importo.

L'Ingegnere Firmato

Carica Ufficiale: Capo Compartimento di Viabilità

Data e luogo: Caserta li 19.6.1944 A. XXII

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 4.000.000 (cioè l'offerta accettata)

Firmato, Data 20 June 44

Ingegnere di Campo

(II) . . . . . data . . . . . .

Ingegnere in carica generale della Regione

3 APPROVATO 15/7/44 Lt-Col. C.E.

. . . . . Per IL DIRETTORE DELLA SOTTOCOMMISSIONE

24/6/44.

5 Approved

Declassified E.O. 12356 Section 3.3/NND No. 785019

Letter from me 5.10

approved by CC 3 Dec 43 CC 4513 dated 25 June 44

COMMISSIONE ALLEATA DI CONTROLLO
SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI
Perizie lavori da farsi

1/15
62

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del C.C. una deve essere restituita al capo dell'area, (LT COL THOMPSON E MAGG. HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato -

PERIZIE = COSTO = APPROVAZIONE

I) a) Lavori di ricostruzione del ponte presso il bivio per S. Martino, alla progressiva km. ca 247+850 della strada statale n. 7 "Via Appia"

b) Contratto

c) se il contratto include tutti gli elementi si se non segnare brevemente ciò che è incluso

d) l'importo della perizia I.I. 430.000.00 (lire unmilionequattrocentotremila)

e) quante richieste si sono ricevute N. 2
la più alta dell'Impresa Annini Salvatore; la più bassa dell'Impresa Carracchio Ing. Crescenso -

(f) la più bassa può accettarsi

g) somma dell'offerta accettabile I.I. 320.000.00 per lavori a base di asta e L. 310.000.00 a disposizione dell'Amm.ne per lavori in economia e spese impreviste

h) tempo probabile per la esecuzione - Mesi quattro a decorrere dalla data di consegna

i) qualsiasi rilievo d'importanza - ==

2) - CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a I.I. 430.000 è stata preparata da me essa risponde a tutti i dati richiesti dal

Declassified E.O. 12356 Section 3.3/NND No. 785019

approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato -

PERIZIE = COSTO = APPROVAZIONE

1) a) lavori di ricostruzione del ponte presso il bivio per S.Martino, alla progressiva km.ca 247+650 della strada statale n. 7 "Via Appia"

b) Contratto

c) se il contratto include tutti gli elementi si se non segnare brevemente ciò che è incluso

d) l'importo della perizia L.I. 430.000.~~00~~ (lire unmilionequattrocentotrentamila)

e) quante richieste si sono ricevute N.2 la più alta dell'Impresa Amnini Salvatore; la più bassa dell'Impresa Carracchio Ing. Crescenzo -

(f) la più bassa può accettarsi

g) somma dell'offerta accettabile L.I.I20.000.00 per lavori a base di asta e L. 3I0.000.~~00~~ a disposizione dell'Amm.ne per lavori in economia e spese impreviste

h) tempo probabile per la esecuzione - Mesi quattro a decorrere dalla data di consegna

i) qualsiasi rilievo d'importanza - ==

2) -CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L.I.430.000 è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

firma - L'INGEGNERE CAPO COMPARTIMENTO
(R. Mancini)

l'Ingegnere italiano (carica ufficiale)

(data e luogo

b) approvo il precedente attestato e raccomando l'approvazione della somma di L. 430.000 (cioè offerta accettata)

(I) [illegible] . (data 5.9.44

L'INGEGNERE DI CAMPO

(II) [illegible] (data 15/7/44

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO 15/7/44 Lt-Col. C.E.

. . . . . Per IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Modulo ACC/1
(Perizia Rif.7/6/44)

COMMISSIONE ALLEATA DI CONTROLLO
Sottocommissione Lavori Pubblici e Servizi
Perizia di lavoro da farsi

RB

19
174
81

NOTA-Questo modello deve essere riempito in triplice copia;una deve essere trattenuta alla Sottocommissione Q.G.; una deve essere restituita all'Ufficiale Regionale,appena approvata; ed una deve essere mandata al Ministero dei Lavori Pubblici.

PERIZIE - SPESA -APPROVAZIONE

1 - (a) Strada Statale n.7 "Domitiana" - Tronco:Agnano-Pozzuoli

(b) per contratto o in economia: in economia

(c) importo della perizia approssimata : L.1.200.000,

(d) urgenza del progetto: urgente
(e) tempo probabile per l'esecuzione: mesi uno
(f) annotazioni speciali:Impresa Ferrobeton

2 - Certificati

(a) certifico che l'acclusa perizia approssimata dell'importo di lire è stata preparata da me: essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma: Ing. Francesco

Carica Ufficiale: Capo Compartimento Viabilità

Data e luogo: Caserta li 3 LUG 1944 N°2760

(b) Son d'accordo con il precedente certificato e raccomando la approvazione.

Data 4 July 44

Ingegnere Regionale e suo rappresentante

3 - Approvato (fondo della strada)
( ~~altri fondi~~ )

CAPO DIVISIONE LAVORI PUBBLICI della SOTTOCOMMISSIONE P.W.U.del-

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIE - SPESA -APPROVAZIONE

1 - (a) Strada Statale n.7 "Domitiana" - Tronco:Agnano-Pozzuoli

(b) per contratto o in economia: in economia

(c) importo della perizia approssimata : L.1.200.000,

(d) urgenza del progetto: urgente
(e) tempo probabile per l'esecuzione: mesi uno
(f) annotazioni speciali:Impresa Ferrobeton

2 - Certificati

(a) certifico che l'acclusa perizia approssimata dell'importo di lire è stata preparata da me: essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma:

Carica Ufficiale: Capo Compartimento Viabilità

Data e luogo: Caserta li 3 LUG 1944 N°2760

(b) Son d'accordo con il precedente certificato e raccomando la approvazione.

Data 9-July '44

Ingegnere Regionale e suo rappresentante

3 - A pprovato (fondo della strada)
( altri fondi )

CAPO DIVISIONE LAVORI PUBBLICI della SOTTOCOMMISSIONE P.W.U.dell'A.C.C.

4 - APPROVATO 10/7/44

DIRETTORE P.W. & U. SOTTO-COMMISSIONE ACC

5184

Declassified E.O. 12356 Section 3.3/NND No. 785019

(25)
178
80

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

Ba: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G. una deve essere restituita al Capo dell'area ( Lt.Col.Thompson e Magg. Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2

PERIZIE = COSTO = APPROVAZIONE

a) Lavori di ricostruzione del ponte Melito sul fiume Ufita alla progressiva Km.ca 14+320 della strada statale n.90 "Delle Puglie"

b) Se contratto o lavoro in economia - Contratto

c) Se il contratto include tutti gli elementi - si

d) Importo della perizia L.4.500.000.00(lire quattromilionicinquecentomila)

e) Quante richieste si sono ricevute N.5 la più alta di L. 6.300.000.00 e la più bassa di L.4.500.000.00

f) La più bassa può accettarsi- Può accettarsi l'offerta dell'Impresa Mascolini Adorno da Ariano (Avellino) perchè la più conveniente per l'Amm/ne

g) Somma della offerta accettabile L.4.500.000.00 delle quali L.3.600.000.00 perlavori a base d'asta e L.900.000.00 a disposizione dell'Amministrazione

h) Tempo probabile per l'esecuzione - Mesi quattro

i) Qualsiasi rilievo di importanza -

- CERTIFICATI :

a) Certifico che l'acclusa perizia approssimata ammonta a L. 4.500.000.00 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

l'Ingegnere Italiano (Firma.....
(Carica Ufficiale -Capo Compartimento della Viabilità
(Data e luogo - Caserta 22.5.1944 A.: 2935

Declassified E.O. 12356 Section 3.3/NND No. 785019

stituita al Capo dell'area ( Lt.Col.Thompson e Magg. Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2

PERIZIE = COSTO = APPROVAZIONE

a) Lavori di ricostruzione del ponte Melito sul fiume Ufita alla progressiva Km.ca 14+320 della strada statale n.90 "Delle Puglie"

b) Se contratto o lavoro in economia - Contratto

c) Se il contratto include tutti gli elementi - si

d) Importo della perizia L.4.500.000.00 (lire quattromilionicinquecentomila)

e) Quante richieste si sono ricevute N.5
la più alta di L. 6.300.000.00 e la più bassa di L.4.500.000.00

f) La più bassa può accettarsi- Può accettarsi l'offerta dell'Impresa Mascolini Adorno da Ariano (Avellino) perchè la più conveniente per l'Amm/ne

g) Somma della offerta accettabile L.4.500.000.00 delle quali L.3.600.000.00 perlavori a base d'asta e L.900.000.00 a disposizione dell'Amministrazione

h) Tempo probabile per l'esecuzione - Mesi quattro

i) Qualsiasi rilievo di importanza -

- CERTIFICATI :

a) Certifico che l'acclusa perizia approssimata ammonta a L. 4.500.000.00 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

l'Ingegnere Italiano (Firma.....
(Carica Ufficiale -Capo Compartimento della Viabilità
(Data e luogo - Caserta 22.6.1944 n.-2535

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 4.500.000 (cioè offerta accettata)

(I) Data 23 June 44.

Ingegnere di Campo

(II) (Data

Ingegnere di carica generale della regione

5188

3- Approvato

..... Il Direttore della Sottocommissione 10/7/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

171 (3)
4-9

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

Nota: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del G.G., una deve essere restituita al Capo dell'area (Lt Col Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

I (a) Lavori straordinari di riparazione del tronco della S.S.n.87 "Sannitica compreso fra Caserta e Ponte Annibale

(b) Se contratto o lavoro in economia.. Lavori in economia

(c) Se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso.....

(d) Importo della perizia L.2.800.000,- (duemilioniottocentomila)

(e) Quante richieste si sono ricevute Lavori affidati alla Impresa Giugliano Ing.Giuseppe da Napoli
La più alta e la più bassa.....

(f) La più bassa può accettarsi ? se non perchè?.....

(g) Somma della offerta accettabile. L.2.800.000,00

(h) Tempo probabile per l'esecuzione. mesi tre

(i) Qualsiasi rilievo di importanza.....

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L... 2.800.000,00 ..... è stata preparata da me: essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIE - COSTO - APPROVAZIONE

I (a) **Lavori straordinari di riparaz. del tronco della S.S.n.87 "Sannitica compreso fra Caserta e Ponte Annibale** alità.....
.....

(b) Se contratto o lavoro in economia...**Lavori in economia** .....

(c) Se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso.....

(d) Importo della perizia **L.2.800.000,- (duemilioniottocentomila)**

(e) Quante richieste si sono ricevute **Lavori affidati alla Impresa Giugliano Ing.Giuseppe da Napoli**
La più alta e la più bassa.....

(f) La più bassa può accettarsi ? se non perchè?.....

(g) Somma della offerta accettabile. **L.2.800.000,00** .....

(h) Tempo probabile per l'esecuzione. **mesi tre** .....

(i) Qualsiasi rilievo di importanza.....

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a **L...2.800.000,00**..... è stata preparata da me: essa risponda a tutti i dati richiesti dal progetto, ed è ~~ammissibile~~ nell'importo.

l'Ingegnere Italiano { Firma.. [signature]
Carica Ufficiale **Capo Compartimento Viabilità**
Data e luogo... **Caserta** 3 LUG 1944 N°2758

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2800.000 .....(cioè offerta accettata)

(I)..... Data.....
Ingegnere di campo

(II)..... Data.....
Ingegnere in carica generale della regione

3 Approvato

.... 10/7/44

Il Direttore della Sottocommissione

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO
Sottocommissione Lavori e servizi Pubblici
PERIZIA LAVORI DA FARSI

170/78

RB

NOTA - Questo modello deve essere riempito in triplice copia;una copia deve essere trattenuta dalla Sottocommissione del Q.G.,una deve essere restituita al Capo dell'area (Lt.Col.Thompson e Magg.Hyland) quando approvata,e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

1 (a) Lavori straordinari di riparazione del tronco della strada statale n.87 compreso fra Caivano e Ponte Carbonara.
(b) se contratto o lavoro in economia: Lavori in economia
(c) se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso
(d) Importo della perizia: L.980.000, ( lire novecentottantamila)
(e) Quante richieste si sono ricevute
la più alta e la più bassa.Lavori da affidarsi alla Impresa Illiano
(f) la più bassa può accettarsi ? se non perchè ? =
(g) Somma della offerta accettabile
(h) Tempo probabile per la esecuzione: mesi due
(i) Qualsiasi rilievo di importanza

2 CERTIFICATI:
(a) Certifico che l'acclusa perizia approssimata ammontante a L.980.000,- è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è accettabile nell'importo.

L'Ingegnere Italiano — Firma [signature]
Grado e ufficio: Capo Compartimento della Viabilità
Data e luogo: Caserta li, 28 GIU. 1944 N°2601

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. [illegible] ( cioè offerta accettata)
(I). [illegible] data . 27 [illegible]
Ingegnere di Campo [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

(b) se contratto o lavoro in economia: Lavori in economia

(c) se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso

(d) Importo della perizia: L.980.000, ( lire novecentottantamila)

(e) Quante richieste si sono ricevute
la più alta e la più bassa.Lavori da affidarsi alla Impresa Illiano

(f) la più bassa può accettarsi ? se non perchè ? =

(g) Somma della offerta accettabile

(h) Tempo probabile per la esecuzione: mesi due

(i) Qualsiasi rilievo di importanza

2 CERTIFICATI:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.980.000,-
è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

L'Ingegnere Italiano — Firma . . . . . .

Carica ufficiale:Capo Compartimento della Viabilità

Data e luogo: Caserta li, 20 GIU. 1944 N°2601

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. . . . . ( cioè offerta accettata)

(I). . . . . data . 27 . . . . . .

Ingegnere di Campo

(II) . . . . . DATA . . 9 . . . 7.44

Ingegnere in carica generale della regione

3 Approvato

. . . . . 10/7/44 IL DIRETTORE DELLA SOTTOCOMMISSIONE

5186

Declassified E.O. 12356 Section 3.3/NND No. 785019

dulo AGGXI
Perizia rif. 7/6/1944 )

COMMISSIONE ALLEATA DI CONTROLLO
Sotto-Commissione Lavori Pubblici e Servizi
Perizia di lavori da farsi

Nota: questo modulo deve essere riempito in triplicecopia: una copia deve essere trattenuta alla Sotto-Commissione C.C., una deve essere restituita all' Ufficiale Regionale, appena approvata, ed una deve essere mandata al Ministero dei Lavori Pubblici.

PERIZIE e OPERE e APPROVAZIONI

1- (a) Strade : Marano - Giuliano
(b) Per contratto o in economia a contratto
(c) Importo della perizia approssimata L. 450.000.00
(d) Urgenza del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) annotazioni speciali : Perizia redatta dall'Amm/ne Prov. di Napoli

2 - CERTIFICATI:
(a) Certifico che l'accluso perizia approssimata, dell'importo di Lire 372.960.= è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma
Carica Ufficiale: Capo Comm/to delle Viabilità

L'Ingegnere Italiano

Data e luogo Caserta, li 24-6-944 N. 2638

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione.

Data

Ingegnere regionale o suo rappresentante

3- Approvato ( fondo della strada)
~~( altri fondi )~~

Declassified E.O. 12356 Section 3.3/NND No. 785019

Ministero dei Lavori Pubblici.

PERIZIE - [illegible] - APPROVAZIONI

1- (a) Strade : Marano - Giuliano
(b) Per contratto o in economia a contratto
(c) Importo della perizia approssimata L. 450.000.00
(d) Urgenza del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) sanctazioni speciali : Perizia redatta dall'Amm/ne Prov. di Napoli

2 - CERTIFICATI:
(a) Certifico che l'acclusa perizia approssimata, dell'importo di Lire 372.960.- è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma [signature]
Grado Ufficiale: Capo Comp/to delle Viabilità

L'Ingegnere Italiano

Data e luogo Caserta, li 27-6-944 N. 2638

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione.

Data 8/7/44

Ingegnere regionale o sua rappresentanza

3- Approvato ( fondo delle strade).
~~( altri fondi )~~ [signature]

CAPO DIVISIONE LAVORI PUBB. DELLA SOTTOCOM. P. W. & U. DELL'ACC.

4 - Approvato

10/7/44

DIRETTORE P.W. & U. SOTTOCOMMISSIONE ACC.

FB/

5185

Declassified E.O. 12356 Section 3.3/NND No. 785019

Mod o ACC/I
(perizia rif. 7/6/44

167
7-6

COMMISSIONE ALLEATA DI CONTROLLO
Sotto-Commissione Lavori Pubblici e Servizi
Perizia di Lavoro da farsi

Nota: quelo modulo deve essere riempito in triplice copia: una copia deve essere trattenuta alla Sotto-Commissione C.C.,una deve essere restituita all'Ufficiale Regionale,appena approvata ed una deve essere mandata al Ministero dei Lavori Pubblici.

PARIZIE = SPESA = APPROVAZIONE

1 - (a) Strada Napoli - Qualiano
(b) per contratto o in economia a contratto
(c) Importo della perizia approssimata L. I.I79.000.=
(d) Urgenza del progetto
(e) tempo probabile per l'esecuzione 3I.I2.I944
(f) annotazioni speciali : la perizia redatta dall'Amministrazione Provinciale di Napoli.

2 - CERTIFICATI:
(a) Certifica che l'acclusa perizia approssimata dell'importo di lire I.07I.790.== è stata approvata da me: essa è pienamente rispondente al progetto, ed è ragionevole nell'importo

Firma [signature]

Carica ufficiale:Ing.Capo Com/te della Viabilità

L'Ingegnere italiano

Data e luogo Caserta, 27-6-944-N°2636

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione

data 9-Luglio 44

L'Ingegnere regionale, e suo rappresentante

3 - Approvato (...)

Declassified E.O. 12356 Section 3.3/NND No. 785019

PARIZIE = SPESA = APPROVAZIONE

1 - (a) Strada Napoli - Qualiano

(b) per contratto o in economia a contratto
(c) Importo della perizia approssimata L. I.I79.000.=
(d) Urgenza del progetto
(e) tempo probabile per l'esecuzione 3I.I2.I944
(f) annotazioni speciali : la perizia redatta dall'Amministrazione Provinciale di Napoli.

2 - CERTIFICATI:

(a) Certifica che l'acclusa perizia approssimata dell'importo di lire I.07I.790.== è stata approvata da me: essa è pienamente rispondente al progetto, ed è ragionevole nell'importo

Firma

Carica ufficiale: Ing. Capo Com/to della Viabilità

L'Ingegnere italiano

Data e luogo Caserta, 27-6-944-N-2636

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione

data 9-luglio 44

L'Ingegnere regionale, e suo rappresentante

3 - Approvato ( fondo della strada)

(~~altri fondi~~)

CAPO DIVISIONE LAVORI PUBB. DELLA SOTTO=COMM/ P.W.& U. DELL'ACC.

4 - Approvato

10/7/44

DIRETTORE P.W. & U. SOTTO=COMMISSIONE ACC.

5181

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tenuto agli
Perizia n°. 7/6/1944 )

COMMISSIONE MILITARE DI CONTROLLO
Sotto-Commissione Lavori Pubblici e Servizi

Perizia di lavori da farsi

166
75

Nota: questo modulo deve essere riempito in triplicecopia: una copia deve essere trattenuta alla Sotto-Commissione C.C., una deve essere rimessa all'Ufficiale Regionale, quando approvata, ed una deve essere mandata al Ministero dei Lavori Pubblici.

PERIZIA DI OPERA DA APPROVARSI

1- (a) Strada : Quadrivio di Ischitella ad Arnone

(b) Per contratto o in economia a contratto
(c) Importo della perizia approssimata L. I.270.000.=
(d) Organo del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) Annotazioni speciali : Perizia redatta dall'Ispettorato Prov. di Napoli

2 - CERTIFICATI:

(a) Certifico che l'anclusa perizia approssimativa, dell'importo di Lire I.044.400.= è stata approvata da me; essa è pienamente rispondente al progetto, ed è rimessa dall'ispettore.

Firma

Carica Ufficiale: Capo Compartimento della Viabilità

L'Ingegnere Italiano

Data e luogo Caserta, 27-6-1944 - N°2637

(b) Con d'accordo con il precedente certificato e raccomando l'approvazione.

Data

Ingegnere Regionale o suo rappresentante

3- Approvato ( Capo della Strada)

Declassified E.O. 12356 Section 3.3/NND No. 785019

1- (a) Strada : Quadrivio di Ischitella ad Arnone

(b) Per contratto o in economia — a contratto

(c) Importo della perizia approssimata — L. I.270.000.=

(d) Urgenza del provvedimento

(e) Tempo probabile per l'esecuzione — 31.12.1944

(f) annotazioni speciali : Perizia redatta dall'Ama/ne Prov. di Napoli

2 - CERTIFICATI:

(a) Certifico che l'accluso perizia suppletiva dell'importo di Lire I.044.400.- è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma

Genio Civile. Capo Comp.to della Viabilità

L'Ingegnere Italiano

Data e luogo Caserta, 27-6-1944 - N°2637

(b) Non d'accordo con il precedente certificato e rimettendo l'approvazione.

Data

Ingegnere Regionale o suo rappresentante

3- Approvato ( Capo della Strada)

( altra forma : Mitchell 1st Lt. for Lt. Col. Thompson

CAPO DIVISIONE LAVORI PUBBLICI (UFFICIO U. S. A.-M.G. ITALIA)

4 - Approvato

10/7/44

DIRETTORE U.S. A.-M.G. (CONTROLLO ITALIANO)

VS/

5183

Declassified E.O. 12356 Section 3.3/NND No. 785019

Pratica AGGI
Perizia rif. 7/6/1944 ) 165

COMMISSIONE ALLEATA DI CONTROLLO
Sotto-Commissione Lavori Pubblici e Servizi
Perizia di lavori da farsi

7H

Nota: questo modulo deve essere riempito in triplice copia: una copia deve essere trattenuta alla Sotto-Commissione A.C., una deve essere restituita all'Ufficiale Regionale, appena approvato, ed una deve essere mandata al Ministero dei Lavori Pubblici.

PERIZIA - OPERA o ACCERTAMENTI

1- (a) Strada : Qualiano al Quadrivio di Ischitella
(b) Per convratto o in economia a contratto
(c) Importo della perizia approssimato L. 1.000.000.00
(d) Urgenza del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) annotazioni speciali : Perizia redatta dall'Amm.ne Prov. di Napoli

2 - CERTIFICATI:
(a) 953.710.= Certifico che l'accluse perizia approssimata, dell'importo di Lire è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma
Grado Ufficiale. Capo Compartimento della Viabilità
L'Ingegnere Italiano
Data e luogo Caserta, 27-6-1944 XXII

(b) Son d'accordo con il precedente certificato e raccomando l'approvazione.

Data 9 Luglio
Ingegnere regionale o suo rappresentante

3- Approvato ( fondo della strada)
( ~~altri fondi~~ )

CAPO DIVISIONE LAVORI PUBBLICI

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIE - OPERE - APPROVAZIONI

1- (a) Strada : Qualiano al Quadrivio di Ischitella

(b) Per convento o in economia a contratto
(c) Importo della perizia approssimato L. I.000.000.00
(d) Urgenza del progetto
(e) Tempo probabile per l'esecuzione 31.12.1944
(f) annotazioni speciali : Perizia redatta dall'Amm/ne Prov. di Napoli

2 - CERTIFICATI:

(a) Certifico che l'accluso perizia approssimata, dell'importo di Lire 938.110.= è stata approvata da me; essa è pienamente rispondente al progetto, ed è ragionevole nell'importo.

Firma
Carica Ufficiale. Capo Comp/to della Viabilità

L'Ingegnere Italiano

Data e luogo Caserta, 27-6-1944 N°2640

(b) Con d'accordo con il precedente certificato e raccomando l'approvazione.

Data 9 Lug 44

Ingegnere regionale o suo rappresentante

3- Approvato ( fondo della strada)
( altri fondi ) H. L. Thompson

CAPO DIVISIONE LAVORI PUBBLICI - DIREZIONE P. .A.U. DELL'ACC.

4 - Approvato

10/7/44

DIREZIONE P.A. & U. SOTTO-COMMISSIONE ALLEATA ACC.

VB/

5182

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION
Public Works And Utilities sub-Commissione(Perizia)
Estimate of Work to be carried out

Perizia lavori da farsi

#3

Nota: Questo modello deve essere compilato in 3 copie: una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita alla Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizia - Costo - Approvazioni

I. a)Lavori straordinari di riparazione del tronco della strada statale N.7 "Via Appia" compreso fra Ponte Calore ed Avellino

b)contratto o lavoro diretto - Lavori in economia

c)costo approssimato della perizia L. ~~1.173.~~ 1.730.000.00(un milionesettecento trentamila)

d)urgenza del progetto Lavori urgenti intesi ad assicurare la regolarità del transito su di un'arteria stradale di grande interesse militare-

e)tempo probabile di esecuzione - Mesi tre

f) Speciali osservazioni

2. Certificati :

a)Si certifica che l'unita approssimativa perizia ammontante a L. I.730.000.00 è stata preparata da me essa risponde a tutti i dati richiesti dal progetto ed è ammissibile nell'importo.

Ingegnere ( firma

Capo Compartimento dell'AA.SS.

Data e luogo Caserta 11 LUG. 1944

b) Approvo il precedente attestato e raccomando l'approvazione

data

PUBLIC WORKS AND UTILITIES SUB-COMMISSION - A.C.C. OFFICIAL DATE

N 2988

Declassified E.O. 12356 Section 3.3/NND No. 785019

Perizia - Costo - Approvazioni

I. a)Lavori straordinari di riparazione del tronco della strada ststa le N.7 "Via Appia" compreso fra Ponte Calore ed Avellino

b)contratto o lavoro diretto - Lavori in economia

c)costo approssimato della perizia L. ~~I.173.~~ 1.730.000.00(un milionesettecento trentamila)

d)urgenza del progetto Lavori urgenti intesi ad assicurare la regolarità del transito su di un'arteria stradale di grande interesse militare-

e)tempo probabile di esecuzione - Mesi tre

g) Speciali osservazioni

2. Certificati :

a)Si certifica che l'unita approssimativa perizia ammontante a L. I.730.000.00 è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere ( Firma _____

Capo Compartimento dell'AA.SS.

( Data e luogo Caserta 11 LUG. 1944

PUBLIC WORKS AND UTILITIES SUB-COMMISSION A.C.C. OFFICIAL DATE 7-

N.2883

b) Approvo il precedente attestato e raccomando l'approvazione

_____ data _____

L'Ingegere Regionale e suo rappresentante

_____

3.Approvato; (Fondistanziati dalla sotto-Commissione Strade Militari)Altri fondi 22/7/44

Thompson LT COL C.E.

Chief,Public Works Div.P.W & U.Sub-Comm.ACC.

4. Approvato -

22/7/44 LT. COL C.E.

Director P.W.& U. Sub-Commissione A.C.C.

5187

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Public Works And Utilities sub-Commission (Perizia)

Estimate of Work to be carried out

Perizia lavori da farsi

Nota: Questo modello deve essere compilato in 3 copie; una copia deve essere trattenuta dalla Sotto Commissione HQ una deve essere restituita all'Ingegnere Regionale dopo l'approvazione, ed una inviata al Ministero dei Lavori Pubblici.

Perizie- Costo

Approvazioni

I. a) ~~Edificio, ponte, strada, comunale allacciante Marciano~~ ~~alla S.S. n° 87 "Sannitica"~~ Lavori di riparazione e manutenzione fino al ~~bombaggio obbligazione~~ ~~31 dicembre 1944~~

b) contratto o lavoro diretto ~~lavori in economia a mezzo Ing. Foglia~~

c) costo approssimato della perizia ~~L. 810.000 (ottocentodiecimila)~~

d) urgenza del progetto ~~Urgente ed indifferibile.~~

e) tempo probabile di esecuzione ~~fino al 31 dicembre 1944~~

g) Speciali osservazioni

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. ~~810.000.=~~ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano — Firma ~~Ing. R. Mancini~~

Designazione Ufficiale ~~Capo Com/to AA. SS.~~

Data e luogo ~~CASERTA~~ 17.7.944 N° 3056

b) Approvo il precedente attestato e raccomando l'approvazione Data 19 July 44

L'Ingegnere Regionale o suo rappresentante

PUBLIC WORKS AND UTILITIES SUB-COMMISSION OFFICIAL DATE 17

Declassified E.O. 12356 Section 3.3/NND No. 785019

I. a) Edificio, ponte, strada, ~~xxxxxxxxxxxxxxx~~ Comunale ellaccia~~ne~~ Larcianese alla S.S. ~~xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx~~ n° 67 "Sannitica" Lavori di riparazione e manutenzione fino al ~~xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx~~ pompaggio obbligatorio ~~xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx~~ 31 dicembre 1944

b) contratto o lavoro diretto ~~lavori in economia a mezzo Ing. Foglia~~

c) costo approssimato della perizia ~~L. 810.000~~ (~~ottocentodiecimila~~)

d) urgenza del progetto ~~Urgente ed indifferibile.~~

e) tempo probabile di esecuzione ~~fino al 31 dicembre 1944~~

g) Speciali osservazioni _____

2. Certificati:

a) si certifica che l'unita approssimativa perizia ammontante a L. ~~810.000.=~~ è stata preparata da me essa risponde a tutti i dati richiesti del progetto ed è ammissibile nell'importo.

Ingegnere Italiano — Firma ~~Ing. R. Mancini~~

Designazione Ufficiale ~~Capo Com/to AA. SS.~~

Data e luogo ~~CASERTA~~ 17.7.944 N° 3056

b) Approvo il precedente attestato e raccomando l'approvazione Data 19 July 44

L'Ingegnere Regionale o suo rappresentante

3. Approvato. (Fondi stanziati dalla sotto-Commissione Strade Militare) ~~Altri fondi~~ 5188

Chief, Public Works Div. P.W & U. Sub-Com. A.C.C.

22/7/44

4. Approvato. 22/7/44 LT. COL. C.E.

Director, P.W.& U. Sub-Commission A.C.C.

PUBLIC WORKS AND UTILITIES A.C.C. - COMMISSION OFFICIAL DATE 14.7.44

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

(18)

808

Nota: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al Capo dell'area (Lt Col Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

PERIZIE - COSTO - APPROVAZIONE

I (a) Fabbricati, ponti, strada, centrale di S.S.n.7 "Domiziana" - tratto forza motrice, centrale di formatura e località.....lla mostra-Imm.Agnano-S.Gennaro.....

(b) Se contratto o lavoro in economia...Im.economia.....

(c) Se il contratto include tutti gli elementi se no segnare brevemente ciò che è escluso.escluso pietrisco,graniglia e bitume.....

(d) Importo della perizia. L.~~251.000~~,00 70.000.....

(e) Quante richieste si sono ricevute.....

la più alta e la più bassa.....

(f) La più bassa può accettarsi ? se non perchè?.....

(g) Somma della offerta accettabile...L.420.000,00.....

(h) Tempo probabile per l'esecuzione..giorni trenta.....

(i) Qualsiasi rilievo di importanza.....Impresa.....

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a L...70.000..... è stata preparata da me: essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

l'Ingegnere Prov.....

Italiano Carica ufficiale.Ingegnere Capo Compartimento Viabilità

Data e luogo.....Caserta li 1 [illegible] 1944

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L...~~250.000~~ 70.000 come offerta accettata)

N° 2747

Ingegnere Capo

Compartimento Viabilità

Caserta

Le copie 1 e 2 vanno rispettivamente a Caserta e Napoli con 4 pp. cad.

Declassified E.O. 12356 Section 3.3/NND No. 785019

...ali, ponti, strada, centrale di S.S.n.7 "Domiziana" - tratto
forza motrice, centrale di ...lla mostra-Inn.Agnano-S.Gennaro
.....
(b) Se contratto a lavoro in economia...In economia.....
(c) Se il contratto include tutti gli elementi
se no segnare brevemente ciò che è escluso.escluso.pietrisco,gra-
(d) Importo della perizia.miglia e bitume
L.251.000,00 70.000
(e) Quanta richieste si sono ricevute .....
la più alta e la più bassa.....
(f) La più bassa può accettarsi ? se non perchè?.....
(g) Somma della offerta accettabile...L.420.000,00 .....
(h) Tempo probabile per l'esecuzione..giorni trenta .....
(i) Qualsiasi rilievo di importanza.....Impresa.....

2 Certificati:

(a) Certifico che l'acclusa perizia approssimata ammontante a
L...70.000..... è stata preparata da me: essa rispon
da a tutti i dati richiesti dal progetto, ed è ragionevole
nell'importo.

l'Ingegnere { Firma.....
Italiano { Carica ufficiale.Ingegnere Capo Compartimento Viabilità
Data e luogo.....Caserta li LUG 1944 N°2747

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L..~~25.000~~ 70.000 per la prescelta offerta accettata

(a) Ingegnere Capo, Data...3 Luglio 44
(b) Ingegnere di campo
(c) Data.....
Ingegnere in carica generale della regione

3 Approvato
Data 10/7/44 Il Direttore della Sottocommissione

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC/1
(Estimate
Rev-7 June 44

ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB- COMMISSION
Estimate of work to be carried out

REGION III,
PROVINCE SALERNO

Note : This form to be filled in triplicate; one copy to be retained in Sub-Comm. H.Q., File, one to be returned to the Regional Engineer when approved, and one to be sent to the Minister of Public Works.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Repair of Bridge 2.7 miles South of Castelbuono (MP 450765) on Hy 19 (Km 99 + 100).
(b) By contract or direct labour CONTRACT.
(c) Amount of approximate estimate 834,000.
(d) Urgency of project PRIORITY I.
(e) Probable time for completion 30 September, 1944.
(f) Special remarks Cement to be drawn from M.D. stock. Transportation by A.A.S.S. operated M.D. Vehicles.

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 834,000.... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer
Signature .....
Official designation Capo Ing dell A.A.S.S.
Date and place Salerno 6 June, 1944.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Repair of Bridge 2.7 miles South of Castelvolturno (IR 450785) on Rt. 19 (Km. 99 - 100).

(b) By contract or direct labour CONTRACT.

(c) Amount of approximate estimate 834,000.

(d) Urgency of project PRIORITY I.

(e) Probable time for completion 30 September, 1944.

(f) Special remarks Cement to be drawn from F.D. stock. Transportation by A.A.S.S. Operated F.D. Vehicles.

2. Certificates :

(a) Certified that the attached approximate estimate amounting to Lire 834,000.... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) ) Signature .....
Italian) ) Official designation Deputy Chief Engineer A.A.F.S.
Engineer ) ) Date, and place Salerno 6 June, 1944.

(b) I agrees with the preceding certificate and recommended approval.

R.P.Ller 14/7/44 ..... Date 19 July 1944.
Regional Engineer, or his representative.

3. Approved. (Highway Fund) ~~(Other funds)~~ .....
Chief, Public Works Div. P.W.& U. Sub-Com. A.C.C.

4. Approved. ..... 22/7/44 ..... LT. Col. C.E....
Director, P.W.& U. Sub-Commission A.C.C.

Copy for Sub-Comm. H.Q. File. ✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

RB

Contract,

## COMMISSIONE ALLEATA DI CONTROLLO

### SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

6.238

### Perizia lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G. una deve essere restituita al Capo dell'area (Lt.Col.Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il certificato 2.

### PERIZIE - COSTO - APPROVAZIONE

I-(a) Lavori di ricostruzione del ponte sul fiume Calore, in servizio della strada comunale Benevento-Stazione ferrov.omonima.

(b) contratto

(c) Il contratto include tutti gli elementi

(d) Importo della perizia L.6.200.000,==

(e) Quante richieste si sono ricevute .I lavori sono stati affidati alla Impresa Campanella Ing.Mario e Fratelli Caputo.

(f) La più bassa può accettarsi ? Se non perchè .....

(g) Somma della offerta accettabile ....

(h) Tempo probabile per la esecuzione.I lavori devono essere ultimati in mesi quattro a decorrere dalla data di consegna.

(i) Qualsiasi rilievo di importanza.....

2- CERTIFICATI:

(a) Certifico che l'acclusa perizia approssimata ammontante a L.6.200.000, è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

L'Ingegnere Italiano { Firma. . . . . .
Carica Ufficiale: Capo Compartimento della Viabilità
Data e Luogo: Caserta li 24 MAG. 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

I-(a) Lavori di ricostruzione del ponte sul fiume Calore,in servizio della strada comunale Benevento-Stazione ferrov.omonima.

(b) contratto

(c) Il contratto include tutti gli elementi

(d) Importo della perizia L.6.200.000,—

(e) Quante richieste si sono ricevute .I lavori sono stati affidati alla Impresa Campanella Ing.Mario e Fratelli Caputo.

(f) La più bassa può accettarsi ? Se non perchè .....

(g) Somma della offerta accettabile ....

(h) Tempo probabile per la esecuzione.I lavori devono essere ultimati in mesi quattro a decorrere dalla data di consegna.

(i) Qualsiasi rilievo di importanza.....

2- CERTIFICATI:

(a)Certifico che l'acclusa perizia approssimata ammontante a L.6.200.000, è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

L'Ingegnere Italiano { Firma. . . . . ...
{ Carica Ufficiale:Capo Compartimento della Viabilità
{ Data e luogo: Caserta li 24 MAG. 1944

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L.6.200.000... ( cioè offerta accettata)

(I) ..... data 24 May 44

5177

L'INGEGNERE DI CARICO

(II) H. Thompson. Maj. data 26 May 44.

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

(3) APPROVATO

..... G. E. Reader Lt. Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

-f/

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract

ALLIED CONTROL COMMISSION Form ACC/EST/1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge,~~ Road, ~~Power Stn, Pumping Stn etc, and~~ location 8718 Aversa - Trentola.
7810 Parete - Trentola - alla 7-b

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ===

*(d)* Amount of appoximate estimate 2.530.000.~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender 2.530.000.~~00~~

*(h)* Probable time for completion 7 mesi

*(i)* Any special remarks Impresa Ing. Vincenzo Savarese
( P.B.S. )

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.530.000.= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Declassified E.O. 12356 Section 3.3/NND No. 785019

filed in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge,~~ Road, ~~Power Stn, Pumping Stn etc, and~~ location 87I8 Aversa - Trentola.
   7810 Parete - Trentola - alla 7-b

   *(b)* By contract or direct labour Contratto

   *(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ===

   *(d)* Amount of appoximate estimate 2.530.000.~~ee~~

   *(e)* How many competitive tenders received I

   Highest and lowest

   *(f)* Is lowest to be accepted; if not, why? si

   *(g)* Amount of acceptable tender 2.530.000.~~===~~

   *(h)* Probable time for completion 7 mesi

   *(i)* Any special remarks Impresa Ing. Vincenzo Savarese
   ( P.B.S.)

2. **Certificates:**

   *(a)* Certified that the attached approximate estimate amounting to Lire 2.530.000.= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

   ITALIAN ENGINEER — Signature [signature]
   Official designation Capo Compartimento A.A.S.S.
   Date, and place Caserta I5.5.I944

   *(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2.530.000 (i. e accepted tender).

   5175

   (i) [signature] Field Engineer. Date 22 May 44

   [signature] Engineer in General Charge of affected region. Date 3 May 44.

3. **Approved:**

   G.E.S.L.Ltr.

   Director, P. W. & U. Sub-Commission. Lt. Col. R.E.

   for.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Project

Form ACC EST 1

ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

19-B

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location 7810 da Giugliano a Parete

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate I.617.900.~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender I.617.900.~~00~~

*(h)* Probable time for completion 7 mesi

*(i)* Any special remarks Impresa: Giuseppe Merlino

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire I.617.900.= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Capo Compartimento A.A.S.S.

Caserta 15.5.1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location 78IO da Giugliano a Parete

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate I.6I7.900.~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? ~~ot~~

*(g)* Amount of acceptable tender I.6I7.900.~~00~~

*(h)* Probable time for completion 7 mesi

*(i)* Any special remarks Impresa: Giuseppe Merlano

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire I.617.900.= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Capo Compartimento A.A.S.S.

Date, and place Caserta I5.5.I944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 1.617.900 (i. e accepted tender).

(i) [signature] Date 17 May 44
Field Engineer.

W. Thompson Lt Col Date 20 May 44
Engineer in General Charge of affected region.

3. **Approved:**

G. E. Rhodes
for Director, P. W. & U. Sub-Commission. Lt. Col. R.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contratt

ALLIED CONTROL COMMISSION Form ACC|EST|1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

20

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc~~, and location 7I3 da Giugliano a Qualiano

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate L. 2.I80.000,~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? sì

*(g)* Amount of acceptable tender L. 2.I80.000,~~00~~

*(h)* Probable time for completion 7 mesi

*(i)* Any special remarks Impresa Ing. VINCENZO SAVARESE

E.P.B.S. Napoli.

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.180.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing.C apo Compartimento A.A.S.S.

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc~~, and location 7I3 da Giugliano a Qualiano

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate L. 2.I80.000,~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? sì

*(g)* Amount of acceptable tender L. 2.I80.000,~~00~~

*(h)* Probable time for completion 7 mesi

*(i)* Any special remarks Impresa Ing. VINCENZO SAVARESE
c/ P.B.S. Napoli

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.180.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Ing.C apo Compartimento A.A.S.S.

Date, and place Caserta 22 Maggio I944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2.180.000 (i. e accepted tender).

(i) [signature] Date 22 May 44
Field Engineer.

(ii) [signature] Date 30 May 44.
Engineer in General Charge of affected region.

3. **Approved:**

G.F. Rhodes.
for Director, P. W. & U. Sub-Commission.
Lt. Col. R.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract

ALLIED CONTROL COMMISSION

Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location Cancello - Arienzo

   *(b)* By contract or direct labour contratto

   *(c)* Whether contract includes all elements; ~~if not state briefly what is specifically excluded~~ ==== Forniture Varie

   *(d)* Amount of appoximate estimate L. 832.500,~~00~~

   *(e)* How many competitive tenders received I

   Highest and lowest

   *(f)* Is lowest to be accepted; if not, why? si

   *(g)* Amount of acceptable tender 832.500,~~00~~

   *(h)* Probable time for completion ===

   *(i)* Any special remarks Impresa CASTALDO GIOVANNI

2. **Certificates:**

   *(a)* Certified that the attached approximate estimate amounting to Lire 832.500 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation I ~~ng~~. CAPO COMPARTIMENTO A.A.S.S.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location Cancello - Arienzo

*(b)* By contract or direct labour contratto

*(c)* Whether contract includes all elements; ~~if not state briefly what is specifically excluded~~ ==== Ferroviario Ltare.

*(d)* Amount of appoximate estimate L. 832.500,~~00~~

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? sì

*(g)* Amount of acceptable tender 832.500,~~00~~

*(h)* Probable time for completion ===

*(i)* Any special remarks Impresa CASTALDO GIOVANNI

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 832.500 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.

Date, and place Caserta 22 Maggio 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 832.500 (i. e accepted tender).

*(i)* Field Engineer. Date 22 Maggio 44

Engineer in General Charge of affected region. Date 30 Maggio 44

3. **Approved:**

G. E. Rader.
Lt.Col. R.E.
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Foglio Acc.Est.I

Contract 90

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

64

Perizie e lavori da farsi

NOTA: Questo Modello deve essere riempito in triplice copia;una copia deve essere trattenuta dalla Sottocommissione del Q.G., una deve esse re restituita al capo dell'area, (LT.Col.Thompson e magg.HYLAND)qua do approvata, e una deve essere restituita all'Ing.Italiano che fi ma il certificato.

PERIZIE = COSTO = APPROVAZIONE

1-(a)Lavori straordinari di riparazione del tratto della strada statale n.87 compreso fra il ponte Carbonara ed il bivio Marcianise-Caserta

(b)Lavoro in economia

(c)se il contratto include tutti gli elementi . . . . . se non segnare brevemente ciò che è incluso .....

(d)l'importo della perizia L.1.400.000,-

(e)quante richieste si sono ricevute. I lavori sono stati affidati alla più alta e la più bassa la Impresa Foglia Ing.Giulio

(f)La più bassa può accettarsi? se non perchè ? . . . . .

(g)somma dell'offerta accettabile . . . . . .

(h)tempo probabile per l'esecuzione. Giorni quaranta

(i)qualsiasi rilievo d'importanza .....

2- CERTIFICATI

(a)certifico che l'acclusa perizia approssimata ammontante a L.1400000 è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

Il Capo Compartimento

Firma .....

L'Ingegnere Italiano (carica Ufficiale Capo Compartimento della Viabilit

Caserta, 22 [illegible] 1944

(b)approvo il precedente attestato e raccomando l'approvazione della somma di L. 1.400.000 . . . ( cioè offerta accettata)

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIE = COSTO = APPROVAZIONE

1-(a)Lavori straordinari di riparazione del tratto della strada statale n.87 compreso fra il ponte Carbonara ed il bivio Marcianise-Caserta

(b)Lavoro in economia

(c)se il contratto include tutti gli elementi . . . . . se non segnare brevemente ciò che è incluso .....

(d)l'importo della perizia L.1.400.000,=

(e)quante richieste si sono ricevute. I lavori sono stati affidati alla più alta e la più bassa alla Impresa Foglia Ing.Giulio

(f)La più bassa può accettarsi? se non perchè ? . . . . .

(g)somma dell'offerta accettabile . . . . . .

(h)tempo probabile per l'esecuzione. Giorni quaranta

(i)qualsiasi rilievo d'importanza Accordi Registrati fecero.

2- CERTIFICATI

(a)certifico che l'acclusa perizia approssimata ammontante a L.1400000 è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

Firma Il Capo Compartimento .....

L'Ingegnere Italiano (carica Ufficiale Capo Compartimento della Viabilit

Caserta, 22 Marzo 1944

(b)approvo il precedente attestato e raccomando l'approvazione della somma di L. 1.400.000 . . . ( cioè offerta accettata)

(I)..... ( data . 22 Marzo 44 . .

(II)..... (data 30 maggio 44

L'INGEGNERE DI CAPO

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO

..... G.E. Rhodes Lt.Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

for

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract.

Form ACC | EST | 1

ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

9V
63

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

### ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and location~~ S.S. I8 – Tratto C amerelle –Vietri

*(b)* By contract or direct labour in economia

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate L. 3.I00.000,~~00~~

*(e)* How many competitive tenders received ====

Highest and lowest ======

*(f)* Is lowest to be accepted; if not, why? ======

*(g)* Amount of acceptable tender L. 3.I00.000,~~00~~

*(h)* Probable time for completion mesi 3

*(i)* Any special remarks Impresa D'AMORA NICOLA

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.I00.000= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.

Date, and place ~~Caserta~~, I7 Maggio I944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3.100.000 (i. e accepted tender).

Declassified E.O. 12356 Section 3.3/NND No. 785019

Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and location~~ S.S. 18 – Tratto C amerelle –Vietri

*(b)* By contract or direct labour in economia

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ====

*(d)* Amount of appoximate estimate L. 3.100.000,~~00~~

*(e)* How many competitive tenders received ====

Highest and lowest ======

*(f)* Is lowest to be accepted; if not, why? ======

*(g)* Amount of acceptable tender L. 3.100.000,~~00~~

*(h)* Probable time for completion mesi 3

*(i)* Any special remarks Impresa D'AMORA NICOLA

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.100.000= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.

Date, and place Caserta, 17 Maggio 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3.100.000 (i. e accepted tender).

[signature] Field Engineer. Date 22 May 44

5177

[signature] Engineer in General Charge of affected region. Date 30 May 44.

3. **Approved:**

[signature] Lt.Col. R.E.

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract + Estimate.

Form ACC EST 1

# ALLIED CONTROL COMMISSION

## PUBLIC WORKS AND UTILITIES SUB-COMMISSION

158

G2 / 549/3119/13

### ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

### ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and Irrigation~~ Provinciale allacciante Marcianise alla SS. Riparazione e manutenzione fino al 30-6-1944

*(b)* By contract or direct labour innesto SS.87 passaggio a livello ferr.Napoli-Foggia. Klm. 3,067

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded

*(d)* Amount of appoximate estimate £. 780.000,00

*(e)* How many competitive tenders received un.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender £. 780.000,00

*(h)* Probable time for completion 30 Giugno 1944

*(i)* Any special remarks

Impresa FOGLIA Giulio

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 780.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing.Capo Comp.A.A.S.S. Caserta

Date and place 19 MAG 1944 X 1864

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and location~~ Provinciale allacciante Marcianise alla SS. Riparazione e manutenzione fino al 30-6-1944

*(b)* By contract or direct labour innesto SS.87 passaggio a livello ferr.Napoli-Foggia. Klm. 3,067

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded

*(d)* Amount of appoximate estimate £. 780.000,00

*(e)* How many competitive tenders received un.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender £. 780.000,00

*(h)* Probable time for completion 30 Giugno 1944

*(i)* Any special remarks

Impresa FOGLIA Giulio

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 780.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing.Capo Comp.A.A.S.S. Caserta

Date, and place 19 MAG. 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 780.000 (i. e accepted tender).

(i) Field Engineer. Date 26 Decay 44

5170

(ii) Engineer in General Charge of affected region. 1st Lt. Date 22 may 44

for Lt.Col. Thompson

**3. Approved:**

G.E. Reader

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC | EST | 1 25

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

5v9/713
61

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn etc, and location~~ Ponte Borbonico sull'alveo dei Camaldoli sulla provinciale Qualiano-Quarto

*(b)* By contract or direct labour contratto a misura

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded

*(d)* Amount of appoximate estimate L. 2.720.000,00 =

*(e)* How many competitive tenders received una

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender L. 2.720.000,00 =

*(h)* Probable time for completion 5 mesi

*(i)* Any special remarks Impresa Ing.MARIO CAMPANELLA e F.lli CAPUTO di D.ec

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.720.000= has been

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn etc, and location~~ Ponte Borbonico sull'alveo dei Camaldoli sulla provinciale Qualiano-Quarto

*(b)* By contract or direct labour contratto a misura

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded

*(d)* Amount of appoximate estimate L. 2.720.000,00 =

*(e)* How many competitive tenders received una

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender L. 2.720.000,00 =

*(h)* Probable time for completion 5 mesi

*(i)* Any special remarks Impresa Ing.MARIO CAMPANELLA e F.lli CAPUTO di P.co

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.720.000= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.

Date, and place Caserta, 17 Maggio 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2,720.000 (i. e accepted tender).

*(i)* Field Engineer. Date 20 May 44

*(ii)* 5169 Date 22 may 44
Engineer in General Charge of affected region.
for Lt. Col. Thompson

**3. Approved:**

G. E. Rhodes
Lt. Col.

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract Estimate

ALLIED CONTROL COMMISSION Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

545/18

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Str, Pumping Station, and location~~ Strada Statale 18 -Tratto Croce del Lagno (Napoli) - Pompei

*(b)* By contract or direct labour in economia

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded escluso pietrisco e graniglia

*(d)* Amount of appoximate estimate L. 3.850.000,00

*(e)* How many competitive tenders received ===

Highest and lowest ===

*(f)* Is lowest to be accepted; if not, why? ===

*(g)* Amount of acceptable tender L. 3.850.000,00

*(h)* Probable time for completion mesi 5

*(i)* Any special remarks Impresa CERRITO

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.850.000= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ing. CAPO COMPARTIMENTO

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn. etc, and location~~ Streda Statale 18 -Tratto Croce del Lagno (Napoli) - Pompei

*(b)* By contract or direct labour in economia

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded escluso pietrisco e graniglia

*(d)* Amount of appoximate estimate L. 3.650.000,00

*(e)* How many competitive tenders received ===

Highest and lowest ===

*(f)* Is lowest to be accepted; if not, why? ===

*(g)* Amount of acceptable tender L. 3.650.000,00

*(h)* Probable time for completion mesi 5

*(i)* Any special remarks Impresa CERRITO

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.650.000= has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Ing. CAPO COMPARTIMENTO A.A.S.S.

Date and place Caserta; 20 Maggio 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2.737.500.

[signature] Date 20 May 44

Field Engineer.

(ii) [signature] Date 5168 may 44

For Engineer in General Charge of affected region

3. **Approved:**

G. E. Reader - Lt. Col. R.E.

for

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract Only

ALLIED CONTROL COMMISSION Form ACC EST/1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

526 59

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building~~, Bridge, Road, ~~Power Stn, Pumping Stn etc~~, and location Route #7 Km 249+200

*(b)* By contract or direct labour Contract Tufara

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded all elements

*(d)* Amount of appoximate estimate Lit 2.836.000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender

*(h)* Probable time for completion

*(i)* Any special remarks Cerracchio - Contractor

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.836.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ly. Col. Corps of A.M.G. Land

Date, and place

*(b)* Agreed [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

... who signs certificate 2 (a) below. ... ved, and one

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building~~, Bridge, Road, ~~Power Stn, Pumping Stn. etc~~, and location Route #7 Km 249+200 Tufara

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded all elements

*(d)* Amount of appoximate estimate Lit 2.836.000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender

*(h)* Probable time for completion

*(i)* Any special remarks Cerracchio - Contractor

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.836.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Ex. Cap Compartimento A.A.I. Roma

Date, and place

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2.836.000 (i. e accepted tender).

(i) Field Engineer. Date 20 May 44

5167

(ii) Engineer in General Charge of affected region. Date 22 may 44

3. **Approved:**

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract only

ALLIED CONTROL COMMISSION Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

34

## ESTIMATE OF WORK TO BE CARRIED OUT

38

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

5 x 5

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Route #7 Km 295+700

   *(b)* By contract or direct labour Contract - Poute Marotta

   *(c)* Whether contract includes all elements; if not state briefly what is specifically excluded all elements

   *(d)* Amount of appoximate estimate Lit 5.186.000

   *(e)* How many competitive tenders received ———

   Highest and lowest ———

   *(f)* Is lowest to be accepted; if not, why? ———

   *(g)* Amount of acceptable tender £ 5.186.000

   *(h)* Probable time for completion August. 1944

   *(i)* Any special remarks Campanella & Caputo Contractors

2. **Certificates:**

   *(a)* Certified that the attached approximate estimate amounting to Lire 5.186.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN

Signature

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

5 of 5

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location: Route #7 Km 295+700

*(b)* By contract or direct labour: Contract - Route Marotta

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded: all elements

*(d)* Amount of appoximate estimate: Lit 5.186.000

*(e)* How many competitive tenders received: ———

Highest and lowest: ———

*(f)* Is lowest to be accepted; if not, why? ———

*(g)* Amount of acceptable tender: £ 5.186.000

*(h)* Probable time for completion: August 1944

*(i)* Any special remarks: Campanella & Caputo Contractors

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 5.186.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature: [signature]

Official designation: Lt. Col. Commanding 88th A.U. Corps

Date, and place: ———

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 5.186.000 (i. e accepted tender).

(i) [signature] Date 5166
Field Engineer.

(ii) [signature] Date 22 may 44
Engineer in General Charge of affected region.
for Lt. Col. Thompson

**3. Approved:**

G. E. Rhodes
Lt Col

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract only

Form ACC EST 11 27

# ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

5-4/57

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn etc~~, and location Route #7 Km 250+200

*(b)* By contract or direct labour Contract Casa Cantoniera Tufara

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded all elements

*(d)* Amount of appoximate estimate Lit 3.461.000

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 3,461,000

*(h)* Probable time for completion August 1946

*(i)* Any special remarks Domenico Tucci - Contractor

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.461.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Signature [signature]

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn etc~~, and location Route #7 Km 250+200

*(b)* By contract or direct labour Contract Casa Cantoniera Tufara

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded all elements

*(d)* Amount of appoximate estimate Lit 3.461.000

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 3.461.000

*(h)* Probable time for completion August, 1944

*(i)* Any special remarks Domenico Tucci - Contractor

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.461.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [illegible]

Official designation Ing. Capo Compartimento A.A.U. Caserta

Date, and place

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3.461.000 (i. e accepted tender).

*(i)* Edmund Addison Date 20 May 44
Field Engineer.

*(ii)* R.W. Shufeldt 1st Lt. Date 22 May 44
Engineer in General Charge of affected region.
for Lt. Col. Thompson

**3. Approved:**

G. E. Rhodes
Lt. Col. A.F.
D. P. W. & U.

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

530/18/E 22 C

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.; una deve essere restituita al capo dell'area,(LT COL.THOMPSON e Magg. HYLAND) quando approvata,e una deve essere restituita all'Ing.Italiano che firma il certificato 2.=

PERIZIE = COSTO = APPROVAZIONE

I-a) ~~Fabbricati;-ponti;-strade;-centrale di~~ Statale 18 -Tratto:Gamerello-Vietri
~~forza motrice;-centrale di fognatura e-locali~~. . . . . .

b) Se contratto o lavoro in economia. . . .in economia. . . . . .

c) Se il contratto include tutti gli elementi

se non segnare brevemente ciò che è escluso.escluso.pietrisco.e.bitume.

d) L'importo della perizia. . .L. 2.060.000.00. . . . . .

e) Quante richieste si sono ricevute. . . una sola. . . . . .

la più alta e la più bassa . . . . . .

f) La più bassa può accettarsi?se non perchè?. . . . . .

g) Somma dell'offerta accettabile . . . .L. 2.060.000,00. . . . . .

h) Tempo probabile per la esecuzione. . . . .mesi Tre . . . . . .

i) Qualsiasi rilievo d'importanza . Impresa .D'AMMORA FRANCESCO PAOLO . . .

. . . . . .

2-CERTIFICATI:

a) Certifico che l'acclusa perizia approssimata ammontante a L.....è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma. [signature].

L'Ingegnere Italiano ( carica ufficiale. Col. Cmd. A.A.I.

( Data e luogo. . . . . 8 maggio 1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma

Declassified E.O. 12356 Section 3.3/NND No. 785019

1-a) ~~Fabbricati, ponti, strade, canale di~~ Statale 18 =Tratto:Camerelle-Vietri
~~forze motrici, centrale di formazione locali~~. . . . . .

b) Se contratto o lavoro in economia. . . .in economia. . . . . .

c) Se il contratto include tutti gli elementi
se non segnare brevemente ciò che è escluso.escluso.piastrisec.e bitume .

d) L'importo della perizia. . .L. 2.060.000.00. . . . . .

e) Quante richieste ci sono ricevute. . . una sola. . . . . .
la più alta e la più bassa . . . . . .

f) La più bassa può accettarsi?se non perchè?. . . . . .

g) Somma dell'offerta accettabile . . . .L. 2.060.000,00. . . . . .

h) Tempo probabile per la esecuzione. . . . .mesi Tre . . . . . .

i) Qualsiasi rilievo d'importanza . Impresa .D'AMMORA FRANCESCO PAOLO . . .
. . . . . .

2-CERTIFICATI:

a) Certifico che l'accluso perizia approssimata ammontante a
L.....è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma. .
L'Ingegnere Italiano ( carica ufficiale. Col. Cust. DD.LL.
( Data e luogo. . 8 Maggio 1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2060.000. . . . . .(cioè offerta accettata).

I) .....(Data.....

L'INGEGNERE DI CAMPO

II).....(Data.....

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

5165

3- APPROVATO

.....

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

530/18/A

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.; una deve essere restituita al capo dell'area, (LT COL.THOMPSON e MAGG.HYLAND) quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato 2.=

PERIZIE = COSTO = APPROVAZIONE

I-a) ~~Fabbricati, ponti, strada centrale di~~ Statale 18 -Tratto:Pagani -Cancelli ~~ferrovia motrice, controllo di segnatura e località~~ . . . . . .

b) Se contratto o lavoro in economia. . . . in economia . . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. escluso pietrisco e bitume

d) L'importo della perizia. . . Lire 3.000.000,00 . . . . . .

e) Quante richieste si sono ricevute. una sola . . . . . la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi?se non perchè?. . . . . .

g) Somma dell'offerta accettabile. lire 3040000,00 . . . . . .

h) Tempo probabile per la esecuzione. . . mesi tre . . . . . .

i) Qualsiasi rilievo d'importanza. Impresa BALATESTA GIORGIO . . . . . .

2-CERTIFICATI:

a) Certifico che l'acclusa perizia approssimata ammontante a L..... è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo

(firma. [illegible]

L'Ingegnere Italiano (carica ufficiale. Cap. Cmp. W.A.A.F.

Declassified E.O. 12356 Section 3.3/NND No. 785019

I-a) ~~Fabbricati, ponti, strade, centrale di~~ Statale 18 -Tratto:Pagani -Comerelle
~~forza motrice, centrale di fognatura e località~~ . . . . . .

b) Se contratto o lavoro in economia. . . . in economia . . . . . .

c) Se il contratto include tutti gli elementi
se non segnare brevemente ciò che è escluso. escluso pietrisco e bitume

d) L'importo della perizia. . . Lire 3.000.000,00 . . . . . .

e) Quante richieste si sono ricevute. . una sola . . . . . .
la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi?se non perchè?. . . . . .

g) Somma dell'offerta accettabile. Lire 3040000,00 . . . . . .

h) Tempo probabile per la esecuzione. . . mesi tre . . . . . .

i) Qualsiasi rilievo d'importanza. Impresa MALATESTA GIORGIO . . . . . .
. . . . . .

2- CERTIFICATI:

a) Certifico che l'acclusa perizia approssimata ammontante a L. . . . . .
è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma. [illegible] . . .

L'Ingegnere Italiano (carica afficiale. Cap Cmp. Wld. I.S.

(Data e luogo. Caserta . . 8 maggio 1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 3.040.000. . . . . .(cioè offerta accettata).

I) [illegible] . . . . . ( data. 12 Maggio 44 . . . . . .

L'INGEGNERE DI CAMPO

II) Ass't Engineer 1st Lt. ( Data. 7.7.516/44 . . . . . .
for Lt. Col. Thompson

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO
. . . . . G. E. Malatesta - Lt. Col. A.C. for

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate + Contract.

ALLIED CONTROL COMMISSION Form ACC EST | 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

24

528/714

54

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building,~~ Bridge, ~~Road, Power Stn, Pumping Stn etc, and location~~ Ponte obliquo sull'alveo dei Camaldoli sulla Strada Marano-Qualiano

*(b)* By contract or direct labour contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ===

*(d)* Amount of appoximate estimate L. I.090.000,00

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender I.090.000,00

*(h)* Probable time for completion mesi due

*(i)* Any special remarks Impresa Ing.MARIO CAMPANELLA e Flli.CAPUTO di Domenico

2. Certificates:

*(a)* Certified that the attached approximate estimate amounting to Lire I.090000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Declassified E.O. 12356 Section 3.3/NND No. 785019

...ferred to the Italian Engineer who signs certificate 2 (a) below. ...ich approved, and one

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building~~ Bridge, ~~Road, Power Stn, Pumping Stn etc, and location~~ Ponte obliquo sull'alveo dei Comaldoli sulla Strada Marano-Qualiano

*(b)* By contract or direct labour contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ===

*(d)* Amount of appoximate estimate L. I.090.000,00

*(e)* How many competitive tenders received I

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender I.090.000,00

*(h)* Probable time for completion mesi due

*(i)* Any special remarks Impresa Ing.MARIO CAMPANELLA e Flli.CAPUTO di Domenico

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire I.090000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Ing.CAPO COMPARTIMENTO dell'A.A.S.S.

Date, and place Caserta II Maggio 1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire I.090.000 (i. e accepted tender).

(i) [signature] 5163
Field Engineer. Date 18 May 44

(ii) [signature] 1st Lt Date 22 may 44
Engineer in General Charge of affected region.
for Lt.Col. Thompson

3. **Approved:**

G.E. Slater Lt Col FE
for

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract only

Form ACC/EST/1

# ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

18

53

5-0/710

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn~~ etc, and location Roste #710 Caucello - Arienzo

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded We will Furnish Granight & Bitumen

*(d)* Amount of appoximate estimate £ 4.400.000

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 4400.000

*(h)* Probable time for completion 30 June. 44

*(i)* Any special remarks D'Onofrio Gerardo. Contractor on a unit price basis

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire ..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN

Signature [illegible]

Official designation [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn~~ etc, and location Route #110 Cancello- Arienzo

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded We will Furnish Granulati & Bitumen

*(d)* Amount of appoximate estimate £ 4.400.000

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 4400.000

*(h)* Probable time for completion 30 June 46

*(i)* Any special remarks D'Onofrio Bernardo. Contractor on a unit price basis

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire ..... has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Sq. Capo Compartimento A.A.S. 15 Caserta

Date, and place 7-6-46

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 4.400.000 (i. e accepted tender).

(i) [signature] Date 18 May 46
Field Engineer.

(ii) [signature] 15th Lt Date 22 may 46
Engineer in General Charge of affected region.
for Lt. Col. Thompson

**3. Approved:**

G. E. Rodda
Director, P. W. & U. Sub-Commission.
for Lt. Col.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate + Contract

ALLIED CONTROL COMMISSION Form ACC | EST | 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

18

54v/7B.1

52

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and location~~ Fls - Scandriglia - Rocca

*(b)* By contract or direct labour Appalto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded —

*(d)* Amount of appoximate estimate £ 2.590.000.00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender 2.590.000,00

*(h)* Probable time for completion due mesi

*(i)* Any special remarks Approvo Martino

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2.590.000,00 has been prepared by me; it covers the full requirements of the project and is correctly

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and location~~ Ydo - Sovramonte - Arsiero

*(b)* By contract or direct labour Contratto

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded —

*(d)* Amount of appoximate estimate £ L. 590.000,00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? si

*(g)* Amount of acceptable tender £ 590.000,00

*(h)* Probable time for completion Sei mesi

*(i)* Any special remarks Express Absolute

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 590.000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Il Capo Compartimento

Official designation Ing. Capo Compartimento del G.N.R.

Date, and place Vicenza 15 Dicembre 44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 516200 (i. e accepted tender).

(i) Edmund Hebert Date 18 May 44
Field Engineer.

(ii) M.W. Shepherd 1st Lt Date 20 May 44
Engineer in General Charge of affected region.
for Lt. Col. Thompson

3. **Approved:**

G.E. Rader

Director, P. W. & U. Sub-Commission.

Lt. Col. R.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate & Contract

Foglio ACC. EST I

546

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia, una deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al capo dell'area, (LT COL THOMPSON e MAGG RYLAND) quando approvata, e una deve essere restituita all'Ingegnere Italiano che firma il sertificato.

PERIZIE = COSTO = APPROVAZIONE

1)- (a) Lavori di sistemazione delle rampe di accesso al cavalcavia ferroviario di Caserta lungo la strada statale n° 87.

(b) Lavori da darsi in appalto

c) se il contratto include tutti gli elementi: Ripresa delle murature deteriorate e riparazione del piano viabile.

d) Importo della perizia. L. 600.000 ( lire seicentomila)

e) quante richieste si sono ricevute: I lavori sono stati affidati alla Impresa Tucci Domenico da Napoli.

f) la più bassa può accettarsi? se non perchè?...n....

g) somma dell'offerta accettabile. . . . . .

h) tempo probabile per l'esecuzione: Giorni trenta

i) qualsiasi rilievo di importanza. Work pl. & est. price bases. Maintenance till June 30 included.

2)- CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. 600.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1803 Caserta 15 MAG. 1944

L'INGEGNERE CAPO COMPARTIMENTO

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 600.000. ( cioè offerta accettata)

1) E. Lawrence Feldman. Lt Col ( data 15 May 44)

L'INGEGNERE DI CAMPO

Declassified E.O. 12356 Section 3.3/NND No. 785019

1)- (a) Lavori di sistemazione delle rampe di accesso al cavalcavia ferroviario di Caserta lungo la strada statale nº 87.

(b) Lavori da darsi in appalto

c) se il contratto include tutti gli elementi: Ripresa delle murature deteriorate e riparazione del piano viabile.

d) Importo della perizia. L. 600.000 ( lire seicentomila)

e) quante richieste si sono ricevute: I lavori sono stati affidati alla Impresa Tucci Domenico da Napoli.

f) la più bassa può accettarsi? se non perchè?...si...

g) somma dell'offerta accettabile. . . . . .

h) tempo probabile per l'esecuzione: Giorni trenta

i) qualsiasi rilievo di importanza. Work on. & Unit. Price basis. Maintenance till June 30 included

2)- CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. 600.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Nº1803 Caserta 16 MAG. 1944

L'INGEGNERE CAPO COMPARTIMENTO

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 600.000. ( cioè offerta accettata)

1) E. Lewis Gibson. Lt. ( data. 15 May 44)

L'INGEGNERE DI CAMPO

11). . Neil Shepherd 1st Lt. ( data. 22 May 44)
for Lt Col. Thompson

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

5161

3) - APPROVATO

G.E. Sp. Lt.
Lt. Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate & Contract 76

Foglio ACC. EST I

521/1/A

COMMISSIONE ALLEATA DI CONTROLLO
SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI
**Perizie lavori da farsi**

50

NOTA:Questo modello deve essere riempito in triplice copia; una deve essere trattenuta dalla sottocommissione del Q.G.una deve essere restituita al ca_ po dell'area,(LT COL THOMPSON E MAGG. HYLAND)quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

I- (a) Lavori straordinari di riparazione del pianon viabile e pertinenze stradali del tratto della S.S.7 compreso fra Caserta ed il Bivio d'Arienzo - Lunghezza di mi 15 820

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L. 2.490.000.00

(e) quante richieste si sono ricevute - I lavori sono stati affidati al_ la più bassa e la più alta - l'impresa Tucci Domenico da Napoli

(f) la più basse può accettarsi? se non perchè?

(g) la somma dell'offerta accettabile

(h) tempo probabile per l'esecuzione - I lavori dovranno essere ultimati entro il 30 giugno 1944 -

(i) qualsiasi rilievo di importanza Domenico Tucci impresa, Cost Price Basis. Work will start Hardog 15 May.

2- CERTIFICATI

(a)certifico che l'acclusa perizia approssimata ammontante a L.2.490.000 èstata preparata da me: essa risponde a tutti i dati richiesti del pro_ getto, ed è ammissibile nell'importo.

Caserta, 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO
(R.Mancini)

(b)Approvo il precedente attestato e raccomando l'approvazione della so_

Declassified E.O. 12356 Section 3.3/NND No. 785019

essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

I- (a) Lavori straordinari di riparazione del pianon viabile e pertinenze stradali del tratto della S.S.7 compreso fra Caserta ed il Bivio d'Arienzo - Lunghezza di mi 15 1/8 20

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L. 2.490.000.00

(e) quante richieste si sono ricevute - la più bassa e la più alta - I lavori sono stati affidati all'impresa Tucci Domenico da Napoli

(f) la più basse può accettarsi? se non perchè?

(g) la somma dell'offerta accettabile

(h) tempo probabile per l'esecuzione - I lavori dovranno essere ultimati entro il 30 giugno 1944 -

(i) qualsiasi rilievo di importanza Domenico Tucci impresa, Contr Price Basis. Work will start Monday 15 May.

II- CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a L.2.490.000 èstata preparata da me: essa risponde a tutti i dati richiesti del progetto, ed è ammissibile nell'importo.

Caserta, 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO
(R. Mancini)

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L.2.490.000 (cioè offerta accettata)

(I) ..... (data 13 MAG 1944

L'INGEGNERE DI CAMPO 5160

(II) Lt Col Thompson (Data 22 May 44.)

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

- APPROVATO

.....

Lt Col AC

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate & Contract 2-C

Fogl. AGG.

COMMISSIONE ALLEATA DI CONTROLLO
SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI
Perizie lavori da farsi

502/7/C

NOTA: questo modello deve essere rieppito in triplice copia, una deve essere trattenuta dalla sottocommissione del C.C., una deve essere restituita al capo dell'area, (LT COL THOMPSON E MAGG. HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE COSTO = APPROVAZIONE

I- (a) Lavori straordinari di riparazione del piano viabile del tratto della S.S.7 compreso fra S.Maria C.V. e Caserta -

(b) lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L. 2.370.000

(e) quante richieste si sono ricevute - I lavori sono stati affidati alla la più bassa e la più alta - Impresa Bianco Luigi residente a Napoli

(f) la più bassa può accettarsi? se non perchè?

(g) somma all'offerta accettabile

(h) tempo probabile per l'esecuzione - I lavori devono essere ultimati entro il 30 giugno 1944

(i) qualsiasi rilievo di importanza Luigi Bianco - Impresa. Work will be on await price Basso.

2- CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammonta a L.2.370.000.00 è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1762 Caserta, 12 [illegible] 1944 L'INGEGNERE CAPO COMPARTIMENTO
(R. Mancini)

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2.370.000 (cioè offerta accettata)

(i) [illegible] (data 13 Dec 44)

Declassified E.O. 12356 Section 3.3/NND No. 785019

PERIZIA COSTO = APPROVAZIONE

I- (a) Lavori straordinari di riparazione del piano viabile del tratto della S.S.7 compreso fra S.Maria C.V. e Caserta -

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L. 2.370.000

(e) quante richieste si sono ricevute - I lavori sono stati affidati alla la più bassa e la più alta -- Impresa Bianco Luigi residente a Napoli

(f) la più bassa può accettarsi? se non perchè?

(g) somma dell'offerta accettabile

(h) tempo probabile per l'esecuzione - I lavori devono essere ultimati entro il 30 giugno 1944

(i) qualsiasi rilievo di importanza Luigi Bianco - Impresa. Work will be on a unit price Basis.

2- CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammonta a L.2.370.000.00 è stata preparata da me; essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1762 Caserta, [illegible] 1944 L'INGEGNERE CAPO COMPARTIMENTO
(R.Mancini)

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L.2.370.000 (cioè offerta accettata)

(i) [illegible] . (data 13 Dec 44)

L'INGEGNERE IN CAMPO

(ii) for Lt.Col. Thompson Ruth Shapley 1st Lt. (data 2 May 44) 5159

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO
G.E. Rad
Lt. Col. R.A.
for

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Foglio ACC. EST I

COMMISSIONE ALLEATA DI CONTROLL

Estimate & Contract

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie e lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia, una deve esser trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al po dell'area, (LT.COL; THOMPSON e MaGG. HYLAND) quando approvata, e una dev essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

1)= (a) Lavori straordinari di riparazione del piano visibile del tratto del strada statale n. 7 da S.Maria C.V. Verso Capua.

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi.....
se non segnare brevemente ciò che è incluso.....

(d) L'importo della perizia. L. I.200.000.=(lire un milioneduecentomila

(e) Quante richieste si sono ricevute: I lavori sono stati affidati alla la più bassa e la più alta Soc. An. Vianini e Comastra

(f) La più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile. . . . . .

(h) Tempo probabile per l'esecuzione I lavori devono essere ultimati entro il 30 giugno 1944.

(i) Qualsiasi rilievo di importanza. . . . . .

2)= CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire I.200.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO

Declassified E.O. 12356 Section 3.3/NND No. 785019

1)= (a) Lavori straordinari di riparazione del piano viabile del tratto del
strada statale n. 7 da S.Maria C.V. Verso Capua.

(b)Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi.....
se non segnare brevemente ciò che è incluso.....

(d) L'importo della perizia. L. I.200.000.=(lire un milioneduecentomila

(e) Quante richieste si sono ricevute:I lavori sono stati affidati alla
la più bassa e la più alta Soc. An. Vianini e Comastra

(f) La più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile. . . . . .

(h) Tempo probabile per l'esecuzione I lavori devono essere ultimati entro il 30 giugno 1944.

(i) Qualsiasi rilievo di importanza. . . . . .

2)= CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire I.200.000.= è stata preparata da me:essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO

(b)Approvo il precedente at estato e raccomando l'approvazione della somma di L. 1.200.000. ( cioe offerta accettata)

(1) ..... ( data. 13. maggio. 44. . )

L'INGEGNERE DI CA[illegible]

5958

(12) ..... Data . . 30 May. 44. . . )

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

C[illegible]MISSIONE ALLEATA DI CONTR[illegible]LO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Estimate & Contract 541/87

Perizie lavori da farsi

OTA:Questo modello deve essere riempito in triplice copia;una deve essere rattenuta dalla Sottocommissione del Q.G.,una deve essere restituita al capo dell'area(LT COL THOMPSON e MAGG. HYLAND)quando approvata, e una deve esse e restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

)-(a) Lavori straordinari di riparazione del piano viabile lungo il tronco della Strada Statale n° 87 compreso fra l'abitato di Caivano ed il ponte Carbonara.

b) Lavori da eseguirsi in economia

c) se il contratto include tutti gli elementi. . . . . .
se non segnare brevemente ciò che è incluso. . . . . .

d) Importo della perizia L. 1.500.000.= (un milione e cinquecentomila)

e) quante richieste si sono ricevute. I lavori sono stati affidati alla Impresa Illiano Umberto da Bacoli.

f) la più bassa può accettarsi? se non perchè? . . . . . .

g) somma dell'offerta accettabile. . . . . .

h)tempo probabile per l'esecuzione. I lavori devono essere ultimati entro il 30 giugno 1944.

i) qualsiasi rilievo di importanza. Umberto Illiano Impresa . . . . . work will be on a unit price basis.

CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. I.500.000.= è stata preparata da me: essa risponde a tutti i [illegible]
progetto

Declassified E.O. 12356 Section 3.3/NND No. 785019

la Strada Statale n° 87 compreso [illegible]

Carbonara.

b) Lavori da eseguirsi in economia

c) se il contratto include tutti gli elementi. . . . . .

se non segnare brevemente ciò che è incluso. . . . . .

d) Importo della perizia L. 1.500.000.= (un milione e cinquecentomila)

e) quante richieste si sono ricevute. I lavori sono stati affidati alla Impresa Illiano Umberto da Baccoli.

f) la più bassa può accettarsi? se non perchè? .. . . . . .

g) somma dell'offerta accettabile. . . . . .

h) tempo probabile per l'esecuzione. I lavori devono essere ultimati entro il 30 giugno 1944.

i) qualsiasi rilievo di importanza. Umberto Illiano Impresa Work will be on a unit price basis.

- CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. I.500.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1742 CASERTA 12 MAG. 1944

L'INGEGNERE CAPO COMPARTIMENTO

( R. Mancini )

5157

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 1.500.000. . . . . (cioè offerta accettata)

(1) [illegible] . . ( data. 13 Mag. 44.)

P.I.O.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Foglio ACC. EST I

COMMISSIONE ALLEATA DI CONTROLL

Estimate & Contract

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie e lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia, una deve esser trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al po dell'area, (LT.COL; THOMPSON e MaGG. HYLAND) quando approvata, e una dev essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

1)= (a) Lavori straordinari di riparazione del piano viabile del tratto del strada statale n. 7 da S.Maria C.V. Verso Capua.

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi.....

se non segnare brevemente ciò che è incluso.....

(d) L'importo della perizia. L. I.200.000.=(lire un milioneduecentomila

(e) Quante richieste si sono ricevute: I lavori sono stati affidati alla la più bassa e la più alta Soc. An. Vianini e Comastra

(f) La più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile. . . . . .

(h) Tempo probabile per l'esecuzione I lavori devono essere ultimati entro il 30 giugno 1944.

(i) Qualsiasi rilievo di importanza. . . . . .

2)= CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire I.200.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO

(b) Approvo il presente at

Declassified E.O. 12356 Section 3.3/NND No. 785019

[illegible] HYLAND) quando approvata, e una dev essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

1)= (a) Lavori straordinari di riperazione del piano viabile del tratto del strada statale n. 7 da S.Maria C.V. Verso Capua.

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi.....
se non segnare brevemente ciò che è incluso.....

(d) L'importo della perizia. L. I.200.000.=(lire un milioneduecentomila

(e) Quante richieste si sono ricevute: I lavori sono stati affidati alla la più bassa e la più alta Soc. An. Vianini e Comastra

(f) La più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile. . . . . .

(h) Tempo probabile per l'esecuzione I lavori devono essere ultimati entro il 30 giugno 1944.

(i) Qualsiasi rilievo di importanza. . . . . .

2)= CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire I.200.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 12 MAG 1944

L'INGEGNERE CAPO COMPARTIMENTO

(b) Approvo il precedente at estato e raccomando l'approvazione della somma di L. 1.200.000 ( cioè offerta accettata)

(1) [illegible] ( data. 13 MAG. 44 )

L'INGEGNERE DI CA[illegible]5958

(1) [illegible] ( data 30 MAG. 44 )

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) - APPROVATO

G.E. Rondoni Lt.Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate &
Contract
541/87

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

OTA: Questo modello deve essere riempito in triplice copia; una deve essere rattenuta dalla Sottocommissione del C.G., una deve essere restituita al capo dell'area (LT COL THOMPSON e MAGG. HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

)-(a) Lavori straordinari di riparazione del piano viabile lungo il tronco della Strada Statale n° 87 compreso fra l'abitato di Caivano ed il ponte Carbonara.

b) Lavori da eseguirsi in economia

c) se il contratto include tutti gli elementi. . . . . .
se non segnare brevemente ciò che è incluso. . . . . .

d) Importo della perizia L. 1.500.000.= (un milione e cinquecentomila)

e) quante richieste si sono ricevute. I lavori sono stati affidati alla Impresa Illiano Umberto da Bacoli.

f) la più bassa può accettarsi? se non perchè? .. . . . .

g) somma dell'offerta accettabile. . . . . .

h) tempo probabile per l'esecuzione. I lavori devono essere ultimati entro il 30 giugno 1944.

i) qualsiasi rilievo di importanza. Umberto Illiano, Impresa, Work will be on a unit price basis.

CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. I.500.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1742 CASERTA 12 MAG. 1944

L'INGEGNERE CAPO COMPARTIMENTO

( R. Marcini )

Declassified E.O. 12356 Section 3.3/NND No. 778019

la Strada Statale n° 87 compreso [illegible]

Carbonara.

b) Lavori da eseguirsi in economia

c) se il contratto include tutti gli elementi. . . . . .

se non segnare brevemente ciò che è incluso. . . . . .

d) Importo della perizia L. 1.500.000.= (un milione e cinquecentomila)

e) quante richieste si sono ricevute. I lavori sono stati affidati alla Impresa Illiano Umberto da Bacoli.

f) la più bassa può accettarsi? se non perchè? .. . . . . .

g) somma dell'offerta accettabile. . . . . .

h) tempo probabile per l'esecuzione. I lavori devono essere ultimati entro il 30 giugno 1944.

i) qualsiasi rilievo di importanza. Umberto Illiano Impresa. work will be on a unit price basis.

- CERTIFICATI

a) certifico che l'acclusa perizia approssimata ammontante a L. I.500.000.= è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

N°1742 CASERTA 12 MAG. 1944

L'INGEGNERE CAPO COMPARTIMENTO

( R. Mancini )

5157

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. /. 500.000. . . . . (cioè offerta accettata)

(1) [illegible] ( data. /. 3 Maggio .44.)

P.4.0.

Declassified E.O. 12356 Section 3.3/NND No. 785019

L'INGEGNERE DI CAMPO

(11) ..Hutchinson 1st Lt.
for Lt. Col. Thompson ..... ( data 2 May 47)

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVO

G. E. Reeder
.....

Lt. Col. F. E.
for

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contracts only

ALLIED CONTROL COMMISSION Form ACC/EST/1 14

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

527/90

ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location 527/90 Ponte Calore - Ariano

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements except bitumen

*(d)* Amount of appoximate estimate £ 3,200,000,00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,200,000,00

*(h)* Probable time for completion 30 June 1944

*(i)* Any special remarks

Ciapparelli

2. Certificates:

Declassified E.O. 12356 Section 3.3/NND No. 785019

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

527/90

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Ponte Calore – Ariano

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements except bitumen

*(d)* Amount of appoximate estimate £ 3,200,000.00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,200,000.00

*(h)* Probable time for completion 30 June 1944

*(i)* Any special remarks

Ciapparelli

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation

Date, and place 6-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3.200.000 (i. e accepted tender).

5156

(i) Date 9 May 44
Field Engineer.

(ii) Date 11 may 44
Engineer in General Charge of affected region.
for Lt.Col. Thompson

**3. Approved:**

Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC/EST/1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

12.

11

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)* 518/B

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Naples - Pompei (Autostrada)

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Acc. Elements.

*(d)* Amount of appoximate estimate 4,000,000

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender 5,000,000

*(h)* Probable time for completion 31 July 44

*(i)* Any special remarks General repairs including repairs to bridge

2. **Certificates:** Contractor: Carola, Vincenzo

*(a)* Certified that the attached approximate estimate amounting to Lire 5,000,000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Lepiani

Official designation Capo Servizio Genio Civile

Date, and place Napoli, 8-5-1946

Declassified E.O. 12356 Section 3.3/NND No. 785019

of the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)* 518/B

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Naples – Pompei (Autostrada)

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Mel. Elements.

*(d)* Amount of appoximate estimate 4,000,000

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender 5,000,000

*(h)* Probable time for completion 31 July 44

*(i)* Any special remarks General repairs including repairs to bridge

2. **Certificates:** Contractor: Carola, Vincenzo

*(a)* Certified that the attached approximate estimate amounting to Lire 5,000,000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Capo Ufficio Tecn. Civile

Date, and place Napoli, 8-5-1946

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 5,000,000 (i. e accepted tender).

(i) [signature] Capt Mtd Engineer. Date 9th May 1944

(ii) [signature] Engineer in General Charge of affected region. Date 9 May 44

3. **Approved:**

[signature] for Director, P. W. & U. Sub-Commission. G.E. Rhodes Lt Col RE

declassified E.O. 12356 Section 3.3/NND No. 785019

Form AC: EST 11

ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

10

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/G

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Station, Pumping Station, and~~ location Route 18 - Naples -Pompei (Diversions

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 2,560,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 2,560,000.00

*(h)* Probable time for completion largely Completed 15 May '44

*(i)* Any special remarks This includes all necessary diversions and clearance of rubble. Work largely complete

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2,560,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Capo Sezione Genio Civile

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

517/18/G

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Site, Pumping Station~~, and location Route 18 – Naples –Pompei (Diversions

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 2,560,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 2,560,000.00

*(h)* Probable time for completion largely Completed 15 May '44

*(i)* Any special remarks This includes all necessary diversions and clearance of rubble. Work largely complete

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2,560,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Enrico Lepiani

Official designation Capo Servizio Genio Civile

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2,560,000.00. (i. e accepted tender).

(i) W. P. Pentreyfitch Date 8 May 1944
Field Engineer.

(ii) Thompson Col Date 9 May 44
Engineer in General Charge of affected region.

515

**3. Approved:**

G. E. Reader
Lt Col RE
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

517/18/F

1. *(a)* Building, bridge, Road, Power Stn, Pumping Stn etc, and location Route 18 - Naples-Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 2,320,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 2,320,000.00

*(h)* Probable time for completion 15 May 1944

*(i)* Any special remarks Stretch: Torre Annunziata to the End of the ROad

Contractor: D'Ammora Nicola

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2,320,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Reppiani

Official designation Capo Sezione del Genio Civile

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

517/18/F

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc. and location Route 18 – Naples-Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 2,320,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 2,320,000.00

*(h)* Probable time for completion 15 May 1944

*(i)* Any special remarks Stretch: Torre Annunziata to the End of the ROad

Contractor: D'Ammora Nicola

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 2,320,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER — Signature Luigi Reffiani

Official designation Cap. Ispettore del Genio Civile

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 2,320,000.00.

(i) D. R. Fenton Lt Col RE 5/153 Date 8 May 1944
Field Engineer.

(ii) Thompson Mol Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G. E. Rhodes Lt. Col. R.E.
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

8

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/E

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? Yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 28 February 1944 31 May 44

*(i)* Any special remarks Stretch: Within Torre Annunziata
Contractor: Oliva Vincenzo

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000.-- has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Reppisani

Official designation Capo Servizio Genio Civile

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

517/18/E

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Sta, Pumping Sta etc, and~~ location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 28 February 1944 31 May 44

*(i)* Any special remarks Stretch: Within Torre Annunziata
Contractor: Oliva Vincenzo

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Reppucci

Official designation Capo Servizio Lavori Civili

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3,000,000.00 (i. e accepted tender).

5153

W. F. Henry Lt Col QMC Date 8 May 1944
Field Engineer.

E. Thompson Mal Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G. E. Rhodes
LT. COL. RE

for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC EST 11

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

517/18/D

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 1,470,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 1,470,000.00

*(h)* Probable time for completion 31 May 1944

*(i)* Any special remarks Stretch: Torre del Greco - Torre Annunziata

Contractor: Pirone Carmine

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 1,470,000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Scippacercola

Official designation Capo Servizio Lavori Civili

Date and place Napoli 8.5.1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

517/18/D

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 1,470,000.00

*(e)* How many competitive tenders received /.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 1,470,000.00

*(h)* Probable time for completion 31 May 1944

*(i)* Any special remarks Stretch: Torre del Greco - Torre Annunziata

Contractor: Pirone Carmine

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 1,470,000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Pappalardi

Official designation Capo Servizio Opere Civili

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 1,470,000.00. (i. e accepted tender).

(i) W.H. Fentry Capt CE Date 5/5/44
Field Engineer.

(ii) Thompson Maj Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G.E. Rhodes
LT COL CE
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC/EST/1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location 517/13/0 Route 18 – Naples – Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 31 May 1944

*(i)* Any special remarks Stretche Within Torre del Greco

Contractor: Roccia & Giardino

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000.00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature

Official designation Capo Ufficio Genio Civile

Date, and place

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/0

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 31 ~~May~~ May 1944

*(i)* Any special remarks Stretche Within Torre del Greco

Contractors: Reccia & Giordino

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000 ~~00~~. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature Luigi Poppiani

Official designation Capo Sezione Genio Civile

Date, and place Napoli, 8-5-1944

5150

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3,000,000 ~~00~~. (i. e accepted tender).

W.H.F. Entry Capt RNP Date 8 May 1944
Field Engineer.

W. Thompson Maj Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G.E. Rhodes
LT COL R.E.
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AC[illegible] EST 1

ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/3

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Sta, Pumping Sta etc~~ and location Route 18 - Naples - Foggia

*(b)* By contract or direct labour Contracts

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000.00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 30 May 1944

*(i)* Any special remarks Stretch: Resina - R Torre del Greco

Contractors: Tucci

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000.00 as has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/B

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contracts

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 3,000,000.00

*(e)* How many competitive tenders received 1

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 3,000,000.00

*(h)* Probable time for completion 30 May 1944

*(i)* Any special remarks Stretch: Resina - P Torre del Greco

Contractors: Tucci

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3,000,000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature L. Lepiani

Official designation Capo Servizio Gen. Civile

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3,000,000.00 (i. e accepted tender).

(a) W. D. Beatty Capt CMP Date 8 May 1944
Field Engineer.

(b) Thompson Hq 51/9 Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G. E. Rhodes
Lt. Col RE
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Stn, Pumping Stn, etc.~~ and location Route 18 - Menlen - Pompei 517/18/A

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ALL Elements

*(d)* Amount of appoximate estimate £ 1.950.000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 1.950.000.00

*(h)* Probable time for completion 31 May 1944

*(i)* Any special remarks Stretch Cross del Lazio - Nesina Contractors Torna & Martorelli

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 1950 000 00 prepared by me; it covers the full requirements of

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

517/18/A

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn, etc. and location Route 18 - Naples - Pompei

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All Elements

*(d)* Amount of appoximate estimate £ 1,950,000.00

*(e)* How many competitive tenders received 1.

Highest and lowest

*(f)* Is lowest to be accepted; if not, why? yes

*(g)* Amount of acceptable tender £ 1,950,000.00

*(h)* Probable time for completion 31 May 1944

*(i)* Any special remarks Stretch Cross del Lagno - Resina

Contractor: Perna & Martorelli

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 1,950,000,00 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Capo Servizio Lavori Civili

Date, and place Napoli, 8-5-1944

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 1,950,000,00 (i. e accepted tender).

(1) [signature] Date 8 May 1944
Field Engineer.

(2) [signature] Date 9 May 44
Engineer in General Charge of affected region.

**3. Approved:**

G.E. Rhodes
Lt. Col. R.E.
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

37

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.; una deve essere restituita al capo dell'area,(LT COL.THOMPSON e MAGG.HYLAND) quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato 2.=

#507

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti,~~ strade, ~~centrale di~~ 8717 - Caserma dei Bersaglieri in Frattamaggiore ~~forza motrice, centrale di fognatura e località~~. . . . . .

b) Se contratto o lavoro in economia. contratto. . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. escluso bitume. . . .

d) L'importo della perizia. 3.311.000,00. . . . . .

e) Quante richieste si sono ricevute. . 1. . . . . .

la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè?. Sì. . . . . .

g) Somma dell'offerta accettabile. . 3.311.000,00. . . . . .

h) Tempo probabile per l'esecuzione. 8 mesi. . . . . .

i) Qualsiasi rilievo d'importanza. Caserma Ing. Giuseppe Giuliano. . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a L. 3.311.000=. è stata preparata da me essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma [illegible]

Italiano (carica ufficiale Dott. Ing. [illegible] 3-5-1946

Declassified E.O. 12356 Section 3.3/NND No. 785019

provata, e una deve essere restituita all'ing.italiano che firma il cer-
tificato 2.=

#507

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di forza motrice, centrale di fognatura e località~~. 8717 - Taverna del Bravo Frattamaggiore . . . . . .

b) Se contratto o lavoro in economia. contratto . . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente cioò che è escluso. escluso bitume . . . . . .

d) L'importo della perizia. £. 311.000,00 . . . . . .

e) Quante richieste si sono ricevute. . 1 . . . . . la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè?. Sì. . . . . .

g) Somma dell'offerta accettabile. . £. 311.000,00 . . . . . .

h) Tempo probabile per l'esecuzione. 8 mesi . . . . . .

i) Qualsiasi rilievo d'importanza. Supervisione Ing. Giuseppe Giuffrida . . . . . .

2 - CERTIFICATI :

a) Certifico : che l'acclusa perizia approssimata ammontante a L. £. 311.000= è stata preparata da me essa risponda a tutti i dati richiesti dal progetto, od è ragionevole nell'importo.

(firma Ing. Giuseppe Giuffrida .

L'Ingegnere Italiano (carica ufficiale Dott. Consulente Tecnico

(data e luogo . . . Caserta . . . 3-5-1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 311.000 . . . . . .(cioè offerta accettata)

I) Lawrence Feldman .(data 6 Dec 44

L'INGEGNERE DI CAMPO

II) R. Thompson Lt Col .(data 5 May 44

5147

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3 - APPROVATO

..... G.E. Rodeo Lt. Col. A.C.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

for Director, P.W. & U. Sub Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1

4

172

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommisione del Q.G.; una deve essere restituita al capo dell'area, (LT Col. THOMPSON e Magg.HYLAND) quando approvata, e una deve essere restituita all'Ing.Italiano che firma il Certificato 2.=

506/713/B

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di~~ 213 abitati frattamaggiore ~~forza motrice, centrale di fognatura e località~~. . . . . .

b) Se contratto o lavoro in economia. .contratto. . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. .—. . . . . .

d) L'Importo della perizia. .6.444.000.00. . . . . .

e) Quante richieste si sono ricevute. . 1. . . . . la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè? .—. . . . . .

g) Somma dell'offerta accettabile. .6.444.000.00. . . . . .

h) Tempo probabile per l'esecuzione. .8 mesi. . . . . .

i) Qualsiasi rilievo d'importanza. .Fognatura Strada. . . . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a L.6.444.000 è stata preparata da me essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma) [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

Certificato 2.=

506/713/B

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di~~ 4/3 obitelo Frattamaggiore ~~forza motrice, centrale di fognatura e località~~. . . . . .

b) Se contratto o lavoro in economia. .contratto. . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. .—. . . . . .

d) L'Importo della perizia. .6.44.000:00. . . . . .

e) Quante richieste si sono ricevute. . 1. . . . . la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè? .Sì. . . . . .

g) Somma dell'offerta accettabile. 6.44.000:00. . . . . .

h) Tempo probabile per l'esecuzione. 8 mesi. . . . . .

i) Qualsiasi rilievo d'importanza. Impresa Sfaino. . . . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a L. 6.44.000 è stata preparata da me essa risponda a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma. Ing. Francesco

L'Ingegnere Italiano ( carica ufficiale Cap. Genio AUS

(data e luogo. Caserta. . . 3-5-1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 6.44.000 . . .(cioè offerta accettata)

I). Edmund J. Peluso (data. 8 May 44.

L'INGEGNERE DI CAMPO

Alf. Thompson Lt. Col. (data. 8 May 44.

L'INGEGNERE IN CAPO DELLA SEZIONE GENERALE DELLA REGIONE

3 - APPROVATO

5146

G.E. Rhodes

per. P. M. o m. Sub. Commission. Lt. Col. A.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.; una deve essere restituita al capo dell'area,(LT COL.THOMPSON e MAGG.HYLAND) quando approvata e una deve essere restituita all'Ing.Italiano che firma il certificato 2.=

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di forza motrice, centrale di fognatura o località~~ *113 - Dalla 7.bis alla 84 escluso obitto Prot Parmigiani*

b) Se contratto o lavoro in economia. *contratto* . . . . . .

c) Se il contratto include tutti gli elementi
se non segnare brevemente ciò che è escluso. *=* . . . . . .

d) L'importo della perizia. *L. 316.584.=* . . . . . .

e) Quante richieste si sono ricevute. . . *1* . . . . . .
la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi?se non perchè?. *=* . . . . . .

g) Somma dell'offerta accettabile. *L. 316.584.=* . . . . . .

h) Tempo probabile per l'esecuzione. *8 mesi* . . . . . .

i) Qualsiasi rilievo d'importanza. *Impianto S.P. Pedrosino* . . . . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a L. *316584* . . . . . è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma *Ing. Polvanera*).

L'Ingegnere Italiano (carica ufficiale *Col Comdt*

506/713/A

Declassified E.O. 12356 Section 3.3/NND No. 785019

ficato 2.= [illegible] all'Ing. Italiano che firma il certi

506/713/A

PERIZIE = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di forza motrice, centrale di fognatura e località~~ 713 - Dalla 1 bis alla 87 incluso di tutti i lavori

b) Se contratto o lavoro in economia. Contratto

c) Se il contratto include tutti gli elementi
se non segnare brevemente ciò che è escluso. —

d) L'importo della perizia. $ 316.584.00

e) Quante richieste si sono ricevute. . . 1
la più alta e la più bassa.

f) La più bassa può accettarsi? se non perchè? —

g) Somma dell'offerta accettabile. $ 316,584.00

h) Tempo probabile per l'esecuzione. 8 mesi

1) Qualsiasi rilievo d'importanza. Firmato S.A. Petrucci

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a L. 316584.
è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma) [illegible]

L'Ingegnere Italiano (carica ufficiale) Cap. Comdt. A.M.I.S.

(data e luogo. Bari . 3-5-1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 316.584 (cioè offerta accettata)

I) [illegible] (data 6 Maggio 44

L'INGEGNERE DI CAMPO

[illegible] (data 8 Maggio 44

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3 - APPROVATO

5 1/5

..... G.E. Rader
Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

for. P.W.B. Sub. Commission

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizia lavori da farsi

543/2 Bis

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla Sottocommissione del Q.G.; una deve essere restituita al capo dell'area,(LT COL.THOMPSON e MAGG.MYLAND)quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato 2 =

PERIZIA = COSTO = APPROVAZIONE

I - a) ~~Fabbricati, ponti~~, strade, ~~centrale di forza motrice, centrale di riscaldamento, locali~~ . £. 643. Napoli Area . . . . . .

b) Se contratto o lavoro in economia. in economia . . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. Lavori e provviste . .

d) L'importo della perizia. £. 120.000.00 . . . . . .

e) Quante richieste si sono ricevute. . . . . .
la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè?. . . . . .

g) Somma dell'offerta accettabile. . . . . .

h) Tempo probabile per l'esecuzione. . 3 mesi . . . . . .

i) Qualsiasi rilievo d'importanza. . Progetto Allegato . . . . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a Lt. £.12.000
è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma C. Buonocuore

L'Ingegnere Italiano(carica ufficiale. Capo Compartimento RdF

(data e luogo. . Caserta . 3-5-1944

b) Approvo il precedente attestato e raccomando l'approvazione della

Declassified E.O. 12356 Section 3.3/NND No. 785019

Capo Sett'Area,(Lt Col.THOMPSON e MAGG.HYLAND)quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato 2 =

PERIZIA = CONTO = APPROVAZIONE

I - a) ~~Fabbricato, ponti~~, strade, ~~centrale di~~ £. 643. Napoli Aversa ~~fornace metallica, centrale di [illegible] lacchè~~à. . . . . .

b) Se contratto o lavoro in economia. in economia. . . . . .

c) Se il contratto include tutti gli elementi se non segnare brevemente ciò che è escluso. Estimo e progetto. . .

d) L'importo della perizia. £. 120. cinq. oo . . . . . .

e) Quante richieste si sono ricevute. . . . . la più alta e la più bassa. . . . . .

f) La più bassa può accettarsi? se non perchè?. . . . . .

g) Somma dell'offerta accettabile. . . . . .

h) Tempo probabile per l'esecuzione. 3 mesi . . . . . .

i) Qualsiasi rilievo d'importanza. Sup. Merlino. . . . . .

2 - CERTIFICATI:

a) Certifico : che l'acclusa perizia approssimata ammontante a Lt. £.1 Cinq. è stata preparata da me esse risponde a tutti i dati richiesti dal progetto, ed è ragionevole nell'importo.

(firma C. Mastrocinque

L'Ingegnere Italiano(carica ufficiale. Capo Compartimento ANAS

(data e luogo. . Bari . 3.-5-1944

b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2.120.oo . . .(cioè offerta accettata)

I) [illegible] (data... 6 Maggio 44

L'INGEGNERE DI CAMPO

II) [illegible] 1st Lt. (data.. 7. maggio 44..

for Lt.Col. Thompson

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3 - APPROVATO

G. E. Rl. Aver

..... Lt. Col. R.E.

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate

ALLIED CONTROL COMMISSION Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

26 Em 39

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

534
2/7

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Sta., Pumping Sta. etc. and~~ Bridge location CORVO-Route 7-Km. 257+500

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Cement, Lime, Bricks, & Nails

*(d)* Amount of appoximate estimate £ 3,008,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 3,008,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction

Contractor: Annino, Salvatore

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN

Signature

Official designation

Declassified E.O. 12356 Section 3.3/NND No. 785019

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

534
39/7

## ESTIMATES - CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* Building, ~~Bridge~~ Bridge, Road, Power Stn, Pumping Stn, etc, and location CORVO-Route 7-Km. 257+500

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Cement, Lime, Bricks, & Nails

*(d)* Amount of appoximate estimate £ 3,008,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 3,008,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction
Contractor: Amuino, Salvatore

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [illegible]

Official designation Capo Compartimento DD.LL. Civili

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3008.000 (i. e accepted tender).

(i) [illegible] Date 3 May 44
Field Engineer.

(ii) [illegible] Thompson Lt Col Date 4 May 44
Engineer in General Charge of affected region.

5143

**3. Approved:**

[illegible] 4/5/44
Director, P.W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC EST 1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note.* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

531/7

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Stn, Pumping Stn etc,~~ and location ~~LE DAVOLI-Route 7-Km. 264.400~~

*(b)* By contract or direct labour ~~Contract~~

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ~~Cement, Lime, Bricks, & Nails~~ All elements.

*(d)* Amount of appoximate estimate ~~£ 1,640,000~~

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 1,640,000

*(h)* Probable time for completion ~~3 0 August 1944~~

*(i)* Any special remarks ~~Reconstruction~~

~~Contractor: Melchiona P. Rocco)~~

## 2. Certificates:

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Signature

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE 531 /7

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Stn, Pumping Stn etc, and~~ location LE SAVOIE Route 7-Km. 264.400

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded ~~Cement, Site, Bricks, & Nails~~ All elements.

*(d)* Amount of appoximate estimate £ 1,640,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 1,640,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction

Contractor: Melchiorre P. Rocco)

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Cap. Comp. and A.A.S. Corps

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 1600000 (i. e accepted tender).

(i) [signature] Date 3 May 44
Field Engineer.

[signature] Date 4 May 44
Engineer in General Charge of affected region.

5142

**3. Approved:**

[signature] 4/5/44
Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED CONTROL COMMISSION

Form ACC EST 11

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* Building, Bridge, ~~Road~~, Power Stn, Pumping Stn etc, and location TUFARIELLO, Route 7- Km. 252+850

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Contract includes all elements

*(d)* Amount of appoximate estimate £ 998,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 998,000

*(h)* Probable time for completion 1 July 1944

*(i)* Any special remarks Reconstruction

Contractor: Tucci, Domenico)

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Signature

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES – CAPITAL EXPENDITURE 535/7
*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location TUFARIELLO, Route 7- Km. 252+850

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Contract includes all elements

*(d)* Amount of appoximate estimate £ 998,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 998,000

*(h)* Probable time for completion 1 July 1944

*(i)* Any special remarks Reconstruction

Contractor: Tucci, Domenico)

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [illegible]

Official designation Col Capo Ufficio A.P.-U. Corato

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire [illegible] (i. e accepted tender).

*(i)* [illegible] 5141 Date [illegible]
Field Engineer.

[illegible] Thompson, Mol Date 4 May 44.
Engineer in General Charge of affected region.

**3. Approved:**

[illegible] 4/5/44
Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

31
52

(typed)

Form A&C/EST/1

# 1

## ALLIED CONTROL COMMISSION
## PUBLIC WORKS AND UTILITIES SUB-COMMISSION
## Estimate of Work to be carried out

(Lucidi)

30

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 511/7A+519/7A

(APPROVALS)

1. (a) ~~Buildings, Bridge~~, Road, ~~Power Station, Pumping Station etc~~, and location # 7 - Arienzo - Benevento - Avellino Sect.

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Gen. Repairs & Maintenance

(d) Amount of approximate estimate .£..1.920.000.....

(e) How many competitive tenders received ...1.....
Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender .£..1.920.000.....

(h) Probable time for completion .Regarding Maintenance
.....

(i) Any special remarks .....
.....

2. Certificates:

(a) Certified that the est... Luoldi

Declassified E.O. 12356 Section 3.3/NND No. 785019

certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 511/7A+519/7A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn.~~ etc. and location # 7 - Arienzo - Benevento - Avellino Stk.

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements: if not state briefly what is specifically excluded Gen. Repairs & Maintenance

(d) Amount of approximate estimate .L. 1.920.000.....

(e) How many competitive tenders received ...1.....
Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ...Yes.....

(g) Amount of acceptable tender .L. 1.920.000.....

(h) Probable time for completion .Recurring Maintenance

(i) Any special remarks .....
.....

2. Certificates:

Lualdi

(a) Certified that the attached approximate estimate amounting to Lire .1.920.000.....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ...A.Danesini.....
Official designation .....
Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..1.920.000.....(i.e. accepted tender).

(i) .....1. Date 5.10.X.44
Field Engineer.

(ii) ..Lt.Col...Thompson. Date ..3.11.44.
Engineer in General Charge of affected region.

3. Approved.

...Lt.Col.....Jenny.....
Director, P.W.& U. Sub-Commission.

V

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

Form ACC/ESE/1

15

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Napolitano Estimate of Work to be carried out

2 9

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

510/7/A

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc~~, and location Caserta - Interno - 5 km

(b) By contract or direct labour ... Contract

(c) Whether contract includes all elements; if not state briefly what is specifically excluded ... Yes

(d) Amount of approximate estimate £ 800.000

(e) How many competitive tenders received ... 1

Highest and lowest ... —

(f) Is lowest to be accepted; if not, why? ... Yes

(g) Amount of acceptable tender £ 800.000

(h) Probable time for completion Recurring Maintenance

(i) Any special remarks .....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Napolitano Carmine

Lire 800.000 ...has been prepared by me; it comes [illegible]

full [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 510/7/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn. etc~~, and location Caserta - Interno - 5 Km

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded ...Yes.....

(d) Amount of approximate estimate ...L. 800.000.....

(e) How many competitive tenders received ...1.....

Highest and lowest .....—.....

(f) Is lowest to be accepted; if not, why? ...Yes.....

(g) Amount of acceptable tender ...L. 800.000.....

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .....

.....

2. Certificates: . Napolitano Carmine

(a) Certified that the attached approximate estimate amounting to Lire 800.000...has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ...Napolitano.....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ...800.000.....(i.e. accepted tender).

(i) .....Date ...3-X...
Field Engineer. 5139

(ii) Lt.Col...Thompson. Date ...3.X.44
Engineer in General Charge of affected region.

3. Approved.

.....Lt.Col...Jenny.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AMG/BSE/4

(Athena)

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

28

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

509/7B/B

1. (a) ~~Building, Bridge~~ Road, ~~Sewer Sys, Pumping Sta etc,~~ and location Route 7B Naples - Avellino.

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .....

(d) Amount of approximate estimate ....1.000.000.....

(e) How many competitive tenders received ..... 1

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....yes.....

(g) Amount of acceptable tender .....1.000.000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

Athena

(a) Certified that the attached approximate estimate amounting to Lire ...1,000,000. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE

509/7B/B

(APPROVALS)

1. (a) ~~Building, Bridge~~ Road, ~~Power Stn, Pumping Stn etc.~~ and location Route 7B Naples - Avellino.

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .....

(d) Amount of approximate estimate ....1.000.000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....Yes.....

(g) Amount of acceptable tender .....1.000.000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Athena

(a) Certified that the attached approximate estimate amounting to Lire ...1,000,000.has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....Manini.....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ....1,000,000....(i.e. accepted tender).

(i) Capt. Feldman..... Date 3.4.44.
Field Engineer.

(ii) Lt.Col. V.S.Thompson. Date 5138 3.4.44.
Engineer in General Charge of affected region.

3. Approved.

....Lt.Col. Jenny.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

ALLIED CONTROL COMMISSION — Form ACC/EST/1

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Disarmo) Estimate of Work to be carried out

B 27

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn H2 file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE (APPROVALS) 509/78/A

1. (a) ~~Building, Bridge~~, Road, Power Stn, Pumping Stn etc, and location. Route # 7 Bis. Macchi - Avellino - km. 54 to km.

(b) By contract or direct labour ..Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance.

(d) Amount of approximate estimate ..£ 3.000.000.....

(e) How many competitive tenders received ...1.....
Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender ..£ 300,000.....

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .....

2. Certificates:

(a) Certified that the ... Disarmo

Declassified E.O. 12356 Section 3.3/NND No. 785019

one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 509/7B/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn, etc~~, and location. Route # 7 Di. North Avellino Km. 54/4.

(b) By contract or direct labour ..Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance.

(d) Amount of approximate estimate ..Lire 300.000.....

(e) How many competitive tenders received ...1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender ..Lire 300.000.....

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .....

.....

2. Certificates: Di Sorno

(a) Certified that the attached approximate estimate amounting to Lire 1.300.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....Mancini.....

) Official designation .....

) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .1.300.000...(i.e. accepted tender).

(i) .....5 Dec 44.....
Field Engineer.

(ii) Lt.Col. Thompson... Date 3-1-44
Engineer in General Charge of affected region.

3. Approved.

.....Lt.Col. Jenny.....
Director, P.W.& U. Sub-Commission.

✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Copy)

Form AGC/EST/1

12

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Monaco) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 508/711/C

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc.~~ and location. Route 711 Naples - Pozzuoli

(b) By contract or direct labour ..... Contract ..... Guglielmo Monaco

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ..... 3,400,000 .....

(e) How many competitive tenders received ..... 1 .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..... yes .....

(g) Amount of acceptable tender ..... 3,400,000 .....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Monaco

(a) Certified that the attached approximate estimate amounting to Lire ..3,400,000.. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian ) Signature ..Manzini.....

Engineer ) official designation .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE

508/711/C

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc.~~ and location. Route 711 Naples - Pozzuoli

(b) By contract or direct labour ..... Contract

(c) Whether contract includes all elements; if not state briefly what is specifically excluded ..... Guglielmo Monaco Repairs & Maintenance

(d) Amount of approximate estimate ..... 3,400,000.

(e) How many competitive tenders received ..... 1

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..... yes

(g) Amount of acceptable tender ..... 3,400,000.

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Monaco

(a) Certified that the attached approximate estimate amounting to Lire ..3,400,000.. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) Signature ..Mancini.....
Italian ) Official designation .....
Engineer) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..3,400,000.. (i.e. accepted tender).

(i) ..... Date 5136 X/44
Field Engineer.

(ii) Lt.Col. V.S. Thompson Date 3-4-44.
Engineer in General Charge of affected region.

3. Approved.

....Lt.Col. L.A. Lenny.....
Director, P.W.& U. Sub-Commission.

✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AAC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Savarese) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1, (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn. etc.~~, and location. Naples - Pozzuoli... Route # 711

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ....1,600,000.....

(e) How many competitive tenders received ....1.....

Highest and lowest .....—.....

(f) Is lowest to be accepted; if not, why? ..yes.....

(g) Amount of acceptable tender ...1,600,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire ..1,600,000..has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) Signature ...Mancini.....
Italian )

Savarese Gennaro

508/711/B

Declassified E.O. 12356 Section 3.3/NND No. 785019

one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

508/711/B

(APPROVALS)

Route # 711

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn. etc,~~ and location. Naples - Pozzuoli

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Savarese Gennaro Repairs & Maintenance

(d) Amount of approximate estimate .....1,600,000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....—.....

(f) Is lowest to be accepted; if not, why? ..yes.....

(g) Amount of acceptable tender ...1,600,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Savarese

(a) Certified that the attached approximate estimate amounting to Lire ...1,600,000...has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ...Manzini.....

) Official designation .....

) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire 1,600,000.....(i.e. accepted tender).

(i) .....Date 5/135 -v

Field Engineer.

(ii) Lt.Col...V.S.Thompson. Date 3-4-44..

Engineer in General Charge of affected region.

3. Approved.

Lt.Col....A.A.Tenny.....

Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Signed)

10 5

Form AAC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Bianco) Estimate of Work to be carried out

27

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 508/711/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, Power Route #711
Stn, ~~Pumping Stn~~ etc, and location Napoli - Pozzuoli

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Bianco Luigi Repairs & Maintenance.

(d) Amount of approximate estimate .....1.650.000.....

(e) How many competitive tenders received .....1.....
Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .....Yes.....

(g) Amount of acceptable tender .....1.650.000.....

(h) Probable time for completion .....

(i) Any special remarks .....
.....

2. Certificates:

Bianco

(a) Certified that the attached approximate estimate amounting to Lire 1.650.000 has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ...Mancini.....
Official designation .....
Date, and place .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 308/III/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, Power Stn, ~~Pumping Stn etc~~, and location Road #911 Mendicino Region

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Bianco Luigi Repairs & Maintenance.

(d) Amount of approximate estimate .....1.650.000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .....Yes.....

(g) Amount of acceptable tender .....1.650.000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Bianco 1

(a) Certified that the attached approximate estimate amounting to Lire 1.650.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) Signature ...Mancini.....
Italian )
Engineer) Official designation .....
) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..1.650.000.....(i.e. accepted tender).

(i) .....Keatinge..... Date 5/3/54.....
Field Engineer.

(ii) Lt.Col. V.S. Thompson. Date .3-4-54..
Engineer in General Charge
of affected region.

3. Approved.

....Lt.Col. L.A. Jenny.....
Director, P.W.& U. Sub-Commission.

1

Declassified E.O. 12356 Section 3.3/NND No. 785019

Contract + Estimate 23

25 Contracts

ALLIED CONTROL COMMISSION Form AC/EST/1

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES – CAPITAL EXPENDITURE 532/7

*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location MELE-Route 7 – Km. 278+180

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded [redacted] All elements

*(d)* Amount of appoximate estimate £ 2,740,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 2,740,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction

Contractor: Melchione P. Rocco )

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire

prepared by me [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

to be returned to the Italian Engineer who signs certificate 2 (a) below.

532/7

## ESTIMATES - CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* Building, Bridge, Road, Power Stn, Pumping Stn etc, and location NELE-Route 7 - Km. 278+180

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded [illegible]

*(d)* Amount of appoximate estimate £ 2,740,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 2,740,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction

Contractor: Melchiona F. Rocco )

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Col. Compartimento Min. LL. PP. Caserta

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire (i. e accepted tender).

(i) [signature] Date 3 May 44.
Field Engineer.

(ii). Thompson Hool Date 4 May 44.
Engineer in General Charge of affected region.

5137

**3. Approved:**

[signature] 4/5/44
Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form ACC EST/1

# ALLIED CONTROL COMMISSION
# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE
*(Approvals)*

1. *(a)* ~~Building~~, Bridge, ~~Road~~, ~~Power Stn, Pumping Stn~~ etc, and location SERR.TELLA-Route 7- Km. 251+350

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Cement, Lime, Nails, & Bricks

*(d)* Amount of appoximate estimate £ 2,826,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 2,826,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction
(Contractor: Tucci, Domenico)

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire _____ has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE 536/7

*(Approvals)*

1. *(a)* ~~Building, Bridge, Road, Power Stn, Pumping Stn etc,~~ and location SERR TELIA+Route 7- Km. 251+750

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded Cement, Lime, Nails, & Bricks

*(d)* Amount of appoximate estimate £ 2,826,000

*(e)* How many competitive tenders received

Highest and lowest

*(f)* Is lowest to be accepted; if not, why?

*(g)* Amount of acceptable tender £ 2,826,000

*(h)* Probable time for completion 30 August 1944

*(i)* Any special remarks Reconstruction

(Contractor: Tucci, Domenico)

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire _____ has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Capo Compartimento D.M.N. Centr.

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire [illegible] (i. e accepted tender).

(i) _____ Date [illegible]
Field Engineer.

(ii) [signature] Date 5132 7 May 44.
Engineer in General Charge of affected region.

**3. Approved:**

[signature] 4/5/44
Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AC | EST | 1

# ALLIED CONTROL COMMISSION
# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

29

CONTRACT

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES - CAPITAL EXPENDITURE
*(Approvals)*

540/8 III 9

1. *(a)* ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location S.S. #7 Bis to Marcianise-Recale-Caserta (Route #7 bis)

*(b)* By contract or direct labour By Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All elements.

*(d)* Amount of appoximate estimate £ 3.406.400

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 3,406,400

*(h)* Probable time for completion 30 June 1944

*(i)* Any special remarks Work in progress.
Contr. Pietro Zunzi.

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire £ 3406.400 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

Signature [signature]

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

540/8 MG

1. *(a)* ~~Building, Bridge~~, Road, Power ~~Stn, Pumping Stn etc,~~ and location S.S. #7 Bis fr Marcianise-Recale-Caserta (Route 158)

*(b)* By contract or direct labour By Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded All elements.

*(d)* Amount of appoximate estimate £ 3.406.400

*(e)* How many competitive tenders received —

Highest and lowest —

*(f)* Is lowest to be accepted; if not, why? —

*(g)* Amount of acceptable tender £ 3,406,400

*(h)* Probable time for completion 30 June 1944

*(i)* Any special remarks Work in progress.
Contr. Pietro Zunzi.

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire £ 3406400 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Capo Compartimento A.N.S.S. Caserta

Date, and place Caserta - 29 Aprile 44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3,406,400 (i. e accepted tender).

(i) [signature] Date 1st May 44.
Field Engineer.

(ii) Thompson Maj 5131 1/5/44.
Engineer in General Charge of affected region.

**3. Approved:**

[signature]
Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate

Foglio ACC. EST I

ACC Capo EST

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

23

Perizie lavori da farsi

527/90 22

NOTA: Questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla sottocommissione del G.C. una deve essere restituita al capo dell'area (LT COL THOMPSON e MAGG. HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato -

PERIZIE = COSTO = APPROVAZIONE

I- (a) Lavori straordinari di manutenzione fino al 30 giugno 1944 del tronco della strada statale N.90 compreso, fra Ponte Calore e ~~Aniene~~. Ponte Lucano

(b) Lavori da eseguirsi in economia -

(c) se il contratto include tutti, gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L.3.200.000.00 (lire tremilioniduecentomila)

(e) quante richieste si sono ricevute la più alta e la più bassa . . . . . .

(f) la più bassa può accettarsi? se non perchè? . . . . . .

(g) somma dell'offerta accettabile . . . . . .

(h) tempo probabile per l'esecuzione: I lavori devono essere ultimati al 30 giugno 1944

(i) qualsiasi rilievo d'importanza . . . . . .

2- CERTIFICATI Cappelli

(a) Certifico che l'acclusa perizia approssimata ammontante a L. . . . . è stata preparata da me: essa risponde a tutti i dati richiesti dal

Declassified E.O. 12356 Section 3.3/NND No. 785019

e una deve essere restituita all'Ing. Italiano che firma il certificato

I-II-III = COSTO = APPROVAZIONE

1- (a) Lavori straordinari di manutenzione fino al 30 giugno 1944 del tron co della strada statale 7.90 compreso, fra Monte Calore e ~~Ariano~~.- Ponte Leprano

(b) Lavori da eseguirsi in economia -

(c) se il contratto include tutti gli elementi
se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L.3.200.000.00 (lire tremilioniduecentomila)

(e) quante richieste ci sono ricevute
la più alta e la più bassa . . . . . .

(f) la più bassa può accettarsi? se non perchè? . . . . . .

(g) somma dell'offerta accettabile . . . . . .

(h) tempo probabile per l'esecuzione: I lavori devono essere ultimati
al 30 giugno 1944

(i) qualsiasi rilievo d'importanza . . . . . .

2- CERTIFICATI Capparelli

(a) Certifico che l'accluso perizia approssimata ammontante a L.....
è stata preparata da me: essa risponde a tutti i dati richiesti dal
progetto, ed è ammissibile nell'importo.

Caserta 6 April 1944...

L'INGEGNERE CAPO DEL DISTACCAMENTO DELL'A.A.S.S.

(b) Approvo il precedente attestato raccomando l'approvazione della somma di L. 3.200.000 . . (cioè offerta accettata)

(I) . . . . . (data . . 13 April 1944 . .

L'INGEGNERE DI CAPO

(I) V. A. Thompson. Col. (data . . 13 apr. 44. 5198

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO

. . . . . IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

cut. copy
N.N.

Form AGC/EST/1

19

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

526/7

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

MR 598732

1. (a) ~~Buildings~~, Bridge, ~~Road,~~ Power ~~Stn, Pumping Stn etc,~~ and location Route 17 vicino Tofora Km. 249 + 200

(b) By contract or direct labour ...By Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Army will furnish the Bricks to Contract...

(d) Amount of approximate estimate ..£..1.230.000.....

(e) How many competitive tenders received .....—.....

Highest and lowest .....—.....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender .£..1.230.000.....

(h) Probable time for completion ...30 September 1944.....

(i) Any special remarks .....

.....

2. Certificates: Mercaldo v

(a) Certified that the attached approximate estimate amounting to Lire .£1.230.000..has been prepared by Ing. N. Pacileo; it covers the full requirements of the project and is reasonable in amount.

Declassified E.O. 12356 Section 3.3/NND No. 785019

one to be returned to the Italian Engineer who signs certificate 2 (a) below.

526/7

MR 598732

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) ~~Building~~, Bridge, ~~Road~~, ~~Power Stn, Pumping Stn etc,~~ and location Route #7 - vicino Tofara km. 249,200

(b) By contract or direct labour ...By Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Army will furnish the Brick & Cement.

(d) Amount of approximate estimate ...£. 1.230.000.....

(e) How many competitive tenders received —

Highest and lowest —

(f) Is lowest to be accepted; if not, why? ...Yes.....

(g) Amount of acceptable tender .£. 1.230.000.....

(h) Probable time for completion ...30. September 1944.

(i) Any special remarks .....

.....

2. Certificates: Mercaldo v

(a) Certified that the attached approximate estimate amounting to Lire £ 1.230.000 has been prepared by Ing. N. Paciloo; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ..Manini.....

Official designation .....

Date, and place .Napoli. 3-X-44.....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire £ 1.230.000.....(i.e. accepted tender).

(i) Edmund P. Adcock. Date 3-X-44

Field Engineer. 5129

(ii) Lt. Col. Thompson Date 3-11-44.

Engineer in General Charge of affected region.

3. Approved.

..Lt. Col. J.A.M.Y.....

Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

certified copy
Pub 3

Form AGC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Comm HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

M.R. 716659

ESTIMATES - CAPITAL EXPENDITURE

525/7

(APPROVALS)

1. (a) ~~Building~~, Bridge, ~~Road~~, ~~Power Stn, Pumping Stn etc, and location~~. Route #7 - vicino Fortola. Km. 296+700 - Ponte ~~Marotta~~ Marotta

(b) By contract or direct labour .. By Contract: .....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .. Brick & Cement to be supplied by Army.

(d) Amount of approximate estimate ..... ~~L. 3.000.000~~ L. 2.545.000

(e) How many competitive tenders received .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? Yes .....

(g) Amount of acceptable tender ..... ~~L. 3.000.000~~ L. 2.545.000

(h) Probable time for completion ... 30 September 1944

(i) Any special remarks .....

.....

2. Certificates: Campanella ✓

(a) Certified that the attached approximate estimate amounting to Lire ~~L. 3.000.000~~ L. 2.545.000 has been prepared by Ing. N. Pacileo

Declassified E.O. 12356 Section 3.3/NND No. 785019

MR. 716659

# ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) ~~Building~~, Bridge, ~~Road~~, Power ~~Stn, Pumping Stn etc, and location~~. Route #7 - vicino Portella. Km. 296.700 - Ponte ~~Maretta~~ Harotta.

(b) By contract or direct labour .. By Contract .....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .. Brick & Cement to be supplied by Army. ✓

(d) Amount of approximate estimate ..... ~~2,800.000~~ 2,545.000

(e) How many competitive tenders received .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? Yes .....

(g) Amount of acceptable tender ..✓ ~~2,800.000~~ 2,545.000

(h) Probable time for completion ...30-September-1944

(i) Any special remarks .....

.....

2. Certificates: Campanella ✓

(a) Certified that the attached approximate estimate amounting to Lire ✓ ~~2,800.000~~ 2,545.000 ....has been prepared by Ing. N. Tacilco; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....

Official designation .....

Date, and place Napoli 3-X-44

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ✓ ~~2,800.000~~ 2.545.000 (i.e. accepted tender).

(i) ..... Date 3-X-44

Field Engineer.

(ii) Lt. Col. Thompson. 5128 Date 3-X-44

Engineer in General Charge of affected region.

3. Approved.

Lt. Col. [illegible]

Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Estimate + Contract

ALLIED CONTROL COMMISSION

# PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Form ACC/EST/1

## ESTIMATE OF WORK TO BE CARRIED OUT

*Note:* This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

530/18/B

1. *(a)* ~~Building, Bridge, Road, Power Stn, Pumping Stn, etc;~~ and location Road. Pompei-ANGRI Stretch SS 18 (Pompeii-Salerno)

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded No exclusions

*(d)* Amount of appoximate estimate £ 3,700,000

*(e)* How many competitive tenders received None

Highest and lowest £ 3,700,000

*(f)* Is lowest to be accepted; if not, why? Yes

*(g)* Amount of acceptable tender £ 3,700,000

*(h)* Probable time for completion 31 July 1944

*(i)* Any special remarks Extraordinary Maintenance Job with some reconstruction involved Contract Certificate on a unit Price Basis.

2. **Certificates:**

*(a)* Certified that the attached approximate estimate amo... prepared by me; it covers the fu...

Declassified E.O. 12356 Section 3.3/NND No. 785019

returned to the head of the area (Area Troop

to be returned to the Italian Engineer who signs certificate 2 (a) below.

530/18/B

~~332/43~~

## ESTIMATES – CAPITAL EXPENDITURE

*(Approvals)*

1. *(a)* ~~Building, Bridge,~~ Road, ~~Power Stn, Pumping Stn etc,~~ and location Pompei-ANGRI Stretch SS 18 (Pompei - Salerno)

*(b)* By contract or direct labour Contract

*(c)* Whether contract includes all elements; if not state briefly what is specifically excluded No exclusions

*(d)* Amount of appoximate estimate £ 3,700,000

*(e)* How many competitive tenders received None

Highest and lowest £ 3,700,000

*(f)* Is lowest to be accepted; if not, why? Yes

*(g)* Amount of acceptable tender £ 3,700,000

*(h)* Probable time for completion 31 July 1944

*(i)* Any special remarks Extraordinary Maintenance Job with some reconstruction involved contract Certificate on a unit Price Basis.

**2. Certificates:**

*(a)* Certified that the attached approximate estimate amounting to Lire 3.700.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount

ITALIAN ENGINEER

Signature [signature]

Official designation Cap. Comandante A.M. 11. Centro

Date, and place 3-5-44

*(b)* I agree with the preceding certificate and recommend approval of the sum of Lire 3,700,000 (i. e accepted tender).

(i) W. P. Kenney 2/Lt RNVR Date 3 May 44.
Field Engineer.

(ii) [illegible] Thompson Lt Col Date 5/5 May 44.
Engineer in General Charge of affected region.

**3. Approved:**

G. E. Rendel Lt. Col. R.E.
for Director, P. W. & U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

certified copy

Form AGC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Comm HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES CAPITAL EXPENDITURE

(APPROVALS)

M.R. 598740

1. (a) ~~Building~~, Bridge, ~~Road, Power Stn, Pumping Stn etc~~, and location Route #7 vicino Tufara. Km. 250+200 Casa Cantoniera

(b) By contract or direct labour ... By Contract

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .. Army will supply the brick and the cement.

(d) Amount of approximate estimate .. £ 1.995.000

(e) How many competitive tenders received .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .. Yes

(g) Amount of acceptable tender .. £ 1.995.000

(h) Probable time for completion .. 30 September 1946

(i) Any special remarks .....

.....

2. Certificates: Contractor: Mercaldo

(a) Certified that the attached approximate estimate amounting to Lire £ 1.995.000 ...has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Ing. N. Pacileo.

524/7

18

16

Declassified E.O. 12356 Section 3.3/NND No. 785019

certificate 2 (a) below.

524/7

ESTIMATES - CAPITAL EXPENDITURE

M.R. 598740

(APPROVALS)

1. (a) ~~Buildings~~, Bridge, ~~Road, Power Stn, Pumping Stn etc~~, and location Bridge Route #7 Vicino Tufara. K.m.: 250+200 - Casa Cantoniera

(b) By contract or direct labour ... P.A. Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .. Army will supply the Brick and the cement.

(d) Amount of approximate estimate .. £ 1.995.000.....

(e) How many competitive tenders received .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .. Yes.....

(g) Amount of acceptable tender .. £ 1.995.000.....

(h) Probable time for completion .. 30 September 1944

(i) Any special remarks .....

.....

2. Certificates: Contractor: Mercaldo

(a) Certified that the attached approximate estimate amounting to Lire £ 1.995.000 ...has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) Signature Ing. N. Pacileo.

Italian ) official designation .....

Engineer) Date, and place Napoli 3-X-44

(b) I agree with the preceding certificate and recommend approval of the sum of Lire £ 1.995.000 .....(i.e. accepted tender).

(i) ..... Date 3-X-44

Field Engineer.

(ii) ..H. Col. Thomas..... Date 5126-44

Engineer in General Charge of affected region.

3. Approved.

.....H. Col. Serra.....

Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AGC/EST/1

D 15

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(D'onofrio) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 520/710/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn, etc,~~ and location Route # 710 Cancello - Arienzo

(b) By contract or direct labour ... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded D'Onofrio Gerardo Repairs & Maintenance

(d) Amount of approximate estimate .....3,861,000.....

(e) How many competitive tenders received ....1.....

Highest and lowest .....—.....

(f) Is lowest to be accepted; if not, why? ..yes.....

(g) Amount of acceptable tender .....3.861,000.....

(h) Probable time for completion ...30. June 44.....

(i) Any special remarks ...Army to furnish Bitumen .....and Small Stone.....

2. Certificates: Donofrio -

(a) Certified that the attached approximate estimate amounting to Lire 3,861,000...has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 520/710/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Sup. Pumping Sta. etc,~~ and location. Route #710 Cancello - Arienzo

(b) By contract or direct labour ... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded D'Onofrio Gerardo Repairs & Maintenance

(d) Amount of approximate estimate .....3.861.000.....

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender .....3.861.000.....

(h) Probable time for completion ...30 June 44.....

(i) Any special remarks ...Army to furnish Bitumen and small stone -.....

2. Certificates: Donofrio -

(a) Certified that the attached approximate estimate amounting to Lire 3.861.000...has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.

) Signature .....Manini.....

Italian ) Official designation .....

Engineer) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..3,861,000...(i.e. accepted tender).

(i) .....Fellowes..... Date 5.12.5.....
Field Engineer.

(ii) Lt.Col.V.S.Thompson... Date 3-4-44
Engineer in General Charge
of affected region.

3. Approved.

Lt.Col...Tenny...A.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia, una deve essere trattenuta dalla Sottocommissione del Q.G.,una deve essere restituita al capo dell'aerea, (LT COL THOMPSON e MAGG HYLAND ) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIE = COSTO + APPROVAZIONE

1 - (a) Lavori per la completa sistemazione della strada tra l'abitato di Cancello ed il bivio della statale N.7 Arienzo

(b) Lavori da eseguire in economia

(c) se il contratto include tutti gli elementi escluso graniglia bitume e combustibili se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L. 4.400.000.00

(e) quante richieste si sono ricevute
la più alta e la più bassa

(f) la più bassa può accettarsi? se non perchè?

(g) somma dell'offerta accettabile

(h) tempo probabile per lesecuzione

(i) qualsiasi rilievo di importanza Gerardo D'Onofrio - Contractor.

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a L.4400000 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 8-4-944 L'INGEGNERE CAPO COMPARTIMENTO

Declassified E.O. 12356 Section 3.3/NND No. 785019

essere restituita all'Ing. Italiano che firma il certificato.

PERIZIA - COSTO + APPROVAZIONE

1 - (a) Lavori per la completa sistemazione della strada tra l'abitato di Cancello ed il bivio della statale N.7 Arienzo.

(b) Lavori da eseguire in economia

(c) se il contratto include tutti gli elementi escluso graniglia bitume e combustibili se non segnare brevemehte ciò che è incluso

(d) l'importo della perizia L. 4.400.000.00

(e) quante richieste si sono ricevute
la più alta e la più bassa

(f) la più bassa può accettarsi? se non perchè?

(g) somma dell'offerta accettabile

(h) tempo probabile per lesecuzione

(i) qualsiasi rilievo di importanza Gerardo D'Onofrio - Contractor.

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a L. 4400000 è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 8-4-944 L'INGEGNERE CAPO COMPARTIMENTO
(R. Mancini)

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 4.000.000; ( cioè offerta accettata)

(I) [illegible] (data 10 April 44)

L'INGEGNERE DI CAMPO 5124

(II) [illegible] (data 2 May 44

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3- APPROVATO

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AGO/ESTA

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION (Foglio)

Estimate of Work to be carried out

13

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the Head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 501/87/D

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc~~, and location..Route # 87 Napoli-Caserta..

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .....

(d) Amount of approximate estimate ....750,000.....

(e) How many competitive tenders received ....1.....
Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .Yes.....

(g) Amount of acceptable tender .....750,000.....

(h) Probable time for completion .....

(i) Any special remarks .....
.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Foglia Giulio
Lire .750,000...has been prepared by me [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 501/87/D

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn. etc.~~ and location..Route # 87 N.Aglez.Caserta..

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .....

(d) Amount of approximate estimate ...750,000.....

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .Yes.....

(g) Amount of acceptable tender .....750,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .750,000...has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Foglia Ginio

Italian Engineer) Signature ...Mancini.....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .....750,000...(i.e. accepted tender).

(i) ...Feldman...Capt... Date 2.4.44..
Field Engineer.

(ii) Lt.Col...Thomson... Date .....
Engineer in General Charge of affected region.

5123

3. Approved.

.....Lt.Col...Army.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RB

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

12

501 /87/0

Perizia lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al capo dell'Aerea, (Lt.Col.Thompson e Magg.Hyland) quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato.

PERIZIA - CORSO - APPROVAZIONE

1 - (a)Lavori straordinari di riparazione del tronco della strada statale n.87 compreso tra il ponte Carbonara ed il bivio per Barcellona .

2 - (b)Lavori da eseguirsi in economia.

(c)se il contratto include tutti gli elementi.

se non segnare brevemente ciò che è incluso.

(d)l'importo della perizia L.750.000,00 (lire settecentocinquantamila)

(e)quante richieste si sono ricevute.I lavori sono stati affidati alla la più alta e la più bassa.
Impresa ILLIANO Umberto da Baccli.

(f)la più bassa può accettarsi ? se non perchè ?

(g)somma dell'offerta accettabile

(h)tempo probabile per l'esecuzione.I lavori devono essere ultimati al

30 giugno 1944

(i)qualsiasi rilievo di importanza Giulio Foglia - Contractor.

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimativa ammontante a L.750.000, è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 19 APR 1944 Aprile 1944

1273

L'INGEGNERE CAPO COMPARTIMENTO
( [illegible] )

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 750.000 ( cioè offerta accettata )

(1) [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

compreso tra il ponte Carbonara ed il bivio per Barcellona .

- (b)Lavori da eseguirsi in economia.

(c)se il contratto include tutti gli elementi.

se non segnare brevemente ciò che è incluso.

(d)l'importo della perizia L.750.000,00 (lire settecentocinquantamila)

(e)quante richieste si sono ricevute.I lavori sono stati affidati alla la più alta o la più bassa.
Impresa ILLIANO Umberto da Bacoli.

(f)la più bassa può accettarsi ? se non perchè ?

(g)somma dell'offerta accettabile

(h)tempo probabile per l'esecuzione.I lavori devono essere ultimati al 30 giugno 1944

(i)qualsiasi rilievo di importanza Giulio Foglia - Contractor.

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimativa ammontante a L.750.000, è stata preparata da me essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

Caserta 19 APR 1944 Aprile 1944

1273

L'INGEGNERE CAPO COMPARTIMENTO
( [illegible] )

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 750.000 ( cioè offerta accettata )

(1) [illegible] (data [illegible])

L'INGEGNERE DI CAMPO

(11) [illegible] 2 May 44. 5122

L'INGEGNERE DI CAPO DELLA SEZIONE GENERALE DELLA REGIONE

3 - APPROVATO

. . . . . .

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

Form AGC/EST/1 3

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Illiano) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Comm HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 501/87/c

(APPROVALS)

1. (a) ~~Building, Bridge,~~ Road, ~~Power Stn, Pumping Stn etc,~~ and location... Route # 87 Naples - Caserta

(b) By contract or direct labour ... Contract .....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ... 150.000 .....

(e) How many competitive tenders received ..... 1 .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .. Yes .....

(g) Amount of acceptable tender .....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Illiano Umberto

) Signature .Mancini.....

Italian )

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 301/81/C

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location... Route # 57 Naples - Caserta

(b) By contract or direct labour ... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ... 150.000.....

(e) How many competitive tenders received ..... 1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender .....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Illiano Umberto

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .Mancini.....

) official designation .....

) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..150.000.....(i.e. accepted tender).

(i) .....Addressed..... Date ..3..5127...
Field Engineer.

(ii) ..Lt. Col. Thompson Date 3-4-44
Engineer in General Charge of affected region.

3. Approved.

...Lt. Col. ...Lenny.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Foglio A.. EST 1

Estratto Allegato 10

501/37/C

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

NOTA: Questo modello deve essere riempito in triplice copia; una deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al capo dell'area (LT COL. THOMPSON e MAGG HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1 - (a) Lavori straordinari di riparazione del tronco della Strada Statale nº 87 compreso tra il bivio per Marcianise ed il bivio per S.Nicola.

(b) Lavori da eseguirsi in economia.

(c) Se il contratto include tutti gli elementi.....

Se non segnare brevemente ciò che è incluso.

(d)L'importo della perizia L. 750.000.00 (settecentocinquantamila)

(e) Quante richieste sé sono ricevute. I lavori sono stati affidati al l'Impresa Ing. Giulio Foglia residente in Marcianise.

(f) la più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile.....

(h) Tempo probabile per l'esecuzione. I lavori devono essere ultimati il 30 giugno 1944.

(i) qualsiasi rilievo di importanza...~~.....~~ Importo Milano ~~Semplice~~ Contratto

Declassified E.O. 12356 Section 3.3/NND No. 785019

al capo dell'area (LT COL. THOMPSON e MAGG HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1 - (a) Lavori straordinari di riparazione del tronco della Strada Statale nº 87 compreso tra il bivio per Marcianise ed il bivio per S.Nicola.

(b) Lavori da eseguirsi in economia.

(c) Se il contratto include tutti gli elementi.....

Se non segnare brevemente ciò che è incluso.

(d)L'importo della perizia L. 750.000.00 (settecentocinquantamila)

(e) Quante richieste sé sono ricevute. I lavori sono stati affidati al l'Impresa Ing. Giulio Foglia residente in Marcianise.

(f) la più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile.....

(h) Tempo probabile per l'esecuzione. I lavori devono essere ultimati il 30 giugno 1944.

(i) qualsiasi rilievo di importanza... Umberto Illiano Contractor

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire 750.000.= è stata approvata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

CASERTA

L'INGEGNERE CAPO COMPARTIMENTO DEL 512 A.S.S.

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 750.000 .... (cioè offerta accettata)

(1) ..... data .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

2

Form ACC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Giuliano ~~Filone~~) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 501/87/B

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc, and~~ location..Route #87 Naples - Caserta..

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate .....900.000.....?

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....Yes.....

(g) Amount of acceptable tender .....900,000.....?

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Giuliano

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 301/87/B

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location Route #87 Naples - Caserta

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate .....900.000.....?

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....Yes.....

(g) Amount of acceptable tender .....900,000.....?

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates: Giuglione

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .Manca.....

Official designation .....

Date and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .....(i.e. accepted tender).

5179

(i) Edwards/Fellows..... Date 3-4-44...

Field Engineer.

(ii) Lt.Col. Thomson.. Date 3-4-44.

Engineer in General Charge of affected region.

3. Approved.

..Lt.Col. Jenny.....

Director, P.W.& U. Sub-Commission.

V

Declassified E.O. 12356 Section 3.3/NND No. 785019

Settore Montagna

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Perizie lavori da farsi

501/87/C

NOTA: Questo modello deve essere riempito in triplice copia; una deve essere trattenuta dalla Sottocommissione del Q.G., una deve essere restituita al capo dell'area (LT COL. THOMPSON e MAGG HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1 - (a) Lavori straordinari di riparazione del tronco della Strada Statale nº 87 compreso tra il bivio per Marcianise ed il bivio per S.Nicola.

(b) Lavori da eseguirsi in economia.

(c) Se il contratto include tutti gli elementi.....
Se non segnare brevemente ciò che è incluso.

(d)L'importo della perizia L. 750.000.00 (settecentocinquantamila)

(e) Quante richieste sé sono ricevate. I lavori sono stati affidati all'Impresa Ing. Giulio Foglia residente in Marcianise.

(f) la più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile.....

(h) Tempo probabile per l'esecuzione. I lavori devono essere ultimati il 30 giugno 1944.

(i) qualsiasi rilievo di importanza...~~.....~~ Umberto Illiano ~~Guglielmo~~ - Contractor

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire 750.000.= è stata approveta da me: essa risponde a tutti i dati richiesti dal progetto, ed è [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

al capo dell'area (LT COL. THOMPSON e MAGG HYLAND) quando approvata, e una deve essere restituita all'Ing. Italiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1 - (a) Lavori straordinari di riparazione del tronco della Strada Statale nº 87 compreso tra il bivio per Marcianise ed il bivio per S.Nicola.

(b) Lavori da eseguirsi in economia.

(c) Se il contratto include tutti gli elementi.....
Se non segnare brevemente ciò che è incluso.

(d)L'importo della perizia L. 750.000.00 (settecentocinquantamila)

(e) Quante richieste sã sãno ricevute. I lavori sono stati affidati all'Impresa Ing. Giulio Foglia residente in Marcianise.

(f) la più bassa può accettarsi? se non perchè?.....

(g) Somma dell'offerta accettabile.....

(h) Tempo probabile per l'esecuzione. I lavori devono essere ultimati il 30 giugno 1944.

(i) qualsiasi rilievo di importanza...~~.....~~ Umberto Milano ~~Impresa~~ - Contractor

2 - CERTIFICATI

(a) certifico che l'acclusa perizia approssimata ammontante a Lire 750.000.= è stata approvata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

CASERTA

L'INGEGNERE CAPO COMPARTIMENTO DELL'A.N.A.S.

5126

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 750.000 .... (cioè offerta attestata)

(1) ..... (data 24 Aprile 44)

Declassified E.O. 12356 Section 3.3/NND No. 785019

L'INGEGNERE II CAMPO

(11) Thompson Hol ( data. 2 May 44 )

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3 - APPROVATO

.....

IL DIRETTORE DELLA SOTTOCOMMISSIONE

VB/

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

2

Form AGC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Giuglione ~~Silvero~~) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 501/87/B

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Sewer Stn, Pumping Stn etc, and~~ location..Naples..Caserta.. Route #87

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate .....900,000.....?

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....Yes.....

(g) Amount of acceptable tender .....900,000.....?

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Giuglione

Italian Engineer) Signature .Manini.....

Official designation .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc,~~ and location..Naples - Caserta..

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs + Maintenance

(d) Amount of approximate estimate .....900,000.....

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....yes.....

(g) Amount of acceptable tender .....900,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ..Giuliano.....

) official designation .....

) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .....(i.e. accepted tender).

5119

(i) Edmund Feldman..... Date 3-4-44.
Field Engineer.

(ii) Lt.Col. Thomson.. Date 3-4-44.
Engineer in General Charge of affected region.

3. Approved.

..Lt.Col. Terry.....
Director, P.W.& U. Sub-Commission.

V

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

Form AGC/BST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Scpe) Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 501/87/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, Power Stn, ~~Pumping Stn etc~~, and location. Route # 87 Napoli - Caserta 23 km

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .Repairs & Maintenance.

(d) Amount of approximate estimate ~~£~~ 1.600.000 7.000.000

(e) How many competitive tenders received .../.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .Yes.....

(g) Amount of acceptable tender ~~£ 1.600.000~~ ~~7.000.000~~ 7.000.000

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Sepe Nunzio

) Signature .Manenti.....

Italian )

Declassified E.O. 12356 Section 3.3/NND No. 785019

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, Power Stn, ~~Pumping Stn~~ etc, and location. Route # 87 Nazali - Caserta 23 km

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded ..Repairs & Maintenance.

(d) Amount of approximate estimate ~~L.1.600.000~~ 700.000

(e) How many competitive tenders received .../.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes:.....

(g) Amount of acceptable tender ~~L.1.600.000~~ 700,000 Lire

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .....

.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire .....has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Sepe Nunzio

) Signature ..Manenti.....

Italian )
Engineer) Official designation .....

) Date, and place ...Naples...3 April 44.

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..700.000.....(i.e. accepted tender). 511

(i) Edwards..... Date 3-X-XX
Field Engineer.

(ii) Lt. Col. Thompson.. Date 3.944...
Engineer in General Charge of affected region.

3. Approved.

.....Lt. Col. Jenny.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RB

Foglio Acc. Est. I

COMMISSIONE ALLEATA DI CONTROLLO

SOTTOCOMMISSIONE LAVORI E SERVIZI PUBBLICI

Estratto Perizia

501/87/A

PERIZIE LAVORI DA FARSI

NOTA: Questo modello deve essere riempito in triplice copia; una deve essere trattenuta dalla Sottocommissione del Q.C., una deve essere restituita al capo dell'aerea (LT.Col.THOMPSON e MAGG.HYLAND) quando approvata, e una deve essere restituita all'Ing.Italiano che firma il certificato.

PERIZIE = COSTO = APPROVAZIONE

1 – (a) Lavori straordinari di riparazione del tronco della strada statale n.87 compresa fra Napoli e Caivano

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L.2.300.000,00 (lire duemilionitrecentomila)

(e) quante richieste si sono ricevute. I lavori sono stati affidati alla La più alta e la più bassa. Impresa Sepe Nunzio da Afragola.

(f) la più bassa può accettarsi ? se non perchè ? =

(g) somma dell'offerta accettabile =

(h) tempo probabile per l'esecuzione. I lavori devono essere ultimati al 30 giugno 1944

(i) qualsiasi rilievo di importanza... Nunzio Sepe - Contractor.

2 – CERTIFICATI

(a) Certifico che l'acclusa perizia approssimata ammontante a L.2.300.000,– è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

1271 Caserta 19 APR. 1944

L'INGEGNERE CAPO COMPARTIMENTO dell'A.A.S.S.

(b) Approvo il precedente attestato e raccomando l'

Declassified E.O. 12356 Section 3.3/NND No. 785019

1 - (a) Lavori straordinari di riparazione del tronco della strada statale n.87 compresa fra Napoli e Caivano

(b) Lavori da eseguirsi in economia

(c) se il contratto include tutti gli elementi
se non segnare brevemente ciò che è incluso

(d) l'importo della perizia L.2.300.000,00 (lire duemilionitrecentomila)

(e) quante richieste si sono ricevute. I lavori sono stati affidati alla
La più alta e la più bassa. Impresa Sepe Nunzio da Afragola.

(f) la più bassa può accettarsi ? se non perchè ? =

(g) somma dell'offerta accettabile =

(h) tempo probabile per l'esecuzione. I lavori devono essere ultimati al
30 giugno 1944

(i) qualsiasi rilievo di importanza... Nunzio Sepe - Contractor.

2 - CERTIFICATI

(a) Certifico che l'acclusa perizia approssimata ammontante a L.2.300.000,- è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto, ed è ammissibile nell'importo.

1271 Caserta 19 APR 1944

L'INGEGNERE CAPO COMPARTIMENTO dell'A.A.S.S.

(b) Approvo il precedente attestato e raccomando l'approvazione della somma di L. 2.300.000 ( cioè offerta accettata)

(1) [illegible] data 21 Apl 44

L'INGEGNERE DI CAMPO

(I[illegible] H. Thompson Maj. data 2 May 44 5117

L'INGEGNERE IN CARICA GENERALE DELLA REGIONE

3 - APPROVATO [illegible]

IL DIRETTORE DELLA SOTTOCOMMISSIONE

Void

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Foglia)

Form AGC/EST/1 9 6

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Foglia) Estimate of work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Comm HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 505/6/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Sup, Pumping Str~~ etc, and location. Route 6. Spartimento: S.Pietro Infine 41 Km.

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .Repair & Maintenance.

(d) Amount of approximate estimate ...£...1.200.000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender ...£...1.200.000.....

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .Estimate is for the town Bulk of work will of necessity have to be done by Army.

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Foglia Giulio

Lire 1.200.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .Marini.....

) Official designation .....

) Date, and place .....

(Foglia)

(b)

Declassified E.O. 12356 Section 3.3/NND No. 785019

ESTIMATES - CAPITAL EXPENDITURE 505/6/A

(APPROVALS)

1. (a) [redacted], Road, [redacted] Route 6.
Stn, Pumping Str etc, and location. Sparanise - S. Pietro Lotino 41 Km.

(b) By contract or direct labour ...Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded ..Repairs & Maintenance.

(d) Amount of approximate estimate ...£..1.200.000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender ...£..1.200.000.....

(h) Probable time for completion Recurring Maintenance.

(i) Any special remarks .Estimate is for two lanes Bailey work will be necessary two lanes to be done by Army.

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire 1.200.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Foglia Giulio

) Signature .....
Italian )
Engineer) Official designation .....
) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .1.200.000.....(i.e. accepted tender).

511

(i) ..... Date 3-4-44
Field Engineer.

(ii) Lt.Col. Thompson.... Date 3-4-44
Engineer in General Charge of affected region.

3. Approved.

....Lt.Col. Tenn.....
Director, P.W.& U. Sub-Commission.

Taken over by Army

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form AGC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Sal. Giuliano) Estimate of Work to be carried out

504/7/A

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) [redacted], Road, [redacted] Route #7. Gorigliano - Capua.....46 KM.
   [redacted], and location.

   (b) By contract or direct labour ....Contract.....

   (c) Whether contract includes all elements; if not state briefly what is specifically excluded .Repairs & Maintenance

   (d) Amount of approximate estimate ..L...1,000,000.....

   (e) How many competitive tenders received .....1.....

   Highest and lowest .....

   (f) Is lowest to be accepted; if not, why? ....Yes.....

   (g) Amount of acceptable tender ....L...1,000,000.....

   (h) Probable time for completion ...Recurring Maintenance

   (i) Any special remarks .Estimate low...Increased traffic will necessitate a larger maintenance crew.....

2. Certificates: Salvatore Giuliano

   (a) Certified that the attached approximate estimate amounting to Lire .1,000,000..has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

   Italian Engineer) Signature .....A.Manini.....

   ) Official designation .....

   ) Date, and place .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Sta., Pumping Station~~, and location. Route #7. Gorigliano - Capua.....46.KM.

(b) By contract or direct labour .....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded .Repairs..& Maintenance

(d) Amount of approximate estimate ..L...1,000,000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ....yes.....

(g) Amount of acceptable tender ....L...1,000,000.....

(h) Probable time for completion ...Recurring. Maintenance

(i) Any special remarks .Estimate..low...Increased..traffic..will necessitate..a..larger...maintenance..crew.....

2. Certificates: Salvatore Giuliano

(a) Certified that the attached approximate estimate amounting to Lire .1,000,000..has been prepared by me: it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....Ing. [illegible].....

Official designation .....

Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..1,000,000...(i.e. accepted tender).

511
5-4

(i) .....[illegible]..... Date .....
Field Engineer.

(ii) Lt.Col...Thompson. Date 5-4.....
Engineer in General Charge of affected region.

3. Approved.

.....Lt Col. Jenny.....
Director, P.W.& W. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Typed)

Form AGC/EST/4

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

4

Estimate of Work to be carried out (Merlino)

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE 503/7B/A

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn, Pumping Stn etc~~, and location. Route #7 Bis Capua - Napoli ... 33km.

(b) By contract or direct labour ... Contract .....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ... 1.360.000 .....

(e) How many competitive tenders received ... 1 .....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ... Yes .....

(g) Amount of acceptable tender .. 1.360.000 .....

(h) Probable time for completion Recurring Maintenance: ..

(i) Any special remarks It is quite possible that increased traffic conditions might alter the estimate..

2. Certificates: Merlino Giuseppe

(a) Certified that the attached approximate estimate amounting to Lire 1.360.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ... Manini .....

Official designation .....

.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn. etc.~~, and location. Route 27 Bis Carsoli - Naselli 33 Km.

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Repairs & Maintenance

(d) Amount of approximate estimate ...1.360.000.....

(e) How many competitive tenders received ...1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ..Yes.....

(g) Amount of acceptable tender ..1.360.000.....

(h) Probable time for completion Recurring Maintenance...

(i) Any special remarks N.B. guide possible that increased traffic conditions must alter the estimate..

2. Certificates: Merlino Giuseppe

(a) Certified that the attached approximate estimate amounting to Lire ..1360.000..has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ...Merlino.....
Official designation .....
Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire ..1.360.000...(i.e. accepted tender).

511

(i) Emanuel Hauser.. Date 3-4-44.....
Field Engineer.

(ii) Lt.Col. Thompson. Date 3-4-44.
Engineer in General Charge of affected region.

3. Approved.

..Lt.Col. Jenny.....
Director, P.W.& U. Sub-Commission.

V.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Form 100/PCS/1

3

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

Estimate of Work to be carried out

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

502/1/8

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) Building, Bridge, Road, Power Stn, Pumping Stn etc, and location. Route 7 Capua - Caserta....

(b) By contract or direct labour .... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Pavement excluded - includes only ditching & drainage

(d) Amount of approximate estimate .....8,00,000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .....Yes.....

(g) Amount of acceptable tender .....8,00,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....Napolitano.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire ...8,00,000. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....

Official designation Capo Compartimento A.N.A.S. Caserta

Date, and place ...Naples. 3 April '44..

and recommend approval

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. (a) Building, Bridge, Road, [illegible] Stn, Pumping Stn etc, and location. Capua - Caserta....

(b) By contract or direct labour ....Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Pavement excluded - includes only ditching & drainage

(d) Amount of approximate estimate .....800,000.....

(e) How many competitive tenders received .....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? .....YES.....

(g) Amount of acceptable tender .....800,000.....

(h) Probable time for completion .....

(i) Any special remarks .....

.....Napolitano.....

2. Certificates:

(a) Certified that the attached approximate estimate amounting to Lire ...800,000. has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature .....

Official designation Capua Construction Unit. P.W.B.S. Caserta

Date and place ..Naples, 3 April '44..

(b) I agree with the preceding certificate and recommend approval of the sum of Lire .....(i.e. accepted tender).

(i) Capt. Feldman..... Date 3-4-44...
Field Engineer.

(ii) Lt. Col. Thompson Date 3-4-44.
Engineer in General Charge of affected region.

511

3. Approved.

.....Lt. Col. Tomasy.....
Director, P.W.& U. Sub-Commission.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Distretto militare

502/7/B

2

GG. [illegible] Ufficio di Controllo

GG. [illegible] Lavori - Servizi Tecnici

Perizia lavori da fare

NOTA: questo modello deve essere riempito in triplice copia; una copia deve essere trattenuta dalla sottocommissione del G.C., una deve essere restituita al capo dell'area, (LT COL THOMPSON e MAGG. HYLAND) quando approvata, e una deve essere restituita all'ing. Italiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1- (a) Lavori straordinari di manutenzione fino al 30 Giugno 1944 della breccia interna di S.Maria Capua Vetere, facente parte della strada statale n.7 a carattere militare.

(b) Lavori in economia

(c) se il contratto include tutti gli elementi
se non segnare brevemente ciò che è incluso . . . . . .

(d) l'importo della perizia L.710.000.00 (lire settecentodiecimila)

(e) quante richieste si sono ricevute . . . . . .
la più alta e la più bassa . . . . . .

(f) la più bassa può accettarsi? se non perchè? . . . . . .

(g) somma dell'offerta accettabile . . . . . .

(h) tempo probabile per l'esecuzione. I lavori devono essere ultimati al 30 Giugno 1944

(i) quals[illegible] rilievo d'importanza Carmine Napolitano. Contractor

2- CERTIFICATI

(a) Certifico che l'acclusa perizia approssimata ammontante a L.710.000. è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto [illegible] ammissibile nell'importo.

Declassified E.O. 12356 Section 3.3/NND No. 785019

vata, e che deve essere restituita all'Ing°. Ittiano che firma il certificato.

PERIZIA = COSTO = APPROVAZIONE

1- (a) Lavori straordinari di manutenzione fino al 30 giugno 1944 della strada interna di S.Maria Capua Vetere, facente parte della strada statale n.7 e carrabile ufficiale.

(b) Lavori in economia

(c) se il contratto include tutti gli elementi se non segnare brevemente ciò che è incluso . . . . . .

(d) l'importo della perizia L.710.000,00 (lire settecentodiecimila)

(e) quante richieste si sono ricevute . . . . . la più alta e la più bassa . . . . . .

(f) La più bassa può accettarsi? se non perchè? . . . . . .

(g) non è dell'offerta accettabile . . . . . .

(h) tempo probabile per l'esecuzione. I lavori devono essere ultimati al 30 giugno 1944

(i) quale sia rilievo d'importanza Carmine Napolitano. Contractor

2- CERTIFICATI

(a) Certifico che l'accluso perizia approssimata ammontante a L.710.000. è stata preparata da me: essa risponde a tutti i dati richiesti dal progetto [illegible] ragionevole nell'importo.

Aperta, li 27 MAR. 1944 989

L'INGEGNERE CAPO DEL GENIO CIVILE DELL'A.M.G.

Superintendent

(b) Avendo il presente allegato a base dell'aggiudicazione della causa di L. 710.000 . . . (cioè offerta accettata)

(1) Edmund J. B. Feldmann . (data 3-V-1944

L'INGEGNERE DI CAPO

(11) W. Thompson Lt Col (Date 3 April 44.

L'INGEGNERE DI CAPO SEZIONE DELLA REGIONE

3- APPROVATO

. . . . . IL DIRETTORE DELLA SOTTOCOMMISSIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Original)

Form AGC/EST/1

ALLIED CONTROL COMMISSION

PUBLIC WORKS AND UTILITIES SUB-COMMISSION

(Viannini) Estimate of Work to be carried out 502/7/4

Note: This form to be filled in triplicate; one copy to be retained in Sub-Commn HQ file, one to be returned to the head of the area (Lt-Col Thompson and Major Hyland) when approved, and one to be returned to the Italian Engineer who signs certificate 2 (a) below.

ESTIMATES - CAPITAL EXPENDITURE

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Sewer Stn., Pumping Stn. etc.~~ and location. Route #7 Capua-Caserta: 11.3 Km.

(b) By contract or direct labour ... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Gen. Repairs & Maintenance

(d) Amount of approximate estimate ~~L. 2,000,000~~ 12.00.000

(e) How many competitive tenders received ....1.....

Highest and lowest .....

(f) Is lowest to be accepted; if not, why? ...Yes.....

(g) Amount of acceptable tender ~~L. 2,000,000~~ 12.00.00 0

(h) Probable time for completion Recurring Maintenance

(i) Any special remarks Estimate low...increased traffic will...necessitate...additional...work.....

2. Certificates: Contractor: Viannini + Comastra

(a) Certified that the attached approximate estimate amounting to Lire 12.00.000..has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

) Signature ...Manini.....

Italian ) Official designation .....
Engineer)

Declassified E.O. 12356 Section 3.3/NND No. 785019

(APPROVALS)

1. (a) ~~Building, Bridge~~, Road, ~~Power Stn., Pumping Stn., etc.~~, and location. Route #7 Capua-Caserta : 11.3 Km.

(b) By contract or direct labour ... Contract.....

(c) Whether contract includes all elements; if not state briefly what is specifically excluded Gen. Repairs + Maintenance

(d) Amount of approximate estimate L. ~~2,000,000~~ 12.000.000

(e) How many competitive tenders received ... 1 .....

Highest and lowest ..... —

(f) Is lowest to be accepted; if not, why? ... Yes .....

(g) Amount of acceptable tender L. ~~2,000,000~~ 12.000.00

(h) Probable time for completion Recurring Maintenance

(i) Any special remarks Estimate low... Increased traffic will necessitate additional work.....

2. Certificates: Contractor: Viannini + Comastro

(a) Certified that the attached approximate estimate amounting to Lire 12.000.000 has been prepared by me; it covers the full requirements of the project, and is reasonable in amount.

Italian Engineer) Signature ... Mancini.....

) Official designation .....

) Date, and place .....

(b) I agree with the preceding certificate and recommend approval of the sum of Lire 12.000.000 (i.e. accepted tender). 5111

(i) ..... Date 3-4-44

Field Engineer.

(ii) Lt. Col. Thompson..... Date 3-4-44

Engineer in General Charge of affected region.

3. Approved.

Lt. Col. Jenny.....

Director, P.W.& U. Sub-Commission.

✓

Declassified E.O. 12356 Section 3.3/NND No. 785019

0 3 7 8