

ACC 093/PWU

10000/150/368
(VOL. III)

10000/150/368
(VOL. III)

MATERIALS
JULY - NOV. 1944

WS
Tel: 178263

MEMORANDUM

File
HWS/ bb

86
6 Nov 44

REFERENCE: 093/ /PWU
SUBJECT : Non-ferrous Metals.-
TO : Industry Sub-Commission.
FROM : P.W. & U. Sub-Commission.

1. The attached communication, dated 24 Oct 44, from the Societa' Metallurgica Italiana, is passed to you for attention, please.

L.A. JENNY,
Lt-Colonel. C.E.,
Director.

318

Tel. 489081

VST/mc

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

84

ACC/093/PWU

28 Sept. 1944

Subject: Ragusa Asphalt.

To : Requisition Division.
Att.: Lt.Col. R.A. Martino.

Ref. AFHQ letter A-7 dated 25 Sep. & our letter
ACC/093/PWU of 7 July.

1. I have been unable to contact our Reg. Engr. in Sicily but it is true that the Military requirements have decreased since Col. Jenny wrote the above named letter.

2. If no asphalt is produced the roads will revert to water bound macadam after going through the inevitable break-up stage.

3. I am informed that all available transport is required for food which would of course make distribution of asphalt difficult, but eventually the failure of the surface will jeopardise even food transportation.

4. If the above reasons are not considered adequate to retain the requisition at Rating III I can advance no others.

317

V.S. THOMPSON
Lt.Col. R.C.E.
Chief Public Wks. Div.

Tel. 489081

WHT/edg

81

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PSU

18 October 1944

Subject : Reinforcing Steel for Reconstruction of Gopiano
and Pontefine Hydro Plants.
To : Societa' Romana di Elettricit .

1. This will confirm delivery of the letter of Genio
Civile Royal Corps dated 30 September 1944 with necessary
endorsement for release of reinforcing steel from the Ponte
Milvio Bridge works. A representative of your Corporation
received these letters at our office on 18 October 1944.

R.J. BARRY
Major, C.E.,
Acting Chief, Elec.Div.

316

Tel: 489081

1 file 79
HW/bb

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU

18 Oct 44

SUBJECT: CASERTA Water Supply. - Issue of Stores from
Royal Engineer Stocks.

TO : Regional Commissioner, Southern Region.
(Attention: Regional Engineer).

1. We enclose two copies of letter 2073/4/1/42 of
25 Sep 44, from HQ. AAI to HQ. ACC. We also enclose two copies
of the list referred to.

2. We have replied that this HQ. is in agreement with
the proposal to notify the FA, AFHQ, but we have asked whether
HQ AAI is in a position to quote the voucher numbers in accordance
with para 3 of GPO 479/43.

3. Para 3 of GPO 479/43 also states: ".....care must
be taken that AMCOT retains one copy of such vouchers". Are copies
of the relevant vouchers retained in your office? We are anxious
to have details of them, please, in order that the transaction
may be checked.

G.E. Rhodes
G.E. RHODES,
Lieut-Colonel, R.E.,
Acting Director.

Copy to File 062

Enclosures: Two copies of letter referred to.
" " " list " "

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

78
HFW/bb

ACC/093/PWU

18 Oct 44

SUBJECT: Services by Italian Government.- Supply of
RE Stores.

TO : HQ., AAI.

1. Ref. your letter 2073/4/1/Q2 of 25 Sep 44, and
your reminder, of same reference, dated 13 Oct.

2. This HQ is in agreement with your proposal to
notify the FA, AFHQ, of the details of RE Stores supplied to
the Azienda Municipalizzata Acquedotto e Gasometro, for use in
carrying out essential repairs to the water supply system of
CASERTA town. Your list of the said stores has been noted.

3. This HQ would be glad to know, please, whether
you are able to quote the voucher numbers in accordance with
para 3 of GPO 479/43.

For the Chief Commissioner,

G.R.
G.R. RHODES,
Lieut-Colonel, R.E.,
Acting Director.

Copy to File 062.

4 OCT 1944
093

WD/WG

77
350

HEADQUARTERS
LAZIO REGION A.M.G.
(Engineering Division)
AFO 394

Rome, 30 September 1944

TO : ACC HQ PW&U SC
Att. Major Barry

SUBJECT : Materials abandoned by Germans.

In reply quote: R4/ENG/701

In reply to a telephone conversation with you some days ago I am forwarding a list of material found at Ponte Galera Station.

The S.R.E. claim it belongs to them.

Major Barry

424

510

hbt c

Lt. E.P. WADE-BROWN R.A.

Chief E & M Section.

Enclosure:

S.R.E. list of materials.

This material
being gathered
according to
Marshall's
R

Translated by

SOCIETA' ROMANA DI ELETTRICITA'

South Distributing Service (ex Laziale di Eletticità)

Electric material belonging to the Soc. Romana di Eletticità, stolen by the German troops from the warehouses of the Firm or lying on 5 railroad cars at the station of the State Railway of Ponte Galeria:

1st. A burnt Italian Railway car, of which it is impossible to give number which is indecipherable on account of fire.

- | | | |
|---|----|------|
| 1) A lot of lamp posts (about) | n. | 100 |
| 2) A lot of curved insulating arms with wooden screw of (about) 23 mm. | " | 200 |
| 3) A lot curved insulating arms with wooden screw of (about) 18mm | " | 200 |
| 4) A lot of road reflectors (damaged) (about) | " | 100 |
| 5) A lot of glass insulators of various types of which many are damaged | " | ---- |
| 6) A lot of chinaware air valves of 30 amp (many of which are damaged) | " | ---- |
| 7) Three-phase electric motors damaged by fire | " | 2 |
| 8) Large reflectors (damaged by fire) | " | 2 |

2nd. German Railway Car F.12868

- | | | |
|---|---|-----|
| 1) Transformers Guzzi and Ravizza - Ing. Clerici N. 7626 V. 11600/225 - KVA35 | " | 1 |
| 2) Transformer C.G.E.N. 10677 - KVA 5 - V 10000/8650/220 Pellizzari | " | 1 |
| 3) Transformer N. 5035 - KVA 100 V.20000 $\pm$ 3%/260 - 150 | " | 1 |
| 4) Transformer C.G.E. N.35649 - KVA10 - V.10380-6006/260-220 | " | 1 |
| 5) Magrini Switch tip.N.24000 Volt - 200 amp. | " | 3 |
| 6) A lot of four poles cable heads for low tension cable (about) | " | 150 |
| 7) Circuit Sectionizers for high tension (used) | " | 12 |
| 8) Current reducers C.G.E.P. 10.000 volt | " | 2 |
| 9) Cable heads for 20000 volt cables | " | 8 |
| 10) A lot of high tension insulators 330 p.25 KV (about) | " | 150 |
| 11) Automatic switches type Scarpa e Magnani B.O. 25 KV | " | 12 |

-2-

3rd. Italian railway cars E.I. N.020379 (burnt)

- | | | |
|---|----|------|
| 1) A lot of iron insulating arms brackets for high tension line poles (about) | n. | 150 |
| 2) Conic insulating arms for tipe 330 insulators (about) | " | 200 |
| 3) A lot of terminal insulators Patented Ing. Colombo (damaged) | " | ---- |
| 4) Magrini switch tipe C.30 (burnt) | " | 1 |
| 5) Allumium rope (damaged by fire) about kg. | | 500 |

4th. Italian railway car F.C. N.130496 (burnt)

- | | | |
|--|---|------|
| 1) a Lot of type 330 insulators (almost destroyed) | | ---- |
| 2) Current reducers (10KV) burnt | " | 4 |
| 3) Low tension switchboard | " | 2 |

5th. German railway car N. 12136

- | | | |
|--|---|---|
| 1) A passing insulator for 150 KV transformers | " | 4 |
|--|---|---|

28 SEP Recd
 108
 093
 76
 Subject: Services by Italian Government.

ATTACHED AMBASSY IN LONDON.

Tel:- WIMPE 209.

2075/4/1/32.

25 Sep 44.

FILE

NO.
 ADD.

1. Early this year certain PE stores were supplied to the Azienda Municipalizzata Acquedotto e Gasmetre, CASERTA, in order that essential repairs could be carried out to the water supply system at CASERTA town. The repairs were a matter of urgency and at the request of the local Civil Affairs Officer the materials in question were issued direct to the above firm on the understanding that payment would be made. (A list of stores supplied is attached).

2. This procedure was incorrect, and it is now, with your agreement, proposed to notify details of the stores supplied to the FA, ABIS, in accordance with the instructions contained in para. 5 of ARO. 479/43.

for *Atwell* Lt Col.
 Major-General,
 Chief Administrative Officer.

Copy to:- Works (Cov 2002/24 dated 23 Sep. 44, Ref: 2002/24)
 FA.

HEADQUARTERS

27 SEP 1944

A. C. C.

Te
Major General
Relevant extract from G.R. 479/43
is attached. H. Col. 2002/24
advised in action or objection
by the office. Store has
been sent forward.
1/10/44
4 Oct.

LIST OF SUPPLIES SUPPLIED.

Steel Piping, Victaulic 4"	-	FR	1,400
Adaptors 4S 4"		No	4
" 4S 4"		No	4
Elbows, Adjust 4"		No	4
" 90 deg		No	5
" 135 "		No	5
" 157 1/2 "		No	5
Crosses 4"		No	4
Elbows 90 deg		No	5
Joints For Fittings 4"		No	50
Joints For Pipes 4"		No	230
Reducers, long 4" x 2"		No	6
" short "		No	4
Setting Pieces 10 deg		No	4
Tees, equal 4"		No	5
Tees Offset		No	4
Tees Reducing 4" x 3"		No	4
Tees Reducing 4" x 2"		No	5

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY SUB-COMMISSION
BUILDING MATERIALS DIVISION
APO 394

SEP 28 1944 093.
75 TGE/ci
27 September 1944.

Tel. 432

Ref. ACC/5598/IND.

SUBJECT : BOMBRINI - PARODI - DELFINO CORPN.
TO : ☒ Public Works and Utilities Sub-Commission.

1. Please see attached correspondence from the above firm who appears to be carrying out repairs and manufacturing replacement parts for certain electrical companies.

2. If you would indicate that this firm's programme is being carried out with your approval, we will submit the necessary Mat. 10 form for the materials required.

Copy to:
Economic Section.

J. S. E. Todd
J. S. E. TODD
Colonel,
Acting Director,
Industry Sub-Commission.

Incls.:

Copy letter from Bombrini-Parodi-Delfino
dated 23 Sept. 44 w/ enclosures.

Capt. Tauplin
This firm is very
important to our rehabilitation
program.

JB 10-42
Passed + Major Price
for answering
THC

C/C/ POSTALE-ROMA N. 1/4430

Bombardini-Pirelli-Delfino

SOCIETA ANONIMA PER AZIONI - CAPITALE L. 50.000.000 INTERAMENTE VERSATO

SEDE CENTRALE
CORSO UMBERTO I° 267 - P.I.
AZIENDA INDUSTRIALE
CORSO UMBERTO I° 267 - P.I.

AZIENDA INDUSTRIALE

Prot. N° **P/183**
CD/vdn
(DA CITARE NELLA RISPOSTA)

26 SEP 1944
5598
W.

CASELLA POSTALE N° 372

Roma, 23rd September 1944

ALLIED CONTROL COMMISSION

+ HEADQUARTERS -

Industry Subcommittee

A P O 394

Subject : MANUFACTURE OF CASTINGS FOR "SOCIETA ROMANA DI ELETTRICITA"
AND FOR "SOC. AN. CALCI E CEMENTI"

Sirs,

We beg to forward you herewith copy of letters Es. 746/400 dated 6th inst. of Società Romana di Elettricità, and T/2868 GN/Fm dated 13th inst. of Soc. An. Calci e Cementi di Segni, ordering the construction of castings and parts of water gates to be used in repairing Pontefiume's electric station, St. Eleuterio's dam, and also Colleferro's and Vibo Valentia's cement Works.

As the above supplies are urgently requested because involving public utilities and owing to the fact that our Colleferro Works could begin to work at once, we started producing in the hope that the granting of our requirements would have been favourably considered by A.C.C.

Almost all raw and technical materials required for the above work (new cast iron, scrap cast iron, coke, steel sections and high speed steel) are already available in sufficient quantities at our Colleferro Works. Our need is therefore restricted to few following items to be supplied by purchase on release order that we beg kindly to issue in our favour:

nails (different sizes) for patterns 40 Kgs.
special timber for patterns, as available 4 cubic m.
red and black varnish for patterns 20 Kgs.

308

/.

In case of unforeseen requirements arising during production, we will forward an extra application for same.

For the operation of the foundry and mostly for carrying from Rome (Monte Mario) to Colleferro 30 Tons. of foundry earth, we are in need of a circulation permit for two of our lorries: Fiat 621 model (license Roma 65038) and Fiat 18 BI model (license Roma 43814). We further require a monthly allocation of 1 Ton. of gazoil and 1 Ton. of gasoline as fuel for the first and, respectively, the second of the said lorries.

The use of the same lorries ought not to be limited to the execution of the works ordered with the enclosed letters (works which completion may be programmed within this year) but should be allowed for further supplies of the machinery parts which S.R.E. intends to intrust us with, for the repairing of electric stations on Liri river.

The present total allocation of electric power to our Colleferro Works is meeting the needs of the production referred to, as shown in insert of our letter dated 30th August ref. UT/11248-Q/Lb. If for any reason such allocation should prove insufficient, we will ask for the necessary extras.

Awaiting your kind reply, we remain, Sirs,

Yours truly

p.p. Rombrini Parodi-Defino

Enclosures

Am 2. April 1888

A M O R

ASIEMDA INDUSTRIALE

For the operation of the foundry and mostly for carrying from here (Monte Mario) to Colleforno 30 Tons. of foundry earth, ~~100~~ are in need of a circulation permit for two of our lorries: Fiat 621 model (license Roma 55QJ8) and Fiat 12 BL model (license Roma 43814). We further require a monthly allocation of 1 Ton. of paraffin and 1 Ton. of gasoline as fuel for the first and, respectively, the second of the said lorries.

The use of the same lorries ought not to be limited to the execution of the works ordered with the enclosed letters (works which completion may be guaranteed within this year) but should be allowed for further supplies of the machinery parts which S.R.L. intends to instruct up with for the repairing of electric stations on Ixi river.

The present total allocation of electric power to our Colliery Works is meeting the needs of the production referred to, as shown in insert of our letter dated 30th August ref. EE/11248-O/40. If for any reason such allocation should prove insufficient, we will ask for the necessary extra.

Awaiting your kind reply, we remain, Sirs

Yours truly,

307

Bombini Parodi - Delfino

C O P I A

R O M A

13 Settembre 1944

AZIENDA INDUSTRIALE

T 2868 GN/Pm

Spett.le
BOMBINI PARODI-DELFINO
Azienda IndustrialeR O M A

PB/

FUSIONI IN GHISA PER OFFICINE DI COLLEFERRO E VIBO VALENTIA

Facendo seguito alle nostre intese verbali intercorse con i Vs. Dirigenti di Colleferro, Vi confermiamo che abbiamo affidato alla Vs. officina di Colleferro la fusione e la successiva lavorazione dei seguenti pezzi in ghisa da sostituire a quelli originali andati fuori uso in conseguenza degli eventi bellici nelle ns. officine di Colleferro e di Vibo Valentia.

Le ricostruzioni ed i programmi di produzione di queste due officine sono stati concordati con l'A.C.C. Centrale Sottocommissione dell'Industria. L'officina di Colleferro inoltre espleta speciali programmi concordati col D.D.W.

a) OFFICINA DI COLLEFERRO

- 1) n°6 basi per supporti di forno rotativo
- 2) n°4 supporti per un mulino da calce
- 3) n°64 piastre in ghisa per essicatoio

b) OFFICINA DI VIBO VALENTIA

- 1) n°6 cuscinetti per asse rullo trasportatore
- 2) n°20 carrucole per trasportatore
- 3) n°10 giunti intermedi per coclee
- 4) n°5 rulli per testate elevatore
- 5) n°4 pulegge per nastro trasportatore
- 6) n°3 ruote dentate per catena Gall
- 7) n°2 corone dentate per comando elevatore
- 8) giunto per comando mulino
- 9) n°64 piastre in ghisa per essicatoio.

Provvederemo ad inviarvi il rottame di ghisa disponibile e nel frattempo Vi saremo grati se Vorrete anticiparci il materiale necessario.

Vi confermiamo che i materiali di cui alla distinta ci sono necessari con estrema urgenza per poter mantenere i programmi concordati con le Autorità Alleate di cui sopra.

Gradite i ns. Distinti saluti

306

Bombini Parodi - Delfino

Roma 6.9.44

ROMA

AZIENDA INDUSTRIALE
N. Es/746/400

SOCIETA' ROMANA DI ELETTRICITA'

Via Poli 14 - ROMA

OGGETTO: ALLA DITTA B.P.D. (S)

correlati in ordine di n. e di data di consegna delle ingegnerie per Roma. A
 offrendo, oltre a quanto sopra, la nostra azienda si riserva il diritto di
 essere pagata per i lavori eseguiti e per i materiali forniti. (S)
 Da OS

PB/

PEZZI PER CENTRALE IDROELETTRICA DI PONTEFIUME E SBARRAMENTO DIS. ELEUTERIO

.81 .1.7

Facendo seguito alle intese verbali intercorse con il ns. Ing.
 Dadual, ed alla successiva corrispondenza da Voi pervenutaci, Vi con-
 firmo che il vostro Stabilimento di Colleferro dovrà provvedere
 a quelle originali andati fuori uso in conseguenza degli eventi bel-
 lici nella nostra Centrale Idroelettrica di Pontefiume e sul ns/
 Sbarramento a S. Eleuterio.

*) CENTRALE IDROELETTRICA DI PONTEFIUME

1) n. 1 Anello in ghisa per tenuta acqua turbina n. 3 (Di tale a-
 nello i necessari rilievi sono stati eseguiti dai vostri di-
 segnatori: a ns/ volta invieremo, al vostro Stabilimento di
 Colleferro il disco da fissare all'anello in oggetto nonché
 il pignone del mozzo dell'asse del distributore).

2) n. 1 braccio relativo al comando del distributore

3) n. 1 " " " " contrappeso

4) n. 1 anello collettore con relativi sostegni

5) n. 1 puleggia piccola (eventualmente da riparare l'esistente)

6) n. 1 sopporto portaspazzole eccitatrici (eventualmente da ri-
 parare l'esistente)

7) n. 1 sopporto portaspazzole alternatore (eventualmente da ri-
 parare l'esistente)

8) n. 1 Cappellotto sopporto porta spazzole alternatore

9) n. 1 Basetta per sopporto del regolatore

10) n. 1 Tubo per asse distributore

11) n. 1 Cuffia per campana manometrica del regolatore

12) n. 2 Volantini (n. 1 comando distributore; n. 1 comando freno)

(Di tutti i pezzi dal n. 2 al n. 12 invieremo i campioni al Vs/
 Stabilimento di Colleferro)

13) n. 2 Cuffie complete per alternatore n. 3 (Di tali cuffie i
 necessari rilievi sono stati eseguiti dal Vs/ disegnatori)

305

Società Romana di Elettricità

Per azioni - Sede in Roma - C. P. C. Roma - N° 3257
capitale sociale L. 428.500.000 - versato

B. P. D. Industriale	
N.	7193
A.	11 SEI 1944
R.	
Dir. Gen.	Ev.
Dir. T.	
Proc.	
Ver.	
Est.	
Ver.	
Conting.	

Roma il 6 Settembre 1944
VIA POLI, 14

Es. N° 746/400

ALLA SOC. BOMBRINI PARODI - DELFINO

R O M A
Corso Umberto I, 267

PEZZI PER CENTRALE ELETTRICA DI PONTEFUME E SBARRAMENTO DI S. ELEUTERIO -

Facendo seguito alle intese verbali intercorse con il ns/ Ing. Baduel ed alla successiva corrispondenza da Voi pevenutaci, Vi confermiamo che il Vs/ Stabilimento di Colleferro dovrà provvedere per ns/ conto alla costruzione dei seguenti pezzi da sostituire a quelli originali andati fuori uso in conseguenza degli eventi bellici nella ns/ Centrale Idroelettrica di Pontefume e sul ns/ sbarramento a S. Eleuterio.

A) CENTRALE IDROELETTRICA DI PONTEFUME

- 1°) n° 1 Anello in ghisa per tenuta acqua turbina n° 3. (Di tal anello i necessari rilievi sono stati eseguiti dal Vs/ disegnatore: a ns/ volta invieremo al Vs/ Stabilimento di Colleferro il disco da fissare all'anello in oggetto nonchè il particolare del mozzo dell'asse del distributore).
- 2°) n° 1 Braccio relativo al comando del distributore
- 3°) " 1 " " " " " contrappeso
- 4°) " 1 Anello collettore con relativi sostegni
- 5°) " 1 Puleggia piccola (eventualmente da riparare l'esistente)
- 6°) " 1 Supporto portaspazzole eccitatrici (eventualmente da riparare l'esistente) ^{30%}
- 7°) " 1 Supporto portaspazzole alternatore (eventualmente da riparare l'esistente)

Società Romana di Elettricità

*Per azioni - Sede in Roma - I. P. C. Roma - 15.12.57
capitale sociale L. 100.000.000 - versato*

*Roma 146
VIA POLI 14*

F. 2°)

- 8°) n° 1 Cappello supporto porta spazzole ~~per~~ alternatore
- 9°) " 1 Basetta per supporto del regolatore
- 10°) " 1 Tubo per asse distributore
- 11°) " 1 Cuffia per campana manometrica del regolatore
- 12°) " 2 Volantini (n° 1 comando distributore ;
" 1 " freno)

(Di tutti i pezzi dal n° 2 al n° 12 invieremo 1 campione al Vs/ Stabilimento di Colleferro).

- 13°) " 2 Cuffie complete per alternatore n° 3. (Di tali cuffie i necessari rilievi sono stati eseguiti dal Vs/ disegnatore).

B) SBARRAMENTO DI S. ELEUTERIO-

n° 6 Corsi per paratoie della lunghezza cadauno di m. 7 in ferro composto. (Di tali corsi il campione è già stato consegnato al Vs/ Stabilimento di Colleferro; su detto campione è stata concordata la modifica del ferro base ad U da N.P. 20 ad N.P. 18).

Resta convenuto che detti lavori saranno eseguiti nel più breve tempo possibile non appena sarete in possesso dei necessari campioni; le fatture relative saranno da Voi emesse in base ad analisi dei costi.

Come già comunicato al Vs/ Stabilimento di Colleferro, ci ripromettiamo di eseguire quanto prima un sopralluogo con un Vs/ incaricato per esaminare la possibilità di affidarvi altri importanti lavori inerenti al ripristino dei ns/ Impianti sul Liri.

303

A. I. PER LA PRODUZIONE
CALCI E CEMENTI DI SEGNI

CAPITALE L. 16.000.000 INT. VERS.

SEDE IN ROMA
CORSO UMBERTO I N. 212STABILIMENTI IN COLLEFERRO
E VIBO VALENTIA

L. 2385 GN/PM

OGGETTO

B. P. D. Ind.	
N. 4217	
Atab. 13 SEI 1944	
R.	
Dir. Gen.	Dir. A.
V. C.	Seg. Gen.
Fin.	Cont. Ad.
Tec.	A. P. P.
L. A.	Tras.
Vari.	F. M.
Cont.	

Roma (101) 13 Settembre 1944

Spett.le
 BOMBARDINI PARODI DELFINO
 Azienda Industriale

ROMA

Presenzi in ghisa per officine
 di Colleferro e Vibo Valentia

Facendo seguito alle intese verbali intercorse con i Vs. Dirigenti di Colleferro, Vi confermiamo che abbiamo affidato alla Vs. officina di Colleferro la fusione e la successiva lavorazione dei seguenti pezzi in ghisa da sostituire a quelli originali andati fuori uso in conseguenza degli eventi bellici nelle Vs. officine di Colleferro e di Vibo Valentia.

Le ricostruzioni ed i programmi di produzione di queste due officine sono stati concordati con l'A.C.C. Centrale Sotto-commissione dell'Industria. L'officina di Colleferro inoltre espleta speciali programmi concordati col D.D.W.

1) Officina di Colleferro

- 1) n° 6 basi per supporti di forno rotativo
- 2) n° 4 supporti per un mulino da calce
- 3) n° 64 piastre in ghisa per essiccatore

2) Officina di Vibo Valentia

- 1) n° 6 cuscinetti per asse rullo trasportatore
- 2) n° 20 carrucole per trasportatore
- 3) n° 10 giunti intermedi per ceclee
- 4) n° 5 rulli per testate elevatore
- 5) n° 4 pulegge per nastro trasportatore
- 6) n° 3 ruote dentate per catena Gall
- 7) n° 2 corone dentate per comando elevatore
- 8) giunto per comando culine
- 9) n° 64 piastre in ghisa per essiccatore.

302

./.

CALCI E CEMENTI DI SEGNI
ROMA

segue lettera N. T 2868 del 13/9 1944

Provvederemo ad inviarVi il rottame di ghisa disponibile e nel frattempo Vi saremo grati se Vorrete anticiparci il materiale necessario.

Vi confermiamo che i materiali di cui alla distinta ci sono necessari con estrema urgenza per poter mantenere i programmi concordati con le Autorità Alleate di cui sopra.

Gradite i ns. distinti saluti.

B. A. I. PER LA PRODUZIONE
CALCI E CEMENTI DI SEGNI
Il Direttore

Dogoni

301

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Ref. ACC/5000/6/Commerce

SUBJECT: Controlled Materials

TO : Public works and Utilities Sub-Commission, HQ ACC

1. Reference your letter ACC/093/PWU dated 26 September 44
2. It would appear that there is some misunderstanding of this Sub-Commissions' letter ACC/5000/6/Commerce. The basis of this letter is to be found in para 1 which states "A great quantity of goods which are NOT on the list of controlled materials, issued by AFTR (I) B, still remain blocked".
3. Only NON-CONTROLLED materials were to be un-blocked; Controlled materials remain, as heretofore, therefore, all the materials mentioned by you remain under control of AFTR (I) B as also all other materials on the attached list.
4. As no materials are mentioned by you: which do not already appear on the Controlled list, it is assumed that there are no items which you wish to have "restricted". Your comments on the CONTROLLED items, of interest to P.W. and U. S/C, are appreciated and when the shortening of the Controlled list comes to be considered, they will be taken into careful account.

1. Lt. Col. Thompson
2. Major ~~Thompson~~

W. P. EVANS
Colonel
Director
Commerce Sub-Commission

Encl.: List of Controlled Materials

I take it we need act no further - at present.

Gen.
Sjo.

300

29 SEP Recd

093

General P. W. & U.

HEADQUARTERS
ALLIED MILITARY GOVERNMENT
REGION IV
APO 394

7512
2363A

R/2427

28 September 1944

SUBJECT: Building Materials.

TO : Regional Control & Military
Government Section,
Headquarters, Allied Control Commission.

1. At the staff conference of Region IV, the Provincial Commissioner and the Regional public works officers related many sad tales about the utter impossibility of initiating public works under the present situation which blocks for the Army substantially all cement and bricks. Some building materials are released from time to time, but in the smallest quantities.

2. As the Army has moved North of the Provinces of Region IV, the Army can now unblock much greater quantities of building material, thereby enabling ACC/AMC officers and the Italian officials to undertake more comprehensive public works projects.

Charles Poletti
CHARLES POLETTI
Colonel,
Regional Commissioner

*Noted
M. 11/10
for info. P. W. & U.
see [signature] 2/10/44*

Tel: 489081

HEADQUARTERS

VGR/bb

ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU

2 October 1944

SUBJECT: Release of Cast Iron Valves.
Montemartini Generating Station.

TO : A.C.E.A. Direction - Via Milano.

1. Military authorities have requested the assistance of the Electrical Division, Public Works and Utilities Sub-Commission, Headquarters Allied Control Commission, in obtaining the release of two Cast Iron valves, now in storage at the Montemartini Generating Station. These valves are urgently needed to make repairs to the Siena Water Supply system, and it will be greatly appreciated if they made available to Headquarters, Allied Armies in Italy. The specifications of these valves are as follows:

1-300 mm. flanged cast iron gate valve.

1-250 mm. flanged cast iron gate valve.

2. Major V.S. Renton, this Headquarters, will arrange for the handling of this material.

E.J. Barry
E.J. BARRY,
Major C.E.
Acting Chief Elec.
Div.

C.C. Eng. Parvopassu. St: Paolo Montemartini
Generating Stations.

Tel. 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION
APO 394

LWL/sc

71

ACC/093/PWU

26 Sep. 44

Subject : Controlled Materials

To : COMMERCE SUB-COMMISSION

1) - Reference your letter ACC/5000/6/Commerce, dated 8th September, on the above subject, in view of the extremely serious position of electric power supplies in Italy, this Sub-Commission considers that none of the materials noted under-heading V in the list accompanying your letter should be placed on a "free market". The items appear to be 15 in number, viz. beginning with "Accumulators" and ending with "Wires and Cables". As to justification, it is unnecessary to stress the fact that the Electrical Division of this Sub-Commission requires to have under its control, probably for some time, every class of electrical equipment.

2) - Under classifications I and II (Metals) we similarly consider that the 5 items under Ferrous Metals should be "restricted". Under Non-Ferrous Metals we consider that all should be restricted.

3) - Under list III (Timber) we consider that the following should be restricted :

Nº 2 - Bulk Timber, over 6" x 6"

Nº 7 - Sleepers or Railway Ties (but this is a matter for Transportation Sub-Commission).

4) - Under item IV (other Building Materials) only Nº 1 (Cement) need remain restricted.

5) - At the end of a ³~~six~~ months period, that is ^{Dec. 44.}~~April 1945~~, we recommend that the above items be again brought up for review.

GER 297

G.E. RHODES
Lieut-Colonel, R.E.
Acting Director

Tel. 489081

LGP/cc *68*

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU.

21 Sept 44

SUBJECT: Paraffin Wax.

TO : Commerce Sub-Commission, H.Q. ACC.

1. Reference your ACC/5083/Commerce dated 18 Sept 44.
Para 2. It is not considered essential to include paraffin in this mixture.

2. Dealing with Para 3 your letter, paraffin is necessary for insulating transformer windings but it is suggested that 50% only be released and that the Company concerned be notified to demand only minimum requirements with a detailed justification.

3. Strade Ferrate Secondarie Meridionali - Naples.
Total required 175 Kgs. but this Company asks for 200 Kgs, suggest that 175 Kgs only be released.

E. J. Barry
E.J. BARRY,
Major, C.E.,
Dep. Chief Elect. Div.

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

JWLB/tr

ACC/093/PWU

9 Sept. 44

SUBJECT : Electrical Materials

TO : Captain RYAN Regional Engineer
Southern Region

1. The undermentioned Electrical Materials have been transferred from Warehouse No 168 Civitavecchia to the Lancia Garage No 2, Viale Parioli Rome.

Truck Number	Items	Weight
K67817	Sheet Cork	68.04 Kg
	White Cotton Tape	1327.53 "
	Rayon " "	10.43 "
	Bakelized Ribbon Paper	406.42 "
	Rubber Sheets	251.29
		2063.71 Kg

2. Will you please advise whether you wish this material to remain here or for this office to arrange transfer to Warehouse 676.

W.M. LAPPER,
Lieut-Colonel
Chief Util. & Adm. Div.

29/9/44.
Verbal information this
now in 676 - accepted.

5 SEP Recd **ALLIED CONTROL COMMISSION** 093 COMMISSIONE ALLEATA DI CONTROLLO

A. C. C. Warehouse No. 168 CIVITAVECCHIA
 A. C. C. Note di magazzino No.

No. 156
 No.

TRANSFER NOTE NOTA DI TRASFERIMENTO

Date Sept. 1, 1944
 Date

Transferred to LANCIA GARAGE 162 Viale Parioli - Sig. FARINA ROME
 Trasferito a

Against ALLOTMENT NOTE No.
 Con nota di distribuzione No.

Truck or Car Number Numero del veicolo	DESCRIPTION OF COMMODITIES DESCRIZIONI DELLE MERCI	Number of Bags or Boxes Numero dei sacchi o casse	Unit weight Peso unitario	Total Weight Peso totale	Total Weight in Kilograms Peso totale in Kilogrammi	Stores Ledger Folio Foglio del libro merci
467817	SHEET CORK	1	150	150	68,04	
	WHITE COTTON TAPE	10	303,8	3038	1327,53	
	RAYON " "	1	23	23	10,43	
	BAKELISED RIBBON PAPER	7	128	896	406,42	
	RUBBER SHEETS	2	227	554	251,29	
		21		4661	2063,71	

(1) Total quantity transferred charged to allocation of

(2) I certify that the above articles were issued to the person (s) entitled to receive them on the
 day of 194

(1) Quantità totale trasferita, caricata in allocazione di

(2) Certifico che le sopradescritte merci sono state consegnate alla (e) persona (e) autorizzata a riceverle il

294

giorno

194

Signature and Rank
 (Firma e Grado)

Tel: 489031

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 994

63
LCP/tr

ACC/053/DMU

3 Sept. 44

SUBJECT : Electrical Insulating Materials.

TO : DE AFH.

1. Reference your letters DMU/74357 DMU(9) dated 26 July 44 and 31 July 44.

2. The Insulating Materials as listed in the above quoted letters are on urgent demand for the repairs and rehabilitation of electrical plant which plant is essential for both military and civilian operation.

3. Will you please state if the materials as listed are available and whether said materials can be demanded of you by this Sub-Commission.

W.M. LAFFER
Lieut-Colonel
Chief Util. & Adm. Div.

55

CONFIDENTIAL
CONFIDENTIAL

9 SEP Recd

093
CAS

AP 425

JG/cam

File
General
59

ALLIED FORCE HEADQUARTERS
APO 512

AG 400/073 GEC-O

5 September 1944

SUBJECT: Procurement of Civilian Supplies for Occupied or Liberated Territory.

TO : All Concerned.

Letter, this headquarters, file AG 400-1 (AMCOT) GDS-O, dated 12 June 1944, subject: "Procurement of Civilian Supplies for Occupied Territory", is rescinded and the following procedure will govern in the procurement of civilian supplies for occupied or liberated territory:

1. All matters pertaining to civil supply will be transmitted between ACHAF for Combined Chief of Staff and this headquarters in special series, either by cable or by airgram.

a. Information copies of transmissions in special series pertaining to supply will be furnished appropriate headquarters.

b. Allocation requests shall fall into three categories:

- (1) Long term
- (2) Short term
- (3) Specific Programs.

2. Long Term. Estimates such as subsistence, medical, sanitary, engineering, agricultural equipment, will be forwarded by this headquarters to the Combined Chiefs of Staff for approval and allocation.

a. Upon receipt by this headquarters of approval and allocation, planned long term requirements will be placed on NATOUA or appropriate British staff sections this headquarters in accordance with Combined Chiefs of Staff's allocation.

3. Short Term. Short term requirements for special commodities not covered under paragraph 2 a above will be processed as follows:

a. Requisitions submitted by civil affairs agencies in accordance with pertinent directives of this headquarters will be screened at this headquarters to reflect availability from theater resources including excess military stocks.

b. After action in 3 a above, the Assistant Chief of Staff G-5 on approval of the Assistant Chief of Staff G-4 this headquarters will dispatch a request to the Combined Chiefs of Staff for approval and allocation. Transmission will be repeated as in 1 a above and information copies will be furnished appropriate staff section this headquarters.

CONFIDENTIAL
CONFIDENTIAL

292

CONFIDENTIAL
CONFIDENTIAL

AFHQ 1st, AG 400/073 GEC-O
dtd 5 Sept 44 (Cont'd)

69

A

c. On receipt of approval and allocation from the Combined Chiefs of Staff, the Assistant Chief of Staff G-4 will initiate normal supply procedure through appropriate channels.

4. Procedure for procuring petroleum products and coal for civil supply will be according to directives on the subject published by this headquarters.

5. Special programs, i.e. industrial programs concerned with rehabilitation materials and with ordinary maintenance supplies related to such rehabilitation. Such requisitions will be clearly marked as "Special Programs".

6. After it has been established by this headquarters that the necessary power and/or fuel, labor and raw materials and other items ex theater are available to implement the program, the allocation request for supplies identified with the special program will be sent to Combined Civil Affairs Committee by this headquarters for initial screening by technical authorities at the Combined Civil Affairs Committee level.

7. Technical questions relating to the purpose and justification of special programs, the amount and kinds of items, including substitutes and deletions after a above, will be channelled direct between Combined Civil Affairs Committee and the appropriate Civil Affairs Agency with copy to AFHQ.

8. Procurement responsibility notifications and normal supply procedure will be to and from this headquarters in the same manner as prescribed in 3 a above.

By command of General WILSON:

/s/ R. H. Christie,
/v/ R. H. CHRISTIE,
Colonel, AGO,
Acting Adjutant General.

58

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

IGP/tr

ACC/093/VWU

11 Sept. 44

SUBJECT : Manufacture of Copper Stores.

TO : C.G. P.W.S. Engineer Section .

1. Herewith copy of M.A.P.W. letter No. 33118 dated 1 Aug. 44
2. It is understood that both Companies mentioned in the above quoted letter are controlled by you.
3. Will you please state if this work can be undertaken, when arrangements will be made this end to have the necessary copper forwarded.

W.M. LAYTON,
Lieut-Colonel,
Chief Util. & Adm. Div.

Enclosure : Copy of letter

2 SEP Recd

093 ccb

57

M. A. T. E. R.

MOTORI - ALTERNATORI - TRASFORMATORI ELETTRICI - ROMA
 Società Anonima - SEDE IN ROMA - Capitale L. 5.000.000 int. vers.

C. P. E. 66392 - ROMA

SEDE CENTRALE IN ROMA

VIA GINO CAPPONI, 51
 Telefono 75-851 Centralino
 Indirizzo Teleg.: MATER - ROMA

OFFICINA DI ROMA

VIA GINO CAPPONI, 51
 VIA GIUSEPPE MANNO, 2-4

SEDE DI MILANO

Officine presso A. T. M.
 VIA TEODOSIO, 89
 Telefono 286076
 Ind. Teleg.: MATER - MILANO

OFFICINE DI NAPOLI

VIA CROCE DEL LAGNO-PORTICI
 Telefono 55-292
 Indirizzo Teleg.: MATER - PORTICI

OFFICINE DI GENOVA

LUNGO BISAIGNO DALMAZIA, 37
 Telefono 56-323
 Indirizzo Teleg.: MATER - GENOVA

OFFICINE DI PALERMO

VIA ALESSANDRO VOLTA, 44
 Telefono 19-492
 Indirizzo Teleg.: MATER - PALERMO

FORNITORI FF.SS. N. 09852

Mantenimento permanente a vettura-
 chilometro dei motori e degli equi-
 paggiamenti elettrici delle Tramvie
 del Governatorato di Roma, e delle
 città di Milano, Napoli, Genova,
 Palermo e della Sicilia.

Costruzione di trasformatori e di
 avvolgimenti elettrici per macchine
 di qualsiasi tipo, tensione e potenza.

Riparazione, cambio caratteristiche
 e riavvolgimento completo dei mo-
 tori, alternatori, trasformatori e di
 macchine elettriche in genere.

Impianti d'alto vuoto e tubi lumines-
 centi al « NEON » e altri gas rari.

**FORNITORI del R. Esercito
e della R. Aeronautica**

33118

Roma 31 agosto 1944

Ministero Corporazioni

Sotto-Commissione Lavori &
Servizi pubblici

Ufficio Ccl. Lapper

R O M A

La ns/ Società chiede di essere autorizzata ad in-
 viare alla Ditta Corradini di Napoli 10 Tonnellate di
 rottami di rame per la trasformazione. Chiede inoltre
 che la suddetta Corradini di Napoli sia autorizzata al-
 la trafilatura e la ditta F.I.C.E., pure di Napoli, sia
 autorizzata al rivestimento dei seguenti conduttori di
 rame:

Kg. 2000 <i>platina</i> 2 x 4,1 ricoperta con 2 <i>spiral</i> cotone				
"	1000	filo Ø 2,8 mm.	"	"
"	200	" " 0,7 "	"	"
"	200	" " 0,8 "	"	"
"	400	" " 1 "	"	"
"	400	" " 1,1 "	"	"
"	400	" " 1,2 "	"	"
"	500	" " 1,3 "	"	"
"	400	" " 1,4 "	"	"
"	400	" " 1,5 "	"	"
"	600	" " 1,6 "	"	"
"	300	" " 1,7 "	"	"
"	300	" " 1,8 "	"	"
"	300	" " 1,9 "	"	"
"	300	" " 2 "	"	"
"	300	" " 2,1 "	"	"
"	300	" " 2,2 "	"	"
"	300	" " 2,3 "	"	290

a riportare Kg. 8600

L. Col. Lapper

Please reply

by 4/9

May Price:
see me if you are
in difficulty with

Soc. An. M. A. T. E. R.

foglio N. 2

57A

Riporto Kg.	8600							
"	400	filo Ø 2,4	ricoperto	con	2	spirali	cotone	
"	400	" "	2,5	"	"	"	"	"
"	400	" "	2,6	"	"	"	"	"
"	200	" "	2,7	"	"	"	"	"
	<u>10000</u>							
	=====							

Tale richiesta è motivata dal fatto che le scorte di magazzino di questa Società non hanno più l'assortimento necessario per poter rispondere alle molteplici richieste di riparazione di macchinari elettrici che pervengono da Enti pubblici e privati come Società Elettriche, Benifiche e Industrie varie.

Ing. An/C

Soc. An. M. A. T. E. R.
 Società Anonima Trasmissioni Elettriche
 11° Divisione Generale

Angelo Ottolenghi

aforesaid Corradini firm of Naples should be authorized to carry out the wiredrawing and the F.I.C.E. firm, also of Naples, should be authorized to cover the following copper conductors:

2000 KJ. of flat conductor 2 x 4.1 covered with 2 cotton yarns.		
1000	do	do
200	do	do
200	do	do
200	do	do
400	do	do
400	do	do
400	do	do
500	do	do
400	do	do
400	do	do
600	do	do
300	do	do
300	do	do
300	do	do
300	do	do
300	do	do
300	do	do
300	do	do
400	do	do
400	do	do
400	do	do
200	do	do

10000

The fact that this Company's stores non longer include the necessary assortment for dealing with the numerous requests concerning the repair of electric machinery which reach us from Public and Private Bodies as well as from Electrical Companies, Land-reclamation Syndicates and miscellaneous Industries, gives rise to our request.

Soc. An. M.A.T.E.R.
The Central Director
(signed: Luigi Antonini)

Tel. 489 081

HEADQUARTERS
ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION ON

APC 394

LML/ac

566

ACC/093/FRU

4 Sep. 44

Subject : Fire Protection Equipment
Salmon Hydro plant
Colore River - Material

To : HOURS SOUTHERN REGION
Att. Capt. Ryan

- 1) - Attached was transferred to this office for consideration but believe it should be followed by you.
- 2) - Justification can be obtained from Eng. MUSTUZZO and the matter then handled direct with Maj. Birt, Commerce Division, Southern Region.

W.A. LAFER
Lieut-Colonel
Chief Util. & Adm. Div.

2 Enclosures
Letter 13 August 44/489/19/PE/1183
4 copies Serial No 2151

007

Subject : Fire Protection Equipment
 S. Manco Kiko plant
 Colore River - Material

To : HQRS SOUTHERN REGION
 Att. Capt. Ryan

- 1) - Attached was transferred to this office for consideration but believe it should be followed by you.
- 2) - Justification can be obtained from Eng. MUSTUZZO and the matter then handled direct with Maj. Birt, Commerce Division, Southern Region.

W.A. LAMPTER
 Lieut-Colonel
 Chief Util. & Adm. Div.

2 Enclosures
 Letter 13 August 44/989/19/PS/114B
 2 copies demand No. 2151

287

2 SEP Recd 093
HEADQUARTERS

SOUTHERN REGION, ALLIED CONTROL COMMISSION
COMMERCE DIVISION
APO 394, U.S. ARMY

ES: 789/17 PB 114 B.

31 August 44

SUBJECT: Release of materials.

TO : Public Works & Utilities Officer
ACC. HQ.

1. Form Mat. LO No 2151 from Soc. Meridionale d'Elettricità
is returned herewith.

2. The justification of the request does not appear clear
enough and better understanding particulars should be given.

HW/af.

Enclo: 1.

W.G. Birt, Major
W.G. BIRT,
Major R.A.
Commerce Division.

Enclosures forwarded to Capt Ryan.

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LSP/tr

ACC/093/PWU

4 Sept. 44

SUBJECT : Stores for Larderoello

TO : Regional Engineer, Region VIII.

1. Herewith for information copy of cable dispatched to ACC Southern Region dated 31 Aug 44, that part concerning you has been underlined by this office.

2. Regarding your application for Corrugated Sheets, this office is informed by Directorate of Works AAI that these sheets will be issued direct to you from the stocks of CE No 1 District on whom you should place your demand.

W.M. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

It is understood that there have been deliveries to Larderoello from Lardero - see Major Dist.

Col. J. J. J.

54

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

RW3/fr

2 September 1944

ACC/093/PTU

Subject: Tires for Genio Civile.

To : Transportation Sub-Commission.
Att: Mr. Charlie Ryan.

1. Attached hereto we transmit Forms ACC-MAT No. 10 together with supporting information requesting tires for Genio Civile.

2. These documents have been approved by Region IV.

V.S. THOMPSON
Lt. Col. R.C.E.
Chief, Public Wks. Div.

file

284

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

Col. Jenny
54 RWS/fr

2 September 1944

ACC/O93/PWU

Subject: Requisition Receipt Notes.

To : Deputy Executive Commissioner.

1. We attach hereto 17 Requisition Receipt Notes from HQ. No. 2 District, for countersignature by Allied Control Commission.

2. It is our understanding that these documents should have been routed to your office for consideration.

3. This Sub-Commission has no knowledge of the transactions covered by these Receipt Notes.

L.A. JENNY
Lt. Col. C.E.
Director.

File

Tel: 409081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

49
LGP/tr

ACC/093/PTU

1 Sept 44.

SUBJECT : Industrial Gases

TO : ES Adv. PB9.

1. The undermentioned Company is engaged on work of urgent military importance on behalf of the Director of Works AAI. namely:

Ing. F. Fiorentini & Co.
Via Antonio Salandra 6, Roma.

2. In accordance with minutes of the 7th meeting of the Engineering Materials Committee Local Resources (Italian) Board, will you please make available for this Company during the month of September

150 Cubic Metres of Oxygen
600 Kgs " Carbide

3. These items will be paid for " over the counter" by the above mentioned Company.

W.H. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY SUB-COMMISSION
APO 394

Tel. 782

Ref. ACC/5577/IND

12 August 1944

SUBJECT: Carbon Brushes

TO : Public Works and Utilities Sub-Commission, HQ ACC

1. Your ACC/093/PWU of 11 August 44 refers.
2. It is thought that the carbon brushes you mention may be available at the Societa Elettrocarbonium, Narni. This plant is believed to be undamaged and to be a subsidiary of the firm of Siemens - Halstedt.
3. It is suggested that you may consider it prudent to send an officer immediately to investigate this possible source of supply.

Copy to:
File 5637
Economic Section

John S. Todd
J. S. E. TODD
Colonel,
Acting Director,
Industry Sub-Commission,

Rec'd by W.M.L. 283
15 Aug 1944

Tel: 439081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

IGP/tr

46

ACC/093/PWU

1 Sept, 44

SUBJECT : Power Stations request for material.

TO : G.C. AMO 5th Army Rear

1. Reference your CA/50 dated 50 June 44.
2. Herewith release order Nos ACC-885 and ACC-887 for 5 Tons and 10 Tons of Cement respectively.
3. Release orders to be presented by the collector.

R.M. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

282

Tel. 489081

CCB/mo
43

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU

29

26 Aug. 44

Subject: Cement at Vibo Valentia.

To : H.Q. Region VII,
(att: Regional Engineer)

1. Ref. your PWU/CM/25/10 dated 15 Aug. 44.
2. The following reply from Industry Sub-Commission is forwarded for your information:
 - " (i) Your note overleaf. The 1500 Q11 cement have not been declared to Local Resources Board.
 - (ii) This Sub-Commission agrees with Calce & Cementi di Segno utilising the cement available at their plant for the purpose of rehabilitation. The further quantity of 250 tons required will not be available at present at the Castellammare works for Calce e Cementi as they are not in production of Cement.
 - (iii) When ready to work, requisitions for coal should be submitted to Industry S-C

(Signed)

W.J. MASKREY
Major

GER.

G.E. RHODES,
Lieut-Colonel, R283
Deputy Director.

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

42
107/tr

ACC/093/PWU

28 Aug, 44

SUBJECT : Insulating Material

TO : Società Meridionale di Eletticità, Napoli

1. Reference is made to your letter 73364 TM/PZ dated 24 January 44 and forwarded to the Electrical Power Mission ACC, Naples.
2. We are informed that Insulating Material conforming to your original request is available or about to be available.
3. You are requested therefore to submit to this Sub-Commission as soon as possible a demand covering only your minimum immediate requirements on receipt of which the matter will receive attention.

W.N. LARVER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

Copy to : Capt. Ryan
ACC Region III
Naples

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

41
LGP/tr

AGC/093/PWJ

28 Aug, 44

SUBJECT : Paper

TO : Requisition Division .

1. Reference is made to your RD-462.1 dated 21 Aug, 44.
2. It is estimated that the following will be required by the Electricity Companies operating in Central and Southern Italy during the months Jan to June 1945 and should be included in your list of Paper Requirements.

Filter Paper for drying and filtering Insulating Oils

80.000 sheets	323 mm square
80.000 "	185 mm square.

these sizes will be suitable for standard drying and filtering presses.

W.M. LAFFERTY
Lieut.-Colonel,
Chief, Util. & Adm. Div.

SUBJECT : Paper

TO : Requisition Division .

1. Reference is made to your RD-462.1 dated 21 Aug, 44.
2. It is estimated that the following will be required by the Electricity Companies operating in Central and Southern Italy during the months Jan to June 1945 and should be included in your list of Paper Requirements.

Filter Paper for drying and filtering Insulating Oils

80.000 sheets	323 mm square
80.000 "	185 mm square.

these sizes will be suitable for standard drying and filtering presses.

W. M. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

Copy to: File CHB/13/2

file **3040**

Tel:489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LWL/tr

ACC/093/ETU

25 AUG, 44

SUBJECT : Cement S.G.P.E. Co. Voucher F 3640

TO : Hqts. Region III
attn: Capt. Ryan .

1. As per conversation attached is copy of letter from H.Q. No.2 Dist. directing that S.A.P.E. pick up the balance of 15 tons of cement authorized on F 3640, from 14 C.E. Works.

W.M. LATTER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

1-enclosure
letter 21 Aug, 44-14 GE/410/5

SUBJECT: Cement.

23 AUG Recd

093
COB.


14 C.E. Works,
H.Q. 2 District.
Tel. No. 13719.
Ref: 14CE/410/5.
21 Aug 44.

1301

98

38

H.Q.,
A.C.C.
Rome.



Further to this Office letter 410/5 dated 24 May, '44.

It is understood that Società Pugliese Dell'Elettricità was re-allocated 30 Tons against Voucher F.3640 on BARLETTA.

Only 15 Tons were drawn in July and the Voucher cancelled leaving 15 Tons still to be collected by S.G.P.E. and as Voucher F.3640 cannot be re-opened, although amount has been paid for, authority for issue of 15 Tons of cement from 17 C.R.E. Works has been given. Will you please arrange collection.

Capt Loughlin

Suggest send Capt Ryan.

/JIR.

[Signature]
Brigadier,
Chief Engineer.

Copies: 17 C.R.E. Works - reference conversation Ruler - Warner.

O.C. No. 2 Det. 60 E.B.W., S.A.E.C. - reference your
9/610/271 dated 18 Aug 44.

S.G.P.E.

By Col Chappin
This appears to be one of
your problems - *Mr. 277*
26/8

19 AUG Recd 0930
HEADQUARTERS REGION VI

ALLIED CONTROL COMMISSION

File Ref: PWU/CM/25/10

Date: 15 August 1944

SUBJECT: Cement at Vibo Valentia.

TO: Director Public Works and Utilities Sub-Commission HQ.
ACC. APO 394 U.S. ARMY -

I. I have investigated the 1500 q.li of cement at Vibo Valentia, Marina which I discussed with you at the last meeting of regional engineers conference.

2. This cement is the property of the Società Anonima Italiana per la produzione Calce e Cementi di Segni, with main office at N.262 Corso Umberto in Rome. The director of the plant has a letter from the Ministero dell'Industria del Commercio e del Lavoro - Servizio Consumi Industriali relative to the assignment of cement verifying the importance of the reestablishment of this industry to the restoration of the Italian government and urgently requesting that this cement not be used other purposes until it could be released from its present block. The director also stated that his office in Rome was negotiating with the Allied Authorities to get this plant back into production but he could not tell me with whom they were in contact.

3. This plant would take four months to put into operation and would require about 250 additional tons of cement for building repairs. It has a capacity of 200 tons of cement per day and requires 720 tons. Sardinian coal per month plus approximately 200 tons of lignite which is mined at Briatico about 10 KM from Vibo Valentia. The machinery for the plant is intact. The company also has a boat, "Lamia I", capacity 450 tons now under Allied Control which they believe will be released for their use. This company is under the same direction as the one now operating near Salerno and are expecting to obtain the other 250 tons of cement from that plant.

4. If this company can be put back into operation and coal will be available for them to continue in operation it would be far better

Will you please see what you can do to have the 1500 q. of cement released to the company. It was getting pretty bad. I am sure it will be put back into production.

At C1 Block

ACC. APO 394 U.S. ARMY -

I have investigated the 1500 q.li of cement at Vibo Valentia, Marina which I discussed with you at the last meeting of regional engineers conference.

This cement is the property of the Società Anonima Italiana per la produzione Calce e Cementi di Segni, with main office at N.262 Corso Umberto in Rome. The director of the plant has a letter from the Ministero dell'Industria del Commercio e del Lavoro - Servizio Consumi Industriali relative to the assignment of cement verifying the importance of the reestablishment of this industry to the restoration of the Italian government and urgently requesting that this cement not be used other purposes until it could be released from its present block. The director also stated that his office in Rome was negotiating with the Allied Authorities to get this plant back into production but he could not tell me with whom they were in contact.

This plant would take four months to put into operation and would require about 250 additional tons of cement for building repairs. It has a capacity of 200 tons of cement per day and requires 720 tons. Sardinian coal per month plus approximately 200 tons of lignite which is mined at Bristico about 10 KM from Vibo Valentia. The machinery for the plant is intact. The company also has a boat, "Lamia I", capacity 450 tons now under Allied Control which they believe will be released for their use. This company is under the same direction as the one now operating near Salerno and are expecting to obtain the other 250 tons of cement from that plant.

If this company can be put back into operation and coal will be available for them to continue in operation it would be far better for the restoration of this region to release the cement to them for the reconstruction of their plant than to use it on other projects.

I have not requisitioned this cement for stock pile use but will await further advice from you as to whether or not this plant can be put back into operation.

278



William F. Chamberlin
 WILLIAM F. CHAMBERLIN
 Major F.A.
 Regional Engineer

P.W. & U. 8586
35
Subject:- Electrical Insulating
Materials ex U.K.

206
093
at
Directorate of Works,
H.Q. A.A.I. C.M.F.

1140/DW

4 Aug 44

To: Central Electrical Board,
H.Q. A.A.I.

Public Works & Utilities Sub-Comm.
H.Q. Allied Control Commission. ✓

Herewith copies of Director
of Works A.P.H.Q. letters *NEW/7435/DDW(S)*
dated 26 Jul 44 and 31 Jul 44, forwarded
for information.

W. A. G. SMITH,
Lt. Col. R.E.,
for Brigadier,
Director of Works.

HEADQUARTERS
6 AUG 1944
CH
12.13
140 425
24/5

C O P Y.

SUBJECT:- Electrical Insulating
Materials ex U.K.

To:- Chief Engineer,
NORTH AFRICA DISTRICT.

ENW/7435/IDW(S).

From:- Director of Works,
A.F.H.Q.

26 Jul, 44.

Advice has been received from War Office that the following items of electrical insulating materials have been shipped to ALLIERS from U.K. On receipt in NORTH AFRICA please arrange to take on charge, release and re-ship by first available means to E.S.D. ELBOW and advise this office of details of despatch.

ISD/SSI No.	Convoy.	Description of Stores.	Tonnage.	
			d.w. T. Cwts.	Shipping Tons. Ft.
(a) H407/202 4/ED/4688 1 A/183	EM 57	1 case Electrical Insulating materials	- 2½	- 8½
(b) H407/213 1A/283/ED/4687	EM 57	3 drums Bakelite Varnish	- 2½	- 5
(c) H406/164 4/ED/3912	EM 56	2 bales Vellum 1 case Parchment	- 6	- 20
(d) H406/164 4/ED/3913	EM 56	1 case Paper Tubing	- 1½	- 5

Copies of release Vouchers should be sent to this Directorate, D.Wks.,
H.Q. ALLIED ARMY IN ITALY, GAF, and consignee.

(Sgd)

S. MERTON,
Major, R.E.,
for Brigadier,
Director of Works,
A.F.H.Q.

On receipt in NORTH AFRICA please arrange to re-ship by first available means to E.S.D. ELBOW and advise this office of details of despatch.

FSO/SSI No.	Convoy	Description of Stores.	Tonnage.	
			d.v. T. Cwts.	Shipping Tons. Lt.
(a) H407/202 4/ED/4688 1 A/133	MM 57	1 case Electrical Insulating materials	- 2 3/4	- 8 1/2
(b) H407/213 1A/283/ED/4687	MM 57	3 drums Bakelite Varnish	- 2 1/2	- 5
(c) H406/154 4/ED/3912	MM 56	2 bales Vellum 1 case Parchment	- 6	- 20
(d) H406/164 4/ED/3913	MM 56	1 case Paper Tubing	- 1 1/4	- 5

Copies of release Vouchers should be sent to this Directorate, D.W.S.,
H.Q. ALLIED ARMIES IN ITALY, CEF, and consignee.

(Sgd) S. MERRIAM,
Major, R.E.L.,
for Brigadier,
Director of Works,
A.P.H.Q.

Copy to:- D.W.S.,
H.Q. ALLIED ARMIES IN ITALY,
CEF

275

C O P Y.

33

SUBJECT:-- Electrical Insulating Materials ex UK.

To:-- Chief Engineer,
NORTH AFRICA DISTRICT.

ENW/7435/DDW(S)

From:-- Director of Works,
A.F.H.Q.

31 Jul 44.

Further to ENW/7435/DDW(S) of 26 Jul 44, O.C., E.S.D. RECHHAIA, under his
MSRD/12 of 26 Jul 44 reports receipt of the following stores ex U.K. on
KMS 55 and 56.

Bakelite Sheets $\frac{3}{8}$ "
" " $\frac{1}{2}$ "

702 F.S.
857 F.S.

Impregnated Paper Tubing.

$\frac{5}{8}$ " Bore, Average Length 4'
 $\frac{3}{8}$ " " " 3'
 $\frac{1}{2}$ " " " 2'3"

40 Tubes,
65 "
170 "

Vellum Parchment Super Quality.

Sheets 1'11" x 1'6 $\frac{1}{2}$ "

117 lbs.

Vellum Parchment Medium Quality.

Sheets 1'9 $\frac{1}{2}$ " x 1'5 $\frac{1}{2}$ "

209 lbs.

Certain of these stores are additional to those already detailed
in ENW/7435/DDW(S) of 26 Jul 44. Will you, therefore, please arrange to
include with these originally listed and release and ship to E.S.D. HIBON
by first available means.

(Sgd) S. MERTON,
Major, R.E.
for Brigadier,

Further to ENW/7435/DDW(S) of 26 Jul 44, O.C., E.S.D. RECHALA, under his
ESRD/12 of 26 Jul 44 reports receipt of the following stores ex U.K. on
RMS 55 and 56.

Bakelite Sheets $\frac{3}{4}$ "	70 $\frac{1}{2}$ F.S.
" " $\frac{1}{4}$ "	887 F.S.

Impregnated Paper Tubing.

2" Bore, Average Length 4'	40 Tubes,
3" " " 3'	65 " "
3 $\frac{1}{2}$ " " " 2'3"	170 " "

Vellum Parchment Super Quality.

Sheets 1'11" x 1'6 $\frac{1}{2}$ " 117 lbs.

Vellum Parchment Medium Quality.

Sheets 1'9 $\frac{1}{2}$ " x 1'5 $\frac{1}{2}$ " 209 lbs.

Certain of these stores are additional to those already detailed
in ENW/7435/DDW(S) of 26 Jul 44. Will you, therefore, please arrange to
include with these originally listed and release and ship to E.S.D. ENBW
by first available means.

(Sgd) S. MEHAR,
Major, R.E.
for Brigadier,
Director of Works,
A.F.H.Q.

Copy to:- Director of Works,
H.Q. Allied Armies in Italy,
C.M.F.

SM/JR.

file 31

Tel:489081

HEADQUARTERS

LWL/tr

ALLIED CONTROL COMMISSION

Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU

23 Aug, 44

SUBJECT : Reconstruction materials - " Terni Co"
Hydro-electric Power plants. Galleto
No.1 and 3 units and Cervara unit.

TO : Commerce S.C.
attn:Major Wood.

1. Attached is list of material most urgently needed in order to carry on repairs to electric power generating plants of the above companies.

2. The schedule of returning the plants to useful production of electricity is dependant upon the prompt delivery of this material.

3. Please advise this S.C. on the items that can be furnished and the necessary Mat 10 forms will be prepared.

W.M. LAPPER,
Lieut-Colonel,
Chief, Util.&Adm.Div.

1 - enclosure
list of material.

MATERIALS REQUIRED TO REPAIR
THE "TERNI CO." STATIONS

A) - GALLETO CENTRAL STATION - Two Sets (Units Nos. 1 and 3)

To repair the above Galleto Station units, the following materials are required :

- 1) Bakelized pasteboard, 40 millimeters thick	1,5 sq. meters
- " " 20 " "	1,5 "
- " " 15 " "	0,5 "
- 2) Impregnated wood for dowels 40 mm thick	0,5 "
- (it can be replaced by bakelized pasteboard having same thickness)	
- Impregnated wood for dowels 8 mm thick	0,5 "
- (it can be replaced by bakelized pasteboard having same thickness)	
- 3) Bakelized pasteboard pipes, following sizes:	
- inner diameter 32 mm	No. 50
- outer " 41 "	
- length 390 mm	
- inner diameter 41 mm	" 50
- outer " 50 "	
- length 68 mm	
- 4) Mica-linen strip, 20 mm high, 0,15 mm thick	" 2,000 meters

A) - GALLETO CENTRAL STATION - Two Sets (Units Nos. 1 and 3)

To repair the above Gallete Station units, the following materials are required :

- 1) Bakelized pasteboard, 40 millimeters thick	1,5 sq.meters
- " " 20 "	1,5 "
- " " 15 "	0,5 "
- 2) Impregnated wood for dowels 40 mm thick	0,5 "
- (it can be replaced by bakelized pasteboard having same thickness)	
- Impregnated wood for dowels 8 mm thick	0,5 "
- (it can be replaced by bakelized pasteboard having same thickness)	
- 3) Bakelized pasteboard pipes, following sizes:	
- inner diameter 32 mm	No. 50
- outer " 41 "	
- length 390 mm	
- inner diameter 41 mm	" 50
- outer " 50 "	
- length 68 mm	
- 4) Mica-linen strip, 20 mm high, 0,15 mm thick	" 2,000 meters
- 5) Sterling strip, 30 " " 0,25 " "	" 2,000 "
- 6) Mica-paper strip, 20 " " 0,30 " "	" 2,000 "
- 7) Cotton tape, 30 " " 0,20 " "	" 1,000 "
- 8) Sterling silk tape, 15 " " 0,10 " "	" 7,000 "
- 9) Cotton linen, 0.20 " thick	" 30 sq.m.
- 10) Sterling linen, 0,2 " "	272 500 sq. meters

2.

- 11) Bakelite plates

-	5 mm thick	-	size	1,000 x 1,500 mm	No.	2
-	8 "	-	"	1,000 x 1,500 "	"	2
-	10 "	-	"	1,000 x 1,500 "	"	2
-	12 "	-	"	1,000 x 1,500 "	"	2
-	15 "	-	"	1,000 x 1,500 "	"	2

- 12) Press span plates

-	0.5 mm thick	-	size	1,000 x 1,000 mm	No.	15
-	1 "	-	"	1,000 x 1,000 "	"	20
-	1.5 "	-	"	1,000 x 1,000 "	"	20
-	2 "	-	"	1,000 x 1,000 "	"	25
-	2.5 "	-	"	1,000 x 1,000 "	"	20
-	3 "	-	"	1,000 x 1,000 "	"	30
-	4 "	-	"	1,000 x 1,000 "	"	20

- 13) Black Sterling varnish 200 Kg.

- 14) Tin for soldering winding ends and for bearings 1,200 "

- 15) Colophony for tin soldering 100 "

(ooo) - 16) Rubber round bar for hydraulic packings :

-	diam. mm	2	Kg.	1
-	"	3	"	1
-	"	4	"	1
-	"	5	"	1.5
-	"	6	"	1.5
-	"	7	"	2.5
-	"	8	"	6.5
-	"	9	"	15
-	"	10	"	10
-	"	11	"	10
-	"	12	"	10
-	"	16	"	10
-	"	18	"	15
-	"	20	"	15

-	0.5 mm thick	-	size	1,000 x 1,000 mm	No.	15
-	1	-	"	1,000 x 1,000 "	"	20
-	1.5	-	"	1,000 x 1,000 "	"	20
-	2	-	"	1,000 x 1,000 "	"	25
-	2.5	-	"	1,000 x 1,000 "	"	20
-	3	-	"	1,000 x 1,000 "	"	20
-	4	-	"	1,000 x 1,000 "	"	20
- 13)	Black Sterling varnish				200	Kg.
- 14)	Tin for soldering winding ends and for bearings				1,200	"
- 15)	Colophony for tin soldering				100	"

(ooo) - 16) Rubber round bar for hydraulic packings :

-	diam. mm	2	Kg.
-	"	3	"
-	"	4	"
-	"	5	"
-	"	6	"
-	"	7	"
-	"	8	"
-	"	9	"
-	"	10	"
-	"	11	"
-	"	12	"
-	"	16	"
-	"	18	"
-	"	20	"

- 17) Leather for hydraulic packings

-	Thickness mm	3	Kg.
-	"	4	"
-	"	5	"

3.

- | | | | |
|-------|-------|---|-------------------|
| (ooo) | - 18) | Leathered and rubbered complete joint as from enclosed drawing No. 5151 | No. 110 |
| | - 19) | Transformer insulating oil | 110 tons |
| | - 20) | Lubricating oil (C.D. Foltzer type) | (already granted) |
| | - 21) | Oil for regulators and turbine bearings | (already granted) |

NOTE - Materials mentioned at Nos. 16 and 18 (ooo) (red marked) are very urgently needed.

NOTE - Materials mentioned at Nos. 16 and 18 (ooo) (red marked)
are very urgently needed.


MATERIALS REQUIRED TO REPAIR
THE "TERNI CO." STATIONS

C) - CERVARA CENTRAL STATION

- | | | |
|---|------------|-----|
| 1) - Rubber round bar for packings
diameter 8 mm. | meters | 200 |
| 2) - Rubber plates for packings, metallic
net ecnlosed | sq. meters | 5 |
| 3) - Joint mastic tallow | Kg. | 100 |

- 1) - Rubber plates for packings, metallic
diameter 8 mm.
 - 2) - Rubber plates for packings, metallic
net enclosed
 - 3) - Joint mastic tallow
-

sq. meters 5
Kg. 100



CENTRALE GALLITO

φ 95
φ 130

φ 152
φ 103

2

GOMMA

CENTRALE GALLITO

GUARNIZIONI PER DIRETTRICI GRUPPI DA 50.000HP²⁶³

Autograv 90.4.44

SCALA 1:1

S.I. N° 5151

16 AUG Recd

093 CB

20

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUBCOMMISSION
APO 394

LCW/jfl

Ref. ACC/5300/3/Com

15 August 1944

SUBJECT: Cement and Lime - Repair of Iate Power Plant

TO : Public Works & Utilities Subcommittee ✓

20

1. Your letter of 8 August 1944, ref. ACC/093/PWU, refers.
2. The 12 (twelve) tons of cement in question are on bid to C.E., P.B.S., but no allocation for ACC AUGUST cement requirements has yet been made. Lime is an uncontrolled item and may be obtained where found available.

Lowson
W. P. EVANS
Colonel - Director
Commerce Subcommittee

Det Col Raper sent
Aug 16/8

267

16 AUG Recd

093 *CB*

28

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUBCOMMISSION
apo 394

ASA/ec

Ref. ACC/5231/Com

12 August 1944

SUBJECT: Carbon Brushes for Electric Plants

TO : Public Works and Utilities S/C, HQ. ACC

1. Reference your letter ACC/093/PWU of the 11 August 1944.
2. We suggest that the following firm may be able to supply your need for carbon brushes: Soc.It.dei Pomi Elettrici e della Elettricit  carbonium. Direzione Generale -Narni Scalo.
3. They have a small electric generating plant, operated by water power, which generates 30Kw, and may be sufficient for your requirements.

for
W. P. EVANS
Colonel - Director
Commerce Subcommittee

Wm. R. ...
Waj. ...

266

Tel. 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub- Commission
APO 394

File LNL/ce

ACC/093/PWU

18 Aug 44

SUBJECT: Materials for Larderello Plant.

TO : Commerce S.C. A.C.C.
Attention: Major L.C. WOOD M.C.

1. Attached is list of material most urgently needed in repairing the Larderello steam plants.
2. Please advise what items can be furnished from Italy and which will have to be requisitioned.
3. We will prepare Matt 10 upon advice from you.

enclosure:
1 list of material.

File

W.M. LAPPER,
Lieut-Colonel
Chief, Util. & En. Div.

TranslationLIST OF ELECTRIC MATERIALS NEEDED FOR PLANTS REPAIR.

LARDERELLO S.A.

A) OIL.

- (°) 1) Oil for transformers
 (°) 2) " " turbines (DTE.oil light)
 (°) 3) Black oil IL extra
 (°) 4) Extra heavy DTE x oil

Tons 25
 Kg. 4000
 " 400
 " 200

B) FITTINGS

- (°) 1) fittings for superheated steam
 thickness 2 mm
 fittings for superheated steam
 thickness 3mm.
 2) Graphite cord for rebushing size 10x10 mm.
 " " I4xI4 " " I5

sq.m. 30
 " " 10

C) INSULATING MATERIALS

- 1) Asbestos thickness 2 mm.
 2) Bakelite pasteboard " 20mm.
 (°) 3) Sterling insulated tape width 36 mm.
 (°) 4) Micasilk " 20 "
 5) Bakelite thickness 10 "
 6) Bakelite cardboard " 0,2 "
 (°) 7) Sterling insulated silk width: 0,15 "
 (°) 8) Insulating compound for motors windings thickness 0,1
 9) Sterling black varnish

sq.m. 5
 " " 2
 lm. 100
 " 200
 sq.m. 1
 Kg. 5
 " 50
 " 50
 " 25

D) MATERIALS FOR SOLDERING

- (°) 1) Soldering tin
 (°) 2) Cast iron welding material and flux
 (Tenax bronze)
 (°) 3) Colophony
 (°) 4) Calcium carbide
 (°) 5) Nr. 10 type electrodes
 (°) " 12 "
 (°) " I4 "
 (°) Thick leather gloves for welding apparatus

Kg. 30
 " 50
 " 5
 Tons 4
 Nr. 5000
 " 4000
 " 500

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

WEL/ef

ACG/025/TWU

12 Aug 44

SUBJECT: Electrical Equipment.
TO : Industry Sub-Commission.

1. Reference your letter ACG/5577/IND dated 9 August, concerning the ordering of materials, our usual procedure is for Regional Engineers through their Supply Officers to order materials on MAT 10 forms.

2. If the material is not available from local resources, this Sub-Commission is informed and, after investigating the matter, we arrange for a requisition to be passed direct to the Requisition Division.

3. In para. 2 of your letter is stated that certain materials are not available from local resources. Of this we are, of course, fully aware and we requisitioned these materials some time ago. They are now arriving by shipment. From para. 3 of your letter I note that your understanding is that we should estimate our requirements and pass the information to Industry Sub-Commission who will assist in submitting the requisitions. As this arrangement seems to be quite different from that which we have been carrying out, perhaps you will be good enough to let me have some further explanation.

W. M. LATTER
Lieut-Colonel
Chief, Util. & Admin. Div.

263

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY SUB-COMMISSION
APO 394

10 AUG 1944
093
af

WEM/ci

Tel. 391

9 August 1944

Ref. ACC/5577/IND

SUBJECT: Electrical Insulating Varnish, etc.

TO : Electrical Power Section; Public Works and Utilities S/C.

1. In view of the widespread destruction to electric power facilities in Italy and the urgency of carrying out repairs, a planned program should be initiated for requisitioning certain important and unavailable materials from U.S.A. or U.K.
2. It has been discovered that there are no stocks of electrical insulating varnishes, insulating tapes, insulating fiber, sheet mica and the like in Italy and no raw materials for their manufacture exist.
3. If, therefore, the Public Works and Utilities S/C will estimate the basic requirements of those materials for a 6 months period, the Industry S/C will be glad to assist in submitting the necessary requisitions.

Copy to:
Economic Section.
Requisition Division

with
Lt. Col. Laffere

John S. Todd
J. S. E. TODD
Colonel,
Acting Director,
Industry Sub-Commission.

GER.

10/8

262

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394.

GER/bb ²⁴

ACC/O93/PWU

12 Aug. 44

SUBJECT : Materials and Transport from Army Sources.

TO : H.E. The Minister of Public Works.

1. A copy of our letter to Regional Engineer Officers, of the 9 August 44, is attached for your information, and compliance of all your staff.

2. Parts underlined to be specially noted.

B/F 19/8

GER.
G.E. RHODES,
Lt-Colonel, R.E.
Deputy Director.

267

23

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

VST/kr

9 August 1944

Subject: Materials and Transport from Army Sources.

To : Regional Engineer Officers.

1. A question has been raised regarding payment and cost of services and materials supplied to contractors by Allied Military Authorities.

2. This has been taken up with Col. Crawshaw, Chief Accountant of the Finance Sub-Commission who is quoted as follows:-

(a) The value of engineer or other supplies issued by the British or American Armies are recorded by them and will eventually through Army channels be recorded as a charge against the Italian Government in dollars and sterling.

(b) Contractors will not be charged for supplies drawn from the Armies and used by them. On the other hand the value of such supplies will not be included in the contractors' accounts, which are presented for payment to Genio Civile. The officer i/c Public Works and Utilities should see that the Genio Civile is notified of the materials or services provided to the contractors by the Armies so that there is no danger of the contractors including the value of such supplies in their costs.

(c) In view of the above the question of local prices and costs should not concern the Public Works and Utilities Officer.

3. Issue and Receipt vouchers are not required at this HQ. but should be sent to Genio Civile for transmission to Ministry of Public Works, who will be billed by competent authority at a later date.

Det Col Rhodes
Will you please advise
the Ministry in writing so
that all concerned may be
notified

cc: Reg's 1 to 9
Major Hyland
Major Harris

V.S. Thompson
V.S. THOMPSON
Lt. Col. R.C.E.
Chief, Public Wks. Div.

260

22

DAL:489081

DAL/ST

HEADQUARTERS
 ALLIED CONTROL COMMISSION
 Public Works and Utilities Sub-Commission
 APO 394

DAL/ST/ST

12 AUG 44

TO: Electrical Equipment.
 TO: Industry Sub-Commission.

1. Reference your letter APO/5577/ISD dated 9 August, concerning the ordering of materials, our usual procedure is for Regional Engineers through their Supply Offices to order materials on MAT 10 forms.

2. If the material is not available from local resources, this Sub-Commission is informed and, after investigating the matter, we arrange for a requisition to be passed direct to the Requisition Division.

3. In para. 2 of your letter is stated that certain materials are not available from local resources. Of this we are, of course, fully aware and we re-ordered these materials some time ago. They are now arriving by shipment. From para. 5 of your letter I note that your understanding is that we should estimate our requirements and pass the information to Industry Sub-Commission who will assist in submitting the requisitions. As this arrangement seems to be quite different from that which we have been carrying out, perhaps you will be good enough to let me have some further explanation.

W. M. LAPPER
 Lieut-Colonel
 Chief, Util. & Admin. Div.

259

Tel: 489082

WJ/g

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

400/093/PWU

11 Aug 44

SUBJECT: Carbon Brushes for Electrical Plants.
TO : Industry Sub-Commission.

1. While at A.F.H.C. yesterday, I made a statement to Col. Butterworth that some electrical generating plant was actually shut down owing to lack of carbon brushes.

WJ/g

2. I have today had Eng. ~~Stagni~~ of the Societa Meridionale di Eletticità and he informs me that the synchronous condenser plant at Bari has had to be shut down owing to shortage of carbon brushes. This is further evidence that the carbon brushes position is getting to a critical stage.

3. The shutting-down of the synchronous condenser at Bari will mean a lowering of the voltage in that area, resulting in many complaints from consumers and we can do nothing about it until the brushes arrive.

4. A.F.H.C. informed us they had done everything possible and that we may expect them shortly.

CC to: Comsec 3-C.
Recs. Section

W. R. LAPPER
Lt. Col.
Chief, Util. & Admin. Div.

Tel. 459062

REQUISITION
ALLIED OFFICIAL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

WHS/S

AOT/091/7-81

11 August 44

SUBJECT: Cement for urgent electricity supplies.
FO : Industry Sub-Commission.

1. During the past few months bids have been made for cement for use in the reconstructional work in connection with electrical generating stations.
2. Due to the extreme shortage of cement in the country and the fact that the army requirements used practically all that produced, it has not been possible for cement to be allocated for work connected with the electrical reconstruction program.
3. This matter has now become most urgent and unless cement can be delivered without delay to the following plants there will be a most serious delay in the completion and putting into operation of additional generating facilities. The immediate requirements are as follows:

Isotese	50 tons
Isfo	40 "
Avantino	30 "
Pescara	40 "
Agnone II	30 "
Pinetangione	20 "

The above are the immediate requirements of the Societa Meridionale di Elettrocita and as work progresses it must be expected that additional cement will be needed. As you are aware the production of electricity is of extreme importance. Without it factory rehabilitation cannot proceed. Unless the above demands for cement are promptly met, delays will take place which will react throughout the rehabilitation program.

4. It is requested that every effort be made to obtain a release and to start up new cement factories.

W. H. HARPER
Lt. Col.
Chief, Util. & Admin. Div.

257

CC to: Commerce Sub-Com.
Economic Sect.

Tel. 489081

LNL/ce

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
AFO 394

ACC/093/PWU

8 Aug 44

SUBJECT: Cement & Lime - Repair of Late
Power Plant Societa Meridionale di Elettricit .

TO : Commerce Sub-Commission,
attention: Major WOOD.

1. On 6 July 44 the Regional Engineer ~~for~~ Region III requested Cement and Lime in the following quantities for the purpose of carrying on the rehabilitation work at the ~~Late~~ hydro-electric plant of the S.M.E. Co.

12 tons of cement
12 tons of lime.

2. No confirmation of the order has been received by Region III and they have requested that a tracer be placed on the order.

3. Would you please advise Region III with a ^{copy} ~~reply~~ to this office on the situation ?

W.M. LAFFER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

C.C. Region III,
attention Capt. RYAN.

19
 Miss Reel
 6/23/44

A.M.G. - H.Q.

GROSSETO PROVINCE

PUBLIC WORKS & UTILITIES SUB-DIVISION

Grosseto 4 August 1944

SUBJECT: SUPPLIES FOR CIVILIAN CONTRACTORS.-

TO: CHIEF ENGR. A.M.G. 5th ARMY.-

At the present moment the Bridge Albegna on Military highway n° 1, the Vitigliano, & bridge over Piora on Military Highway n° 74 are under contract to the civilian contracting firm of Società Generale immobiliare.

Developments to date are:

advance P.B.S. was contacted with the view of making arrangements for necessary diesel fuel, gasoline and other needed supplies.

A small initial amount of supplies were obtained from P.B.S. This office has recently been informed that no further quantities of gas, fuel oil, etc; could be given the contractor.

The work is now at a standstill. Where and how may supplies be furnished for this important work. APPROX 120 tons of cement has been allotted.

Monthly Material required:

	AUGUST	SEPT.	OCT.
Diesel oil gal.	2600	700	700
Gasoline "	500	250	250
Motor oil "	100	50	50
Gear oil lbs	50	25	25
Grease "	10	10	10
			255

to be required

At the present moment the Bridge Albegna on Military highway n° 1, the Pitigliano, & bridge over Fiora on military Highway n° 74 are under contract to the civilian contracting firm of Societa' Genereale Immobiliare.

Developments to date are:

advance P.B.S. was contacted with the view of making arrangements for necessary diesel fuel, gasoline and other needed supplies.

A small initial amount of supplies were obtained from P.B.S. This office has recently been informed that no further quantities of gas, fuel oil, etc; could be given the contractor.

The work is now at a standstill. Where and how may supplies be furnished for this important work. APPROX 120 Tons of cement has been allotted.

Monthly Material required:

	AUGUST	SEPT.	OCT.
Diesel oil	gal. 2600	700	700
Gasoline	" 500	250	250
Motor oil	" 100	50	50
Gear oil	lbs 50	25	25
Grease	" 10	10	10
Oxygen	As required		
Carbide	" "		
Dynamite	Rec'd 220 lbs		
Fuse	5000 ft.		

C.C.
Lt. Col. Thompson-Rome.
Major Lee - Sicme

For → P.S.L. LEE MAJOR
REGIONAL ENGR. OFFICER
PROV. H.Q. GROSSETO

I have already obtained 10 Tons of Diesel by backdoor methods. This will allow time for

By Col. Thompson
will you please
time on 6/9
place on 6/9

15 AUG Recd

093

ak

83627
PW4K

HEADQUARTERS
REGION 3, ALLIED CONTROL COMMISSION
APO 394 U.S. Army.

2 August 1944.

SUBJECT : War Dept. Material Release
Screws, washers, bolts. 9 July 44.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. Lapper).

1. Reference is made to your letter of 1 Aug. 44 relating to materials for D.A.D.O.S.
2. The Region III Engineer already approved the release of this material from M.A.T.E.R.
3. The copy of the order which you attached to your letter of 1 August 44 was intended for Region III Engineer, for his file, and I have delivered the copy to Region III Engineer.

R.A. Ryan
R.A. RYAN
CAPT. SPEC. RES.

2 August 1944.

SUBJECT : War Dept. Material Release
Screws, washers, bolts, 9 July 44.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. Lapper).

1. Reference is made to your letter of 1 Aug. 44 relating to materials for D.A.D.O.S.
2. The Region III Engineer already approved the release of this material from M.A.T.E.R.
3. The copy of the order which you attached to your letter of 1 August 44 was intended for Region III Engineer, for his file, and I have delivered the copy to Region III Engineer.

RAR/rb

Copy to: Region III Engineer.

R.A. Ryan
R.A. RYAN
CAPT. SPEC. RES.
SOUTH ITALY
ELECTRICAL ENGINEER.

25%

H.H.R.



**MINISTERO
DEI
LAVORI PUBBLICI**

Prot. N. *2517* Alligati

OGGETTO

Materiali forniti
dai Comandi Militari
Alleati.-

--OO--

~~MINUTA~~
~~VERBA~~

093 *CRB*

Roma,

25 AUG 1944

794

16

Al

Dett. Ing. GIOVANNI PACCENDA

CAPO GRUPPO REGIONI ITALIA CENTRALE

R O M A

AL DOTT. ING. VITO FUGLIESE

ISPettorato SUPERIORE DEL G.O.

Risposta al foglio del

Dip. Ser. e, per conoscenza:

M. A. P. O. L. I

AL LT. COL. L.A. JENNY

DIRETTORE SOTTOCOMMISSIONE LL.PP.
ED UTILITA' A.G.C.

R O M A

La Commissione Alleata di Controlle ha segnalato che non tutte il materiale fornito agli uffici del Genio Civile ed alle imprese per i lavori è stato regolarmente an notato.

E' pertanto necessario che per ogni lavoro sia istituito un apposito registro ove siano prese in nota ogni fornitura di materiale e prestazione di mezzi da parte delle Autorità Militari Alleate. Tali registri dovranno essere sempre regolarmente aggiornati in modo che si possa, in ogni istante, essere in grado di conoscere le quantità e qualità di tali forniture e prestazioni ed il loro impiego.

Prego dare agli uffici dipendenti le più sollecite e rigorose istruzioni al riguardo, dandone conferma.-

Lt. Col. Rhodes

Thompson M. p. IL MINISTRO

253

Pls note & file - we complained they did not have a proper checking system
26/7

Tel. 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LWL/cc

ACC/093/CGB

I Aug 44

Subject: War Dept. material release.
Screws, washers, bolts. 9 July 44.

To : Region III - att. Capt. RYAN.

1. Attached received in this office as information.
2. Do you or Region III have knowledge of attached?
3. Please check and return.

1 enclosure 9 July 44
from D.A.D.O.S. to
M.A.T.E.R. Naples
-Ord / LPO/9/083-

W.M. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div. 252



AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo Telegrafico: ACEA - ROMA
Telefoni dello Stato: 43 543 - 43 544
Conto Corrente Postale: 1/2902

Roma (103), 7 Luglio 1944
VIA MILANO, 62

ANNO XX

citare nella risposta
SERVIZIO V

ALLIED CONTROL COMMISSION

R O M E

Afterwards the request of major Bell, ^{we}~~an~~ send the following documents:

- 1°) N.2 general designs (n.3160 and 3161) of the steam's junction pipe between the thermal centrals A.C.E.A. and S.R.E. -
- 2°) N.2 list of the indisposable materials necessary for the construction of the same pipe.

IL DIRETTORE

for Ing. Angelacci

F. B. M.



AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo Telegrafico: AGEA - ROMA
Telefoni dello Stato: 43-543 - 43-544
Conto Corrente Postale: 1/2902

Roma (103), 7- Luglio 1944 ANNO XX
VIA MILANO, 62

citare nella risposta *Prot. N. 3978*
SERVIZIO V (da citare nella Risposta)

COMMISSIONE ALLEATA DI CONTROLLO

R O M A

In seguito alla richiesta del maggiore Bell, s'inviano i
seguenti documenti:

- 1°) N.2 disegni d'insieme (n.3160 e 3161) della tubazione di
vapore congiungente le Centrali termiche A.G.E.A. e S.R.E.
- 2°) N.2 elenchi dei materiali indisponibili necessari per la
costruzione della tubazione stessa.

IL DIRETTORE

al. j. el.

F. G. V. M.

25.

LIST OF THE MATERIALS NECESSARY FOR THE CONSTRUCTION OF THE STEAM'S
PIPE BETWEEN THE THERMAL CENTRALS A.C.E.A. AND S.R.E.,
REQUIRED TO THE ALLIED CONTROL COMMISSION.

	Materials		Required quantity:
1	Flat iron - mm. 50 x 6	straps for pipe	m. 15
	"	"	"
	"	mm. 60 x 8 <i>largest element for main structure</i>	5
	"	mm. 40 x 10 <i>bottom of camp for insulation</i>	10
2	Bolts:		
	Ø = 5/8"	length under-head mm. 60 with nut	
	Ø = 1"	" " 70	N. 45
	Ø = 1"	" " 450	" 120
3	Nuts:		
	For bolts Ø = 1"		" 32
	" Ø = 3/4"		N. 65
	" Ø = 5/8"		" 100
	" Ø = 1/2"		" 90
4	Washers:		
	For bolts Ø = 1"		" 360
	" Ø = 5/8"		N. 50
	" Ø = 3/4"		" 90
5	Flanges for the steam's pipe (internal diameter of pipe: mm. 300) fit for an internal pressure of 18 atm.		" 100
6	Metallic net for surrounding the rock-wool		N. 12
7			mq. 100

1	Flat iron - mm. 50 x 6	straps for pipe	m. 15
2	"	"	" 5
3	"	"	" 10
4	Bolts:		
5	$\phi = 5/8$ "	length under head mm. 60 with nut	N. 45
6	$\phi = 1$ "	" " 70	" 120
7	$\phi = 1$ "	" " 450	" 32
8	Nuts:		
9	For bolts $\phi = 1$ "		N. 65
10	" $\phi = 3/4$ "		" 100
11	" $\phi = 5/8$ "		" 90
12	" $\phi = 1/2$ "		" 360
13	Washers:		
14	For bolts $\phi = 1$ "		N. 50
15	" $\phi = 5/8$ "		" 90
16	" $\phi = 3/4$ "		" 100
17	Flanges for the steam's pipe (internal diameter of pipe: mm. 300) fit for an internal pressure of 18 atm.		N. 12
18	Metallic net for surrounding the rock-wool		mq. 100
19	Cotton cloth (bands by 20 cm.)		mq. 170
20	Grey Varnish		Kg. 250
21	NOTE.		

In this project are not noticed particular dilater pipes because pipe's configuration seems absorb a sufficient dilatation. It would be usefull to dispose, as a reserve, of two or three dilater pipes Ω with 300 mm. internal diameter, and of the normen dimensions employed by builders.

Captain Caeth

681733

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

ASA/rj

SUBJECT: Pipe, High Pressure Steam

23 June 1944

TO : Public Works and Utilities
Sub-Commission, *Adv HQ - ACC*

1. Your request for approx. 50 lin. M. of 30 cm. high pressure steam pipe has received careful attention, but to date no availability has been disclosed.

2. The size requested is ordinarily used only in central steam generating plants, and was not carried in stock by pipe dealers in the Rome area.

3. Further enquiries are being made, and you will be notified should any suitable material be located.

A. S. Austin

A. S. AUSTIN
Captain,
Industry &
Commerce Sub-
Commission

Suitable pipe found at Gas Co. Rome
Let

249

*Public Works
Util Sub Com*

PUBLIC WORKS & UTILITIES SUB COMMISSION ACC MAIN

ADVANCE HQ ACC

ADV 92

27-

1115

RESTRICTED

PRIORITY

ADV HQ PUBLIC WKS & UTIL

STEAM PIPE CONNECTION BETWEEN POWER PLANTS PD COMPANY ENGINEERS UNWILLING TRUST
FABRICATION EXPANSION BENDS LOCAL FIRM DUE LACK EXPERIENCED WORKMEN PD WILL ARRANGE
TRANSPORT SUFFICIENT PIPE NAPLES UPON ADVICE FROM YOU PD PAID TO ACC MAIN FOR PUBLIC
WORKS & UTILITIES SUB COMMISSION FROM ADVANCE HQ ACC FOR LAUGHLIN PAPER PD ELECTRIC
WELDING MACHINE AVAILABLE BUT NEED WELDING ROSS SUITABLE STEAM PIPE PD UNABLE TO
LOCATE SUCH MATERIAL TO DATE STILL TRYING SUGGEST CHECKING SUPPLIES NAPLES

Naval Mechanics.

Capt. Ross

*In this job sent followed
up by you.*

Paul

noted

Mbg Capt

*will talk to
Ross*

248

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394.

ANE/ao

27 July 1944.

ACC/093/PWU

Subject: Carbon Brakes.

To: H.Q., A.A.I.,
Att. Directorate of Works.

1. Reference your letter 1049/DW dated 18 July 44.
2. Please note that Ing. Bonati Ottolenghi, Viale Mazzini 119, Rome is now a prisoner of War in U.S.A.

L.A. JERRY,
Lieut-Col., G.S. 246
Director.

Subject: Carbon Brushes.

HEADQUARTERS, Directorate of Works,
S. P., A.A.I., C.M.F.

20 LUG 1944

1049/DW

A. C. C.

18 Jul. 44.

A.A.I. Central Electric Board,
H. Q. A.A.I.
H. Q. Allied Central Commission
(For attention of Col. Lapper.)

Herewith copy of letter received
from War Office giving address of the
Rome agent for the Morgan Crucible Co. Ltd.

W. A. R. SMITH.
Lt. Col. R.F.
For Brigadier,
Director of Works.

RCH/EDR

*Copy Recd 15
with copy
this is for
copy to
15 Jul
44*

247

The War Office,
Romney House,
Marsham Street,
London S.W.1.

10th July 1944.

20 JUL Recd
093
RCW

Memorandum for:-

Director of Works,
Allied Armies Italy.

The following information may be of interest to
you.

The agent of the Morgan Crucible Co. Ltd in
Rome is

Ing. Bonati Ottolenghi,
Viale Mazzini 119,
ROME.

(Sgd.) ?????
Brigadier,
Director of Engineer Stores.

*B.
Inspector of Works in America
Capt. Bonati
from report note #
not a receipt*

245

Tel. 478200

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission

CWA/cc

ACC/033/PWU

26 Jul 44

Subject: Materials

To : Regional Engineer, Reg. IV,
" " " V,
" " " VIII.

For your information are enclosed copies of lists of timber and sleepers which are offered for sale by

Signor KOLIN, Milan
Via Iacca 33, Room 29. R.O.M.A.

The lists show the localities of the timber.
He has also quantities of charcoal for sale.

C.c. to Lt.Col. Thompson.
encl. lists.

W.M. LAPPER
Lieut-Colonel,
Chief, Utilities & Adm.Div.

244

C o p yTRONCHI di quercia - cerro o rovere

Castelgiorgio (prov. Terni)	n°	306
Vetralla a km.1 dalla Stazione (prov.Viterbo) "	"	60
Capraocia - Bolsena (prov. Viterbo)	"	126
Manniana stazione (prov. Roma)	"	54
Terracina a km. 0,500 dalla stazione (Prov. Littoria). . .	"	35
Priverno Fossanova stazione (Prov. Littoria) "	"	61
Metalica e C.Raimondo staz. (Prov. Macerata) "	"	75
Vocabolo La Foce (prov. Siena)	"	310
Vocabolo Le Checche - Pienza (Prov. Siena). . "	"	41
Città della Pieve (nelle vicinanze) (pr.Perugia)		700
Castiglione del Lago (vicinanze staz.)	"	70

 totale n° 1838

Misure da m.2,50 a m.8 di lunghezza e parte
da m.8 a m.10 "

Diametro minimo 0,25 a 0,70 massimo.

TRAVERSE disponibili nelle Province di
Siena - Terni - Perugia e Viterbo

N. 40.000 circa delle misure: 2,60 x 0,24 x 0,14
2,30 x 0,20 x 0,13

C o p yDISTINTA DELLA LEGNA DA ARDERE DISPONIBILE NELLE
SEGUENTI LOCALITA' :Provincia di Viterbo:

Bolsena - Vocabolo Capraceia	Q.11	1000
------------------------------	------	------

Provincia di Terni:

Vocabolo Torrone - Castelgiorgio	"	7000
" Spante	"	6000

Provincia di Perugia:

Todi - Vocabolo Montenero	"	7000
Vicinanze Città della Pieve	"	7000

Provincia di Siena:

Cetone	"	4000
Vocabolo La Foce - Chianciano	"	5000

TOTALE :	Q11.	37000
----------	------	-------

LOG

TRONCHI di quercia - carro o rovere

IV	Castelgiorgio (prov.Terni)	n°	306
	Vetralla a km.1 dalla Stazione (prov.Viterbo)	"	60
	Capranica - Bolsena (prov.Viterbo)	"	126
	Manziana stazione (prov.Roma)	"	54
	Terracina a km. 0,500 dalla stazione (prov.Littoria)		35
	Priverno Fossanova stazione (prov.Littoria)	"	61
V	Metatica e O.Raimondo staz.(prov.Macerata)	"	75
VII	Vocabolo Le Focce (prov.Siena)	"	310
	Vocabolo Le Uscioche - Pienza (prov.Siena)	"	41
IV	Città della Pieve (nelle vicinanze)(pr.Perugia)	"	700
IV	Castiglione del Lago (vicinanze staz.)	"	70
totale			n° 1838

Misure da m.2,50 a m.8 di lunghezza e parte
da m.8 a m.10
diametro minimo 0,25 a 0,70 massimo.

Charcoal... all quantities

Dove piace

241

KOLIN Milan

VIA LUCCA 33 - Room 29
ROMA

5-0
SL F E P I E R J

Traverse disponibili nelle Province di
Siena = Terni = Perugia e Viterbo

VIII

IV

IV

IV

N. 40.000 circa delle misure : 2,60 x 0,24 x 0,14
2,30 x 0,20 x 0,13

Tel:489081

HEADQUARTERS

CCB/tr

ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/093/PWU

25 July, 44

SUBJECT : Supply of Carbide .

TO : Elect. Utility Officer, South Italy
att: Capt. R.A. Ryan .

The attached correspondence is forwarded for action .

239

W.M.
W.M. LAPPER,
Lieut-Colonel,
Chief, Util. & Adm. Div.

Enclos : Letter from Combined Operations Naval Liaison Officer
G.18/774 dated 20 Jul 44
Translation

0 4 2 0