Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 300/PWU

10000/150/624
(VOL. I)

SUPPLIES
DEMANDE
JUNE -D

Declassified E.O. 12356 Section 3.3/NND No. 785019

10000/150/624
(VOL. I)

SUPPLIES FOR SME, MATERIALS DEMANDED, SME, 300 "A"
JUNE - DEC. 1944

300

300/PWU SUPPLIES FOR SME Volume 1

Materials demarcated

SME

300 "A"

VOL I

Declassified E.O. 12356 Section 3.3/NND No. 785019

SME

300 "A"

VOL I

Opened: 11 June 1944

Closed: 21 Dec 1944

1-0000/150/624

THIS FOLDER
CONTAINS PAPERS
FROM JUNE 44
TO DEC 44
CATALOGUE-

3/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Riservato Personale

MINISTERO DELLE CORPORAZIONI

UFFICIO STUDI E RICERC E

BOLLETTI' ;ETTI. .NALE

DEI PR' 'EI MBI

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

n. 1

2

n: SME

n: SMB

Commerce S/C

n: SMF

- reque mot
for Hydro Elec
Americas
- request sheets !
- MAT 10 for
1.1 01
-
-

S/C

DEI PR

BOLLETTI

MBI

EI

NALE ETTI

Telephone 478805
LGP/bs

Maj. Price's office
P.W. & U.-Elect. Section

170

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

21/12/44

Reference: 300/PWU

Subject : Tyres and Tubes for Electric Utilities Companies Southern Region

To : CE AFHQ

1. In accordance with the discussion at the Electrical Reconstruction Committee meeting on the 18 Dec. 44, listed below are the tyre and tube requirements of the Societa Meridionale di Elettricita and its subsidiary Companies.

2. This Societa has its headquarters in Naples and the Societa with its subsidiaries, furnish practically all the electric power in the area comprising "Southern Region".

3. The Requirements set out below are for cars owned and operated by the Companies, for a period of approximately six months.

4. Requirements.

Tyres	6.00 x 16	276
Tubes	6.00 x 16	314
Tyres	7.50 x 20	111
Tubes	7.50 x 20	121
Tyres	12.00 x 20	4
Tubes	12.00 x 20	4

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

174

Declassified E.O. 12356 Section 3.3/NND No. 785019

Allied Force Local Resources (Italian) Board.
via Battaglie Oscure.

8 M 99

APPENDIX "A" TO AAI ADMINISTRATIVE INSTRUCTION No. 8 DATED 20 MAR. 44.

SUPPLIES AND STORES DEMAND ON AFLR (ITALIAN) BOARD

Demanding Service or Agency : Public Works & Utilities Sub Commission Electrical Reconstruction Committee

Commodity demanded : Calcium Carbide.

Quantity required : (In metric tons, or other suitable unit) 800 Kgs.

Place delivery required : Town : Pescara

Province: Pescara.

Compartment: —

Date delivery required : as soon as possible.

Stock on hand nil

Any special request : Required for rehabilitation of Hydro Electric plants Pescara.

Equivalent to 30 days supply

Certified that these supplies and stores are required for urgent operational/~~normal maintenance stockpiling purposes~~.

.....Rank Major RE.

Date : 21.12

.....Appointment Electrical Supplies Officer.

For use of Local Resources Section only

Prefix

Demand No.

Serial :

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity required :
(In metric tons, or
other suitable unit) 800 Kgs.

Place delivery required : Town : Pescara

Province: Pescara.

Compartment: —

Date delivery required : As soon as possible. Stock on hand nil

Any special request : Equivalent to 30 days supply

Required for rehabilitation of Hydro Electric plants Pescara.

Certified that these supplies and stores are required for urgent operational/~~normal maintenance stockpiling purposes~~

Date : 21.12 .....Rank Major R.E.

.....Appointment Electrical Supplies Officer.

For use of Local Resources Section only

Prefix
Demand No.
Serial :

Passed to AMG/AC ..... Release Order No. .....

Allocated by Committee ..... Date .....

Approved by Board ..... All notified .....173.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Napoli 5th december 1944

Dear Col.Lapper,

All possible difficulties and accidents haunt our activities at present. The greatest and most serious difficulty is the question of transportation.

Lack of lorries has brought to almost total stop of works at Pescara and along transmission lines. All other works have to be more or less delayed.

Lack of tyres and tubes forbids us to use our cars. The two best wheeled cars have tyres that ran over 35.000 kms! At the time of the accident at Orichella our technicians could only reach the plant with the help of an Allied lorry. Calore plant has been ready for tests the last 10 days, but we could only get there 3 times. The unit has been run but further tests would be needed and we do not know wether we shall be able to carry them out continously during this week.

All this will bring, within a very short time, to the impossibility of carrying on the planned works out of Naples and of reaching the plants under operation.

We are very sorry of that because we foresee all the serious consequences in the near and far future.

o/o

Declassified E.O. 12356 Section 3.3/NND No. 785019

As you have kindly told me to apply to you in case of troubles I beg to ask you to see wether you could take any steps in order to help us out of this present situation.

I am very thankful to ypu and remain

yours truly

Martullo Masturzo

(Tullio Masturzo)

To:

W.M.Lapper Lt.Col.
Chief Electr.Division
A.C. HEADQUARTERS

R O M E

Declassified E.O. 12356 Section 3.3/NND No. 785019

982

MEMORANDUM

18 Dec. 44

S.M.E.

URGENT

S.M.E. needs 10 - 16x600 tires and 10 - 16x600 tubes to put on two of their own passenger automobiles for the following reason :

1. Transport technicians to Calore to test unit. Capacity 5.500 KW.

2. Transport technicians to Sila to test Orichella 18.000 KW. unit and to supervise and test 12.000 KVA transformers which is being moved from Bari to Timpa Grande.

Failure to obtain these tires and tubes will seriously delay restoration of power supply in Southern Italy.

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS
SOUTHERN REGION ALLIED COMMISSION
Public Works &Utilities Section
APO 394

16 December 1944.

SUBJECT : Motor Transportation for Società Meridionale Elettrica.

TO : Headquarters Southern Region Allied Commission
Attention Lt. Col. Guy I Warren.

1. Reference is made to your letter R/2264 of 9 December 1944 relating to the above subject.

2. This office has requested the Società Meridionale Di Elettricità and Subsidiary Companies to submit a statement of the transportation requirements which are necessary to repair their present facilities and to make extensions to their present facilities.

3. The Società Meridionale Elettrica and Subsidiary Companies have submited their requirements for additional trucks and for replacement of tires and tubes on their own transportation equipment. This list includes trucks which have already been assigned to Società Meridionale Elettrica & Subsidiary Companies by U.T.C. and A.C..

4. This office has studied the request for trucks tires and tubes and we are of the opinion that this trucks, tires and tubes are urgently needed in order to provide transportation for the operation of the present facilities and for the immediate reconstruction of facilities which will materially improve the electric power supply in Southern Italy.

For the Regional Engineer:

R. A. RYAN
Capt. Spec. Res.

RAR/rb

Enclo. Truck Requirements S.M.E.
E Tire & Tubes Requirements of S.M.E.

170

RECAPITULATION OF TRANSPORTATION REQUIREMENTS

Co. or Department	Loading capacity Tons	Quantity needed for extension of present facilities	Quantity needed for repair of present facilities	Notes
1. SME Construction Dept.	1,5	1		
	3	11	1	
	6 to 8	1		
2. SME Operation Dept.	0,7		1	
	1,5	2	1	
	3	2	9	
3. Subsidiary Coys				
SME Distribution Service in Naples	1,5	6		
	3	6		
	5	1		
Campania Electric Co.	2	2		
	3	1		
Lucana Co. for hydro-electrical enterprises	1,5	1		
	3	1		
	0,7		1	
Gen. Electric Co. of Apulia	0,7		3	
	1,5	1		
	3	2	4	
Calabrie Electric Co.	3	2		
S.E.B.I. Co.	1	1		
	3	1		
Total requirements		42	20	
		5	19	
		37	1	

now used but assured of eventual use

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. SME Construction Dept.	3	11	I	
	6 to 8	I		
2. SME Operation Dept.	0,7		I	
	I,5	2	I	
	3	2	9	
3. Subsidiary Coys SME Distribution Service in Naples	I,5	6		
	3	6		
	5	I		
Campania Electric Co.	2	2		
	3	I		
Lucana Co. for hydro-electrical enterprises	I,5	I		
	3	I		
	0,7		I	
Gen. Electric Co. of Apulia	0,7		3	
	I,5	I	4	
	3	2		
Calabrie Electric Co.	3	2		
S.E.B.I. Co.	I	I		
	3	I		
Total requirements		42	20	
		5	19	
		37	1	

now used but assured of continued use

169

Naples, Dec. I6th I944
GC/CS

Declassified E.O. 12356 Section 3.3/NND No. 785019

RECAPITULATION OF TYRES AND TUBES REQUIREMENTS

6 A1

Co. or Dept.	Requirements 6.00-16 tyres	6.00-16 tubes	7.50-20 tyres	7.50-20 tubes	12.00-20 tyres	12.00-20 tubes	Notes
SME Construction Dept.	51	51	34	36	4	4	
SME Operation Dept.	58	70	12	12	-	-	
SME Distribution Service in Naples	25	28	15	18	-	-	
Subsidiary Companies	145	165	50	55	-	-	
Total requirements	279	314	111	121	4	4	

16th december 1944
GC/ar

279
111
4
tyres 394

314
121
4
439 tubes.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Co. or Dept.	Requirements 6.00-16 tyres	6.00-16 tubes	7.50-20 tyres	7.50-20 tubes	12.00-20 tyres	12.00-20 tubes	Notes
SME Construction Dept.	51	51	34	36	4	4	
SME Operation Dept.	58	70	12	12	-	-	
SME Distribution Service in Naples	25	28	15	18	-	-	
Subsidiary Companies	145	165	50	55	-	-	
Total requirements	279	314	111	121	4	4	

16th december 1944
GC/ar

279 314
111 121
4 4
tyres 394 439 tubes.

168

Declassified E.O. 12356 Section 3.3/NND No. 785019

TYRES AND TUBES REQUIREMENTS

1 - S.M.E. - Construction Dept

Car or truck type	Loading capacity (Tons or persons)	Requirements tyres	tubes	size	Plant	Job for which the car or truck is needed.
Fiat 508	4 pers.	5.	5.	6.00-16	Napoli	General transportation for displacement of Engineers and technicians to inspect the works and to supervise the tests.
Lancia Ard.	6 "	5.	5.	6.00-16	Napoli	
Fiat 1100	6 "	5.	5.	6.00-16	Napoli	
Fiat 1100	6 "	5.	5.	6.00-16	Napoli	
Lancia Apr.	4 "	5.	5.	6.00-16	Napoli	
Fiat 508	4 "	5.	5.	6.00-16	Napoli	
Lancia Augusta	4 pers.	5.	5.	6.00-16	Acri	For displacement of Engineers and technicians charged with the maintenance of hydraulic works of our Sila plants.
Fiat 1100	4 "	5.	5.	6.00-16	Acri	
Fiat 509	0,4 T	5.	5.	6.00-16	Napoli	General transportation between the factories which are manufacturing new parts for the plants and between Naples and some plants.
OM	1,7 "	5.	5.	7.50-20	Napoli	
Fiat 18BL	3,6 "	3.	3.	7.50-20	Napoli	
		2.	2.	12.00-20		
Alfa Romeo	4. "	3.	3.	7.50-20	Napoli	
Citroen 4C	1. T	5.	5.	7.50-20	Pratta	For reconstruction of 150 kV line Alanno-Pratta. 38 kV double line Aventino-Matese-Isernia and of various telephonic lines.
Fiat 501	1. "	3.	3.	6.00-16	S.Maria C.V.	
		2.	3.	7.50-20		
Bianchi 35	0.8"	3.	3.	6.00-16	Venafro	
		2.	3.	7.50-20		

Declassified E.O. 12356 Section 3.3/NND No. 785019

1 - 2. . . - Construction Plant

Car or truck type	Loading capacity (Tons or persons)	Requirements: tyres	tubes	size	Plant	Job for which the car or truck is needed.
Fiat 508	4 pers.	5.	5.	6.00-16	Napoli	General transportation for displacement of Engineers and technicians to inspect the works and to supervise the tests.
Lancia Ard.	6 "	5.	5.	6.00-16	Napoli	
Fiat 1100	6 "	5.	5.	6.00-16	Napoli	
Fiat 1100	6 "	5.	5.	6.00-16	Napoli	
Lancia Apr.	4 "	5.	5.	6.00-16	Napoli	
Fiat 508	4 "	5.	5.	6.00-16	Napoli	
Lancia Augusta	4 pers.	5.	5.	6.00-16	Acqui	For displacement of Engineers and technicians charged with the maintenance of hydraulic works of our Silo plants.
Fiat 1100	4 "	5.	5.	6.00-16	Acqui	
Fiat 509	0,4 T	5.	5.	6.00-16	Napoli	General transportation between the factories which are manufacturing new parts for the plants and between Naples and some plants.
9 M	1,7 "	5.	5.	7.50-20	Napoli	
Fiat 18BL	3,6 "	3.	3.	7.50-20	Napoli	
		2.	2.	12.00-20		
Alfa Romeo	4. "	3.	3.	7.50-20	Napoli	
Citroen 40	1. T	5.	5.	7.50-20	Fratte	For reconstruction of 150 kV line Acqua-Fratte. 60 kV double line Aventino-Matese-Lots and of various telephonic lines.
Fiat 507	1. "	3.	3.	6.00-16	S.Maria	
		2.	3.	7.50-20	C.V.	
Bianchi 39	0.8"	3.	3.	6.00-16	Vensfro	
		2.	3.	7.50-20		
Fiat 18BL	3.6"	3.	3.	7.50-20	Fratte	
Fiat 18BL	3.6"	3.	3.	7.50-20	S.Maria C.V.	
Fiat 18BL	3.6"	3.	3.	7.50-20	Vensfro	
		2.	2.	12.00-20		
Fiat 505	1.5"	5.	5.	7.50-20	Fratte	

167

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. S.M.E. Operation Department

Car or Truck tipe	Loading capacity (tons on persons)	Requirements			Plant	Job for which the car or truck is needed
		Tyres	Tubes	Size		
Fiat 618	14 pers.	7	7	6,00-16	Timpa G.	Operation and maintenance of our Sila Plants (200.000 kVA generators capacity and 400 km. of 150 kV and 60 kV transmission lines)
Fiat 508	4 pers.	5	5	6,00-16	" "	
Fiat 508	4 pers.	5	5	6,00-16	" "	
Fiat 508	4 pers.	5	5	6,00-16	Tusciano	Operation and maintenance of our Tusciano, Tanagro and Calore plants (36.000 kVA generators capacity and 330 km/ 150 kV and 60 kV transmission lines)
Lancia Art.	6 pers.	6	7	6,00-16	Napoli	Displacements of engineers and technicians of the operation Dept. to inspect the plants and transmission lines, and for the operation and maintenance of the carrier current com-
Fiat 1100	4 pers.	4	5	6,00-16	Fratta	
Fiat 1100	4 pers.	5	5	6,00-16	Fratta	
Fiat Ard.	6 pers.	6	6	6,00-16	Fratta	

Declassified E.O. 12356 Section 3.3/NND No. 785019

Fiat 618	14 pers.	7	7	6,00-16	Timpa G.	Operation and maintenance of our Sila Plants (200.000 kVA generators capacity and 400 km. of 150 kV and 60 kV transmission lines)
Fiat 508	4 pers.	5	5	6,00-16	" "	
Fiat 508	4 pers.	5	5	6,00-16	" "	
Fiat 508	4 pers.	5	5	6,00-16	Tusciano	Operation and maintenance of our Tusciano, Tanagro and Calore plants (36.000 kVA generators capacity and 330 km/ 150 kV and 60 kV transmission lines)
Lancia Art.	6 pers.	6	7	6,00-16	Napoli	Displacements of engineers and technicians of the operation Dept. to inspect the plants and transmission lines, and for the operation and maintenance of the carrier current communications
Fiat 1100	4 pers.	4	5	6,00-16	Fratta	
Fiat 1100	4 pers.	5	5	6,00-16	Fratta	
Fiat Ard.	6 pers.	6	6	6,00-16	Fratta	
Fiat 507	1,5 T	5	5	7,50-20	Sila	Operation and maintenance of 3 Hydro Stations with 200.000 kVA generating capacity and of 330 km. of 150 kV and 60 kV transmission lines

Declassified E.O. 12356 Section 3.3/NND No. 785019

Car or truck type	Loading capacity (tons or persons)	Requirements			Plant	Job for which the car or truck is needed
		Tyres	Tubes	Size		
Fiat 1100	0,7 T	5	5	6,00-16	Tusciano	Operation and maintenance of Tusciano, Tanagro and Calore hydro plants (36.000 kVA generators and 20.000 kVA synchronous condensers installed capacity) and of 120 km 150 kV and 60 kV transmission lines
Fiat 1100	0,7 T	5	5	6,00-16	Taranto	Operation and maintenance of Taranto, Francavilla and Leccesub-stations (28.000 kVA transformers and 6.000 kVA synchronous condensers installed capacity) and of 120 km 60 kV transmission lines
Fiat 621 Fiat 508	1,7 0,4	7 5	7 5	7,50-20 6,00-16	Matese Matese	Operation and maintenance of Matese (and Lete) hydro plants (9.000 kVA generators installed capacity), and of Benevento sub-station (4.000 kVA

Declassified E.O. 12356 Section 3.3/NND No. 785019

Vehicle type	Capacity (tons or persons)	Tyres	Tubes	Size	Plant	Use for which the car or truck is needed
Fiat 1100	0,7 T	5	5	6,00-16	Tusciano	Operation and maintenance of Tusciano, Tanagro and Calore hydro plants (35.000 kVA generators and 20.000 kVA synchronous condensers installed capacity) and of 120 km 150 kV and 60 kV transmission lines
Fiat 1100	0,7 T	5	5	6,00-16	Taranto	Operation and maintenance of Taranto, Francavilla and Leccesub-stations (28.000 kVA transformers and 6.000 kVA synchronous condensers installed capacity) and of 120 km 60 kV transmission lines
Fiat 621 Fiat 508	1,7 0,4	7 5	7 5	7,50-20 6,00-16	Matese Matese	Operation and maintenance of Matese (and Lete) hydro plants (9.000 kVA generators installed capacity), and of Benevento substation (4.000 kVA transformers installed capacity) and of 160 km of 60 kV transmission lines
		-	10	6,00-16		Miscellaneous and as spare tubes

Declassified E.O. 12356 Section 3.3/NND No. 785019

3 - Distribution service in Naples

Requirements			Job for which the car or truck is needed
Tyres	Tubes	Size	
25	28	6,00-16	Distribution service in Naples area (135 x
15	18	7,50-20	x 10^6 kW hours p. year).

4 - Subsidiary Companies

145	165	6,00-16	Distribution service in all Southern Italy
50	55	7,50-20	(410 x 10^6 kW hours yearly and 59441 kmq).

Declassified E.O. 12356 Section 3.3/NND No. 785019

TRANSPORTATION REQUIREMENTS

OF

S.M.E. AND SUBSIDIARY COYS

1 - S.M.E. - Construction Dept

Loading capacity Tons	Quantity needed for extension of present facilities	Quantity needed for repair of present facilities	Dwelling	Job for which the truck is needed
A) Hydro plants reconstruction works				
3	1	2 (i)	Alanno	Repair of power houses of the 3rd and 4th stage on the Pescara River with repair of dams, barrages, generating units, switch gear, switchboard, (30.000 kW - 225.000 kW hours p. year)
6 to 8		1 (i)		
3	1		Aventino	Construction of a temporary power house for Aventino plant (province of Chieti) with repair of canal, penstock, generating unit, switchgears, switchboard, (4300 kW - 28.000.000 kW hours p. year)
3		1 (ii)	Lete (or Naples)	Construction of a temporary hydro-plant by removal of one unit from the Matese 1st stage

164

Declassified E.O. 12356 Section 3.3/NND No. 785019

S.M.E. AND SUBSIDIARY 0013

1 - S.M.E. - Construction Dept

Loading capacity Tons	Quantity needed for extension of present facilities	Quantity needed for repair of present facilities	Dwelling	Job for which the truck is needed
A) Hydro plants reconstruction works				
3 6 to 8	1	2 (i) 1 (i)	Alanno	Repair of power houses of the 3rd and 4th stage on the Pescara River with repair of dams, barrages, generating units, switch gear, switchboard, (30.000 kW - 225.000 kW hours p. year)
3	1		Aventino	Construction of a temporary power house for Aventino plant (province of Chieti) with repair of canal, penstock, generating unit, switchgears, switchboard, (4300 kW - 28.000.000 kW hours p. year)
3		1 (ii)	Lete (or Naples)	Construction of a temporary hydro-plant by removal of one unit from the Matese 1st stage plant (6500 kW 32.000.000 kW hours p. year). All transportations are made from Naples and Salerno to Piedimonte and Lete (and vice versa) so the truck may dwell in Naples or by the Lete plant)

164

Declassified E.O. 12356 Section 3.3/NND No. 785019

Loading capacity Tons	Quantity needed for extension of present facilities	Quantity needed for repair of present facilities	Dwelling	Job for which the truck is needed
B) Substation works and general transportation				
3	1		Napoli	Agnano II and Frattamaggiore Substations works. Reconstructions of Substations houses and of switchyards and switchboards. Repair of transformers and synchronous condensers. After the repair there will be 26.000 kVA transformers and 20.000 kVA synchronous condensers installed capacity.
3	1		Campobasso (or Naples)	Reconstruction of Campobasso substation. Repair of transformers (2.000 kVA installed capacity). As all the transportations are made between Naples and Campobasso, the truck may dwell in either those places.
3	1		Maranola (Or Naples)	Reconstruction of Maranola (near Formia) substation. Repair of transformers (3.000 kVA)
3	1		Napoli	General transportations in Naples area between the various workshops and factori[illegible] which

Declassified E.O. 12356 Section 3.3/NND No. 785019

B) Substation works and general transportation				
3	1		Napoli	Agnano II and Frattamaggiore Substations works. Reconstructions of Substations houses and of switchyards and switchboards. Repair of transformers and synchronous condensers. After the repair there will be 26.000 kVA transformers and 20.000 kVA synchronous condensers installed capacity.
3	1		Campobasso (or Naples)	Reconstruction of Campobasso substation. Repair of transformers (2.000 kVA installed capacity). As all the transportations are made between Naples and Campobasso, the truck may dwell in either those places.
3	1		Maranola (Or Naples)	Reconstruction of Maranola (near Formia) substation. Repair of transformers (3.000 kVA)
3	1		Napoli	General transportations in Naples area between the various workshops and factories which are repairing our machinery or manufacturing new parts for the plants.
C) Line works				
3	1	1 (v)	Venafro	Repair of 150 kV transmission line Pescara-Frattamaggiore (planned for 60.000 kW - 879 towers - 187 km lenght).

Declassified E.O. 12356 Section 3.3/NND No. 785019

iii)

Loading Capacity Tons	Quantity needed for extension of present facilities	Quantity needed for repair of present facilities	Dwelling	Job for which the truck is needed
				Repair of towers and conductors. The line will be employed for the transmission of the power generated in the Pescara plants (30.000 kW - 225.000.000 kW hours p.year).
3	2		Venafro	Repair of double 88 kV line Matese-Lete-Aventino (planned for 2x18.000 kW - 1680 towers - 2 x x 137 km. length). Repair of towers and conductors. The line will be employed for the transmission of the power generated in Aventino and Lete plants (11000 kW - 60.000.000 kW hours p. year).
1,5	1		Venafro	Repair of telephonic lines for the service of above 150 and 88 kV transmission lines.

(i) At present are in operation the trucks given by A.C. Headquarters

(ii) Once it had been obtained one truck from U.T.C. Campobasso 162

(v) At present, a truck hired from U.T.C. Naples is in operation

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. SME. OPERATION DEPT.

Loading capacity Tons	Quantity needed		Plant	Job for which the truck is needed
	for extension of present facilities	for repair of present facilities		
3 1.5	1 1		Timpa Cr.de " "	Operation and maintenance of 3 Hydro Stations with 200.000 kVA generating capacity and of 330 Km of 150 kV and 60 kV transmission lines
1.5	1		Savuto	Operation and maintenance of Savuto pumping plant (9000 kVA) and of 86 Km of 60 kV transmission lines
3	1		S.Demetrio	Operation and maintenance of 150 Km. of 150 kV transmission lines Sila-Apulia and Sila-Tusciano
3		1 (iii)	Foggia	Operation and maintenance of Foggia, Cerignola and Andria Substations (36.000 kVA transformers and 14.000 kVA synchronous condensers installed capacity) and of 170 Km. of 150 Kv and 60 Kv lin
3 0.7		1 (iii) 1 (iii)	Bari Bari	Operation and maintenance of Bari/S - Bari/N - Terlizzi Putignano and Brindisi Sub-

162

Declassified E.O. 12356 Section 3.3/NND No. 785019

Loading capacity Tons	Quantity needed: for extension of present facilities	Quantity needed: for repair of present facilities	Plant	truck Job for which the is needed
3 1.5	1 1		Timpa Gr.de " "	Operation and maintenance of 3 Hydro Stations with 200.000 kVA generating capacity and of 330 Km of 150 kV and 60 kV transmission lines
1.5	1		Savuto	Operation and maintenance of Savuto pumping plant (9000 kVA) and of 86 Km of 60 kV transmission lines
3	1		S.Demetrio	Operation and maintenance of 150 Km. of 150 kV transmission lines Sila-Apulia and Sila-Tusciano
3		1 (iii)	Foggia	Operation and maintenance of Foggia, Cerignola and Andria Substations (36.000 kVA transformers and 14.000 kVA synchronous condensers installed capacity) and of 170 Km. of 150 Kv and 60 Kv lin
3 0.7		1 (iii) 1 (iii)	Bari Bari	Operation and maintenance of Bari/S - Bari/N - Terlizzi Putignano and Brindisi Substations (104.000 kVA transformers and 21.000 kVA synchronous condensers installed capacity) and of 300 Km. of 150 kV and 60 kV transmission lines.

162

=/=

Declassified E.O. 12356 Section 3.3/NND No. 785019

Loading capacity Tons	Quantity needed		Plant	Job for which the truck is needed
	for extension of present facilities	for repair of present facilities		
3		1 (iii)	Taranto	Operation and maintenance of Taranto, Francavilla and Lecce Substations (28.000 kVA transformers and 6.000 kVA syndronous condensers installed capacity) and of 120 Km 60 kV transmission lines
3		1 (iii)	Palagiano	Operation and maintenance of Palagiano Substation (33.000 kVA transformers and 9.000 kVA synchronous condensers installed capacity) and of 80 Km 150 kV transmission lines
3		1 (iV)	Piedimonte	Operation and maintenance of Matese (and Lete) hydro plants (9000 kVA generators installed capacity), and of Benevento substation (4000 kVA transformers installed capacity) and of 160 Km of transmission lines
3		1 (iV)	Frattamaggiore	Operation and maintenance of Frattamaggiore, S.Maria C.V., Poggioreale, Arenella

161

Declassified E.O. 12356 Section 3.3/NND No. 785019

capacity Tons	for extension of present facilities	for repair of present facilities	Plant	Job for which the truck is needed
3		1 (iii)	Taranto	Operation and maintenance of Taranto, Francavilla and Lecce Substations (28.000 kVA transformers and 6.000 kVA syndronous condensers installed capacity) and of 120 Km 60 kV transmission lines
3		1 (iii)	Palagiano	Operation and maintenance of Palagiano Substation (33.000 kVA transformers and 9.000 kVA syndronous condensers installed capacity) and of 80 Km 150 kV transmission lines
3		1 (iV)	Piedimonte	Operation and maintenance of Matese (and Lete) hydro plants (9000 kVA generators installed capacity), and of Benevento substation (4000 kVA transformers installed capacity) and of 160 Km of transmission lines
3		1 (iV)	Frattamaggiore	Operation and maintenance of Frattamaggiore, S.Maria C.V., Poggioreale, Arenella and Agnano I Substations (76000 kVA transformers installed capacity) and of 120 Km 60 kV transmission lines

161

=/=

Declassified E.O. 12356 Section 3.3/NND No. 785019

Loading capacity Tons	Quantity needed: for extension of present facilities	Quantity needed: for repair of present facilities	Plant	Job for which the truck is needed
1.5		1 (iV)	Torre Annunziata	Operation and maintenance of Torre Annunziata Substation (15.000 kVA transformers installed capacity) and of 40 Km 60 kV transmission lines
3		1 (iV)	Tusciano	Operation and maintenance of Tusciano, Tanagro and Calore, hydro plants (36000 kVA generators and 20.000 kVA synchronous condensers installed capacity) and of 120 Km 150 kV and 60 kV transmission lines
3		1 (iV)	Tanagro	Operation and maintenance of 120 Km 150 kV transmission lines
3		1 (iV)	Calore	Operation and maintenance of 70 Km 60 kV transmission lines

(iii) at present are in operation the trucks given by A.C.Apulia ;

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tons	sion of present facilities	of present facilities		
1.5		1 (iV)	Torre Annunziata	Operation and maintenance of Torre Annunziata Substation (15.000 kVA transformers installed capacity) and of 40 Km 60 kV transmission lines
3		1 (iV)	Tusciano	Operation and maintenance of Tusciano, Tanagro and Calore, hydro plants (36000 kVA generators and 20.000 kVA synchronous condensers installed capacity) and of 120 Km 150 kV and 60 kV transmission lines
3		1 (iV)	Tanagro	Operation and maintenance of 120 Km 150 kV transmission lines
3		1 (iV)	Calore	Operation and maintenance of 70 Km 60 kV transmission lines

166

(iii) at present are in operation the trucks given by A.C.Apulia ;

(iV) at present are in operation the trucks hired from U.T.C. Naples.

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. SUBSIDIARY COYS

Loading capacity Tons	Quantity needed: for extension of present facilities	Quantity needed: for repair of present facilities	Plant	Job for which the truck is needed
				DISTRIBUTION SERVICE IN NAPLES
I,5	6		Napoli	Distribution service in Naples area (I35.I0^6 kW hours yearly 350 kmq)
3	6		Napoli	
5	I		Napoli	
				CAMPANIA ELECTRIC Co
2	2		Benevento	Distribution service in Benevento, Campobasso, Naples, Salerno and Avellino Provinces (I25xI0^6 kWhors yearly I4.079 kmq)
3	I		Campobasso	
			Avellino	
				LUCANA Co FOR HYDRO-ELECTRICAL ENTERPRISES
I,5	I		Matera	Distribution service in Potenza Province (28.I0^6 kWhours yearly I4.I53 kmq)
3	I		Potenza	
0.7	I	I (1)		
				GENERAL ELECTRIC Co of APULIA

Declassified E.O. 12356 Section 3.3/NND No. 785019

capacity Tons	for extension of present facilities	for repair of present facilities	Plant	Job for which the truck is needed

DISTRIBUTION SERVICE IN NAPLES

I,5	6		Napoli	Distribution service in Naples area (I35.IO^6 kW hours yearly 350 kmq)
3	6		Napoli	
5	I		Napoli	

CAMPANIA ELECTRIC Co

2	2		Benevento Campobasso Avellino	Distribution service in Benevento, Campobasso, Naples, Salerno and Avellino Provinces (I25xIO^6 kWhors yearly I4.079 kmq)
3	I			

LUCANA Co FOR HYDRO-ELECTRICAL ENTERPRISES

I,5	I		Matera	Distribution service in Potenza Province (28.IO^6 kWhours yearly I4.I53 kmq)
3	I		Potenza	
0.7	I	I (1)		

GENERAL ELECTRIC Co of APULIA

I,5	I		(Foggia, (Bari and, (Taranto	Distribution service in Foggia, Bari and Taranto Provinces (215.IO^6 kWhours yearly) I5.757 kmq.
3	2			
0.7		3(i)	(Foggia, (Bari and (Taranto	
3		4(i)		

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Loading capacity Tons	Quantity needed: for extension of present facilities	Quantity needed: for repair of present facilities	Plant	Job for which the truck is needed

CALABRIA ELECTRIC Co.

3	2		Catanzaro and Reggio Calabria	Distribution service in Catanzaro, Cosenza and Reggio Calabria Provinces (42.10^6 kWhours yearly) 15.102 kmq.

SEBI Co

I	I		Foggia	Distribution service in some districts of Foggia and Lecce Provinces (5000 KVA transformers installed capacity 350 km. middle and low tension lines)
3	I		Lecce	

174

159

GC/AP

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price's Office
P.W. & U.-Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU 13/12/44

Subject : Application for Transformer Oil

To : Societa Meridionale di Elettricita
Via Paolo E.Imbriani
Naples

1. We have received an application from :
Soc. per Azioni Strade Ferrate Secondarie Meridionali
Naples
for 2.770 Kgs. of transformer oil.

2. As we have no record of this Societa we shall be glad to know whether the above is an associate of SME, if not will you please furnish us with the Societa's full address, in order that we may communicate direct.

L. G. PRICE

L.G.PRICE, Major RE
For Lieut-Colonel
Chief Electr.Division

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj. Price 's Office
P.W. & U.-Elect.Section

Telephone 478805
LGF/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

13/12/44

Reference: 300/PWU

Subject : Forestry Company Southern Region

To : C.G. HQ. PENINSULAR BASE SECTION
APO 782

1. Reference is made to your AG 400.12 BPENG (8 Nov.44) and dated 16 Nov. 44.

2. Herewith as your requested original Tally Sheet bearing Forestry Company personel signature.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

Encl. Original Tally Ship.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Dott. Ing. FRANCESCO DI SALLE

IMPIANTI ELETTRICI
IMPIANTI INDUSTRIALI
COSTRUZIONI ELETTRICHE E MECCANICHE

C. P. C. NAPOLI N. 55774

Pos.
da citare nella risposta

RECEIVED
P.W. & U. S/C A.C.
14 DEC 1944 306

FILE

Napoli, 14/12/44

Piazza Nicola Amore, 10

ALLIED COMMISSION
PUBLIC WORKS & UTILITIES S.C.
H.Q. ELECTRICAL SECTION
Via Veneto
ROMA

To the attention of Maj. PRICE

SUBJECT: Release for cement

The undersigned firm would appreciate your releasing 50 Tons of cement for the rebuilding of one aisle of its workshop in Naples, Corso Malta (Piazza Trivice - Strada Privata Moschini).

This factory is making clamps, jointing sleeves and miscellaneous switchgear devices for the repair of electrical installation in general and particularly of high-tension transmission-lines. The former premises have been destroyed by bombardments and now the work is temporarily carried out in some of the premises of the Poggioreale Substation, of the S.M.E. Company, Naples.

The S.M.E. Co. has recently asked this firm to clear the premises which had been temporarily offered to it.

We would very much appreciate if you could give this application your favourable consideration.

This firm is in a position to manufacture jointing sleeves and clamps both for aluminium and copper transmission lines.

Thanking you in advance, we remain

Yours respectfully,

Dr. Francesco Di Salle

Lt Col Hopper WnL
Dec 11/12

TELEGRAMMI: DISALLE TELEFONO 52-971 - NAPOLI

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj. Price 's Office
P.W. & U.-Elect.Section

96

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

15/12/44

Reference: 300/PWU

Subject : Societa Dr. Francesco di Salle
Workshop

To : Societa Meridionale di Elettricita
Via P. Imbriani - Naples

1. This Sub Commission has received a request from the above mentioned gentlemen for
50 Tons Cement
to be used for repairs to his workshop which workshop, it is claimed, produces trengmission line joints for S.M.E. and that if the workshop is repaired, production of joints can be greatly increased.

2. We shall be glad to have your views on this project since this Sub Commission is also interested in the production of trasmission line joints.

3. Dr. Francesco di Salle states that he is now housed in a building of Poggioreale Sub Station, his own workshop having been destroyed by bombs, and that it is your wish he remove his machinery to another site.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electrical Division

154 155

154

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE
SME

Dr. Ing. FRANCESCO DI SALLE
IMPIANTI ELETTRICI
COSTRUZIONI ELETTRICHE E MECCANICHE

C. P. C. NAPOLI N. 55774

Pos.
da citare nella risposta

TELEGRAMMI: DISALLE TELEFONO 52971 - NAPOLI

Napoli,

Via Vecchia Poggioreale 44-45 già 35-36
Telefoni 52-971 e 34-678

P. della Nicola
Cancro 10

Work Via Vecchia
Poggioreale 21
into S.S. of SME

300 joints per day
when machinery is
set up.

154

C O P I A

28 OTT. 1944

A.C.C. P. U. SECTION

N A P L E S

14440/1068

LS/cg

Richiesta olio per trasformatori

La ns. Società ha urgente bisogno di 40 Tonn. di olio per trasformatori destinate al riempimento di 4 trasformatori monofasi da 4.000 KVA e un trasfommatore monofase da 2.000 KVA, tutti a 60 KV installati nella Sottostazione di Poggioreale in Napoli.

Detti trasformatori rappresentano la necessaria riserva per l'alimentazione della città di Napoli (servizio a 9 KV.) anche in previsione di eventuali spostamenti di alcune unità già in servizio nella sottostazione di Poggioreale e da installare sugli impianti già distrutti da fatti bellici ed in corso di ricostruzione.

Preghiamo codesto ufficio volersi interessare per la sollecita assegnazione, contro pagamento da perte ns.,di detto olio, facendo presente che è necessario che esso venga messo a disposizione al più presto, essendo il suo impiego necessario per il buon andamento del servizio.

Si ringrazia.

Translation

Application for transformers oil

Our Coy urgently needs 40 Tons. of oil for transformers - these are meant to fill four 4.000 KVA and one 2.000 KVA, 60 KV monophase transformers all installed in our Poggioreale Substation (Naples).

Said transformers represent the necessary reserve for the supply of power to the town of Naples (9 KV supply) also in view of the eventual removal of some of the machines installed in the Poggioreale substation onto other plants demaged by war and now under reconstruction.

We ask your office to kindly see that the requested quantity

Declassified E.O. 12356 Section 3.3/NND No. 785019

da 4.000 KVA e un trasformatore monofase da 2.000 KV installati nella Sottostazione di Poggioreale in Napoli.

Detti trasformatori rappresentano la necessaria riserva per l'alimentazione della città di Napoli (servizio a 9 KV.) anche in previsione di eventuali spostamenti di alcune unità già in servizio nella sottostazione di Poggioreale e da installare sugli impianti già distrutti da fatti bellici ed in corso di ricostruzione.

Preghiamo codesto ufficio volersi interessare per la sollecita assegnazione, contro pagamento da perte ns.,di detto olio, facendo presente che è necessario che esso venga messo a disposizione al più presto, essendo il suo impiego necessario per il buon andamento del servizio.

Si ringrazia.

Translation

Application for transformers oil

Our Coy urgently needs 40 Tons. of oil for transformers - these are meant to fill four 4.000 KVA and one 2.000 KVA, 60 KV monophase transformers all installed in our Poggioreale Substation (Naples).

Said transformers represent the necessary reserve for the supply of power to the town of Naples (9 KV supply) also in view of the eventual removal of some of the machines installed in the Poggioreale substation onto other plants demaged by war and now under reconstruction.

We ask your office to kindly see that the requested quantity of oil may be allotted to us - who will pay for it - at the earliest possible convenience, in consideration os its being most pressingly needed for our service.

With best thanks

we remain.

F.to Maglione-Brun

OFFICIAL:
ALLIED COMMISSION
Capt. S.R.
ELECTRICITY SECTION
SOUTHERN REGION

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS
REGION B, ALLIED CONTROL COMMISSION
APO 394, U.S. ARMY

(A7)

No 206 - 14440

Date: 27 October 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC. FORMATION ECONOMIC & SUPPLY REG. III
3. COMMODITY DEMANDED Transformer oil
4. QUANTITY REQUIRED : (In metric tons or ther suitable unit).
   (a) Single lot demand : 40 Tons.
   (b) Next month "
   (c) Second month "
   (d) Third month "

5. JUSTIFICATION : (Detail this information on the back of the Form)
To fill four 4.000 KVA and one 2000 KVA, 60 KV monophase transformers all installed in our
6. SOURCES OF SUPPLY (if known). Give particulars Poggiorale Substation-Naples
   (a) Has material been located ?
   (b) If locally - Were ? C.I.P. - Via Battisti - Naples
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Were ?
   (d) If blocked, gove names of establishment and Military Unit concernend, quantities available, etc. Under control P.B.S.

7. ADDRESS FOR DELIVERY :
   Consignee: SOC.MERIDIONALE DI ELETTRICITA'
   Address : Via P.E.Imbriani,42 - Napoli

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK-PILING) purposes. (Striks out words not applicable).

Date 27 October 1944 LESTER J. HEISLEY Signature
Rank, Title, Office. Lt.Col.C.E.Reg.Eng.Southern Reg.

9. REGIONAL APPROVAL Title Date

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC. FORMATION ECONOMIC & SUPPLY REG. III

3. COMMODITY DEMANDED Transformer oil

4. QUANTITY REQUIRED : (In metric tons or other suitable unit).

(a) Single lot demand : 40 Tons.
(b) Next month "
(c) Second month "
(d) Third month "

5. JUSTIFICATION : (Detail this information on the back of the Form)
To fill four 4.000 KVA and one 2000 KVA, 60 KV monophase transformers all installed in our Poggiorale Substation-Naples

6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has material been located ?
(b) If locally - Were ? C.I.P. - Via Battisti - Naples
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Were ?
(d) If blocked, gove names of establishment and Military Unit concernend, quantities available, etc. Under control P.B.S.

7. ADDRESS FOR DELIVERY :

Consignee: SOC.MERIDIONALE DI ELETTRICITA'

Address : Via P.E.Imbriani,42 - Napoli

8. It is certified that these supplies and stores are required for (URGENT), (~~NORMAL~~), (~~STOCK PILING~~) purposes. (Striks out words not applicable).

Date 27 October 1944 LESTER J. HENSLEY Signature

Rank, Title, Office. Lt.Col.C.E.Reg.Eng.Southern Reg.

9. REGIONAL APPROVAL _____ Title _____ Date _____

FOR USE BY LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

AFHQ (I) S Release Order N° ____ Our Release Order N° _____

Date _____ Date _____

Remarks:
Form ACC-MAT. N° 10 -
ca/

Declassified E.O. 12356 Section 3.3/NND No. 785019

This material is urgently needed for the reconstruction of the Poggioreale Substation.

The reconstruction of the Poggioreale Substation will greatly improve the electricity supply in Southern Italy.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

300

HEADQUARTERS
SOUTHERN REGION ALLIED COMMISSION
Public Works &Utilities Section
APO 394

16 December 1944.

SUBJECT : Società Meridionale Elettrica Supply.

TO : Headquarters Allied Commission
Public Works &Utilities Section
Attention Lt. Col. W.M. Lapper.

1. I am attaching herewith a letter from Società Meridionale Elettrica requesting the release of 40 tons of transformer oil.

2. It is requested that 40 tons of transformer oil be released to Società Meridionale Elettrica.

For the Regional Engineer:

R. A. RYAN
Capt. Spec. Res.

RAR/rb

Enclo.

320

300/PWU

Explanation & justification on p. 2.

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

Date: 11 Dec 44

1. DEMAND FOR CONTROLLED MATERIAL .

2. ANG/ACC FORMATION Public Works & Utilities S/C, Elec. Div.

3. COMMODITY DEMANDED Calcium Carbide
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED : (In metric tons or other suitable unit.)
a) Single lot demand : 20 Grintals
b) Next Month
c) Second Month
d) Third Month

5. JUSTIFICATION : (Detail this information on back of form).

6. SOURCES OF SUPPLY (if known) Give particulars:-
a) Has material been located ? Yes
b) If locally - Where ? Ferroleto, Ascoli Piceno
Carburo, Terni (D.W.)
c) If anywhere in Liberated Italy (including Sicily and Sardinia) - Where ?
d) If blocked, give names of establishment and Military Unit concerned quantities available, etc:

7. ADDRESS FOR DELIVERY :
Consignee . Societa Meridionale di Elettricita
Address : Naples. (To be used in Pescara River valley in Pescara & Chieti Provinces by Ing. Baroncini, Pescara III, Alanno.

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL)~~, ~~(STOCK PILING)~~ purposes. (Strike out words not aplicable).

Date: 11 Dec 44

Signature
Rank, Name, Office.

Date

150

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED Calcium Carbide
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED : (In metric tons or other suitable unit.)
a) Single lot demand : 20 Quintals
b) Next Month
c) Second Month
d) Third Month

5. JUSTIFICATION : (Detail this information on back of form).

6. SOURCES OF SUPPLY (if known) Give particulars:-
a) Has material been located ? Yes
b) If locally - Where ? Ferroleto, Ascoli Piceno
Carburo, Terni (D.A.)
c) If anywhere in Liberated Italy (including Sicily and Sardinia) - Where ?
d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY :
Consignee : Societa Meridionale di Elettricita
Address : Naples. (To be used in Pescara River valley in Pescara & Chieti Provinces by Ing. Baroncini, Pescara III, Alanno.

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL)~~, (~~STOCK FILLING~~) purposes. (Strike out words not aplicable).

Date: 11 Dec 44 Signature
Rank, Name, Office.

9. REGIONAL APPROVAL Title Date 150

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

AFLR (I) B Release Order No. Our Release Order No.
Date Date

Remarks :

Declassified E.O. 12356 Section 3.3/NND No. 785019

~~Foundry Tonelli Alfredo - Isernia - monthly bid report.~~

100 Quintals per week required for lighting in tunnel of aqueduct at Aventino hydro-plant now being repaired.

300 Quintals per week required for welding at Aventino and Pescara III & IV hydro-plants; also on certain steel-tower transmission lines under repair and diversion dams serving Pescara III & IV plants.

Declassified E.O. 12356 Section 3.3/NND No. 785019

300/PWU 41

300

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

Date: 11 Dec 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION Public Works & Utilities S/C, Elec Div.

3. COMMODITY DEMANDED Welding Electrodes #6 SWG Mild Steel
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED : (In metric tons or other suitable unit.)
a) Single lot demand : 4 00
b) Next Month
c) Second Month
d) Third Month

5. JUSTIFICATION : (Detail this information on back of form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
a) Has material been located ? Yes
b) If locally - Where ? ADOS Depot, San Vito.
c) If anywhere in Liberated Italy (including Sicily and Sardinia) - Where ?
d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:
British Ordnance

7. ADDRESS FOR DELIVERY :
Consignee : Societa Meridionale di Elettricita
Address : C/ Ing Baroncini, Pescara III
Alanno, Pescara Prov.

8. It is certified that these supplies and stores are required for (URGENT),(NORMAL),(STOCK PILING) purposes. (Strike out words not aplicable).

Date: 11 Dec 44 _____ Signature
Rank, Title, Office.

9. REGIONAL APPROVAL _____ Title _____ Date _____

149

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

Declassified E.O. 12356 Section 3.3/NND No. 785019

b) Next Month _____
c) Second Month _____
d) Third Month _____

5. JUSTIFICATION : (Detail this information on back of form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
a) Has material been located ? Yes
b) If locally - Where ? ADOS Depot, San Vito.
c) If anywhere in Liberated Italy (including Sicily and Sardinia) - Where ?
d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:
British Ordnance

7. ADDRESS FOR DELIVERY :
Consignee : Societa Meridionale di Elettricita
Address : % Ing Baroncini, Pescara III
Alanno, Pescara Prov.

8. It is certifield that these supplies and stores are required for (URGENT),(NORMAL),(STOCK PILING) purposes. (Strike out words not aplicable).

Date: 11 Dec 44 _____ Signature
Rank, Title, Office.

9. REGIONAL APPROVAL _____ Title _____ Date _____

149

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

AFLR (I) B Release Order No._____ Our Release Order No. _____
Date _____ Date _____

Remarks :

Declassified E.O. 12356 Section 3.3/NND No. 785019

~~Gas factory, Chieti, monthly Mil reports.~~

Required for electric welding in rehabilitation of hydro-plants at Aventino, Pescara III & IV, diversion dams serving plants III & IV and certain steel-tower transmission lines leading therefrom.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj. Price 's Office
P. & U.-Elect. Section

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU 11/12/44

Subject : MAT 10 dated 11/12/44

To : Ministero dell'Industria Commercio e Lavoro
Via Flavia
Roma - (Att. Dott. Pellegrini)

1. Herewith MAT 10's in duplicate (ref.300/PWU) for :

20 quintals Calcium Carbide
400 Welding Electrodes no. 6

2. Will you please take early action to provide since the above stores are required for the important hydro - electric plant of Pescara.

L.G. PRICE

L.G.PRICE, Major
for Lieut-Colonel
Chief Electr.Division

4 Encl.

148

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price 's Office
P.W. & U.-Elect. Section

89

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU

9/12/44

Subject : Battery Plates

To : Regional Commissioner
Southern Region
(Att. Capt. Ryan)

1. Reference Memo to you from SME and forwarded to this Section with your endorsement.

2. Will you please state what formation of Allied Forces controls the F.A.P. (Fabbrica Accumulatori Partenope-Casalnuovo -Napoli), on the receipt of this information, efforts will be made to have the battery plates manufactured.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut.-Colonel
Chief Electr. Division

147

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE 87

Telephone 478805
LGP/bs

COPY

300

HQ. SOUTHERN REGION ALLIED COMMISSION
Public Works & Utilities Section
APO 394

9 December 1944

RAR/rb

Subject: Societa Meridionale Di Elettricita -Supplies

To : HQ. A.C. PUBLIC WORKS & UTILITIES
Att.Lt.Col.Lapper

The following is a list of insulating materials which have been received by Societa Meridionale di Elettricita.

Issue Voucher 9/9/44 No.		
50 Sheets cork 24 x 36	1 Box	150 Lbs.
589320 yd.tape cotton white	10 "	3013 "
100 RL tape ryn.ctn.untrtd.	1 "	23 "
20 RL ribbon barklized paper	7 "	896 "
546 Lbs rubber sheets	2 "	554 "
		4636 "
Issue Voucher 7/10/44 No.2		
Insulating Varnish	13 "	353 Kg.
Dilutent Varnish	15 "	364 "
		717 "
Issue Voucher 30/10/44 No.3		
Varnished Insulating Tape (Various) (Rolls of Tape)	26 "	1930 "
Cotton Sleeving (Feet 999) (Irgington Yellow Satured)	1 "	11 "
Glycerine (Various)	4 "	130 "
Litharge (Various)	3 "	155 "
		2226 "
Issue Voucher 7/11/44 No.4		
Press Board Insulation	15 "	3849 "
Insulating Varnish	11 "	307 "
		4156 "
Issue Voucher 8/11/44 No.5		
Press Board Insulating	22 "	3639 "
Issue Voucher 9/11/44 No.6		
Press Board Insulating	6 "	1528 "

145

146

For the Regional Engineer
Signed R.E.Ryan

Declassified E.O. 12356 Section 3.3/NND No. 785019

86

Telephone 478805
LOP/bs

Maj. Price 's Office
P.W. & U.-Elect. Section

MEMO

Ref. 300/PWU

TO: Director Transportation Sub Commission
(Shipping)

8/12/44

FROM : P.W. & U. S/C
Electr. Sect.

SUBJECT : NAPLES POWER STATION SUPPLIES

1. Herewith copy of memo for your information with regard to the attached application.

2. Will you please bid for shipping space immediately since this request is of high military and civil importance.

L.C. PRICE

L.C. PRICE, Major RE
for Lieut-Colonel
Chief Electrical Division

2 Encl.

145

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price 's Office
P.W. & U.-Elect.Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

5/12/44

Reference: 300/PWU

SUBJECT : CEMENT FOR S.M.E. Pescara

TO : ITALCEMENTI
Via del Tritone 108
Roma

1. Reference telephone conversation from your office (UNES representitive and Major Price).

2. Authority has been obtained from CE.P.B.S. to release to SME Pescara
50 Tons of Cement
per week until further notice, from your works at Civitavecchia and Sgt. Weinstein at your works has been notified accordingly.

3. Rail transport has been arranged by this H.Q.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electrical Division

144

Declassified E.O. 12356 Section 3.3/NND No. 785019

300

COPY

Orig. Letter in Gen-Office File 300 -Folio 2

FILE.

HEADQUARTERS ALLIED COMMISSION
APO 394
Transportation Sub Commission

Tel. 478701

4 December 1944

AC TN/4/29/RM

SUBJECT : 200 Tons Cement Civitavecchia -Ortona

TO : P.W. & U. Sub Commission
Electr. Section

1. Reference bid 300/PWU I regret this cannot be accepted as emergency. Due to extreme shortage of rail cars the earliest this bid can be considered is for the week 18 - 24 Dec.

2. Civitavecchia to Ortona is an extremely long and uneconomical haul. Can this cement not be drawn from Italcementi at Salerno please ? Bids for haul Salerno to Ortona will be met very much more readily - in fact we could take bids for such moves on our own tonnage very quickly.

Signed Capt. Boddy
For D.S. Adams
Colonel C.E.
Director Tptn S.C.
A.C.

2 Bids submitted.
Emergency for 50 Tons
Ordinary for 50 Tons period 18.24
Rome 5/12.

143
142

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 178805

Not Price

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU

3/12/44

SUBJECT : Insulators

To : Regional Commissioner
Southern Region

1. Reference your RAR/rb dated 28 Nov. 44.

2. We have arranged with Industry Sub Commission to supply this Division with a detailed list of the stocks of insulators held by Richard Ginori Colonnata also the position is being investigated with a view to getting this factory into production.

2. The importance of supplying insulators at an early date is appreciated and you will be notified of the result of the above mentioned investigations.

L.G.PRICE. Major RE
for Lieut-Colonel
Chief Electr. Division

Copy to :Director Industry Sub Commission

142

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
AFO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU

2/12/44

SUBJECT: STEEL -AVENTINO

TO : SOCIETA MERIDIONALE DI ELETTRICITA
Via P. Imbriani, Naples

1. We are informed that 11 Steel sheets total weight 13½ tons were dispatched from Terni on 28th Nov. 44 in waggon No. 8517.

2. The waggon is labelled to you at Capuana Sidings Naples.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electr.Division

1 Encl.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 300/PWU

2/18/44

SUBJECT: CEMENT FOR PESCARA

TO : Societa Meridionale di Elettricita
Via Paolo Imbriani -Naples

1. Please note that in addition to the weekly release of
50 Tons Cement
from Calce e Cementi di Segni, we have arranged a weekly release of
50 Tons Cement
from Italcementi Civitavecchia.

2. The above quantities will be delivered to you at Ortona, it being the nearest railway station to Pescara, the rail transport having been arranged by this office.

3. Both the above companies have been instructed to invoice you direct.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electr.Division

140

Declassified E.O. 12356 Section 3.3/NND No. 785019

FABBISOGNO DI MATERIALE FERROSO PER RIPARAZIONE CARRO PONTE
DELLA CENTRALE 3° SALTO PESCARA

Lamiere da 12 m/m:

1 pezzo da m. 2,35 x 1,40 peso ton. 0,313 . Ton. 0,313

Profilati:

Angolari 130 x 130 x 15					
2 pezzi lungh.	4,00 m.	peso	ton.	0,247	
1 "	" 4,25 "	"	"	0,131	
1 "	" 4,50 "	"	"	0,139	
Angolari 90 x 90 x 14					
3 pezzi lungh.	6,00 m.	peso	"	0,392	" 0,909

Ribadini:

ø 22 x 80	n° 1500	peso	"	0,495	
ø 20 x 60	" 200	"	"	0,440	" 0,935

FABBISOGNO DI MATERIALE FERROSO PER LA RIPARAZIONE DELLA CENTRALE
AVENTINO

Ribadini:

ø 14 x 40 n° 4000 peso ton. 0,250 Ton. 0,250

Ordered from Terni
for release from D.W.
time to provide transp.
Check up with
Capt Ryan.

Centuricchia + Orlona
3-5 days in
Cement.

Grimaano - Foligno for MRS.
4 days.

6975000

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs
300.

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

References: 142/PWU 29/11/44

SUBJECT: CEMENT

TO : ITALCEMENTI
Civitavecchia

1. It is understood that P.B.S. has released to Societa Meridionale di Elettricita Pescara

50 Tons Cement
this quantity to be supplied weekly until further notice.

2. The bearer of this letter is a representitive of UNES Rome and is authorised to act on behalf of S.M.E. regarding movement of the cement to Pescara.

for W.M. LAMER, Lt.Col.
Chief Electr.Division

Copy to SMEE Naples.
Via p. Lupiani.

1387

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

(7)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 311/PWU 29/11/44

SUBJECT : CEMENT

TO : CALCE E CEMENTI DI SEGNI
Corso Umberto 262
Roma

1. Please arrange to supply to Societa Meridionale di Elettricita, Naples

50 Tons Cement

this quantity to be supplied each week until further notice.

2. Movement will be arranged by this office, that is by rail, Segni to Ortona, and you should arrange to invoice SME NAPLES direct.

W.M. LAPPER LT.COL
Chief Electr. Division

Copy to SME
Via p.Imbriani -Naples

" To Regional Commissioner
Southern Region
(attn. Capt. Ryan)

136
137

RESTRICTED

FILE 16

TD/571/31
NOV 2417004

C/2134
NOV 2814304
IMPORTANT

NO 1 DEF 60 NEW YORK

ROCIETA MERIDIONALE DI ELETTRICISTA CAPUANA PUBLIC WORKS AND UTILITIES
NAPLES ITALY CONSIGNOR SC

RESTRICTED.

UIYTD wagon No 6517 1 6 plate 11 sheets total weight 13120 tons.
ACC demand C-166 Order No 1401 now complete. Labels addressed
Societa Meridionale di Elettricista CAPUANA siding NAPLES.

Dist

Action - P Works & Util (2)
Info - Chief Commissioner
Econ Sec
Commerce
File (2)
Float

HEADQUARTERS
28 NOV 1944
A. C.

136

Declassified E.O. 12356 Section 3.3/NND No. 785019

RESTRICTED.

CRYTD wagon No 8517 I S plate 11 sheets total weight 13130 tons. ACC demand C-166 Order No 1101 now complete. Labels addressed Societa Meridionale di Elettricista CAPUA siding NAPLES.

Dist

Action - P Works & Util (2)
Info - Chief Commissioner
Mcon Sec
Commerce
File (2)
Float

HEADQUARTERS
29 NOV 1944
A. G.

136

RESTRICTED

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

*Orig.letter in Gen.Office File no. 142

FILE

ALLIED FORCE LOCAL RESOURCES SECTION
A.F.H.Q.

Postal Address
AFLRS .RAAC. CMF

Tel. 66429

LRS/310/12

27 Nov.44

SUBJECT: CEMENT FOR SOCIETA MERIDIONALE ELETTRICITA AT PESCARA

TO: C.E. MTOUSA
COPY TO: HQ.A.C. Public Works & Utilities Sub.Commission,Electrical Section

Reference ypur 337.5 Informal Routine Slip dated 23 Nov. 44.

Attention is drawn to Minute 5 (b) 3 of the Allied Forces Local Resources (Italian) Board Minutes of Engineering Materials Committee held up 6 Dec 43 when it was decided that all requirements of Cement of the East Side of the Mainland would be passed to D.D.W. (FLAMBO) and on the West Side to P.B.S.

Signed C.M.BRAHAM,Major
for Chiefs of Section
A.F.L.R.S.

NATOUSA.

134

135

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

IXP/ba

Telephone 47@805

HEADQUARTERS ALLIED COMMISSION
A.P.O.
Public Works & Utilities Sub-Commission
Electrical Section

8/11/44

Reference:AC/300/PWU

SUBEJCT:- CEMENT FOR PESCARA

TO :- AFLR (Italian) Board

1. Reference telephone conversation Capt. Trussell - Major Price this date, will you please make available for Societa Meridionale di Elettricita at Pescara or nearest

50 Tons of Cement weekly until further notice.

2. Important electrical repair work to the damaged Pescara plants is being held up for lack of cement, the Pescara group of plants is the most important group on the East side of the mainland and it is vitally necessary that this group be put into operation at an early date.

E.J. RAMEY
Major E.C.
Act.Chief Elect.Div.

134

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGF/bs

May Price

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

25/11/44

Reference: 300/PWU

SUBJECT : HEMP ROPE

TO : REGIONAL COMMISSIONER
Southern Region

1. Herewith AC Release note No. ACC 1785 dated 20 Nov.44 for

Hemp Rope 13/16 diam 765 yds.

2. The release has already been arranged with the Hemp Control Office Via Cesare Battisti No.15 Naples to which office you should present this release note.

W.M. LAPPIER, Lt.Col.
Chief Electr. Division

Copy to S.M.E.
Via Paolo Imbriani
Naples.

133 22

Declassified E.O. 12356 Section 3.3/NND No. 785019

lephone 478805
P/ba

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference:300/PWU 21/11/44

SUBJECT: FORRESTRY COMPANY SOUTHERN REGION

TO : SOCIETA MERIDIONALE DI ELETTRICETA
Via F.Imbriani - Naples

1. Reference your letter 461-208 dated 11 Oct.44.

2. We have taken up the question of removal of 2 sheets of Iron by the Forrestry Company at Camigliabello, with P.B.S. and in order to regularise the situation C.G. P.B.S. ask that they be furnished with the original talley slip.

3. Will you forward to this office please.

W.M.LAFFER, LT.COL
CHIEF ELECTR. DIVISION

131
132

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LQP/hs

Mr. Pile

71

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: 300/PWU

21/11/44

SUBJECT: STEEL PLATES AVENTINO

TO : SOCIETA MERIDIONALE DI ELETTRICITA
Via Paolo Imbriani - Naples

1. The steel plates required for Aventino penstock have been specially rolled to meet the sizes demanded by you, these plates are now ready for shipment and it is expected that they will be loaded and despatched to you today or tomorrow.

2. As it is anticipated that only 3 days will elapse between dispatch and delivery, it is requested that you make enquiries at your end in approximately three days from this date.

3. The total weight of the steel plates is 14½ Tons.

See file 310 Transportation

W.M.LAPPER, LT.COL.
CHIEF ELECTR. DIVISION

121

Declassified E.O. 12356 Section 3.3/NND No. 785019

Room 5
Fifth Floor

FILE 300

LGP/bs
Telephone 478805

MEMORANDUM

TO : Director Industry Sub-Commission

FROM : P.W. & U. Sub-Commission
Electrical Section

SUBJECT : NUTS & BOLTS

1. Herewith copy of letter AC/300/PWU dated 13/11/44 as requested but it would appear that the attached as been wrongly directed since the original correspondence emanated from and concern this Sub-Commission.

L.B.PRICE, Major RE
Electr.Sec.P.W.U. Sub-Com.

Declassified E.O. 12356 Section 3.3/NND No. 785019

56. Fifth Hoover...

TO : PC. for PSO. Chieti - Pescara - Teramo provinces
" " " Ascoli - Macerata provinces
Copy: Regional Engineer
" H.Q. AC. Industry Sub-Commission
(ref. AC/300/FDU of 13 November 44)

FROM : H.Q. AC/AMG. Abruzzi-Marche Region (Economic & Supply)

REF. : RE/518/17/2

17 NOV 1944
P.W.U., S/C.

SUBJECT : Nuts & Bolts

DATE : 16 November 44

1. Release order 1538 for a quantity of nuts and bolts at A.Cecchetti. Civitanova. for S.M.E. Naples was sent to PSO Macerata under our RE/518/17/2 of 8 November 44.

2. Industry Sub-Commission now wish these to be collected instead by S.M.E. Pescara.

3. PSO Macerata will immediately instruct A.Cecchetti. Civitanova to deliver to S.M.E. Pescara, and to invoice S.M.E. Pescara.

4. PSO Pescara will arrange with SME (Electricity Company) Pescara to send a representative with an AMG or civilian truck to collect from A.Cecchetti. Civitanova.

5. The nuts and bolts are urgently needed for electrical repairs.

6. Truck could take a forward load of salt or other supplies.

For the Regional Commissioner;

D.V. Shaw-Kennedy

D.V.SHAW-KENNEDY
Captain
Regional Supply Officer

129
128
117

Declassified E.O. 12356 Section 3.3/NND No. 785019

LQP/bs
Telephone 478805

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: 300/PWU

18/11/44

SUBJECT : INSULATING MATERIAL

TO : SOCIETA MERIDIONALE DI ELETTRICITA
Via P.Imbriani - Naples

1. Reference your request for insulating materials we attach hereto voucher No. F/5709 dated 14 Nov.44.

2. Please arrange to present the above mentioned voucher to the officer in charge of ESBD CANCELLO who will release to you

EMPIRE TAPE 3/4" Rolls 6.

W.M. LAPPER, LT. COL.
CHIEF ELECT. DIVISION

ENCL. Voucher ESBD Cancello.

12837

Declassified E.O. 12356 Section 3.3/NND No. 785019

300

(64)

AG 400.12 BPENG (8 Nov. 44) 1st Ind.
HEADQUARTERS PENINSULAR BASE SECTION APO 782 16 NOV 1944

TO: Chief Commissioner, Headquarters Allied Commission.
(Attention: Public Works and Utilities Sub-Commission)

It is requested that the SME make available to the Engineer, Penbase Main the Original Tally Sheet bearing Forestry Company personnel signature in order that proper action may be undertaken.

For the Commanding Officer:

L. F NICKEL,
Lt. Colonel, A.G.D.,
Adjutant General

4 Inclosures:
Incl. 1 - Ltr/Hq. A.C. to Penbase
Incl. 2 - Ltr/SME to A.C.
Incl. 3 - Ltr/SME to Forestry Co.
Incl. 4 - Tally Slip

1 2 NOV

See our letter 8-11-44 and other correspondence

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

HEADQUARTERS ALLIED COMMISSION
A. P. O. 394
Public Works & Utilities Sub-Commission
Electrical Section

8/11/1944

Referemce: AC/300/PWU

SUBJECT: FORESTRY COMPANY SOUTHERN REGION

TO : C.G. Peninsalar Base Section HQ

1. Herewith correspondence from Societa' Meridionale di Elettricita concerning the above mentioned Comapny.

2. Will you please take this matter up with the necessary formation so that the situation can be regularised.

E.J. BARRY
Major C.E.
Act. Chief Elect. Div.

3 Incl.

125
126

Declassified E.O. 12356 Section 3.3/NND No. 785019

S. M. E.

Napoli 11 Ottobre 1944

N.461-208 FP/BDF

To the Commanding Officer
Forestry Company

CAMIGLIATELLO -

TRANSLATION

Our representative at Acri reports to us that on August 14th,1944 an officer of your Unit took two iron sheets 2 x 1 s.q. from our building yard of Croce del Greco, in spite of the C.E.B. H.Q.'s order n.400 forbidding any requisition of materials belonging to Electric Companies and which had been duly exhibited. Moreover no regular requisition form was issued as provided for by the regulations in force. As a receipt for the two iron sheets our representative was given the tally a copy of which is here enclosed. Wea s We ask you to kindly have it regularized and let us have the requisition form needed for the indemnification thereof.

With best thanks, we remain
truly yours

F.to Maglione - Brun

Copy to : Allied Control Commission
Public Works and Utilities
Sub Commission

125

126

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

Napoli, 11/10/1944

68

Societa Meridionale di Elettricita
per azioni
SEDE IN NAPOLI

N.461-207 FP/MV

Allied Commission Public Works and
Utilities
Sub- Commission
ROME

Attention Maj. Price.

TRANSLATION

We enclose herewith copy of the letter we have addressed to the "Forestry Company" of Camigliatello which took two iron sheets from our building yard of Camigliatello in spite of the well known C.E.B.'s order No.400. As it seems that the above unit intends to requisition more materials we ask you to take proper steps with it in order to have the regulation in force strictly observed.

With best thanks in advance we remain

truly yours

Ft.o Maglione - Brun

123
124

Declassified E.O. 12356 Section 3.3/NND No. 785019

(68)

TALLY SLIP

Owner: Societa Meridionale di elettricita - ACRI-

No. Pcs. 2

4 x 8 Sheet metal

Checker (illegibile)

123 2

Declassified E.O. 12356 Section 3.3/NND No. 785019

LQP/bs
Telephone 478805

12-11-44

MEMORANDUM

TO : Director Industry Sub-Commission

FROM : P.W. & U. Sub-Commission
Mechtrical Section

SUBJECT : NUTS & BOLTS

1. Herewith copy of letter AC/300/PWU dated 13/11/44 as requested but it would appear that the attached has been wrongly directed since the original correspondence emanated from and concern this Sub-Commission.

L.B.PRICE,Major RE
Electr.Sec.P.W.U. Sub-Com.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

Telephone 478805

TO : PC. for PSC. Chieti -Pescara -Teramo provinces
ASColi - Macerata provinces
Copy : Regional Engineer
HQ.AC Industry Sub-Commission
(AC/300/PWU 13 Nov.44)

FROM: HQ.AC.AMG Abruzzi Marche Region (Economic & Supply)

Ref: R5/518/17/2

SUBJECT NUTS & BOLTS

DATE : 16 Nov. 1944

1.Release order 1538 for a quantity of nuts and bolts at A.Cecchetti Civitanova for S.M.E. Naples was sent to PSO Macerata under our R5/518/17/2 of 8 Nov.1944.

2. Industry Sub-Commission now wish these to be collected instead by S.M.E. Pescara.

3. PSO Macerata will immediately instruct A.Cecchetti Civitanova to deliver to S.M.E. Pescara, and to invoice S.N.E.Pescara.

4. PSO Pescara will arrange with SME (Electricity Company) Pescara to send a representative with an AMG or civlian truck to collect from A.Cecchetti, Civitanova.

5. The nuts and bolts are urgently needed for electrical repairs.

6. Truck could take a forward load of salt or other supplies.

For the Regional Commissioner

D.V. SHAW-Kennedy
Captain
Regional Supply Officer

121
120

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

AGF/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference:AC/300/PWU

13/XI/44

SUBJECT: RELEASE OF BOLTS & NUTS
A.Cecchetti Porto Civitanova

TO : Societa Meridionale di Elettricita
Via p.Imbriani,40 -Naples

1. Reference your application for Bolts and Nuts and the release of same on A.Cecchetti Portocivitanova.

2. It has been arranged with the Regional Commissioner Abruzzi-Marche Region, that he collects the above stores and deliver to your office at the Pescara plants.

E.J.BAILEY
Major C.E.
Act.Chief Elect.Div.

Copy to Regional Commissioner Abruzzi-Marche Region
(your RS/518/17/2 dated 8 Nov.44 refers)

1205

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

Mgt. Price File

(63)

LEP/ba

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/300/P&U

13/11/44

SUBJECT: RELEASE OF BOLTS & NUTS
Release No.1538

TO : REGIONAL COMMISSIONER
ABRUZZI - MARCHE REGION (Economics and Supply)

1. Reference your R5/518/17/2 dated 8 Nov. 44 in reply to our even number dated 2 Nov. 44.

2. Bolts and Nuts are very urgently required on electrical rehabilitation, principly at Pescara, it will therefore be much more economical if the above stores are collected by transport in your area and delivered to Pescara.

3. Please arrange for a vehicle from your transport pool to collect these stores from Porto-Civitanova and deliver to the Pescara depot of SME, also please arrange for SME to be invoiced direct.

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

119

Declassified E.O. 12356 Section 3.3/NND No. 785019

3062

COPY T

TO:P.W. & U.
Elect.Sec.

FROM:HQ AMG AC ABRUZZI MARCHE REGION (Economics & Supply)

SUBJECT :RELEASE OF NUTS & BOLTS

REF : R5/518/17/2

DATE : 8 Nov. 1944

1. Ref. your ACC/300/ PWU and release order n.1538.

2. These is no railway at Civitanova and we cannot spare transport to take nuts and bolts to Naples, much as we would like to help.
3. It is suggested that SME send a small truck . A forward load of candles which it is understood are produced in Naples would find a ready sale in Macerata or Civitanova at reasonable prices.

For the Regional Commissioner

signed....

118

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 476805

LGP/bd

61

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/300/PWU

13/11/44

SUBJECT: INSULATORS

TO : SOCIETA MERIDIONALE DI ELETTRICITA
Via F. Imbriani, 40 - Naples

1. Reference conversation Major Price - Eng. Masturzo of recent date.

2. Enquiries have been made regarding the availability of insulators with the following result:

Insulators "Locke" 4" Base w/screw socket	3072 No. Brindisi
" " 7" "	5760 " "
Insulators Porcelain Screw attached	88 gross Bari
Insulators Heavy Cable	14 " "
Insulators HT Fixed 11000V & 23000V	310 No. "
Pin Type insulators 15 KV	37 " Cancello
" " " 22 KV	70 " Ancona
Insulators Shackle L.T.	11800 " Brindisi

3. Please state number required when arrangements will be made for release.

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

Copy to Regional Commissioner
Southern Region
(Att.Capt. Ryan)

116

117

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED FORCE LOCAL RESOURCES SECTION
A.F.H.Q.

Postal Address:
AFHQ, RAAC, CMF.

IRS/320/10 — 13 Nov 44.

SUBJECT : Cement — TEL: ROME 66429

TO : The Chairman, Electrical Reconstruction Committee.

COPY TO : D. of W., A.F.H.Q.
H.Q., A.C., Public Works & Utilities Sub-Committee.

1. Attached copy of letter AC/300/ITU dated 8 Nov 44 from H.Q., A.C., is passed to you for consideration under terms of A.F.H.Q. Administrative Memorandum No.43.

D.W.TRUSSELL, Captain,
for Chiefs of Section,
A.F.L.R.S.

DWT/JP

HEADQUARTERS
13 NOV 1944
A. C.

116

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

LGP/bs

609

Telephone 478805

HEADQUARTERS ALLIED COMMISSION
A.P.O.
Public Works & Utilities Sub-Commission
Electrical Section

8/11/44

Reference:AC/300/PWU

SUBJECT:- CEMENT FOR PESCARA

TO :- AFLR (Italian) Board

1. Reference telephone conversation Capt. Trussell - Major Price this date, will you please make available for Societa Meridionale di Elettricita at Pescara or nearest
50 Tons of Cement weekly until further notice.

2. Important electrical repair work to the damaged Pescara plants is being held up for lack of cement, the ... Pescara group of plants is the most important group on the East side of the mainland and it is vitally necessary that this group be put into operation at an early date. ..

E.J. BARRY
Major R.E.
Act.Chief Elec.Engr.

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21917

N. 14000/ 1007 GCp/rg.
da citare nella risposta

9 NOV Recd 2900

Napoli, (105) 16-10-1944
VIA P. E. IMBRIANI, 42

ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section - A.P.O.394

ROMA

Soggetto: Spazzole di carbone

Risposta Vs. ACC/306/PWU.

Abbiamo già presi accordi con gli Ingg.Calori e Anteri (Siemens) Piazza Mignanelli n° 3 Roma, rappresentanti della SOCIETA' ITALIANA FORNI ELETTRICI ED ELETTRICITA' di NARNI SCALO (nostri consueti fornitori) per la fornitura del nostro normale fabbisogno di spazzole.

all.1 Rimettiamo allegato l'elenco di detto fabbisogno.

Translation

Subject: Carbon Brushes

To your letter ACC/306/PWU.

For the supply of our normal requirement for carbon brushes we already agreed with :

Engineers CALORI E ANTERI (Siemens)
Piazza Mignanelli,3 - Roma

has representatives of:

SOCIETA' ITALIANA FORNI ELETTRICI ED ELETTRICITA'
NARNI SCALO

encl.1 that was our usual supplier for such a item.

Herewith enclosed we sent you the list of the said requirement.

Società Meridionale di Elettricità

F.to Maglione - Masturzo

12.10.44

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tipi A. Trani - 3.43

Declassified E.O. 12356 Section 3.3/NND No. 785019

REQUIREMENT OF CARBON BRUSHES THAT THE SOCIETA' ITALIANA FORNI ELETTRICI E ELETTRICITA' IN NARNI IS WORKING FOR THE S.M.E. C°.

Carbon brushes type Y with braids:

- n° 750 mms. 30 x 30 x 30
- " 36 " 35 x 30 x 20
- " 72 " 30 x 30 x 20
- " 600 " 50 x 32 x 40
- " 36 " 35 x 22 x 12
- " 260 " 50 x 32 x 36

Carbon brushes type UE with braids:

- n° 168 mms. 30 x 30 x 20
- " 72 " 30 x 25 x 10
- " 300 " 60/55x 32 x 15
- " 360 " 35 x 32 x 25
- " 36 " 38 x 13 x 15
- " 60 " 50 x 32 x 12
- " 40 " 30 x 30 x 15
- " 32 " 30 x 20 x 10

Carbon brushes type TE with braids:

- n° 336 mms. 30 x 30 x 25
- " 548 " 30 x 30 x 20
- " 84 " 50 x 32 x 16
- " 224 " 60/55x 32 x 19
- " 224 " 55 x 18 x 25
- " 264 " 60/46x 32 x 15
- " 192 " 58 x 32 x 13
- " 160 " 30 x 20 x 15
- " 160 " 30 x 20 x 10

Carbon brushes type MR without braids:

- n° 70 mms. 30 x 30 x 20
- " 40 " 20 x 15 x 15
- " 15 " 50 x 50 x 15
- " 9 " 100 x 100 x 20

1113

GCp/rg.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 473805

LGP/bs

HEADQUARTERS ALLIED COMMISSION
A.P.O.
Public Works & Utilities Sub-Commission
Electrical Section

Reference:AC/300/PWU

8/11/44

SUBJECT:- CEMENT FOR PESCARA

TO :- AFLR (Italian) Board

1. Reference telephone conversation Capt.Trustle - Major Price this date, will you please make available for Societa Meridionale di Elettricita at Pescara or nearest

50 Tons of Cement weekly until further notice.

2. Important electrical repair work to the damaged Pescara plants is being held up for lack of cement, the Pescara group of plants is the most important group on the East side of the mainland and it is vitally necessary that this group be put into operation at an early date.

E.J. BARRY
Major E.C.
Act.Chief Elect.Div.

112
111

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

May Hel LGT/be (56

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/300/PWU 8/11/44

SUBJECT: FORRESTRY COMPANY SOUTHERN REGION

TO : C.C. Peninsular Base Section HQ.

1. Herewith correspondence from Societa Meridionale di Elettricita concerning the above mentioned Company.

2. Will you please take this matter up with the necessary formation so that the situation can be regularised.

E.G. BARRY
Major C.E.
Act.Chief Elect.Div.

3 Encl.

The Forestry Co. took two iron sheets from [illegible] yard of Cave del Freno - S.M.E. -
No regular requisition from was issued. III
as a receipt was given - Kelly.
S.M.E. requires proper steps to have the requisition in free stickly observed -

Declassified E.O. 12356 Section 3.3/NND No. 785019

7 NOV Recd

HQ Allied Armies in Italy

Tel : Filpot 312

1744/DW

4 Nov 44.

H.Q., A.C.C.
Public Works & Utilities Sub Commission
Electrical Section.

Subject :- Forestry Company Southern Region

Ref your ACC/306/PWU of 30 Oct enclosing correspondence from Societa Meridionale di Elettricita concerning requisition of their material at Camigliatello.

1. The Forestry Unit at Camigliatello is not controlled by this Directorate. It is an American Unit under control Engineer P.B.S, to whom you should address your request.

2. Correspondence is returned herewith.

A.H. Glendinning.,
Lt - Col. RE.,
For Brigadier.,
Director of Works.

Enclos :- As para 3

110

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission

Reference: AC/300/PWU

3/11/44

SUBJECT : TRANSFORMER OIL

TO : SOCIETA MERIDIONALE DI ELETTRICITA
Via Paolo E. Imbriani, 42
Napoli

1. Attached hereto is a copy of a letter received from S.A.I.S. Rossano Calabro which Societa is beleived to be an Associated Company of S.M.E. if this is so, you will no doubt arrange to supply their needs from your allotment of oils.

2. We shall be glad to have your confirmation.

E.J. BARRY
Major E.C.
Act.Chief Elect.Div.

ENCL. Annexe "A" (Copy of S.A.I. Smurra letter)

109

Declassified E.O. 12356 Section 3.3/NND No. 785019

31 OCT Recd

S. A. I. S.

Società Anonima Idroelettriche Smurra

ROSSANO CALABRO

Il 17 ottobre 1944

CENTRAL ELECTRICAL BOARD
Tramite A.C.C.
COSENZA

Alla scrivente che fornisce energia elettrica alle Industrie dell' ex-circondario di Rossano (Cosenza) le occorrono circa quintali 15 (quindici) di olio per trasformatori per isolamento a 30mila Volts onde rifornire un trasformatore di 220 KVA recentemente bruciatosi e completare altri trasformatori.-

Kilogrammi 100 (cento) di olio lubrificante per turbine idrauliche oltre Kg. 100 (cento) per Regolatori delle stesse turbine.-

SOC. AN. IDROELETTRICHE SMURRA
S. A. I. S.
L'AMMINISTRATORE

108

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 470805

LGP/be

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference : ACC/300/PWU

2/11/44

SUBJET :- FILTER PAPER

TO :- SOCIETÀ MERIDIONALE DI ELETTRICITA
Via Paolo Imbriani,42-Naples

1. We thank you for your letter 46-825 dated 25 Oct. 1944 and note your kind offer to place at our disposal your stock of Filter Paper.

2. We have a large quantity of Filter Paper on order, and when this order is executed we shall be pleased to bring your stock up to normal, in the meantime, will you please forward to this office, through Capt. Ryan Southern Region A.C.

500 sheets of Filter Paper
0.19 x 0.19 metres

E.J.BARRY
Major R.E.
Act.Chief Elect.Div.

106
107

Declassified E.O. 12356 Section 3.3/NND No. 785019

25 OTT. 1944

461-823

HEADQUARTERS
ALLIED COMMISSION
PUBLIC WORKS AND UTILITIES
SUB-COMMISSION
ELECTRICAL SECTION - A.P.O. 394

N A P L E S

TM/ls

Cartoncini per filtropressa

Con riferimento a Vostra ACC/302 PWU datata 3 ottobre volgente, Vi comunichiamo che dei cartoncini 185 x 185 mm. a noi a suo tempo assegnati resideranno dai lavori in corso soltanto un migliaio di pezzi. Questo residuo era destinato a costituire la scorta da tenersi pronta per eventuali incidenti. Potremmo mettere a disposizione degli impianti dell'Italia Centrale la sopradetta scorta di 1000 cartoncini con preghiera di voler considerare la opportunità di restituzione a noi appena arriveranno quelli appositamente ordinati.

TRANSLATION

Filter paper

Reference your letter ACC/302 PWU of October 3rd, 1944 we inform you that from works presently undertaken will remain about one thousand filter papers as a spare stock to face eventual requirements in case of incidents.

We could now put the said stock of 1000 filter papers at your disposal for the plants in Central Italy; we ask you in the meantime to consider kindly the expendiency of restitution of the same number of filter papers to us, on arrival of those that were specially ordered.

Truly yours.

106
103

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/ba

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: ACC/300/P&U

2/11/44

SUBJECT:- RELEASE OF BOLTS & NUTS

TO :- Regional Commissioner
Abruzzi Marche Region

1. Attached hereto is a copy of Release Order No. 1538 of 23 October 1944.

2. Will you please arrange to collect this material from

A. CECCHETTI
Porto Civitanove (Macerata)

and forward to Societa Meridionale di Elettricita Naples through the Regional Commissioner Southern Region (for the attention of Capt. Ryan) and also arrange that this material be invoiced direct to the above mentioned societa.

3. It has been ascertained that the expiry date need not be strictly adhered to.

E.J. Barry

E.J.BARRY
Major E.C.
Act.Chief Elect.Div.

Encl. Copy Release no. 1538

105

Declassified E.O. 12356 Section 3.3/NND No. 785019

SME 51

MEMORANDUM FOR MAJ. PRICE

Insulators-resin and compound-
cable boxes-flash lamps, lamps-
portable telephonic sets-waterproofs-shoes

1) Our subsidiary Companies need a noticeable number (many thousands) of pin insulators for 12-22-33 kV. Until now it has been only possible to manufacture in Naples L.T. insulators (of glass). We beg you then to consider the possibility of granting us a supply of the above type of insulators (for 12-22-33 kV) according with the availabilities and needs of others Companies. S.M.E. would care the distribution of the granted insulators to the single Sub. Coys.
About 2000 suspension insulators for our 150 and 60 kV lines are also needed.

2) Compound would be urgently required. According to some tests made by us, we could employ a compound prepared with a mixture of peach and resin. But only peach can be found on the market. We should then require a supply of 2-3 Tons of resin.

3) Also cable boxes are required in noticeable number. We can manufacture them in Naples with the exception of porcelain bushings. A supply of boxes, or of porcelain bushings, is needed. S.M.E. would care the distribution to Sub. Coys.

4) Flashlights (complete with batteries) for S.M.E. and Sub. Coys n. 250
It would be required also a supply of spare batteries and bulbs.

5) Portable telephonic sets required for all transmission lines now in operation would be 50.

6) We remember also the possibility of obtaining some cloth [illegible] be used as waterproofs (n. 150). Waterproofs are absolutely necessary for the patrolling of the transmission lines.

7) Patrolling of the lines will be rendered impossible by the coming ba

Declassified E.O. 12356 Section 3.3/NND No. 785019

weather unless at least 300 leather shoes, strong and in good conditions are supplied without delay.

NAPLES, 28th October 1944 -

TM/BDF

3103

Declassified E.O. 12356 Section 3.3/NND No. 785019

MEMORANDUM FOR MAJ. PRICE

Insulators-resin and compound-
cable boxes-flash lamps, lamps-
portable telephonic sets-waterproofs-shoes

1) Our subsidiary Companies need a noticeable number (many thousands) of pin insulators for 12-22-33 kV. Until now it has been only possible to manufacture in Naples L.T. insulators (of glass). We beg you then to consider the possibility of granting us a supply of the above type of insulators (for 12-22-33 kV) according with the availabilities and needs of others Companies. S.M.E. would care the distribution of the granted insulators to the single Sub. Coys.
About 2000 suspension insulators for our 150 and 60 kV lines are also needed.

2) Compound would be urgently required. According to some tests made by us, we could employ a compound prepared with a mixture of peach and resin. But only peach can be found on the market. We should then require a supply of 2-3 Tons of resin.

3) Also cable boxes are required in noticeable number. We can manufacture them in Naples with the exception of porcelain bushings. A supply of boxes, or of porcelain bushings, is needed. S.M.E. would care the distribution to Sub. Coys.

4) Flashlights (complete with batteries) for S.M.E. and Sub. Coys n. 250
It would be required also a supply of spare batteries and bulbs.

5) Portable telephonic sets required for all transmission lines now in operation would be 50.

6) We remember also the possibility of obtaining some clothes to be used as waterproofs (n. 150). Waterproofs are absolutely necessary for the patrolling of the transmission lines.

7) Patrolling of the lines will be rendered impossible by the coming bad

Declassified E.O. 12356 Section 3.3/NND No. 785019

weather unless at least 300 leather shoes, strong and in good conditions are supplied without delay.

NAPLES, 28th October 1944 -
TM/BDF

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LAP/be

(59)

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission

ACC/300/PWU

1 November 1944

SUBJECT:- INSULATING MATERIAL

TO :- D W H, A.A.I.

1. Reference telephone conversation Major Price-Major Wellis of even date.

2. Will you please release to Societa Meridionale di Elettricita Naples

6 Rolls 3/4" Empire tape

which it is understood you have in stores at Cancello.

3. This Sub-Commission will be glad to know if you have any other insulating material in stock, which could be made available for very urgent and important repair work.

4. Please forward the release note to this office, on the receipt of which arrangements will be made to collect.

E.J.BARRY
Major E.C.
Act.Chief Elect.Div.

100

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities sub.Commission
Electrical Section
APO 394

LGF/bs

49

30 October 1944

ACC/13/1/2HU

SUBJECT:- STORES FOR S.M.E.

TO :- Regional Commission
Southern Region

1. Information has been received that the following material shipped on UC348 HR.140 S.S.George Dorn has been found and is stored in Warehouse 676 Naples:

Glycerine	20 galls.
Litharge	300 lbs.

2. This material was ordered for S.M.E. will you please arrange for delivery.

F.J.Barry
F.J.BARRY
Major C.E.
Act.Chief Elect.Div.

99

Declassified E.O. 12356 Section 3.3/NND No. 785019

28 OCT Recd

28 OCT Recd

Phone 478700

RHK/er

HEADQUARTERS
ALLIED COMMISSION
Transportation Sub- Commission
Shipment, PortA& Warehouse Division
APO 394

28 Oct. 44

Subject : Litharge & Glycerine Ex UGS 48 - HR 440
S.S. George Dern.

To : Public Works Utilities (Att. Major Price)

1. 20 gallons of glycerine and 300 Lbs. of litharge powder discharged from the above named vessel have now been recovered and warehoused at Depot 676, Naples.

2. Disposition instructions can now be issued on the A/M items.

98


ROBERT H. KLEIN
Capt. M.A.C.
Shipment, Port & Whse.Div.

for

D.S. ADAMS
Colonel, D.E.
Director Tn.Sub-Comm.

1866

Declassified E.O. 12356 Section 3.3/NND No. 785019



FABBISOGNO ANNUO SPAZZOLE PER MACCHINE ROTANTI (per S.A.)

I- Per collettori ad anelli di acciaio

Tipo	Misure	fig.	disegno	N.
I - Grafite H N 6	30 X 30 X 30 a I o 2 attacchi	I	54I4	N. 750
	35 X 30 X 20	2	"	" 36
	30 X 30 X 20	3	"	" 72
	50 X 32 X 40	4	"	" 600
	35 X 22 X 12	5	"	" 36
	50 X 32 X 36	6	"	" 260

II Per collettori ad anelli di bronzo

Tipo	Misure	fig.	disegno	N.
Metal carbone CM - I8	30X30X20 senza attacchi			N. 70
	20XI5XI5 " "			" 40
	50X50XI5 " "			" 25
	I00XI00X20 " "			" 9

III - Per collettori a anelle di rame (A e B)

A - con velocità periferiche minori di I0 m/sec.

Tipo	Misure	fig.	disegno	
Elettrografite	30X30X20(I o 2 attacchi e I coppia di alette alla coppa	7	54I4	N. I44
B e B	30X30X20(a I attacco e 2 coppie di alette alla coppa)	2	54I4	" 24
	30X30XI0	8	54I4	" 72
	60/55X30XI5	9	54I4	" 320
	35X30XI5	I0	54I4	" 360
	28XI2XI5	II	54I4	" 36
	50X32XI2	I2	54I4	" 60
	30X30XI5	I3	5436	" 40
	30X20XI0	I4	54I4	" 32

Declassified E.O. 12356 Section 3.3/NND No. 785019

III — Per collettori a lamelle di rame (A e B)

A — con velocità periferiche minori di 10 m/sec.

Tipo	Misure	Fig.	disegno		
Elettrografite	30X30X20(1 o 2 attacchi e 1 coppia di elette alla coppa	7	54I4	N.	I44
N.O.I	30X30X20(a 1 attacco e 2 coppie di elette alla coppa)	8	54I4	"	24
	30X25X10	8	54I4	"	72
	60/55X32X15	9	54I4	"	300
	35X32X25	10	54I4	"	360
	38X32X15	11	54I4	"	36
	50X32X12	12	54I4	"	60
	30X30X15	13	5336	"	40
	30X20X10	22	54I4	"	32

B — con velocità periferiche maggiori di 10 m/sec.

Elettrografite N.O.I2	30 X 30 X 25	15	54I4	"	336
	30 X 30 X 20	17 bis	54I4	"	548
	50 X 32 X 16	17	54I4	"	84
	60/55X32X19	18	54I4	"	224
	55 X 28 X 25	19	54I4	"	224
	60/46X32X15	20	54I4	"	264
	58 X 37 X 22	21	54I4	"	192
	30 X 20 X 15	23	5387	"	160
	30 X 20 X 10	24	5387	"	160

N.B. In mancanza dei tipi sopraindicati presi in esame, si possono usare i corrispondenti tipi di "Il Carbonio" o "dell'Elettrocarbonium".

CM/AP

Declassified E.O. 12356 Section 3.3/NND No. 785019

82

Hier Lucie
a il not
Terre
lut !

Società Italiana Forni
Elettrici ed elettricità
Narni Scalo

Brushes

Declassified E.O. 12356 Section 3.3/NND No. 785019

Fill

3 DS
SITE

COMMERCE SUBCOMMISSION

ROUTING SLIP

(Date)

FROM TO

Director:
Col. W. P. EVANS

D/Director:
Maj. W. E. SCOTTEN

Adjutant:
Lieut. P. S. COYNE

Materials Division:
Lt. Col. F. M. REITER
Maj. E. R. GREEN
Maj. L. C. WOOD
Sqdn. Ldr. C. A. MACKENZIE
Capt. J. W. G. SQUAIR
1st Lt. I. W. HARKOW
Lieut. B. KOCHELEFF

Foreign Trade Section:
Maj. H. A. GENT
Maj. A. H. BOUGHTON
Capt. H. C. NELSON
1st Lt. W. W. HALSE

Fuel Section:
Maj. A. S. BRERETON

Prices Section:
Capt. F. C. MURPHY

Chief Clerk
Economic Section 94

For:
Necessary Action
Investigation and Report
Recommendation and Remark
Information
Approval
To note & return/pass on

Declassified E.O. 12356 Section 3.3/NND No. 785019

Materials Division:
Lt. Col. F. M. REITER
Maj. E. R. GREEN
Maj. L. C. WOOD
Sqdn. Ldr. C. A. MACKENZIE
Capt. J. W. G. SQUAIR
1st Lt. I. W. HARKOW
Lieut. B. KOCHELEFF

Foreign Trade Section:
Maj. H. A. GENT
Maj. A. H. BOUGHTON
Capt. H. C. NELSON
1st Lt. W. W. HOOSE

Fuel Section:
Maj. A. S. BRERETON

Prices Section:
Capt. F. C. MURPHY

Chief Clerk
Economic Section

FOR:
Necessary Action
Investigation and Report
Recommendation and Remark
Information
Approval
To note & return/pass on
Signature
Discuss
File
B/F

Remarks:

PRICE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

20 OCT Recd
Archivio Indirizzi Misc 7840
QUARTERS
HE OCT 1944

Indicazioni di ragguaz. | Ricev. il ore | Pel circuito N. | Ricevuto

Qualifica | Destinazione | Provenienza | Num. | Parole | Data della presentazione (Giorno e mese) | Ore e minuti

Ord 33°,, ROMA CATANZARO 1110 47 11 13,

, ES/271/ ACC MAT 10 FOR ONE ZERO ZERO QUINTALS OF TRANSFORMER OIL CONSIGNEE SOCIETA ELETTRICA DELLA CALABRIA CATANZARO SUBMITTED ON THE 12 SEPT 1944 WAS REQUESTED AS NORMAL PLEASE CONSIDER VRB

URGENT , LA ROSA,, 115 5083 Com: Lettera d/d 19/10/44 Da 13130

93

Declassified E.O. 12356 Section 3.3/NND No. 785019

Fatevi correntisti postali.

Pagamenti e riscossioni in tutte le località del Regno. Fra correntisti i pagamenti e le riscossioni mediante postagiro sono eseguiti senza limitazione di somma ed in esenzione da qualsiasi tasse

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
PUBLIC WORKS & UTILITIES SUB-COMMISSION
Electrical Section
APO 394

ACC/300/PWU

19/10/44

SUBJECT :- TRANSFORMER OIL

TO :- C.I.P.
Via dei Taroniti,40-Roma

1.Will you please arrange to release to Societa Meridionale di Elettricita Naples the following:

20 TONS TRANSFORMER OIL

2. ofthis quantity 10 tons should be allocated to;
. Societa Meridionale di Elettricita-Naples,
and 10 Tons to;
Societa Elettrica delle Calabrie -Catanzaro.

E.J.BARRY
MAJOR C.E.
Act.Chief Elect.Div.

Copy to AFHQ Petroleum Section
SMT Naples.

Declassified E.O. 12356 Section 3.3/NND No. 785019

18 OCT 1944 C/ECB

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUBCOMMISSION
Releases & Requirements Section
APO 394

B K/ec

Ref. ACC/5083/Commerce

17 October 1944

SUBJECT: Release of Transformer Oil

TO : Public Works & Utilities Sub-Commission HQ.ACC.
(Attn. Major Price)

In terms of this Sub-Commission (Fuel Section) minute ACC/5083/Commerce POL 8 dated 16 August 1944 paragraph (3), attached Forms MAT 10's dated 12th and 30th September 1944 are passed on to you for investigation and necessary action.

J. E. SCOTTEN
Major, M.I.S.
Acting Director
Commerce Subcommission

2 Incls. as above

91

URGENT ELECTRICAL

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

O-46

Date 12 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.

2. ANG/ACC FORMATION Catanzaro Zona Southern Region

3. COMMODITY DEMANDED transformer oil.
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In Metric or other suitable unit)

(a) Single lot demand: 100 quintali

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of form)

6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located?

(b) If locally- Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia)- Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.

7. ADDRESS FOR DELIVERY:

Consignee: Società Elettrica delle Calabrie

Address Catanzaro, Catanzaro Province

8. It is certified that supplies and stores are required for (URGENT) (NORMAL) (~~STOCK-PILING~~) purposes. (Strike out words not applicable).

Date: September 12, 1944 Signature:

Rank, Title, Office.

90

Declassified E.O. 12356 Section 3.3/NND No. 785019

(a) Single lot demand: 100 quintali

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of form)

6. SOURCES OF SUPPLY (If Known) Give particulars:
   (a) Has Material been located?
   (b) If locally- Where?
   (c) If anywhere in Liberated Italy (Including Sicily & Sardinia)- Where?
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.

7. ADDRESS FOR DELIVERY:

Consignee: Società Elettrica delle Calabrie

Address: Catanzaro, Catanzaro Province

8. It is certified that supplies and stores are required for (~~CIVILIAN~~) (MILITARY). (~~STRIKE OUT~~) purposes. (Strike out words not applicable). 90

Date: September 12, 1944 Signature:

Rank, Title, Office.

9. REGIONAL APPROVAL OCBump Title Lt Col RLO Date

FOR USE OF LOCAL RESOURCES SECTION (A & C SUB-COMMISSION).

ATLR (I)B Release Order No Our Release Order No

Date Date

Remarks:

Form ACC-MAT No. 10.

0-46

Declassified E.O. 12356 Section 3.3/NND No. 785019

The above material is needed to supply transformers for the Società Elettrica delle Calabrie. Investigation has been made to insure the conservation and care of transformer oil. This company has and uses the necessary filtering process for renovating dirty oil. They send their oxidized oil to the S.M.E. for rejuvenation.

This material is urgently required for the winter season, in which frequent lightening storms cause considerable oxidation to the supply now in use.

William F. Chamberlin

WILLIAM F.CHAMBERLIN
Major F.A.
P.W.&U. Officer
Catanzaro zone

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

1178

ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

N° 46 B

Date: 30 September 1944

VC-222

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION RES. Industry Sub Section HQ. Southern Region

3. COMMODITY DEMANDED Transformer Oil
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand : 10 tons
(b) Next Month
(c) Second Month
(d) Third Month

5. JUSTIFICATION : (detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
(a) Has material been located? C.I.P. Naples
(b) If locally - Where?
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) Where?
(d) If Blocked, give names of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:
Consignee Società Meridionale di Elettricità
Address Via Imbriani 42 Napoli

8. It is certified that these supplies and stores are required for (URGENT), ~~(HOSTILE)~~, (~~STOCK PILING~~) purposes. (Strike out words not applicable).

Date: 30/9/44

LESTER J. HENSLEY
~~Lt. Col. G.S.~~
Rank, Title, Office.
Regional Engineer Officer
Southern Region.

Signature 89

9. REGIONAL APPROVAL _____ Date _____

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

MFLR (I) B Release Order No. _____ Our Release Order No. _____

Date _____ Date _____

Remarks:

VC 222

Declassified E.O. 12356 Section 3.3/NND No. 785019

JUSTIFICATION :

For the filling of the transformer 4000 KVA, ratio 9/9 KV, installed in the Traccia transformer cabin, (its scope being to supply protection to the generating machinery of the Maurizio Capuano Central Station) and which is now out of service for lack of oil, and for the additional oil in the transformers and circuit breakers installed in the three Sub-stations and in the 400 transformer cabins of our Distribution Naples Section. We stress the necessity of this oil being put at the disposal of our Distribution Naples Section as quick as possible as its employ is necessary for the good working of the service before the winter period.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Public Works + Utilities

S/G3014.

Subject: Issues to Civil Affairs

7 OCT Recd

Chief Util & Adm Div
HQ ACC
Public Works & Utilities Sub Commission
APO 394

Herewith voucher G/3014 in quintuplicate for signature and return of two copies, please.

Lt-Col. PE
Commanding 8 E.S.(B.)D.

Field
4 October 1944

88

Declassified E.O. 12356 Section 3.3/NND No. 785019

SUBJECT: S.M.E. Employees

7/4 (Lx1)

Directorate of Works,
HQ AAI CMF

Vice Chairman
A.A.I., C.E.B.

154/DW
27 Jul 44

(40)

Ref telephone conversation Major Price - Supt. Clerk, herewith copy of our 154/DW dated 28 Jun 44 and proforma enclosed therewith, as requested.

G.H.L. LYNE
MAJOR RE
FOR BRIGADIER,
DW.

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
ANONIMA
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
DIREZIONE DELLE COSTRUZIONI
C. P. C. N. 21917

N. 75850 TM/pz
da citare nella risposta

Napoli, (105) 10 Ottobre 1944
VIA P. E. IMBRIANI, 42

HEADQUARTERS

A. C. C. ROMA

Pratica E 3

Pratiche generali varie

Oggetto

Materiali Unes

A Vostra ACC/306/PWU del 15 u.s.
Vi rimettiamo, in allegato, i dati richiesti sulla ppssibilità di fornire materiali all'Unes.

87

Translation

In reply to your letter ACC/306/PWU of the 15 inst.

We submit to you in the annex, the required data about possibility of supplying materials to the Unes.

Materials for Unes

Truly yours

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Allegati 1
Annex 1

Telegrammi: TUSCIANO - PER COSTRUZIONI - NAPOLI
TELEFONI: 2150 - 2180 INTERPROV.

Mod. 7 b. c. (5000) Tipi A. Trani - 5-1942

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLEGATO

MATERIALI

1. Metalli

1. I conduttori isolati potranno esser costruiti se l'Unes fornirà la necessaria quantità di rottami di rame e le indicazioni circa la sezione ed il tipo di isolamento. Noi, quindi, potremo curare che i lavori vengano eseguiti presso la Corradini e la Fice.

2 - 3 - 4 - 5 - 6 - E' sempre più difficile approvvigionare sul mercato tali materiali. Se l'Unes non può comperarli direttamente, sarà necessario ricorrere di volta in volta all. ACC.

7 - Riteniamo che possano essere costruiti a Roma e o Napoli. Sarebbe necessario avere i campioni o i disegni.

8 - 9 - 10 - come per 2÷6.

2. Materiali isolanti

1 - 2 - 3 - 4 - 5 - Abbiamo ottenuto, tramite l'ACC., alcuni quantitativi di questi materiali. Il loro impiego é una questione di priorità. Se l'Unes stabilirà in dettaglio i quantitativi richiesti ed il programma di impiego, sarà possibile, prendere una decisione.

6 - 7 - 8 - come per 1/ 2÷6

9 - Passanti: quelli da noi richiesti sono strettamente necessari per gli impianti SME. Non riteniamo sarà possibile fornirne gli l'Unes

Isolatori rigidi: come per 1/ 2÷6

Isolatori sospesi: noi li preleviamo dalle linee meno importanti op-

86

Mod. 8 (20.000) Tipl A. Traul - 6-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

pure riduciamo il numero di elementi di ogni catena. L'Unes potrebbe provvedere allo stesso modo.

3. Lubrificanti - 4 Combustibili - 5 Copertoni - 6 Materiali da costruzione:

come per 1/ 2÷6

7. Attrezzatura -

come per 1/ 2÷6 eccetto per 7 e 8. Noi potremmo fornire all'Unes binari e vagoncini Decauville. Le richieste dovrebbero essere ridotte al minimo poichè tali materiali vanno prelevati dai nostri cantieri.

TRANSLATION ANNEX

A) MATERIALS

1. Metals

1 - Sheated conductors could be supplied provided we shall receive the necessary quantity of copper scraps and all the data about the section and type of insulation.

We could, then, take care that the necessary works be executed by the Corradini and Fice Factories. 85

2 - 3 - 4 - 5 - 6 - The difficulties in finding such materials on the market increase day by day. If UNES cannot directly buy them,

./.

Mod. 8 (20.000) Tipi A. Trani - 6-49

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

it will be necessary to apply to the ACC case by case.

Z.- We estimate they could be manufactured in Rome or Naples. Samples or drawings would be required.

8 - 9 - 10 as for 2 - 6.

2. Insulating materials

1 - 2 - 3 - 4 - 5 - We have obtained, through A.C.C., some quantities of those items. The employment is a question of priority. If Unes will state in detail required amount and applyment it will be possible to decide.

6 - 7 - 8 as for 1/2 - 6.

9 - The number of bushings requested was that striotly needed by S.M.E. We do not presume it will be possible to supply Unes.

Pin insulators-as for 1/2 - 6.

Suspended insulators - We cannibalize less important lines, or we reduce the number of elements on the same line. Unes could arrange in the same manner.

3. Lubrificators - 4 Fuels - 5 Tires for motor cars - 6 Materials for constructions

as for 1/2 - 6

84

7. Works equipment - as for 1/2 - 6 except for 7-8. We could supply Unes with Decauville track and waggons. Requirements must be reduced to a minimum as the above items will be taken from the yards of our construct. Dept.

Mod. 8 (20.000) Tipl A. Tranl - 6-45

Declassified E.O. 12356 Section 3.3/NND No. 785019

12.1c
A. 3 a

11 OCT Recd
084 CCB

File (42)

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 U.S.Army.

9 October 1944.

SUBJECT : Military Service.
SOCIETA' MERIDIONALE DI ELETTRICITA' Employees.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. W.M. Lapper).

1. I am enclosing herewith a letter which I received from the SOCIETA' MERIDIONALE DI ELETTRICITA' relative to the military service of their employees.

R. A. RYAN
Capt. Spec. Res.
South Italy
Electrical Engineer.

RAR/rb

Encl.-

Major Price.

Letter and pro forma passed to SME for completion. Price major RE
13/10/44.

83

Declassified E.O. 12356 Section 3.3/NND No. 785019

Directorate of Works
HQ AAI CMF

154/DW
28 Jun 44
29/6/44

(40)

SUBJECT: SME Employees

Vice Chairman
A.A.I., C.E.B. —

(32)

With reference to your CEB/19/1 dated 23 Jun 44.

Now your department is now at HQ AAI, lease put your applications for exemption direct to 3 District on proforma specimen attached.

sgd. G.H.L. LYNE
MAJOR RE
FOR BRIGADIER,
DW.

82

Declassified E.O. 12356 Section 3.3/NND No. 785019

PRO - FORMA

PARTICULARS OF ALL ITALIAN MALE PERSONNEL EMPLOYED
SOCIETA MERIDIONALE DI ELETTRICITA
by..AAI..CCB.....(unit of HQ of formation)
and liable for Military Service.

1. SURNAME	2. CHRISTIAN NAME	3. MILITARY NO.	4. MILITARY CLASS	5. NAME OF LAST UNIT WHICH SOLDIER SERVED	6. MILITARY DISTRICT TO WHICH SOLDIER BELONGS	CLASSI (a) or
SIRIANNI	SERAFINO		1916	~~55 ARTILLERY~~ ~~REGT.~~ 10TH TRUCK Coy REGT NAPLES	VIBO VALENTIA	A.

6666

Note: Col 7 will be completed where applicable by increasing (a) or (b) denoting:
(a) Skilled men to be retained and for whom exemption is required.
(b) Unskilled men who are useful but who could be recalled to Military Service on
Col 8 will only be completed in respect of personnel classified in col. 7.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PRO - FORMA.

PARTICULARS OF ALL ITALIAN MALE PERSONNEL EMPLOYED
SOCIETA MERIDIONALE DI ELETTRICITA
by..AAI...CCB.....(unit of HQ of formation)
and liable for Military Service.

3. LITARY NO.	4. MILITARY CLASS	5. NAME OF LAST UNIT WHICH SOLDIER SERVED	6. MILITARY DISTRICT TO WHICH SOLDIER BELONGS	7. CLASSIFICATION (a) or (b)	8. NATURE OF PRESENT EMPLOYMENT	9. REMARKS
	1916	~~55 ARTILLERY REGT.~~ 10TH TRUCK COY REGT NAPLES	VIBO VALENTIA	A	DRILLER	

29/7/44.

ted where applicable by increasing (a) or (b) denoting:
men to be retained and for whom exemption is required.
l men who are useful but who could be recalled to Military Service on replacement by other Italian personnel
mpleted in respect of personnel classified in col. 7.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PRO - FORMA

PARTICULARS OF ALL ITALIAN MALE PERSONNEL EMPLOYED
SOCIETA MERIDIONALE DI ELETTRICITA
BY
and liable for Military Service.

1 SURNAME	2 CHRISTIAN NAME	3 MILITARY No.	4 MILITARY Classe	5 NAME OF LAST UNIT WHICH SOLDIER SERVED	6 MILITARY DISTRICT TO WHICH SOLDIER BELONGS	7 CLASSIFICATION (a) or (b)	

Note: Col 7 will be completed where applicable by inserting (a) or (b) denoting :
(a) skilled men to be retained and for whom exemption is required.
(b) Unskilled men who are useful but who could be recalled to Military Service on
Col 8 will only be completed in respect of personnel classified in col 7.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PRO - FORMA

PARTICULARS OF ALL ITALIAN MALE PERSONNEL EMPLOYED
SOCIETA MERIDIONALE DI ELETTRICITA
BY
and liable for Military Service.

4 MILITARY Classe	5 NAME OF LAST UNIT WHICH SOLDIER SERVED	6 MILITARY DISTICT TO WHICH SOLDIER BELONGS	7 CLASSIFICATION (a) or (b)	8 NATURE OF PRESENT EMPLOYMENT	9 REMARKS

...ted where applicable by inserting (a) or (b) denoting :
...n to be retained and for whom exemption is required.
... men who are useful but who could be recalled to Military Service on replacement by other Italian personnel
...completed in respect of personnel classified in col 7.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ISSUES TO CIVILIANS

VOUCHER FOR R.E. STORES ISSUED FROM ESBD CANCELLO DEPOT SHEET 1

DELIVERY REQUIRED BY	GOODS TO BE CONSIGNED TO	ADVICES TO	G/2
Vocab. F Section TOOLS	CHIEF UTIL & ADM. DIV. HQ A.C.C. PUBLIC WORKS & UTILITIES SUB COMMISSION APO 394	SAME (2) CE 5 DIST.	Command / Vote or Al

Vocab. No.	DESCRIPTION OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measureme
FB4886	SPANNERS DE 5/16-7/16"	No	12	12						
4887	— 3/8-1/2"	"	12	12						
4888	— 5/8-3/4"	"	12	12						
4889	— 7/8-1"	"	12	12		TO BE COLLECTED				

AUTHORITY OF ISSUE

Please Issue as above

Signed CAPT RE FOR OW FRIST

Date 23 OCT 44

PARTICULARS AND DESPATCH

Mode of Conveyance Collection 903-1646.

Carriers Note No. T3014/8/263 Date 3 Oct 44.

Checked by H. Edwards Capt.

Date H 30 Oct 44.

CONSIGNE

PSS2 1009 500x100 7-44

Declassified E.O. 12356 Section 3.3/NND No. 785019

ISSUES TO CIVIL BEARERS.

D. D. W./S. FORM 3 (APPENDIX VII)

ISSUED FROM ESBD CANCELLED DEPOT SHEET 1 OF 1

GOODS TO BE CONSIGNED TO
E UTIL & IDAL DIV.
A.C.L.
WORKS & UTILITIES
SUB COMMISSION
BD 394

ADVICES TO
SAME (2)
CE 3 DIST.

Voucher No. G/3014
Command Demand No. HC/300/PWU 11/5/44
Vote or Allotment No.

OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measurement	TONNAGE Heavy Tons	C	Q	lbs.	Light Tons	ft.
5/16 - 7/16	No	12	12												
3/8 - 1/2	"	12	12												
5/8 - 3/4	"	12	12												
7/8 - 1"	"	12	12		TO BE COLLECTED										

PARTICULARS AND DESPATCH	Checked by	CONSIGNEES REC. AND CERTIFICATE	
Mode of Conveyance Collection 303 16/6.	H. Eduardo Capt.		R. V. No.
Carriers Note No. T 3011/1/2613 Date 3 Oct 44.	Date 4 Oct 44.	Signature and Rank	Date

Declassified E.O. 12356 Section 3.3/NND No. 785019

TELEPHONE 489081

JB/ba

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
A.P.O. 394

ACC/300/PWU

7/10/44

SUBJECT : Glass Water Gauges.

TO : Headquarters Southern Region
Attention Captain R.A.Ryan.

1. Which reference to glass water Gauges for boilers, requested by the S.M.E. Coy.

2. Investigations carried out to ascertain the availability of water gauges have given the following results

DITTA MORABITO -Via della Terra - Roma

10 water gauges (without glass tubes)
The firm Ambrosetti F.lli.Piazza della Cordonata 29-Rome can manufacture the 250 water gauges requested, however without glass tubes.

3. It is understood that the upon firm is now in operation and could supply the glass tubing : -

S.A. Cristallerie Nazionali
Via Corso Italia -Naples-

4. Will you please investigate and inform this office and also the S.M.E. of the present situation, and what further action they wish to take in this matter.

W.M. LAPTER
Lt.Colonel
Chief Util.and Adm.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(57)

5 OCT Recd 093 ccb

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

ASA/rc

Ref. ACC/5000/Commerce

5 October 1944

SUBJECT: Glass Water Gauges - Enq. 55

TO : Public Works & Utilities Sub-Commission

1. Investigations carried out to ascertain the availability of water gauges have given the following results:

Ditta Morabito - Via della Terra

10 water gauges (without glass tubes).
The firm Ambrosetti F.lli, Piazza della Cordonata 29, telephone 63606, has stated that it can, upon orders, manufacture the 250 water gauges requested, however, without glass tubes.
The production of the a/m gauges is dependent upon the furnishing of coal for the welding and the electric power for the manufacturing process.

2. However, we believe the u/m firm is now in operation and could supply the glass tubing:

S.A. Cristallerie Nazionali
Via Corso Malta - Naples.

for W. P. EVANS
Colonel
Director
Commerce Sub-Commission

C/Ec.

To note

Major Rice

SER.

5/10.

77

Declassified E.O. 12356 Section 3.3/NND No. 785019

6 OCT Rec'd

SME
8/6

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 U.S. Army.

5 October 1944.

SUBJECT : Supplies for Società Meridionale di Elettricità.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. Lapper).

1. I am enclosing herewith a receipt for 48 spanners issued for Società Meridionale Di Elettricità.

R. A. RYAN
Capt. Spec. Res.
South Italy
Electrical Engineer.

RAR/rb

Encl.

C/El.
5 Apr.
7/10 : : 76

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephon 489081

LGP/bs

(35

HEADQUARTERS
ALLIED COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
A.P.O. 394

ACC/3[illegible]/PWU

3rd Oct. 44

SUBJECT : FILTER PAPER

TO : Societa Meridionale di Elettricita

1. It is understood that a considerable quantity of Filter Paper was supplied you and delivered to Foggioreale Sub-Station, some time ago.

2. We have an urgent request for filter paper in this area and we shall be glad if you will state what quantity you can spare. A considerable quantity has been ordered by this Sub-Commission and we shall revive your stocks when the order has been executed.

3. DIMENSIONS OF FILTER PAPER REQUIRED

19 cm x 19 cm .

E.J. BARRY
Major C.E.
Dep.Chief Elect.Div.

74
75

Declassified E.O. 12356 Section 3.3/NND No. 785019

29 SEP Recd

SUBJECT: Filter Paper

Allied Control Commission
Public Works & Utilities Sub-Comm.
A.P.O. 394.

HQ ALLIED ARMIES IN ITALY
TEL: FILPOT 302
1139/DW
27 Sep 44

Reference your letter ACC/306/PWU dated 22 Sep.

There are no stocks of filter paper at present, but a considerable quantity were delivered to POGGIOREALE Sub-Station, S.M.E. in Jun.

It is suggested that application be made to S.M.E. who may have a surplus.

C.D. HINKS
CAPT RE
FOR BRIGADIER,
DIRECTOR OF WORKS.

HEADQUARTERS
29 SEP 1944
A. C. C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

-3 OCT Recd 14 Oct

File SMIE 33

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 US ARMY .

2 October 1944.

SUBJECT : Insulating Materials for Società Meridionale di Elettricità.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(ATT. Lt. Col. W. M. Lapper).

1. The following materials covered by Requisition 5/ Misc. - Region III have been received and delivered to Società Meridionale di Elettricità.

Tape Cotton White	Lbs.	2.953
Ribbon Bachelized Paper	"	896
Rubber Sheets	"	554
Tape Rayon Cotton	"	23
Sheets Cork	"	115

R. A. RYAN
Capt. Spec. Res.
South Italy
Emectrical Engineer

RAR/rb

Encl.

Major Ryan

Major Lapper

SMIE
4/10

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephon 489081

LGP/bs

72

HEADQUARTERS
ALLIED COMMISSION
Public Works & Utilities sub-Commission
Electrical section
A.P.O. 394

ACC/300/PWU

2nd Oct. 44

SUBJECT: WORKS PERMITS

TO : SOCIETA MERIDIONALE ELETTRICITA

1. Reference is made to your letter 22/9/44 (75836-PZ/ep).

2. Please note that the undermentioned workmen have -according to our Register of Works Permits- the following CED/numbers:

Moretti Antonio	- No.	601
Mpiellaro Francesco	"	602
Iezzi Nicola	"	603
Cappola Antonino	"	604
D'Intino Americo	"	605
Chiacchia Croce	"	606
Ascenzo Amedeo	"	607
Ascenzo Giovanni	"	608
Di Tullio Alberico	"	609
Chella Umberto	"	610

3. Messrs. Salvini Guido and Lombardi Giovanni will have the same permit numbers as their expired permits, namely :

Salvini Guido	No.	585
Lombardi Giovanni	"	475

4. Please alter your records, and the holders permits accordingly.

E.J.BARRY
Major C.E.
Dep.Chief Elect.Dir.

72

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
DIREZIONE DELLE COSTRUZIONI

Napoli 22 settembre 1944

NS/ SEGRETERIA

SEDE

Protocollo N. 45836 PZ/ep

Pratica N. E 3
Pratiche generali varie

Oggetto

Richiesta General Pass

Allegati

Vogliate provvedere con ogni urgenza al rilascio dei General Pass per le provincie interessanti la S.M.E. per i seguenti nominativi:

585 Ing. Salvini Guido - Patente Auto n° 27058
602 Sig. Maiellaro Francesco - Carta identità n. 4591209
475 " Lombardi Giovanni - " " " 0636614
605 " D'Intino Americo - " " " 9
606 " Chiacchia Croce - " " " 0547982
607 " Ascenzo Amedeo - " " " 12318304
608 " Ascenzo Giovanni - " " " 4500959
609 " Di Tullio Alberico - " " " 12318206
610 " Chella Umberto - " " " 105
604 " Cappola Antonino - " " " 10341495
603 " Iezzi Nicola - " " " 1260
601 " Moretti Antonio - Patente Auto n° 87

DIREZIONE DELLE COSTRUZIONI

sfh

Richiesti
Dovrebbe portarli Price Trattenuto

ARDD. & D. C. (80000) TIPI A. TRANI - 1-42

Declassified E.O. 12356 Section 3.3/NND No. 785019

LETE. No 28 - 90 TONS - CEMENT

6/9/44

File SME

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

- nº 141 = for 30 mc. of cloved popular timber
- " 150 = " 56 Bottles " oxygene
- " 158 = " 26 " " acetylene

- Aventino Hydroplant
- nº 134 = for 150 Tons. of cement
- " 136 = " 75 " lime
- " 142 = " 50 mc. " cloved popular timber
- " 151 = " 68 Bottles " oxygene
- " 159 = " 31 " " acetylene

- Pescara IIInd. Hydroplant
- nº 132 = for 90 Tons. of cement
- " 137 = " 150 " " lime
- " 143 = " 90 mc. " cloved popular timber
- " 152 = " 78 Bottles " oxygene
- " 160 = " 39 " " acetylene
- " 164 = " 9000 lbs. " gasoline

- Gerigliano Hydroplant
- nº 133 = for 6 Tons. of cement
- " 153 = " 40 Bottles " oxygene
- " 161 = " 20 " " acetylene

- Pescara IVnd. Hydroplant
- nº 169 = for 2 Tons. of coal for forge
- " 170 = " 20 Bottles " oxygene
- " 171 = " 10 " " acetylene
- " 172 = " 6 Tons. " shaped and sheet Iron
- " 173 = " 5000 nº " bolts and nuts

- Metese 2nd. Hydroplant
- nº 149 = for 14 Bottles of oxygene
- " 154 = " " acetylene

- S.Mango Hydroplant
- nº 147 = for 12 Bottles of oxygene
- " 156 = " 6 " " acetylene

- Muro Lucano Hydroplant
- nº 148 = for 15 Bottles of oxygene

- Sub-Station Campobasso
- nº 131 = for 50 Tons. of cement
- " 136 = " 60 " lime
- " 144 = " 40 mc. " cloved popular timber

- Sub-Station Frattamaggiore
- nº 130 = for 122 Tons. of cement
- " 139 = " 100 " lime

Copy of demand made by Southern Region dated 20th Sept by Capt Ryan

Major Price 1/10/44

I./.

Mod. 8 (10.000) Tipi A. Trani - 3-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

- n° 145 - for 72 mq. " of cloved popular timber
- " 154 - " 30 Bottles " " oxygene
- " 162 - " 15 " " " acetylene
- " 165 - " 2 Tons. " " coal for forge
- " 166 - " 0,5 " " shaped iron

- Sub-Station Agnone IInd.

- n° 129 - for 55 Tons. " of cement
- " 140 - " 85 " " lime
- " 146 - " 33 mq. " cloved popular timber
- " 155 - " 40 Bottles " " oxygene
- " 163 - " 20 " " " acetylene
- " 167 - " 2 Tons. " " coal for forge
- " 168 - " 1,3 " " " sheet and angle iron

- Maintenance of our plants

- n° 174 - for 15 Bottles of acetylene
- " 175 - " 18 " " " oxygene
- " 176 - " 15 Tons. " " cement

Will you please take the necessary steps in order that we receive the needed releases for the said items.

Many thanks.

encl. 49

Società Meridionale di Elettricità

L. Brun - Gatti

6/9/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel. 489081

LGP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
P.O. 394

ACC/300/PWU

26 Sept. 44

SUBJECT : STORES
TO : Engineer Officer
ACC Southern Region (Att.Capt.Ryan)

1. Reference the request of SME for spanners and hoisting tackle.

2. It is regretted that hoisting tackle is not available, we have, however been sucessful in obtaining release of

48 No. spanners (various sizes)

and release vouchers in duplicate are attached.

3. Please arrange collection.

E.J. BARRY
Major C.E.
Dep.Chief Elect.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

SUBJECT: Stores

25 SEP Recd
300
CeB

PWU 9256

29

HQ ALLIED ARMIES IN ITALY

TEL: FILPOT 302

1247/DW

23 Sep 44

Chief Util. & Adm. Div.
Public Works & Utilities
Sub-Commission,
HQ Allied Control Commission.

Ref your letter ACC/300/PWU dated 11 Aug 44.

1. Items adjustable Spanners ¼" x 1" and Hoisting tackle chain operated 3 tons are not available from stocks controlled by this Directorate.

2. Voucher G/3014 is enclosed herewith releasing to you spanners Double ended - 48 No.

D. MORRISON MARSHALL
CAPT RE
FOR BRIGADIER,
DIRECTOR OF WORKS.

ENCLOS.: VOUCHER G/3014

Major
Price

HEADQUARTERS
25 SEP 1944
A. C. C.

68

Declassified E.O. 12356 Section 3.3/NND No. 785019

ISSUES TO CIVIL AFFAIRS

VOUCHER FOR R.E. STORES ISSUED FROM ESBD CANCELLO DEPOT SHEET

DELIVERY REQUIRED BY	GOODS TO BE CONSIGNED TO	ADVICES TO	
Vocab. F Section TOOLS	CHIEF UTILITIES DIV. H.Q. ACC PUBLIC WORKS & UTILITIES SUB COMMISSION APO 394	SAME (2) CE 3 DIST.	Command Vote or Al

Vocab. No.	DESCRIPTION OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measurem
FA 4886	SPANNERS DE 5/16"-7/16"	No	12							
4887	—	3/8"-1/2"	12							
4888	—	7/16"-3/4"	12							
4889	—	3/4"-1"	12							

TO BE COLLECTED

AUTHORITY OF ISSUE

Please issue as above

Signed CAPT RE ADJT FLDT 32 LED A.A.

PARTICULARS AND DESPATCH

Mode of Conveyance

Carriers Note No. Date

Checked by

Date

CONSIGN

PSS2 1009 500x100 7-44

Declassified E.O. 12356 Section 3.3/NND No. 785019

ISSUES TO CIVIL AFFAIRS

D. D. W./S. FORM 3 (APPENDIX VII)

ISSUED FROM ESSD CANCELLO DEPOT SHEET 1 OF 1

GOODS TO BE CONSIGNED TO
UTIL & TRANS. DIV.
ACC
WORKS & UTILITIES
SUB COMMISSION
394

ADVICES TO
SAME (2)
CE 3 DIST.

67

Voucher No. 6136

Command Demand No. NCT 300/PWU 11-5-44

Vote or Allotment No.

ON OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measurement	TONNAGE Heavy Tons	TONNAGE Heavy C	TONNAGE Heavy Q	TONNAGE Heavy lbs.	TONNAGE Light Tons	TONNAGE Light ft.
DE 5/16 - 7/16"	lbs	12													
3/8" - 1/2"	"	12													
5/8" - 3/4"	"	12													
7/8" - 1"	"	12													

TO BE COMPLETED

Sgd Lucille

PARTICULARS AND DESPATCH	Checked by	CONSIGNEES REC. AND CERTIFICATE	
			R. V. No.
Mode of Conveyance			
Carriers Note No. Date	Date	Signature and Rank	Date

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel. A89061

LQP/bs

(28)

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
A.P.O. 394

ACC/300/PWU

26 Sept. 1944

SUBJECT : Gasoline for SME
TO : Engineer Supply Officer
ACC Region V

1. Herewith application from SME for Gasoline for their vehicles operating at Pescara.

2. It is recommended that this request be granted in view of the importance of the work that SME are engaged upon.

E.J. BARRY
Major C.E.
Dep.Chief Elect.Div.

ENC:- Copy of SME VMR/lm.

66

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY FOR COL. LAPPER

-5 SET. 1944

459-735

A.C.C. - P.U. Section
Southern Region

HERE

VMr/im

Per i mezzi di trasporto necessari ai lavori di ricostruzione dei ns; impianti del Pescara abbiamo bisogno di circa :

- 100 litri di benzina al giorno.

Vi preghiamo pertanto di volervi cortesemente interessare affinchè dal CIP di Pescara ci vengano assegnati per il mese di settembre :

- lt. 3000 di benzina

quale fabbisogno per detto mese.

Translation

To operate the transportation means required by the works we are going to do in order to restore our Hydroplants on the Pescara river we need about :

- 100 lts.gasoline each day.

Will you please take the necessary steps in order that the CIP, Pescara) give us an allotment for the present month September :

- 3000 lts. gasoline

as our need for the said month.

Many thanks.

5.9.44.

65.

Declassified E.O. 12356 Section 3.3/NND No. 785019

24 SEP Recd
099
CB

27

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 U.S. ARMY.

23 September 1944.

SUBJECT : Supplies for Società Meridionale Di Elettricità.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. W. M. Lapper).

1. I am enclosing herewith a request for gasoline from the Società Meridionale di Elettricità.

2. This gasoline is needed at Pescara.

3. Since Pescara is not in the Southern Region I am forwarding the request to you for the necessary action.

RAR/rb

R. A. RYAN
Capt. Spec. Res.
South Italy.
Electrical Engineer.

Encl.

66

Declassified E.O. 12356 Section 3.3/NND No. 785019

459 - 435

-5 SET. 1944

A.C.C. = P.U. Section
Southern Region

Ver/im

H E R E

Per i mezzi di trasporto necessari ai lavori di ricostruzione dei ns; impianti del Pescara abbiamo bisogno di circa :

- 100 litri di benzina al giorno.

Vi preghiamo pertanto di volervi cortesemente interessare affinchè dal CIP di Pescara ci vengano assegnati per il mese di settembre :

- lt. 3000 di benzina

quale fabbisogno per detto mese.

Translation

To operate the transportation means required by the works we are going to do in order to restore our Hydroplants on the Pescara river we need about :

- 100 lts.gasoline each day.

Will you please take the necessary steps in order that the CIP, Pescara) give us an allotment for the present month September :

- 3000 lts. gasoline

as our need for the said month.

Many thanks.

5.9.44.

62
63

Declassified E.O. 12356 Section 3.3/NND No. 785019

24 SEP Recd 300

File 300

Major Ryan

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 U.S. ARMY.

22 September 1944.

SUBJECT : Complant of SOCIETA' MERIDIONALE DI ELETTRICITA'

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. W.M. Lapper).

1. Reference is made to your letter of 15 September 1944 on above.

2. I have contacted the SOCIETA' MERIDIONALE DI ELETTRICITA' and they have agreed to release 10 - 1/16 t 1 meter x 2 meters steel plates which are stored at Croce del Greco in Sila.

R. A. RYAN
Capt. Spec. Res.
South Italy.
Electrical Engineer.

RAR/rb

Encl.

621

Declassified E.O. 12356 Section 3.3/NND No. 785019

23 SEP Recd

File 30P
no action
present
25/9

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUBCOMMISSION
APO 394

ERG/ec

Ref. ACC/5000/Commerce

22 September, 1944

SUBJECT: Water Tubes for Boilers- Enquiry N°.54

TO : Public Works and Utilities Sub-Commission

1. Reference your enquiry for:

200 Water Tubes for Boilers
length 7.15 yards (6.50 metres)
internal diam. 3".

2. Some twelve firms have been visited, but it is regretted that no stocks can be found.

for W. P. EVANS
Colonel
Director
Commerce Sub-Commission

Major Barry.

Major Price
It may be necessary to import if this material is for Control Commission. See me.
GER.
25/9.

61

Declassified E.O. 12356 Section 3.3/NND No. 785019

Major Ennis 22 SEP Recd Adam 6. Hoare.
This should be handled with a major
Service as he was dealing upon it with
Capt Ryan when he was
in Rome on his last trip. 120 CCS

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394 U.S. ARMY.

20 September 1944.

SUBJECT: Stationary Supplies - Società Meridionale di Elettricità.

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. W. M. Lapper).

Major Barnes

1. I am attaching hereto a letter which was received from the Società Meridionale di Elettricità, requesting a supply of printed cards to be used in billing their consumers.

This is an extraordinary v. difficult request — if we assist, it may result in many other Co. asking us to do printing etc for them.

2. I have been informed that the Headquarters Printing shop of A.C.C. may be able to give some assistance in supplying these cards.

3. I am enclosing a specimen of the cards which are requested.

RAR/rb

R. A. RYAN
Capt. Spec. Res.
South Italy.
Electrical Engineer 60

At what point does our "assistance" stop?

Encl. Letter of S.M.E.
Specimen card.


GEN.
23/9.

FILE. 31/12/44

To remember about 30/12

B/F. 31/1/45.

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
DISTRIBUZIONE NAPOLI

Translation

BONGARZONE
LE - HQ PRINTAS

ALLIED CONTROL COMMISSION
Headquarters

ROME

For the attention of Capt.Ryan

We beg to inform you that, for drawing up our energy invoices to our customers, our Company makes use of Watson machinery which, as it is known, needs the type of schedules which must necessarily answer to precise characteristics. These schedules were prepared by Watson's Branch Office in Milan, but, owing to obvious actual contingencies, they are long since no more in a condition to supply us with the aforesaid schedules.

We have already practised what humanly possible to reduce our need of them, bounding as much as possible our services, but,however, in as much as our actual need amounts to about 200.000 schedules per month, our provisions are very near to the exhaustion and the lack of them would considerably affect our organization which has a character of public utility.

We know that the Administrative organisation of the Allied Armies largely use Watson machinery and that, therefore, have large provisions of suitable schedules. Accordingly,we beg your courtesy to kindly extend us your interest, obtaining the transfer on our behalf of, at least, 2 millions of same, as per enclosed sample, which, of course, will be paid cash on delivery.

Should such a quantity of plain schedules not be disposable, we could avail us of whatsoever type of same which we could reprint on the back according to our requirements.

Needless to add that, as for the past, our Watson machinery,in the limits of our disponibility, is at the disposal of the Allied Forces, should they need it.

Trusting that our present request will meet your consent as desired, believe us, with out best thanks,

Yours faithfully,

Encl.1

Smr. D. N. - Mod. 609 bis - di Lauro, Napoli 3-943 (10000)

Declassified E.O. 12356 Section 3.3/NND No. 785019

24 SEP Recd 10'

18SET.1944

'SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21917

N. 460-88 AB/CS

da citare nella risposta

Napoli, (105)

VIA P. E. IMBRIANI, 42

A.C.C. HEADQUARTERS

R O M A

Via Veneto

Attention of maj Price

With reference to our previous letter of the 5th inst. we give you the following required data about place of employement of some items:

Requirements	Plants: Sila (Timpagrande)	Tusciano	Matese	Frattamaggiore	Bari/S.
flashlights (complete with batteries)	38	I3	-	-	I9
portable telephonic sets (compl. with batteries)	I0	7	-	-	8
spare batteries for flashlight and telephonic sets	I20	80	20	20	60
waterproofs, assorted sizes for men of I,60 a I,75 m. height	45	30	30	20	25
rubber boots, assorted sizes for men as above	45	30	30	20	25

57

SOCIETA MERIDIONALE DI ELETTRICITA

HEADQUARTERS 23 SET. 1944 A. C. C.

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tipl. A. Trani - 3-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

MINIMUM NUMBER OF MEN REQUIRED TO RUN "S[illegible]" SYSTEM.
RUNNING AND MAINTENANCE ONLY

EMPLOYEES 24 HOURS	TANAGRO	TUSCIANO	MATESE	CAPUANO		S.L.R.
Turbine Attendants	3	3	4	7	4	12
Switchboard "	3	3	3	7	3	12
Fitters	3	3	3	6	2	9
Pump Attendants				4	2	
Boiler Attendants				10		
Greasers	3	3	3	3	2	3
Pipe line Operators	6	6	6	[illegible]		12
Semi skilled men	3	3	3	16	10	6
	21	21	24	53	23	54

56

		#S			
	x	Reggio	#	Transport	1-3 Ton
		Villa SG.			
		Gioia T.			
		S Eufemi	#	Transport	1-3 Ton
		Nicastro			
		Crotone			
	o x	Sila	H #	Transport	2-3 Tonners
		Cosenza			
	o	Scalea	#	Transport	1-3 Ton
		Pagliano			
	o x	Taranto.	#	Transport	2-3 Tonners
		Francavilla			
		Lecce			
	x	Brindisi	#	Transport	1-3 Ton
		Putignano			
	o x	Bari	#	Transport	2-3 Tonners
		Terlizzi			
		Andria			
		Cerignola			
	o	Foggia	#	Transport	1-3 Ton
		Tanagro	H #		
	o	Tuscánao	H #	Transport	1-3 Ton
		Salerno			
		Torre Annunziata			
		Calore	H #		
	o	Benevento	#	Transport	1-3 Ton
	o x	Capuano	T #	Transport.	2-3 Tonners
		Doganella	D #		
		Poggio Reale			
		Agnano			
	o	Fratte maggiore	#	Transport	1-3 Ton.
		Liferno			
		Matese	H #		

Declassified E.O. 12356 Section 3.3/NND No. 785019

Francavilla
Lecce
× Brindisi # Transfort 1-3 Ton
Putignano
○ × Bari # Transfort 2-3 Tonnes
Teddizzi
Andria
Cerignola
○ Foggia # Transfort 1-3 Ton
Tanagro H #
○ Tuscéano H # Transfort 1-3 Ton
Salerno
Torre Annunziata
Calore H #
○ Benevento # Transfort 1-3 Ton
○ × Capuano T # Transfort. 2-3 Tonnes
Doganella D #
Poggio Reale
Agnano
○ Fratte maggiore # Transfort 1-3 Ton
Liferno
Matese H #
Lete H #
Campobasso.

N.

× Cable jointers depot 2 gangs per depot 4 per gang. 48
○ ~~Linesmens~~ Patrolmens depot. 3 per depot 30
Linesmen each sub. 6 men per gang. 102.
Sub station attendants 7 per sub 189
Linesmain gang extra for Sila 2. 12
" " extra for Naples #1 6
Power Station Operatives ~~5 gangs~~ 6 Gangs 196.

583

Linesmens labourers can be used for patrolling when not engaged on line repairs.

Declassified E.O. 12356 Section 3.3/NND No. 785019

1922

Declassified E.O. 12356 Section 3.3/NND No. 785019

21

MINIMUM NUMBER OF MEN REQUIRED TO RUN "SME" SYSTEM
RUNNING AND MAINTENANCE ONLY

EMPLOYEES 24 HOURS-	TANAGRO	TUSCIANO	MATESE	CAPUANO	VOLTURNO	SILA
Turbine Attendants	3	3	4	7	4	12
Switch board "	3	3	3	7	3	12
Fitters	3	3	3	6	2	9
Pumps Attendants				4	2	
Boiler "				10		
Greasers	3	3	3	3	2	3
Pipe line operators	6	6	6			12
Semiskilled men	3	3	3	16	1o	6

3

xReggio		//	Transport	1-3 Ton.	
Villa S.G.					
Gioia T.					
S.Eufemia		//	Transport	1-3 Ton.	
Nicastro					
Crotone					
Sgila	H	//	Transport	2-3 Ton.	
Cosenza					
Scalea		//	Transport	1-3 Ton.	
Pagliano					
xTaranto		//	Transport	2-3 Ton	
Francavilla					
Lecce					
xBrindisi		//	Transport	1-3 Tonn.	
Putignano					
xBari		//	Transport	2-3 Tonn.	
Terlizzi					
Andria					
Cerignola					
Foggia		//	Transport	1-3 Tonn.	
Tanagro	H	//	Transport		
Tusciano	H	//	Transport	1-3 Tonn.	
Salerno					
Torre Annunziata					
Calore	H	//			
Benevento		//	Transport	1-3 Tonn.	
xCapuano	T	//	Transport	2-3 Tonn.	
Doganella	D	//			
Poggio Reale					
Agnano					
Frattamaggiore		//	Trasport	1-3 Tonn.	
Liferno					

Declassified E.O. 12356 Section 3.3/NND No. 785019

S

Late		H	#
Lete		H	#
Campobasso			

N

x	Cable jointers depot	2 gangs per depot	4 per gang	48
o	Patrolmens depot	3 per depot		30
#	Linesmen each sub.	6 men per gang		102
	Sub station attendants	7 per sub.		189
	Linesmen gang	extra per Sila 2.		12
	Power Station operatives	6 gangs		196

Linesmen's labourers can be used for patrolling when not engaged on line repairs.

14 SEP Recd

SECRET

142 CRS.

Fld

SMITH

RHK

HEADQUARTERS
ALLIED CONTROL COMMISSION
WAREHOUSING AND FORWARDING DIVISION
Food Sub-Commission
A.P.O. 394

ACC/63-1/FOOD

Date 12 SEPT. 44

SUBJECT: Imports - Disposition

TO : LT. HART, NAPLES PORT LIASION OFFICER, C/O WHSE. #676

Copy to: DIRECTOR: PUBLIC WKS. + UTS. S/E

1. Convoy Number VBS 52 Ship Number HR 557 Ship Name JAMES MONROE

2. Expected port of unloading NAPLES

3. Expected arrival date 15 SEPT. 44

4. Action to be taken:

a. Follow instruction in para. 5(a)
b. Complete column 5(c) below and return one copy this form to Warehousing and Forwarding Division, Food Sub-Commission, Allied Control Commission, APO 394.

5. ACC CARGO

(a) Description	(b) Quantity per Manifest	(c) Quantity Unloaded	(d) Instruction for Disposition
TAPE VARNISH	2 TONS		WHSE. #676 AND HOLD FOR PUBLIC WKS. + UTS. S/E.
TUBE CONDENSER BRASS	31 "		

51

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copy to: DIRECTOR: PUBLIC WKS. & UTS. S/E

1. Convoy Number V65 52 Ship Number HR 557 Ship Name JAMES MONROE

2. Expected port of unloading NAPLES

3. Expected arrival date 15 SEPT. 44

4. Action to be taken:

a. Follow instruction in para. 5(d)
b. Complete column 5(c) below and return one copy this form to Warehousing and Forwarding Division, Food Sub-Commission, Allied Control Commission, APO 394.

5.

ACC CARGO

(a) Description	(b) Quantity per Manifest	(c) Quantity Unloaded	(d) Instruction for Disposition
TAPE VARNISH	2 TONS		WHSE. #676 AND HOLD FOR PUBLIC WKS. & UTS. S/E.
TUBE CONDENSER BRASS	31 "		

51

ROBERT H. KLEIN, Capt., MAC
for
W. J. LEGG
Colonel
Director, Food Sub-Commission

SECRET

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

1926

LGP/tr

Tel:489091

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/300/PWU

18 Sep,44.

SUBJECT : Carbon brushes.

TO : HQ. Southern Region
ATTN:Capt. Ryan

1/ Herewith for information copy of cable received from UK and copy of this HQ reply to C-5 AFHQ,NI dated 14 Sept 44.

W.H.LAPPER
Lieut-Colonel
Chief Util. Adm.Div.

50

Declassified E.O. 12356 Section 3.3/NND No. 785019

CONFIDENTIAL

(17)

ALLIED FORCE HEADQUARTERS
G-5 Section
APO 512

RVG/eb

14 Sept. 44.

Ref: E-1

SUBJECT: Electric Motor Brushes.

TO : Headquarters, Allied Control Commission, APO 394.
(Attn. Lt. Col. R.A. Martino)

1. In reply to your RD-400.12 of 12/9.

2. TROOPERS Cable 74783 E5 of 7/9 refers to MGS Reqns. 83-ENG. and 88-ENG. (ACC Reqns. 10/Eng/RegIII/44 of 29/2 and 13/ENG/III/44 of 1/3) - Electric Motor Brushes.

3. An earlier version of this cable was to have been sent you with necessary translation, but it was decided information contained therein was not specific enough.

4. Latest information is contained in attached cable and other refs quoted are out of date and of no interest to you.

5. Action has been taken to obtain further priority for subsequent shipments.

R. V. GRADY
CAPT. T.C.
Economics & Supply Div.

Encl: TROOPERS Cable 74783 E5 of 7/9

CONFIDENTIAL

Declassified E.O. 12356 Section 3.3/NND No. 785019

CONFIDENTIAL

H[illegible]n.Div./RED/cl

16

HEADQUARTERS
ALLIED CONTROL COMMISSION
Requisition Division
APO 394

In reply
refer to:
RD-400.12

12 September 44

SUBJECT: TROOPERS Message 74788 E5, 7 Sept 44.

TO : Asst. C/S, G-5, AFHQ, APO 512.
Attention: Lt. Col. Levis, Economic & Supply Division.

1. Reference is made to attached message, reference No. 74788 E5, dated 7 September 44, received from you.

2. This Division has never received copy of your message FX34066 of 18 August 44, or of your message 66937 of 19 March, nor has any information ever been sent to this Division relative to either MEG 55 or MEG 66.

3. This Division is therefore unable to determine to what items TROOPERS message 74788 E5 refers.

4. It is requested that you advise this Division to what this correspondence refers, as at present the attached message forwarded by you to us for our information is meaningless. Return attached message with your reply.

For Captain STONE (USNR):

RED

ROBERT A. MARTINO,
Lt. Colonel, S.R.,
Division Chief.

Enc: TROOPERS message 74788 E5, 7 Sept 44.

47

48

CONFIDENTIAL

Declassified E.O. 12356 Section 3.3/NND No. 785019

AFHQ
NATOUSA
MESSAGE CENTER

INCOMING MESSAGE

JAJA

TOO: 071545

AFSC N 175/8
080245B
bb

PRIORITY

to: HQ A.C.C. APO 394,
(Attn.Lt.Col.Martino)

FROM : TROOPERS

For your information only.

TO : FREEDOM

10.9.44 G-5(E&S) AFHQ

REF NO THIS MESSAGE : 74788 E5, 7 September 1944

Your FX84686, 18 August and 66937, 19 March MEG 55 and 66.

295 lbs now being despatched. Further priority required 84 lbs ready now and 50 lbs end September.

FX 84686 MC OUT 4021 18/8/44 G-5
66937 no longer in AFHQ MC Files
MEG 55 is ref 61654 MC OUT 2004 8/3/44 Q(MAINT)
MEG 66 is ref W 5186/64622 MC OUT 3764 14/3/44 Q (MAINT)

ACTION: G-5

INFORMATION: G-4
Q(MAINT)
ENGRS
AFB
MAINT
AG RECORDS

MC IN 4636 8 Sep 44 0705B Ref. No. 74788 E5 p/L/B

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LCP/tr

ACC/300/PWU

15 Sept.44.

SUBJECT : Complaint of Societa Meridionale di Elettricita

TO : Headquarters Southern Region
Attn: Capt. Ryan

1. Reference is made to your letter 16 August 44 on above.

2. This matter was referred to Agriculture Sub-Commission who in turn have contacted 800th Engineer Forestry Company. Their explanation letter 3 Sep.44 attached indicated need for the material and in addition desire to obtain additional steel plates.

3. In view of the fact that the operation is of an urgent military nature arrangements should be made with S.M.E. and Southern Region for the release of this material.

4. Please advise the 800th Engineer Forestry unit when the material is made available.

5. It is suggested that the matter can be more easily settled by your demand on this HQ for steel plates of similar dimensions to replace those taken by the 800th Engineer Forestry Company.

W.M.LAPTEFF
Lieut-Colonel
Chief Util. & Adm., Div.

c/c Agriculture S.C.ACC

1 Enclosure

Declassified E.O. 12356 Section 3.3/NND No. 785019

130

HEADQUARTERS
SOUTH ENGINEER FORESTRY COMPANY MCL/Z1
APO 762 U.S. Army

5 September 1944

Subject : Complaint of Società Meridionale di Elettricità

To : ALLIED CONTROL COMMISSION, Agriculture Sub-Commission, APO 394

1) - The steel plates referred to in S.M.E.L. letter of 16th August were taken by this organization for use in repairing our organizational sawmill equipment.

2) - The deposit referred to at Croce del Greco in S.M. contains some several thousand plates 1/16 x 1 meter x 2 meters.

3) - This deposit, not now being used, is some 25 miles from our Headquarters. We need 12 of these plates and request authority to obtain ten (10) in addition to the two (2) already used. This kind of steel is not available from Engineer Depots in this theatre.

For the Commanding Officer:

M.C.LEACH
1st Lieut. C.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Major Fuller

(13)

HEADQUARTERS
800TH ENGINEER FORESTRY COMPANY MCL/f1
APO 782, U.S. ARMY

File No. Country Date

3 September 1944

SUBJECT: Complaint of Societa Meridionale di Elettrinta.

TO : Allied Control Commission, Agriculture Sub-Commission, APO 394.

1. The steel plates referred to in S.M.D.E. letter of 16th August were taken by this organization for use in repairing our organizational sawmill equipment.

2. The deposit referred to at Croce del Greco in Sila Contains some several thousand plates 1/16 inch x 1meter x 2 meters.

3. This deposit, not now being used, is some 25 miles from our headquarters. We need 12 of these plates and request authority to obtain ten (10) in addition to the two (2) already used. This kind of steel is not available from Engineer Depots in this theatre.

For the Commanding Officer:

M. C. Leach
M. C. LEACH,
1st Lieut., C.E.

Talk to Capt Regan when he comes in.

46

Declassified E.O. 12356 Section 3.3/NND No. 785019

TO
AGRICULTURE
S.C.

971.2

43

Declassified E.O. 12356 Section 3.3/NND No. 785019

Major Fuller Rec'd 19 Aug

18 AUG Recd 0555 CCP. PW + U

435 (12)

HEADQUARTERS
REGION 3, ALLIED CONTROL COMMISSION
APO 394, U.S. ARMY.

16 August 1944.

SUBJECT: Complaint of SOCIETA' MERIDIONALE DI ELETTRICITA'

TO : Headquarters, Allied Control Commission
Public Works & Utilities Sub-Commission
(Att. Lt. Col. W. M. Lapper).

1. I am enclosing a letter which I received from the SOCIETA' MERIDIONALE DI ELETTRICITA' .

2. This is referred to you for the necessary action.

R. A. RYAN
CAPT. SPEC. RES.
SOUTH ITALY
ELECTRICAL ENFINEER.

RAR/rb

Copy: - Region III Engineer.

Encl.

42 SC

Lt. Col. Lapper.

5 KR.

18/8

HEADQUARTERS
17 AGO 1944
A. C.

passed to Agriculture
Can you deal with
please. Is Mr. Lapper to do

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21917

N. TM/ep
da citare nella risposta

Telegrammi: TUSCIANO - NAPOLI

Napoli, (105) 16th August 1944
VIA P. E. IMBRIANI, 42

TO A. C. C.
THIRD REGION
(Public Utilities)

Attention of Capt Ryan

On the 14th inst Service Men of a unit of Forestry Engineers (we presume the 800th Comp.ny Forestal Eng - APO 782) went on to a depot of our Construction Dept. (locality of Croce del Greco, in Sila) and took possession of two steel plates. It appears that these steel plates were required for some works in a saw-mill.

We beg you to consider the opportunity that such cases be brought before the A.C.C. in order to decide, case by case, the advisability of such requisitions to take place, according to disponibility of materials and minimum safe stocks to be kept on our plants.

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Mod. 7 (10.000) Tipi A. Trani - 11-42

Declassified E.O. 12356 Section 3.3/NND No. 785019

316/PWV.

7 September 1944

Subject : Aluminium Wire Available Near Siena.

To : Major Price.

1. Several days ago. Captain Stevens, Eighth Army A.M.G. telephoned me stating that there are 30 reels of aluminium conductor at Saline di Volterra, just north of Siena. Each reel reportedly carries 910 kilograms of wire which is cored, and which has a cross-section of 175 square millimeters.

VINAL S. RENTON
Major, Infantry
Chief, Operations and Transmission Department

copy to Materials Section Local Resources
(att Major Wood)

40

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel. 489081

300/PW.V

VER/odg

File Sardegna 70

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/122/PWU

9 Sept. 1944

Subject : Truck Transportation Needed by Societa' Meridionale di Elettricita'.

To : Transportation Sub-Commission, Roads Branch
Attention Colonel Carnes.

1. This confirms the conversation this morning between yourself and Major E.J. Barry, L.G. Price and V.S. Renton of the Public Works and Utilities Sub-Commission relative to the urgent need of the Societa' Meridionale di Elettricita' for truck transportation.

2. This company generates and transmits electric energy in Southern Italy below a line between Pescara on the Adriatic Coast and Minturno on the west coast. The transportation is needed in order that rehabilitation of electric facilities may continue, and in order that necessary routine inspections, long deferred, may be carried out.

3. Following your telephone call to Captain Giles this morning, this Sub-Commission telephoned Captain R.A. Ryan, Electrical Officer, Southern Region, and requested him to communicate with Captain Giles in order that arrangements most suitable to all parties concerned, may be made.

4. A tabulation in duplicate, of the vehicles needed, together with their intended use is attached herewith.

5. Your assistance in this matter is deeply appreciated.

W. M. LAPPER
Lieut. Colonel
Chief, Util. and Adm. Div.

Enclosure:

- One tabulation

Distribution:
- Col. Carnes
- Maj. Price
- Cap. Ryan

Declassified E.O. 12356 Section 3.3/NND No. 785019

MINIMUM ESSENTIAL TRUCK TRANSPORTATION

Societa' Meridionale di Elettricita'

Transportation Requirements	1 ton capacity	1½ ton capacity	2½ tons capacity	8 tons capacity	Total
Operations					
S. Demetrio	2	4	3		9
Feroleto					
Savuto					
Torre Annunziata					
Calore					
Lecce					
Sila (3)					
Repairs					
Pescara			1	1	2
Lete			1		1
Aventino-Lete Line	1		3		4
Calore-Tusciaco Line			1		1
Aventino	1		1		2
Campobasso 20 KV grid			3		3
Campobasso Substation			1		1
Total	4	4	14	1	23

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Filed

MEMORANDUM FOR LT.COL.LAPPER

For our steam plant M;Capuano in Napoli, the following items are urgently required:

= 100 crystal glass water gauges for Springfield boilers:

length 553 mm.
external diameter 20 mm.
internal diameter 12 mm.

150 crystal glass water gauges for Babcock and Wilcox boilers:

length 420 mm.
external diameter 19,5 mm.
internal diameter 11,5 mm.

= 200 water tubes for boilers:

length 6,50 m;
internal diameter 3"

= Pressure in the boilers:26 atm.

We have tried to find these materials, but we have not succeeded in finding them.

Napoli, September 5th 1944
GC/gc.

Copy given to Maj. Price. destroyed 27/1/45
for action
Maj. [illegible]
Maj Price

Mod. 8 (20.000) Tipi A. Trani - 6-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel: 48908l

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LGP/tr

ACC/300/PWU

11 Aug44

SUBJECT : Stores

TO : D.W. HQ.AAI.CMF

1. The Societa Meridionale di Elettricita are in urgent need of the following tools to replace the lost or worn and which are no longer available in the open market.

2. Can these tools be supplied from military sources on payment please?

3. Tools required:

Adjustable spanners	½ to 1"	12
Double ended "	¼ to 3/8	12
" "	½ to 5/8	12
" "	3/4 to 1"	12
Hoisting tackle chain operated 3 Tons		12.

W.M.LAPPER
Lieut-Colonel
Chief Util.& Adm.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel: 459081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

JWLB/tr

300
ACC/~~1172~~/PWU

11 ~~Sept~~.44

SUBJECT : Materials

TO : Industry Sub-Commission
HQ. ACC.

1. The undermentioned material is urgently required by the Societa Meridionale di Elettricita Coy Naples for their Steam Plant Capuano:-

200 Water Tubesfor boilers (steel)

length 7,15 Yards
internal diam. 3"

Pressure in the boilers : 370 lb/sq.inch

2. Will you please advise if this material can be obtained through Local Resources and a release obtained.

W.M.LAPPER
Lieut-Colonel
Chief Util.& Adm.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

JWLB/tr

ACC/300/I42/PWU

11 Aug.44

SUBJECT : Materials

TO : Commerce Sub-Commission
Attn: Major Gach

1. Reference conversation of the 9th inst. Major Gach-Lt.Butcher.

2. The undermentioned materials are urgently required by the SME Coy Naples for their steam plant Capuano:-

100 crystal glass water gauges for Springfield boilers
length 11.377 "
external diam. 0.787"
internal " 0.472"

150 Crystal glass water gauges for Babcock and Wilcox boilers
length 16.53
external diam. 0.768"
internal " 0.453"

Pressure in the boilers 370 Lb/sq inch.

3. Will you please advise if these materials can be obtained through Local Resources and a release obtained.

W.M.LAPPER
Lieut-Colonel
Chief Util.& Adm.Div.

5

MEMORANDUM FOR LT.COL.LAPPER

For our steam plant M;Capuano in Napoli, the following items are urgently required:

= 100 crystal glass water gauges for Springfield boilers:

length 553 mm. 21,77 "
external diameter 20 mm. 0,787"
internal diameter 12 mm. 0,472"

150 crystal glass water gauges for Babcock and Wilcox boilers:

length 420 mm. 16,53 "
external diameter 19,5 mm. 0,768"
internal diameter 11,5 mm. 0,453

= 200 water tubes for boilers: (Heel)

x length 6,50 m; 7,15 yards
internal diameter 3"

= Pressure in the boilers:26 atm. ± 370 lb/sq inch

We have tried to find these materials, but we have not succeeded in finding them.

I.M.A.D. Naples.
X Socony Vacuum. Naples.
Magazine.

Napoli, September 5th 1944
GC/go.

Declassified E.O. 12356 Section 3.3/NND No. 785019

are urgently required:

= 100 crystal glass water gauges for Springfield boilers:

length 553 mm. 21,77
external diameter 20 mm. 0,787"
internal diameter 12 mm. 0,472"

150 crystal glass water gauges for Babcock and Wilcox boilers:

length 420 mm. 16,53
external diameter 19,5 mm. 0,768"
internal diameter 11,5 mm. 0,453

= 200 water tubes for boilers: (Heal)

length 6,50 m; 7,15 yards
internal diameter 3"

= Pressure in the boilers:26 atm. = 370 lb/sq inch

We have tried to find these materials, but we have not succeeded in finding them.

I.M.A.D. Naples

X Saceny Accessori. Naples Magazine

Napoli, September 5th 1944
GC/gc.

SME

Declassified E.O. 12356 Section 3.3/NND No. 785019

SME

SME
ACC/200/P.W.U
SME

Office Copy

(4)

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 30 August 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION ~~PUBLIC WORKS AND UTILITIES SUB-COMMISSION~~

3. COMMODITY DEMANDED ~~STEEL PLATES~~ (Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: ~~11~~ STEEL PLATES

(b) Next Month /

(c) Second Month /

(d) Third Month /

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? Not known

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: Società Meridionale di Elettricità

Address: NAPLES

(for Hydro-Electric-Station Aventino)

(STOCK PILING)

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. AMG/ACC FORMA...

3. COMMODITY DEMANDED STEEL PLATES (Give particulars of specification on back of F...

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 11 STEEL PLATES

(b) Next Month /

(c) Second Month /

(d) Third Month /

5. JUSTIFICATION: (Detail this information on back of Form).

6 SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? Not known

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee Società Meridionale di Elettricità

Address NAPLES

(for Hydro-Electric-Station Aventino)

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 30/8/44

Signature: W.M.LATTER, Lieut-Colonel 32
Rank, Title, Office.

9. REGIONAL APPROVAL ..... Title Chief, Util.& Adm.Div. Date: .....

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. ..... Our Release Order No. 1401

Date: ..... Date: 16 Oct

REMARKS:

C.166

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

			Thickness
N. 2 plates	3500 x 6000 mm	(11 Ft-6in x 19 Ft - 8in)	15 mm (5/8 in)
1 "	3500 x 3600 "	(11 Ft-6in x 11Ft -10 in)	15 " (5/8 in)
1 "	3500 x 1650 "	(LL Ft-6in x 5Ft - 5 in)	15 " (5/8 in)
1 "	3500 x 2500 "	(11 Ft-6in x 8Ft - 2 in)	12 " (1/2 in)
1 "	3500 x 1650 "	(11 Ft-6in x 5Ft - 5 in)	10 " (3/8 in)
1 "	3500 x 1650 "	(11 Ft-6in x 5Ft - 5 in)	5 " (3/16in)
1 "	3500 x 2100 "	(11 Ft-6in x 6Ft -10 in)	5 " (3/16in)
1 "	3500 x 1600 "	(11 Ft-6in x 5Ft - 3 in)	5 " (3/16in)
1 "	3500 x 600 "	(11 Ft-6in x 1Ft -11 in)	5 " (3/16in)
1 "	6000 x 160 "	(19 Ft-8in x 0Ft - 6 in)	8 " (5/16in)

Dimensions to be as near as possible

Justification:

Urgently required to repair the penstock of Aventino Hydro Electric plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

STEEL PLATE NEEDED AT ~~ARENTINO~~ AVENTINO

			Thickness
N. 2 plates	3500 x 6000 mm	(11Ft - 6in x 19Ft - 8in)	15mm (5/8 in)
N. 1 "	3500 x 3600 "	(11Ft - 6in x 11Ft - 10in)	15 " (5/8 in)
N. 1 "	3500 x 1650 "	(11Ft - 6in x 5Ft - 5in)	15 " (5/8 in)
N. 1 "	3500 x 2500 "	(11Ft - 6in x 8Ft - 2in)	12 " (1/2 in)
N. 1 "	3500 x 1650 "	(11Ft - 6in x 5Ft - 5in)	10 " (3/8 in)
N. 1 "	3500 x 1650 "	(11Ft - 6in x 5Ft - 5in)	5 " (3/16in)
N. 1 "	3500 x 2100 "	(11Ft - 6in x 6Ft - 10in)	5 " (3/16in)
N. 1 "	3500 x 1600 "	(11Ft - 6in x 5Ft - 3in)	5 " (3/16in)
N. 1 "	3500 x 600 "	(11Ft - 6in x 1Ft - 11in)	5 " (3/16in)
N. 1 "	6000 x 160 "	(19Ft - 8in x 0Ft - 6in)	8 " (5/16in)

Demensions to be as near as possible

Justification

Urgently required to repair the penstock of Aventino Hydro Electric plant.

31

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE (3)

Societa Meridionale di Elettricita 24/9/44

Lamiere di acciaio extradolce per
condotte forzate
fogli da 3200 x 2000 x 20 no. 1

Per il buono di assegnazione sara da richiedere un peso di 1.1 tonn.

Tusciano

Riattamento 1 condotta forzata

La piu urgente ed entro il 31 corrente mese

6/9/44. Capt. Ryan has indented for this material.
(Confirmed by Major Barry).

Jack L. Batcheler
LT.

30

Declassified E.O. 12356 Section 3.3/NND No. 785019

Prat.A90
CD/adl

SOCIETA MERIDIONALE DI ELETTRICITA 24/7/944

Lamiere di acciaio extradolce per
condotta forzata:

fogli -	3500	m/m	x 6000	m/m	spess.	15mm.	no 2
	3500	"	2600	"		15 "	L
	3500	"	1650	"		15 "	1
	3500	"	2500	"		12 "	1
	3500	"	1650	"		10 "	1
	3500	"	1650	"		5 "	1
	3500	"	2100	"		5 "	1
	3500	"	1600	"		5 "	1
	3500	"	600	"		5 "	1
	160	"	6000	"		8 "	7

Peso teorico 9700 Kg

Per il buono di assegnazione sara da richiedere

Tonn 11 lamiera acciaio extradolce spessore variabile fra 5÷ 15 mm.

Impianto Aventino

Riattamento condotta forzata

La piu urgente e non oltre il 15 Agosto p.v. a prezzo di assegnazione

S.M.E.D.C. Napoli

Declassified E.O. 12356 Section 3.3/NND No. 785019

10.

COPY FOR C. O. RYAN

27/1/44

SME 2

REG V 300/PWU

A.C.C. - Region III - P.U. Section
H E R E

4877/775 MVr/rg

Per la riparazione della condotta forzata del ns. Impianto Idraulico Aventino, abbiamo bisogno con grande urgenza, prima del 15 agosto prossimo, di:

- 11 Tonn. Lamiera acciaio extradolce di spessore da 5÷15 mm. secondo il seguente elenco:

n.	2	lamiere	da	3500x6000	mm.	spessore	15 mm.
"	1	"	"	3500x3600	"	"	15 "
"	1	"	"	3500x1650	"	"	15 "
"	1	"	"	3500x2500	"	"	12 "
"	1	"	"	3500x1650	"	"	10 "
"	1	"	"	3500x1650	"	"	5 "
"	1	"	"	3500x2100	"	"	5 "
"	1	"	"	3500x1600	"	"	5 "
"	1	"	"	3500x600	"	"	5 "
"	1	"	"	6000x160	"	"	8 "

Data l'importanza del lavoro cui dette lamiere sono destinate Vi preghiamo di volervi cortesemente interessare affinchè con tutta sollecitudine, ci venga concessa l'assegnazione di esse.

Ringraziamenti.

Translation

To restore the penstork at our Hydro-Plant Aventino we need very urgently and before the next 15 th. August:

= 11 Tonn. Sheet steel with thickness 5÷15 mm. as the following list:

- n.	2	plates	3500x6000	mm.	thickness	15	mm.
- "	1	"	3500x3600	"	"	15	"
"	1	"	3500x1650	"	"	15	"
"	1	"	3500x2500	"	"	12	"
"	1	"	3500x1650	"	"	10	"
"	1	"	3500x1650	"	"	5	"
"	1	"	3500x2100	"	"	5	"
"	1	"	3500x1600	"	"	5	"
"	1	"	3500x600	"	"	5	"
"	1	"	6000x160	"	"	8	"

29

Urgent. Bolts for Intake of 11 Tons. Aventino

Original sent to Region V engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

Because of the importance of the work the said plates are devoted to we beg you kindly take the necessary steps in order that very urgently we obtain an allotment of them.

With many thanks.

Fto Ferrari-Schellembrid

26/7/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

REGT VII

COPY FOR CAP. RYAN

13 luglio 1944

(A)

A.C.C. - Region III - P. U Section

H E R E

26876 MVr/im

: Per lavori di manutenzione da eseguire ai ns. impianti Silani abbiamo bisogno dei materiali ferrosi di cui all'allegata lista.

Vi preghiamo di volervi cortesemente interessare onde farci ottenere un'assegnazione di detti materiali.

alleg.1

Translation

For maintenance works at our Sila Plants we need the iron material as it is showened by the annexed list.

Will you please take the necessary steps in order that we obtain these items.

Original sent to Region VII

27

encl. 1

Fto Maglione - Brun

Declassified E.O. 12356 Section 3.3/NND No. 785019

ENGINEER SERVICE
PENINSULAR BASE SECTION
APO 782

DATE 11 June 1944

SUBJECT: Release of Oxygen & Acetylene
(SOGGETTO: Rilascio di)

TO : S.O.N. Plant, Naples
(A)

1. Release is granted to Societa Meridionale di Elettricita
(Si autorizza il rilascio a) Name & Address (Nome-Indirizzo)

for the following:
(per il seguente:)

4 bottles Oxygen

2 bottles Acetylene

Last Item

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct.
(E'inteso da parte di questo ufficio che il suddetto materiale dovr[illegible] essere pagato dal ricevente e che sara' fatturato direttamente)

R. E. MAC DONALD
Major, C.E.
Purchasing & Contracting Officer

LIST OF IRON MATERIALS REQUIRED

Plate iron		mms.	14 x 3	Kgs. 10	
"	"	"	20 x 3	" 15	
"	"	"	25 x 4	" 20	
"	"	"	28 x 8	" 40	
"	"	"	30 x 4	" 25	
"	"	"	30 x 8	" 50	
"	"	"	35 x 5	" 70	
"	"	"	35 x 8	" 50	
"	"	"	40 x 5	" 80	
"	"	"	45 x 7	" 50	
"	"	"	45 x 25	" 90	
"	"	"	70 x 3	" 40	
"	"	"	75 x 6	" 80	
"	"	"	90 x 8	" 100	720
Round iron		"	6	" 10	
"	"	"	7	" 10	
"	"	"	10	" 10	
"	"	"	15	" 30	
"	"	"	18	" 30	
"	"	"	20	" 60	
"	"	"	26	" 50	
"	"	"	30	" 50	
"	"	"	40	" 100	350
Square iron		"	20	" 30	
"	"	"	30	" 30	
"	"	"	40	" 60	
"	"	"	50	" 100	
"	"	"	70	" 200	420
Angle iron		"	20 x 20 x 3	" 20	
"	"	"	25 x 25 x 3	" 20	
"	"	"	30 x 30	" 20	
"	"	"	35 x 35	" 20	
"	"	"	40 x 40	" 15	
"	"	"	45 x 45	" 30	

Declassified E.O. 12356 Section 3.3/NND No. 785019

" "	"	35 x 8	" 50
" "	"	40 x 5	" 80
" "	"	45 x 7	" 50
" "	"	45 x 25	" 90
" "	"	70 x 3	" 40
" "	"	75 x 6	" 80
" "	"	90 x 8	" 100 720
Round iron	"	6	" 10
" "	"	7	" 10
" "	"	10	" 10
" "	"	15	" 30
" "	"	18	" 30
" "	"	20	" 60
" "	"	26	" 50
" "	"	30	" 50
" "	"	40	" 100 350
Square iron	"	20	" 30
" "	"	30	" 30
" "	"	40	" 60
" "	"	50	" 100
" "	"	70	" 200 420
Angle iron	"	20 x 20 x 3	" 20
" "	"	25 x 25 x 3	" 20
" "	"	30 x 30	" 20
" "	"	35 x 35	" 20
" "	"	40 x 40	" 15
" "	"	45 x 45	" 30
" "	"	50 x 50	" 30
" "	"	55 x 55	" 40
" "	"	60 x 60	" 50
" "	"	65 x 65	" 50 ?
" "	"	70 x 70	" 50 345
" "	"	50 x 30	" 40
" "	"	50 x 25	" 40 80

25

Telephone conversation with Region III Office Chaplin on 29/8/44. This material has been supplied to SME. for Sila.

1915

300

Declassified E.O. 12356 Section 3.3/NND No. 785019

					1915
Channel iron	mms.	50 x 30		kgs. 60	
" "	"	60 x 40		" 70	
" "	"	80 x 45		" 90	220
Sheet iron	mts.	2 x 1	thickness 1 mms.	" 16	
" "	"	"	" 2 "	" 32	
" "	"	"	" 2,5"	" 40	
" "	"	"	" 3	" 48	
" "	"	"	" 3,5"	" 56	192
Tin - plate -			" 0,3"	" 20	
" "			" 0,5"	" 20	40
Galvanised iron pipes	2"			" 150	150
					2517

Declassified E.O. 12356 Section 3.3/NND No. 785019


1958