Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 13/2

10000/150/812
(B)

MATERIAL O
MAY-SEP

Declassified E.O. 12356 Section 3.3/NND No. 785019

0000/150/812
3)

MATERIAL ORDERED & DEMANDED
MAY - SEPT. 1944

MINISTERO DELLE CORPORAZIONI

UFFICIO STUDI E RICERCHE

B

13/2

Material

worked and Annotated

A.

13/2B

Obused-13-5-44

Declassified E.O. 12356 Section 3.3/NND No. 785019

1312B

1000 150 812

THIS FOLDER
CONTAINS PAPERS
FROM MAY - 44
TO SEPT - 44
CATALOGUE -

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel: 489081

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LOF/tr

(61)

Ref:
CEB/13/2

8 Sept, 44

SUBJECT : Insulating Materials.

TO : DE H[illegible].AAI.

1. It is understood that a quantity of insulating materials for transformer repairs in Italy, were demanded by you on the UK, several months ago.

2. The demand for insulating materials far exceed the supply, it would therefore be of great assistance to the electrical supply of this country if any stocks you have could be made available to this Commission, for issue to the Italian Electrical Supply Companies.

W.M.LAPPER,
Lieut-Colonel,
Chief, Util.& Adm. Div.

5199

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

TO : Major Barry

1. Reference list of materials required for repairs to No 1 Plant Castelnuovo.

2. Herewith copy of letter ACC/5300/Commerce dated 14/9/44 received from Commerce Sub-Commission and it is suggested that the Electrical Company concerned purchase direct.

3. MAT 10 Forms are being submitted for outstanding items as outlined in para 3 of the attached letter.

E.G.PRICE
Major, R.E.

Declassified E.O. 12356 Section 3.3/NND No. 785019

16 SEP Recd CEB. CAS

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUBCOMMISSION
APO 394

ERG/ec

Ref. ACC/5300/Commerce

14 September, 44

SUBJECT: Materials- Castelnuovo Nº.1

TO : Public Works and Utilities Sub-Commission

1. Replying to your CEB/13/2 dated 9 September, 44.

2. The only materials on your list, which have been notified as available are:

Graphite which may be found at:
Soc. Chimica dell'Anine
Via Tiburtina 884-Rome

Shellac which may be found at
Bombrini Parodi Delfino,
Colleferro.

In addition this Sub-Commission has un-official information that Glass paper and Alcohol may be obtained from Giuseppe Querini, Largo Generale Gonzaga del Vodici, 2, Rome.

3. An enquiry is being sent out to uncover possible availability of other items mentioned on your list and a report will be made as soon as information is received. It is pointed out that Flax (Linseed) Oil is a controlled item, and a bid for requirements must be made on Form MAT 10, for submission to Local Resources Section of Allied Force Local Resources Board. The same applies to jointing Compound and Batteries.

for W. P. EVANS
Colonel
Director
Commerce Sub-Commission

5197

Declassified E.O. 12356 Section 3.3/NND No. 785019

16 SEP Recd

Subject:- Electrical Insulating Materials. 093 CCB PW+U 8915 (105) 13/2

To:- H.Q., Allied Control Commission,
Public Works & Utilities Sub-Commission,
A.P.O. 394.

EMW/7435/DDW(S)

From:- Director of Works, A.F.H.Q., C.M.F. 12 Sep 44

Reference your ACC/093/PWU of 8 Sep 44, a copy of your request is being passed to Director of Works, H.Q., A.A.I. with a request that he notifies you direct regarding availability of these items since Engineer Stores Depots in Italy are still under his control.

HEADQUARTERS 15 SEP 1944 A. C. C.

S.METTAM,
Major, R.E.,
for Brigadier,
Director of Works,
A.F.H.Q.

SM/lt

Copy to: D. Wks., H.Q., A.A.I. - with copy of above quoted letter. Will you please notify P.W.U. Sub-Commission A.C.C.direct, of availabilities.

C.E., N.A.D. - Reference EMW/7435/DDW(S) of 31 July 44 and 26 July 44. Can you now confirm that all items listed have been shipped to Elbow and give shipping details.

Encl.

Lt Col Pepper 16/9

Major Price 8193

Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 142 TWO
Outfile 13/2

8 8

107

COPY

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

In reply refer to:
RB-400/162

9 September 44

SUBJECT : Civil Supplies-Shipment

TO : Director Public Works and Utilities Sub-Commission

1. Information has been received that the following item has been scheduled for delivery on Shipment No. UGS-52:

a. Item : Tube, condenser, Admiralty Brass, 19 mm OD x 17 mm ID x 4,577 mm Long.5,000 ea.
Tube, condenser, Admiralty Brass,25 mm OD x 23 mm ID x 4, 655 mm Long, 4.000 ea.

b. Amount : Total - 9,000 condenser Tubes (31 D/T)

c. Port : Naples (scheduled, not firm)

d. Ship : HR-557 (James Monroe)

e. Requisition data :

ACC No	: ENG REQ 1-17-44	Dated 24 Jan 44
AFHQ No.	: UGS-63-ENG	Dated 3 Mar 44
SOS,NATOUSA,No	ENG IV-POG-9/32	
Shipping No.	ENG IV-POG-49	

f. Purpose for which requisitioned(Note: Civil Supplies from overseas will not be diverted from the project of purpose for which they were originally ordered) " For the generation of electrical power in the Island of Sicily."

2. You are directed to contact the Warehousing and Forwarding Division of Food Sub-Commission to arrange receipt and disposition of these materials. Use shipment number, vessel number and name in referring to this shipment.

ROBERT. A. MARTINO
Lt. Colonel C.E.
Division Chief.

5:9

Declassified E.O. 12356 Section 3.3/NND No. 785019

AMG 1142
AMG 1 13/2

8

106

COPY

HEADQUARTERS
ALLIED CONTROL COMMISSION
Requisition Division
APO 394

In reply refer to: RD-400 /162

9 September 1944

SUBJECT : Civil Supplies- Shipment.

TO : Director Public Works and Utilities Sub-Commission,
Attention: Lt. Colonel Lapper.

1. Information has been received that the following item has been scheduled for delivery on shipment No.UGS-52:

a. Item : Tape, insulating varnished, cambric, yellow in rolls.
Tubing, insulating, saturated, varnished yellow.

b. Amount : 2 DWT (250,000 yds of tape & 1,000 yds of tuning)

c. Port : Naples (tentative, not firm)

d. Ship : HR-557 (James Monroe)

e. Requisition data:

ACC No : 5-MISC-REQ III-44 Dated 10 Feb 44
AFHQ No : UGS-85-ENG
SOS,NATOUSA No : ENG IV-TOG-D471
Shipping No : MTTE-ENG-IV-TOGE 59

f. Purpose for which requisitioned (Note: Civil supplies from overseas will not be diverted from the project or purpose for which they were originally ordered) " Insulating materials for power stations."

2. You are directed to contact with Warehousing and Forwarding Division of Food Sub Commission to arrange receipt and disposition of these materials Use Shipment number, vessel number, and vessel name in referring to thos shipment.

ROBERT A.MARTINO
Lt. Colonel, S.C.
Division Chief

5197

cc; Warehousing and Frwding Div.
Capt. Murphy, Commerce Sub.Com.

Declassified E.O. 12356 Section 3.3/NND No. 785019

WW 1112
Sept 13/12

(105)

COPY

AFHQ Message Center

Incoming Message

AFSC N257703
030527B
mp

WARZ
NR 229
Files: 0221292

Routine

FROM: CCS

TO: WILSON INFORMATION SCAEF MAIN AND ETOUSA REAR FOR BRITISH CHIEFS OF STAFF

REF TO THIS MESSAGE: WZ- 21436 0" Sept, 1944

From CCAC

FOR SHOE, FNGEG

Cal 733

Insulating material.
Reference 1st paragrpahp CAL-685 and requisition ENG-IV D 471. Item 7 shipped UGS 48, item 24 on UGS 51, and items 36-38 on UGS 49. Availability of item 25 not known at this time. Will advise soon.

NOTE : CAL 685 Ref is WX 82453 MC IN 10880 13/8/44 (G-5)

ACTION : G-5

INFO : G-4 ENGRS SOS NATO AG RECORDS

MC IN 1576 3 Sep 44 1500B Ref No WX 21436 S/J/B

Declassified E.O. 12356 Section 3.3/NND No. 785019

TO: Major Barry

5 Sept.44

Will you please obtain from the Companies Lard rello and Valdarno their estimated monthly requirements of Lubricating oils and greases for the next six months also transformer oil.

Volturno, SME, SRE, Termin AGEA, UNES have been taken care of.

L.C.PRICE
Major,R.E.

(PLEASE TREAT WITH URGENCY)

Declassified E.O. 12356 Section 3.3/NND No. 785019

CASTELLUCCIO POWER PLANT

MATERIALS NEEDED FOR 1 PLANT REPAIRS

	Lengite (Cork Jointing Sheet 1/4 thick	270 sq. ft.
✓	Jointing Compound 9000 V	168 lbs
	CI watertight joint boxes for cables 5x5 sq.mm 1000 V	80
	" " 3x5 "	50
	2x5 "	50
	3x5 "	10
	3x50 "	10
✓	Jointing Compound low voltage	224 lbs
✓	Flux oil	5 gals
	Graphite	10 lbs
	Shellac	2 "
	Alcohol	2 "
	Rubber insertion 1/8 thick	100 sq ft.
	Emery paper (various grades)	100 sheets
	Glass paper (various grades)	100 "
	Emery powder (fine grain)	1 lb
	Hack saw blades	50
	Flat files (various grades)	20
	Half round files	20
	Round files	20
	Square files	10
✓	Telephone batteries Dry 3 volt Rectangular or Round	50

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

HEADQUARTERS
ALLIED CONTROL COMMISSION
Warehousing and Forwarding Division
Food sub- Commission
APO 394

1 September 1944

ACC/63-1/FOOD

SUBJECT : Arrival of Supplies

TO : Officer i/c ACC Depot 676
(Attn: Lt. Ramsey)

1. Bearer of this message will deliver tomorrow the following cargo:

32	36 x 151 sheets cork 24x36	4521	lbs
10	" 4150 yd. tape cotton white	3038	"
1	" 100 Rl tape ryn ctn.untrtd	23	"
307	20 Rl ribbon backelized paper	896	"
312	" 546 Lbs rubber sheets	554	"

Total : 4963 Lbs

2. Same is to be stored in Depot 676 subject to orders Capt. Ryan, Public Works and Utilities Div. Region III.

R.H.KLEIN
Captain
Food Sub-Commission

Copy to: Capt. Ryan , Public Works and Util. Div. Region III
Public Works and Util. Sub-Commission(attn: Capt. Laughlin)

5197

Declassified E.O. 12356 Section 3.3/NND No. 785019

Identification of items being delivered.

UCS 48

6. White cotton tape			3038 lbs
7. Cotton Rayon tape			23 lbs
19. Leatheroid sheets			
.010 x 48 x 80 in	322 sheets		792 lbs
.015 x 48 x 80 in	246 "		879 "
.025 x 48 x 80 in	181 "		1072 "
.035 x 48 x 80 in	118		971 "
30. Bakelyzed paper ribbon			896 "
31. Rubber sheets			554 "
32. Corlis sheets			452 "
36. Varnish Insulating Bakelite clear		100 galls	1240 "
37. Thinning varnish for 36		100 gals	1120 "
38. Lustral enamel grey		100 galls	1230 "
39. Glycerine to blend with Litharge			20 galls
40. Litharge			4 tons

UCS 50

21. Gum lac solid			50 lbs
22. Gum lac dilutant		25 galls	250 "
33. Varnish insulating clear(air drying)		100 galls	(5 DWT)
34. " " " (oil resistant)		1200 galls	(7 DWT)
35. Petroluem spirit(varnish dilutant) for 34		200 galls	(1 DWT)

UCS 51

24 5190

Declassified E.O. 12356 Section 3.3/NND No. 785019

ITEMS as ordered

EXPECTED on UGS 48 :

6) Cotton Cumbric ribbon various sizes and types	600.000 (3038 lbs
7) Pure silk ribbon	23 lbs
29) Leatheroid sheets thickness from 1/28 to 1/8	2 tons
30) Bakelyzed paper ribbon for flanged collars	600 lbs
31) Rubber sheets of 1/16 to 1/4 thickness	856 lbs
32) Linoleum for transformer oil gaskets 1/8 to 1/4 thickness	100 S.Y.
39) Glycerine to blend with Litharge	20 gal
40) Litharge	300 lbs
36- UGS 49 Bakelyte Varnish	100 gal.
38- Grey insulating cooking varnish	100 "

Expected on UGS 50

21) Gum-lac solid	50 lbs
22) Diluent for above gum-lac	250 lbs
33) Insulating varnish drying in the air	100 galls(5 D.T)
34) Insulating varnish drying in the stove resisting to hot oil	1200 galls(7D.T)
35) Diluent (white spirit) for above varnish	200 galls

UGS 51

24- Pure cellulose insulating paper 300 lbs.
Expected on UGS 52 in Over Copper Wire

3) Yellow sterling cambric ribbon various sizes	250,000 Yard
5) Silk sterling cambric ribbon various sizes	10,000 "
29) Sterling cloth tubes assorted diameter	1,000 "

518

Expected on UGS 53

1) Silk-mica ribbon assorted width 1/2 to 1" thick 1/128 to 1/32"	100,000 yard
2) Paper mica ribbon assorted as above	100.000 "

Declassified E.O. 12356 Section 3.3/NND No. 785019

4) Black sterling cambric ribbon various sizes	150,000 Yard
8) Black sterling cloth resisting to hot oil	100 "
18) Pressboard sheets thickness from 1/64 to 1/8	10 tons
20) Micanyte for insulating colectors lamels	500 lbs
23) Mica paper sheets of different type	100 Yard
26) Bakelyte tubes 1/2 x 3/4" diam.	100 "
27) " 3/4 x 1" 1/4 "	100 "
28) " 1" 1/2 x 2" "	100 "

Declassified E.O. 12356 Section 3.3/NND No. 785019

ITEMS Lacking OUT of SHIPMENT

9)	Yellow sterling cloth resisting to hot oil	100
10)	Bakelyte sheets thick 1"	25
11)	" " " 3/4	10
12)	" " " 1/2	10
13)	" " " 1/4	20
14)	" " " 1/8	10
15)	" " " 1/16	10
16)	" " " 1/32	20
17)	" " " 1/64	32

Declassified E.O. 12356 Section 3.3/NND No. 785019

AAI
CENTRAL ELECTRICAL BOARD
HQ. . AAI . CMF.

Ref: CEB/13/2 30 Aug.44

SUBJECT : Coal Rome.

TO : Adv. AFHQ CMF
Coal Section .

1. Reference is made to your Coal/5 dated 1 June 44 and our letter even number of 5 Aug 44.

2. The Societa Romana di Elettricita is in urgent need of:-

3 Tons of Coke

for their wath's forgotto enable them to carry out the work of repairs to electrical apparatus.

3. It is understood that coke is available at

Officina del Gas di San Paolo
Via Catlense 94, Roma

but that this commodity is controlled by your section.

4. Will you please arrange release; Payment will be made direct by receiver.

L.G. WICE,
Major, R.E.
AAI, Central Electrical Board

COAL/5/Lt.Col. 1st Ind. HMZ/jjg
COAL SECTION, A.F.H.Q. c/o Main HQ. A.A.I. APO 400, U.S.Army. 31 Aug.44

TO: A.A.I. Central Electrical Board, HQ.AAI, CMF

Re Mart approved. Release Authorized.

5185

H.M.WALKER,
Lt.Col., CE.
Coal Section.

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

LGP/tr

ACC/093/PWU

28 Aug,44

SUBJECT : Paper

TO : Requisition Division .

1. Reference is made to your RD-462.1 dated 21 Aug,44.

2. It is estimated that the following will be required by the Electricity Companies operating in Central and Southern Italy during the months Jan to June 1945 and should be included in your list of Paper Requirements.

Filter Paper for drying and filtering Insulating Oils

80.000 sheets 323 mm square
80.000 " 185 mm square.

these sizes will be suitable for standard drying and filtering presses.

W.H.LAPPER
Lieut-Colonel,
Chief, Util.&Adm.Div.

Copy to: File CEB/13/2

5185

Declassified E.O. 12356 Section 3.3/NND No. 785019

AAI
CENTRAL ELECTRICAL BOARD

REF:
CEB/6/1

28 Aug.44

SUBJECT : Stores Demands and POL Requirements

TO : UNRRA 117 via Torino
AGEA 61 via Milano
TERNI 66 via Due Macelli
SRE 14 Piazza Poli

1. The Offices and business of the AAI Central Electrical Board has been transferred to HQ. Allied Control Commission, Public Works and Utilities Sub-Commission, and are located on the eighth floor, in the building of Ministero delle Corporazioni.

2. You should in future submit your demands for material, fuel and lubricants (for your Central Stations) to the above quoted Sub-Commission.

Major L.G. PRICE,RE.
AAI, Central Electrical Board

Copy to File CEB/13/2

518

Declassified E.O. 12356 Section 3.3/NND No. 785019

AAI
CENTRAL ELECTRICAL BOARD
HQ AAI

CEB/13/2

28 Aug,44

SUBJECT : Lime.

TO : RAAC
attn: Engineer Supply Officer.

1. It is understood by this office that there is in store in the yard of

F.lli Giovanetti
Ex Universal Exhibition of Rome
(Section Ortogeneri)

50 cubic metres of Lime, and that this store has been frozen by RAAC.

2. The lime referred to is urgently required by the

Società Romana di Elettricità

for rebuilding and repair work at their San Paolo Steam Station.

3. Will you please arrange early release.

L. G. PRICE
Major L.G.PRICE,RE.
AAI, Central Electrical Board.

5182

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Società Romana di Elettricità

Per azioni - Sede in Roma - C. P. C. Roma N. 3227
capitale sociale L. 138.500.000 versato

Roma (13) li 2/8/1944
VIA POLI, 14

N.

CENTRAL ELECTRICAL BOARD

Major Price

ROMA

771/36

Richiesta sblocco calce

Si prega Cod. Comando di voler concedere lo sblocco di:

m^3 50 (cinquanta) di calce

giacenti presso il cantiere dell'Impresa F.lli Giovannetti, dell'Ex Esposizione Universale di Roma (Reparto Ortogenesi).

Il quantitativo di calce su richiesto è indispensabile per i lavori di ricostruzione della Centrale Termoelettrica di S.Paolo e delle altre sottostazioni elettriche di Roma, danneggiate dai Tedeschi.

Si prega pertanto cod. Comando di voler far autorizzare lo sblocco, che è di competenza dell'Ufficio appresso indicato:

ROME AREA COMMAND
OFFICE OF THE ENGINEER SUPPLY OFFICER
APO 794 U.S. ARMY
ROMA
Corso Umberto 262

G.DC.

9

SOCIETÀ ROMANA DI ELETTRICITÀ
DIREZIONE GENERALE

5/8

Società Romana di Elettricità

Per azioni - Sede in Roma - C.P.C. Roma N. 3257
capitale sociale L. 478.500.000 - versato

Roma 14/ 6 August 2nd, 1944
VIA POLI, 14

CENTRAL ELECTRICAL BOARD
Major Price

ROMA

Object: Application for raising lime blockade

+We beg these Headquarters to allow the raising of the blockade of

50(fifty) cubic meter of lime

stored in the yard of the Firm Flli Giovannetti at the ex-Universal Exibition of Rome (Section Ortogeneri).

Aforesaid quantity of lime is indispensable for the rebuilding work of S.Paolo's steam-electrical station and of the other electrical sub-stations of Rome which have been damaged by Germans.

We therefore ask these Headquarters to authorize the raising of the blockade, which is a matter belonging to the jurisdiction of:

ROME AREA COMMAND
OFFICE OF THE ENGINEER SUPPLY OFFICER
A P O 794

U.S. ARMY
ROMA
Corso Umberto 262

Cablo: Telefono 60.951 - Telegrammi: Ellettromar - Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Major Price

ROMA

Object:Application for raising lime blockade

+We beg these Headquarters to allow the raising of the blockade of

50(fifty) cubic meter of lime

stored in the yard of the Firm Flli Giovannetti at the ex-Universal Exibition of Rome (Section Ortogeneri).

Aforesaid quantity of lime is indispensable for the rebuilding work of S.Paolo's steam-electrical station and of the other electrical sub-stations of Rome which have been damaged by Germans.

We therefore ask these Headquarters to authorize the raising of the blockade ,which is a matter belonging to the jurisdiction of:

ROME AREA COMMAND
OFFICE OF THE ENGINEER SUPPLY OFFICER
A P O 794

U.S. ARMY
ROMA
Corso Umberto 262

5181

Declassified E.O. 12356 Section 3.3/NND No. 785019

2nd COPY SRE

(9)

ENGINEER SERVICE
PENINSULAR BASE SECTION
ADVANCE ECHELON
APO 782 LE/FP

27 August 1944

SUBJECT: Cement.

TO : A.A.I. Central Electric HQ.AAI. C.M.F.
(Attn: Major Price)

Attached herewith are releases to you as per your demand of 22 August on Italcementi Ref CEB/13/2, under control of C.E. P.B.S.

For the Engineer

R.E. MAC DONALD
Major C.E.

5183

Declassified E.O. 12356 Section 3.3/NND No. 785019

ENGINEER SERVICE
PENINSULAR BASE SECTION
A.P.O. 782

SUBJECT: Release of CEMENT DATE 27 August 1944
(SOGGETTO: Rilascio di)

TO : ITALCEMENTI - CIVITAVECCHIA
(A)

1. Release is granted to CENTRAL ELECTRICAL BOARD H.Q.AAI.C.M.E.
(Si autorizza il rilascio a) Name & Address (Nome-Indirizzo)
for: SOC. ROMANA DI ELETTRICITA' for the following
(per il seguente:)

SELVENA Station

45 tons Cement

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct

(E' inteso da parte di questo ufficio che il suddetto materiale dovrà essere pagato dal ricevente e che sarà fatturato direttamente)

R.C. MacDonald

R.C. MAC DONALD
Major, C.E.
Purchasing & Contracting

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. Release is granted to CENTRAL ELECTRICAL BOARD M.C.AAI.C.M.E.
(Si autorizza il rilascio a) Name & Address (Nome-Indirizzo)
for: SOC. ROMANA DI ELETTRICITA' for the following:
(per il seguente:)

SELVENA Station

45 tons Cement

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct

(E' inteso da parte di questo ufficio che il suddetto materiale dovrà essere pagato dal ricevente e che sarà fatturato direttamente)

R.C. MacDonald

R.C. MAC DONALD
Major, C.E.
Purchasing & Contracting
Officer

5176

Declassified E.O. 12356 Section 3.3/NND No. 785019

ENGINEER SERVICE
PENINSULAR BASE SECTION
APO 782

SUBJECT: Release of CEMENT
(SOGGETTO: Rilascio di)

DATE 27 August 1944

TO : ITALCEMENTI = CIVITAVECCHIA
(A)

1. Release is granted to CENTRAL ELECTRICAL BOARD H.Q.AAI.C.M.F.
(Si autorizza il rilascio a) Name & Address (Nome-Indirizzo)
for: SOC. ROMANA DI ELETTRICITA' for the following
(per il seguente:)

dem PAGLIACCIA Station

11 Tons Cement

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct

(E' inteso da parte di questo ufficio che il suddetto materiale dovrà essere pagato dal ricevente e che sarà fatturato direttamente)

R.E. MacDonald

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. Release is granted to CENTRAL ELECTRICAL BOARD H.Q.AAI.C.M.F. Name & Address (Nome-Indirizzo)
(Si autorizza il rilascio a)
for: SOC. ROMANA DI ELETTRICITA' for the following:
(per il seguente:)

dam PAGLIACCIA Station

11 Tons Cement

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct

(E' inteso da parte di questo ufficio che il suddetto materiale dovrà essere pagato dal ricevente e che sarà fatturato direttamente)

R. E. MacDonald
R. E. MAC DONALD
Major, C. E.
Purchasing & Contracting Officer acting

5178

Declassified E.O. 12356 Section 3.3/NND No. 785019

CEMENT

25 August 1944

SUBJECT: Release of _____ DATE _____
(ACCEPTED: Villaggio di)
ITALCEMENTI = CIVITAVECCHIA

TO : _____
(A)

CENTRAL ELECTRICAL BOARD, H.Q.AAI.C.M.F.

1. Release is granted to _____ Name & Address(Nome-Indirizzo
(Si autorizza a)

for: SOC. ROMANA DI ELETTRICITA'

canal MOLETTE Station for the following:
(per il seguente:)

12 Tons Cement

_____

_____

_____

2. It is the understanding of this office that the above material is to be paid for by the receiver and that he is to be billed direct.

(E' inteso da parte di questo ufficio che il suddetto materiale
le dovrà essere pagato dal ricevitore e che sarà fatturato direttamente).

Declassified E.O. 12356 Section 3.3/NND No. 785019

(A)

CENTRAL ELECTRICAL BOARD, H.Q.AAI.C.M.F.

1. Release is granted to _____ Name & Address(Nome-Indirizzo
(Autorizzazione rilasciata a)

for: SOC. ROMANA DI ELETTRICITA'

for the following:
Canal MOLETTE Station (per il seguente:)

12 Tons Cement

_____

_____

_____

2. It is the understanding of this office that the above material is to be sold for by the receiver and that it is to be billed direct.
(E' inteso da parte di questo ufficio che il suddetto materiale le dovrà essere pagato dal ricevimento e che sarà fatturato direttamente).

5177

[illegible]
Major [illegible]
Purchasing & Contracting Officer

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
Central Electrical Board.
H.Q. AAI C.M.F.

of; CEB/13/2
Aug 44

13/2

SUBJECT:- Stores Demand.

To:- Local Resources Section HQ AAI

1. Herewith demand proforma CEB/R/3 dated 22 Aug 44 for

60 Tons Cement

for the repairs to the plant of the Societa Romana di Elettricita made up as follows.

Repairs to SELVENA station		15 Tons
"	dam PAGLIACCIA station	11 "
"	canal Molette station	12 "
		68 Tons

2. It is understood that the above quantities can be obtained from ITALCEMENTE CIVITAVECCHIA.

L.G.Price
Major R.E.
A.A.I. - C.E.B.

5176

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
A.A.I. C.M.F.

Ref: C/13/2

22 August 44

SUBJECT: Stores Demand- Industrial Gasses

TO:- C.E. P.B.S.

1. We have made application to Local Resources Section AAI for the release of;-

2 Tons Carbide
50 Cubic metres Oxygen

and have been referred to you in accordance with the minutes of the 7th meeting of the Engineering Materials Committee held on 4th April 44, which states that demands for industrial gasses should be addressed to D.W. in Eastern Italy and C.E. P.B.S. in Western Italy.

2. Will you therefore please arrange the release of the above quantities which are urgently required by the SOCIETA ROMANA di ELETTRICITA for the restoration of war damaged electrical plants.

3. Oxygen can be obtained from;

LUIGI LOCATELLI via Marco Polo 10, Roma

and Carbide from

CARACCIOLO via Macao 4, Roma

but it is necessary that the above named be authorized to release.

L.G.Price.
Major R.E.
A.A.I.- C.E.B.
5175

13/244

Società Romana di Elettricità

Per azioni - Sede in Roma - C.P.C. Roma N.o 5247
capitale sociale L. 178.500.000 - versato

Roma (41) lì August 16th, 1944
VIA POLI. 14

P.G/ap 61/196

Memorandum for CENTRAL ELECTRICAL BOARD (Major Price)

The following works are already going on for whose execution we need an allotment of cement as notified at the side of each work:

- Repairs to the Selvena Station (Municipality of Castellazara)	Quintals	450
- Repairs to the dam of Pagliaccia Station (Municipality of Sorano)	"	110
- Repairs to the canal of Molette Station (Municipality of Ronciglione)	"	120
	Quintals	680

We can collect the cement at Italacementi in Civitavecchia.

48 Tons.

5174

Cablegram Telephone 65901 - Telegramm "Elettromar, Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

13/2

Società Romana di Elettricità

Società per azioni - Sede in Roma - C. P. C. Roma N. 2217

Servizio Distribuzione Nord (ex Volsinia) capitale sociale L. 118.500.000 - versato

Roma (47) li 16 Agosto 1944
VIA POLI, 14

P.G/ap 69/198

PRO MEMORIA PER CENTRAL ELETTRICAL BOARD - Colon.Growdn

Abbiamo in corso i seguenti lavori per la cui esecuzione occorre ci sia assegnato il cemento nel quantitativo a fianco indicato :

- Riparazione centrale Selvena (Comune di Castellazzara).....	Q.li	450
- Riparazione diga centrale Pagliccia (Comune di Sorano).....	"	110
- Riparazione canale centrale Molette (Comune di Ronciglione).....	"	120
	Q.li	680

L'assegnazione può essere fatta presso l'Italcementi di Civitavecchia.

5173

Declassified E.O. 12356 Section 3.3/NND No. 785019

Via Poli, 14

P.G/ap 64/198

PRO MEMORIA PER CENTRAL ELETTRICAL BOARD - Colon.Growdn

Abbiamo in corso i seguenti lavori per la cui esecuzione occorre ci sia assegnato il cemento nel quantitativo a fianco indicato :

- Riparazione centrale Selvena (Comune di Castellazzara)..... Q.li 450
- Riparazione diga centrale Pagliccia (Comune di Sorano)....." 110
- Riparazione canale centrale Molette (Comune di Ronciglione)....." 120

Q.li 680

==========

L'assegnazione può essere fatta presso l'Italcementi di Civitavecchia.

5173

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

LOCAL RESOURCES SECTION

13/2

IQ AAI
CEF

9 AUG 44

REF:- 17/22/LR

To:- Central Electrical Board.

SUBJECT:- Your demand CEB/P/2 of 5 AUG

1. Reference above demand for:-

20 quintals carbide
50 cubic metres oxygen.

2. Please refer to Minutes of 7th Meeting of Engineering Materials Committee held on 4th April, from which you will see that your demands for Industrial Gases should be addressed to DW in Eastern Italy and to CE PBS in Western Italy.

3. Regarding calcium carbide, it is suggested that you apply to ORD (Br), who will doubtless be able to meet you.

Lieut.Colonel,
A.Q.M.G.,
Local Resources Section.

1973/MG11

258

5172

Declassified E.O. 12356 Section 3.3/NND No. 785019

C

2-B

19 AUG 1944

13/2

ARMY FORCE OTHER THAN

MESSAGE FORM

Register No.

Time Filed	Cat No.	Priority	Transmission Instructions

ABOVE THIS LINE FOR SIGNALS USE ONLY

FROM Originator: W02 DET. POEBN SAEC — Date-Time of Origin: 14 10 2 3

— Office Data Stamp. —

For Action

TO: AAI. CENTRN. ELEC BOARD APO 40.

(FYI) For Information (INFO)

— Message Instructions — GE —

Originator's No.

ZEBO/176 HEREWITH RELEASE VOUCHER #5462 IN DUPLICATE COVERING ISSUES EX WOODCNO KINDLY ACQUIT AND RETURN VOUCHER TO THIS OFFICE.

This Message May Be Sent As Written By Any Means Except	Is Liable To Be Intercepted Or To Fall Into Enemy Hands This Message Must Be Sent As Secret	Originator's Instructions Degree Of Priority
Wireless		

Signature

Released

Time	System	Op.
TH2 or TOR		
Time cleared		

5172

Declassified E.O. 12356 Section 3.3/NND No. 785019

Issued from 80 F.B.W. S.A.E.C. A.A.I. Central Elec.

Voucher No F/4624 Consigned to Board A.P.O.

Date Completed 11 August 44 Rail/ Collected By Motor Truck

Voucher No	Description of Stores	Units	Quantity Required	Quantity Issued In Tons	W/Cash No	W/Bill No Motor	Date	Remarks
D/1061	Cement	Tons	20	3	—	481777o	11/8/44	
				2		I328I07	"	
				3		4817778	"	
				3		4817778	"	
				3		4817778	"	
				3		I328107	"	
				3		4817778	"	

VOUCHER NOW COMPLETED.

N.C.O. i/c Sgt. Byrne

Modugno Cement Factory.

Declassified E.O. 12356 Section 3.3/NND No. 785019

VOUCHER FOR R.E. STORES ISSUED FROM 20 F B W (CAFO) Fmn Workshop DEPOT SHEET

DELIVERY REQUIRED BY	GOODS TO BE CONSIGNED TO	ADVICES TO	
Vocab. Section	Central Fortress Engrs		Comman
D General	HQ 20		Vote or

Vocab. No	DESCRIPTION OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	
D611	Cement Sand Mixed Ton		20							

AUTHORITY OF ISSUE	PARTICULARS AND DESPATCH	
Please issue as above	Mode of Conveyance	Checked by
Signed	Carriers Note No. Date 11/8/42	Date 14/8/42
Date		

PLE

PSSN/709/5-41/600×100

Declassified E.O. 12356 Section 3.3/NND No. 785019

D. D. W./S. FORM 3 (APPENDIX VII)

D FROM 20 F Bu (CNFC) Fort Monroe, NC. DEPOT SHEET 1 OF 1

GOODS TO BE CONSIGNED TO

Fort Fremont Field
Fire Wire

ADVICES TO

Voucher No. F/4624

Command Demand No. CF13/13/2

Vote or Allotment No.

OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measurement	TONNAGE Heavy Tons	C	Q	lbs.	TONNAGE Light Tons	ft.
Wire Barbed	Lbs	20	20							20					

PARTICULARS AND DESPATCH

Mode of Conveyance

Carriers Note No. Date 11/8/44

Checked by [illegible] 14/8/44

CONSIGNEE'S REC. AND CERTIFICATE

PLEASE SIGN AND RETURN
2 DETACHMENT, SALS
U.S.A. [illegible]
OFFICIAL

CENTRAL ELECTRICAL BOARD

R. V. No

Signature and Rank [illegible] Capt RE

Date 22/8/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CMF

REF: CEB/13/2

5 August 1944

SUBJECT:- Coal Issues

TO:- Coal Section, HQ AAI CMF.

1. The Societa Romana di Elettricita urgently require 3 tons of Coke for use in repairing electrical equipment necessary for the rehabilitation of the power system.

2. Reference is made to your Coal/5 dated 1 June 44 (copy of which is attached for easy reference) whereby arrangements had been made for requirements of Coal and/or Coke would be dealt with by SCT 57 Area.

3. May information please be given as to whether similar arrangements have been made with SCT 59 Area, in order that application for the above amount of Coke can be made.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5164

Società Romana di Elettricità

Per azioni - Sede in Roma - C.P.C. Roma N.o 3247
capitale sociale L. 178.500.000 - versato

Roma 47/b 4/8/1944
VIA POLI, 14

N.

CENTRAL ELECTRICAL BOARD

Mayor Price

R O M A

Approvvigionamento carbone coke per officina

Preghiamo cod. Ufficio di voler concedere lo sblocco, presso l'Officina del Gas di S. Paolo in Roma (Via Ostiense 84), di :

q.li 30 (trenta) di carbone coke da gas grigliato ,

necessario alla ns/ Società per i lavori di forgia, da eseguire per la riparazione di apparecchiature elettriche, occorrenti per il ripristino degli impianti elettrici danneggiati dalle contingenze di guerra .

Si prega tener presente che siamo attualmente sprovvisti di carbone coke

G.CG.

SOCIETÀ ROMANA DI ELETTRICITÀ
DIREZIONE GENERALE

5102

Cablo-Telefono 60.951 - Telegrammi: Ellitroma - Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Società Romana di Elettricità

Per azioni - Sede in Roma - C.P.C. Roma N.° 3247
capitale sociale L. 270.000.000 - versato

Roma (45) lì August 4th 1944
VIA POLI, 14

N.

CENTRAL ELECTRICAL BOARD
Major Price

ROMA

Subject:Supply of coke coal for workshops

We ask this Office to raise the blockade at the Officina del Gas of S.Paolo-Via Ostiense 84- of:

30 Quintals(thirty) of coke coal from gas(grigliato)

wanted by our Company for smith's works necessary to the repairs of electrical apparatus which are wanted for the restoration of electrical plants damaged by war contingencies.

We also notify that we are presently entirely devoid of coke.

Indirizzo Telegrafico: SOMOT Telegrammi: Elettroma - Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CMF

HLF/CMB/13/2

5 August 44

SUBJECT:- Release of Stores

TO:- AF Local Resources (I) Board

1. Enclosed herewith please find pro forma, ref: CEB/R/2 dated 5 Aug 44, for release of Carbide and Oxygen.

2. It is understood that Carbide can be obtained from:-

Caracciolo, Via Macao, 4.

and Oxygen from :-

Luigi Locatelli, Via Marco Polo, 10.

JAMES P. CROMDOR,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5167

CSD/R/2

APPENDIX "A" TO AAI AD INTERIM
IT BUCCH No. 8 DATED 20 JAN 44.

SUPPLIES AND STORES DEMANDED ON ITALIAN BOARD

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded: CALCIDE - 20 Quintals
OXYGEN - 50 C.M.

Quantity required:
(In metric tons, or
other suitable unit)

Place delivery required: Town: ROME

Province:

Compartment:

Date delivery required: Urgently. Stock on hand: NIL

Any special request: These items are required urgently and are sufficient for three months Equivalent to days supply

Certified that these supplies and stores are required for urgent operational/~~normal maintenance~~/~~stockpiling~~ purposes

.COLONEL CE.....Rank

VICE CHAIRMAN....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 5 August 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Commodity Demanded: CEMENT - 50 O.M.

Quantity required:
(In metric tons, or other suitable unit)

Place delivery required: Town: ROME

Province:

Compartment:

Date delivery required: Urgently. Stock on hand: NIL

Any special request: These items are required urgently and are sufficient for three months Equivalent to days supply

Certified that these supplies and stores are required for urgent operational/~~normal maintenance~~ stockholding purposes

.....COLONEL CE.....Rank

.....VICE CHAIRMAN.....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 5 August 44

For use of Local Resources Section only.

5165
Demand No. Prefix:
Serial:

Passed to A G/ACC..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Società Romana di Elettricità

Per azioni - Sede in Roma C.P.C. Roma N.o 3247
capitale sociale L. 4.138.500.000 versato

Roma li 4/8/1944
VIA POLI, 14

N.o

CENTRAL ELECTRICAL BOARD

Major Price

R O M A

Fabbisogno ossigeno e carburo di calcio

Per poter eseguire i lavori di ripristino degli impianti elettrici danneggiati, la nostra Società ha bisogno, per le immediate necessità del momento, di

Qli 20 (venti) di Carburo di calcio e

mc.50 (cinquanta) di ossigeno industriale in bombole,

Necessari per eseguire le saldature di apparecchiature elettriche varie.

Si fa presente che lo sblocco di quanto sopra richiesto deve essere effettuato presso:

1) Ditta Luigi Locatelli - Via Marco Polo 10 - per l'ossigeno

2) Ditta Caracciolo - Via Macao 4 - per il Carburo di calcio

Si fa presente che le scorte della nostra Società sono pressochè esautite.

SOCIETÀ ROMANA DI ELETTRICITÀ

Telefono Centralino 67931 - Telegrammi "Elettromec." Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

16

CENTRAL ELECTRICAL BOARD

Major Price

R O M A

Fabbisogno ossigeno e carburo di calcio

Per poter eseguire i lavori di ripristino degli impianti elettrici danneggiati, la nostra Società ha bisogno, per le immediate necessità del momento , di

Qli 20 (venti) di Carburo di calcio e

mc.50 (cinquanta) di ossigeno industriale in bombole ,

necessari per eseguire le saldature di apparecchiature elettriche varie.

Si fa presente che lo sblocco di quanto sopra richiesto deve essere effettuato presso :

1) Ditta Luigi Locatelli - Via Marco Polo 10 - per l'ossigeno

2) Ditta Caracciolo - Via Macao 4 - per il Carburo di calcio

Si fa presente che le scorte della nostra Società sono pressochè esautite .

SOCIETA ROMANA DI ELETTRICITA
DIREZIONE GENERALE

G.DC.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Società Romana di Elettricità

Per azioni - Sede in Roma - C. P. C. Roma N.° 3247
capitale sociale L. 175.000.000 - versato

Roma (47) lì August 4th, 1944
VIA POLI, 14

N.°

CENTRAL ELCTRICAL BOARD

Major Price

ROMA

Subject: Needs of oxigen and carbide

In order to work at the repairs of damaged electrical plants our Company needs for immediate wants;

20 Quintals (twenty) carbide and
50 cubic meters(fifty) industrial oxigen in cylinders

which are to be made use for the welding of various electrical apparatus.

We notify that the blockade of abovementioned materials has to be raised at;

1) Firm Luigi Locatelli-Via Marco Polo 10- for oxigen
2) Firm Caracciolo-Via Macao 4- for carbide.

We also notify that the supplies of our Company are almost exaus sted.

5166

Indirizzo Telefono e Telegrammi: Elettroma...

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

LOCAL RESOURCES SECTION
H.Q. A.A.I.
APO 400

8B

In reply refer to:
17/55/LR.

JFW/lvw.

SUBJECT : Plumbing fittings.

2 AUGUST 44.

TO : Central Electrical Board,
A.A.I.

(5)

1. Engineers Service, P.L.S. now report that plumbing fittings listed in your demand CEB/15A 17 JUNE 44 are not available in Army depots or known sources of supply.

2. As plumbing fittings are not controlled items and can be purchased where found, we offer the following as possible sources of plumbing fittings to fill your needs :-

FODAGNOSI, ARTURO, Via Tasso, 140, Rome.

IDRAULICI CELSO, Piazza Baldino, 22, Rome.

MERCURIO ZANOLETTI, Via del Mortaro, 17, Rome.

CECCONI, Via Eufemia, 12, Rome.

ADOLFO PACETTO, Via San Francesco di Sales, 85, Rome.

John C. Ransden
JOHN C. RANSDEN,
Major, Infantry,
Local Resources Section.

5163

Declassified E.O. 12356 Section 3.3/NND No. 785019

LOCAL RESOURCES SECTION
H.Q. A.A.I.
APO 400.

25 JUL 1944

In reply refer to:
17/25/LR

JCR/lvw

SUBJECT: Cement. 22 JULY 44.

TO : Central Electrical Board,
HQ AAI.

1. Release Order No. 382 covering requirements stated in your CEB/13/2 is forwarded herewith.

Release Handed to SRE 27/7/44

JOHN C. RAMSDEN,
Major, Infantry,
Local Resources Section.

Incl.
LRS Release Order No.382.

Declassified E.O. 12356 Section 3.3/NND No. 785019

82

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CMF

REF: CEB/13/2

28 July 1944.

SUBJECT: Stores Demands

TO: HQ ACC (Economics & Supply Division)

S14

1. On the attached is listed the materials required by the Terni Coy for repairs of their four Galileo Station groups.

2. Most of their requirements (or near equivalents) have already been covered by your order, 5/Misc-Req 3-44 of 10.2.44, and a few items may be procured locally.

3. In view of the continued demolition of electrical plant it is foreseen that additional quantities of insulating material will be required to repair and rehabilitate the plants.

4. It is suggested therefore that requisitions be placed immediately for insulating materials in view of the delay that has already occurred regarding the above quoted requisition.

JAMES P. CROWDER,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

MATERIALI NECESSARI PER LA RIMESSA IN EFFICIENZA DELLE CENTRALI DELLA SOCIETA' "TERNI"

(897)

- A) CENTRALE DI GALLETO

Per riparare i quattro gruppi della centrale di Galleto, occorrono :

1)	- Cartone bakelizzato, spessore 40 m/m	mq.	23
	- cartone bakelizzato, spessore 20 m/m	"	32
	- cartone bakelizzato, spessore 15 m/m	"	8,5
2)	- Legno impregnato per distanziatori, spessore 40 m/m	"	4,5
	(può essere sostituito con cartone bakelizzato dello stesso spessore)		
	- Legno impregnato per distanziatori, spessore 8 m/m	"	10,5
	(può essere sostituito con cartone bakelizzato dello stesso spessore)		
3)	- Tubi di cartone bakelizzato, dimensioni: diametro interno m/m 32 " esterno m/m 41 lunghezza m/m 390	N°	500
	diametro interno m/m 41 " esterno m/m.50 lunghezza m/m 68	"	975

Declassified E.O. 12356 Section 3.3/NND No. 785019

Per riparare i quattro gruppi della centrale di Calusco,

occorrono :

1) - Cartone bakelizzato, spessore 40 m/m	mq.	23
- cartone bakelizzato, spessore 20 m/m	"	32
- cartone bakelizzato, spessore 15 m/m	"	8,5
2) - Legno impregnato per distanziatori, spessore 40 m/m (può essere sostituito con cartone bakelizzato dello stesso spessore)	"	4,5
- Legno impregnato per distanziatori, spessore 8 m/m (può essere sostituito con cartone bakelizzato dello stesso spessore)	"	10,5
3) - Tubi di cartone bakelizzato, dimensioni: diametro interno m/m 32 " esterno m/m 41 lunghezza m/m 390	N°	500
diametro interno m/m 41 " esterno m/m.50 lunghezza m/m 68	"	976
4) - Nastro di mica tela - altezza 20 m/m - spessore 0,15 m/m	ml.	15.000
5) - Nastro Sterling - altezza m/m 30 - spessore m/m 0,25	"	65.000
6) - Nastro di mica carta - altezza m/m 20 - spessore m/m 0,20	"	25.000

5162

::/::

Declassified E.O. 12356 Section 3.3/NND No. 785019

7) - Nastro di cotone - altezza m/m 30 - spessore m/m 0,2	ml.	11.000	
8) - Nastro di seta Sterling - altezza m/m 15 spessore m/m 0,10	"	15.000	
9) - Tela cotone - spessore m/m 0,20	mq.	100	
10) - Tela Sterling - spessore m/m 0,2	"	1.500	
11) - <u>Lastre di bakelite</u>			
spessore m/m 5 dimensioni	1.000 x 1.500	N°	5
" m/m 8 "	1.000 x 1.500	"	5
" m/m 10 "	1.000 x 1.500	"	5
" m/m 12 "	1.000 x 1.500	"	5
" m/m 15 "	1.000 x 1.500	"	5
12) - <u>Lastre di cartone pressphan</u>			
spessore m/m 0,5 dimensioni	1.000 x 1.000	N°	30
" m/m 1 "	1.000 x 1.000	"	40
" m/m 1,5 "	1.000 x 1.000	"	40
" m/m 2 "	1.000 x 1.000	"	50
" m/m 2,5 "	1.000 x 1.000	"	40
" m/m 3 "	1.000 x 1.000	"	40
" m/m 4 "	1.000 x 1.000	"	40
13) - Vernice sterling nera		Kg.	500
14) - Stagno occorrente per le saldature delle testate degli avvolgimenti e per cuscinetti		Kg.	3.000
15) - Colofonia per saldatura a stagno		Kg.	200

Declassified E.O. 12356 Section 3.3/NND No. 785019

10) - Tela Sterling - spessore m/m 0,2			"	1.500
11) - Lastre di bakelite				
spessore m/m 5	dimensioni	1.000 x 1.500	N°	5
" m/m 8	"	1.000 x 1.500	"	5
" m/m 10	"	1.000 x 1.500	"	5
" m/m 12	"	1.000 x 1.500	"	5
" m/m 15	"	1.000 x 1.500	"	5
12) - Lastre di cartone pressphan				
spessore m/m 0,5	dimensioni	1.000 x 1.000	N°	30
" m/m 1	"	1.000 x 1.000	"	40
" m/m 1,5	"	1.000 x 1.000	"	40
" m/m 2	"	1.000 x 1.000	"	50
" m/m 2,5	"	1.000 x 1.000	"	40
" m/m 3	"	1.000 x 1.000	"	40
" m/m 4	"	1.000 x 1.000	"	40
13) - Vernice sterling nera			Kg.	500
14) - Stagno occorrente per le saldature delle testate degli avvolgimenti e per cuscinetti			Kg.	3.000
15) - Colofonia per saldatura a stagno			Kg.	200
(ooo) 16) - Tondino di gomma per guarnizioni idrauliche				
diametro m/m 2			Kg.	2
" m/m 3			"	2
" m/m 4			"	2
" m/m 5			"	3
" m/m 6			"	3
" m/m 7			"	5
" m/m 8			"	15
" m/m 9			"	30
" m/m 10			"	20

::/::

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

17) Leather for hydraulic joints

- tickness m/m 3		10 Kg.
- " " 4		40 "
- " " 5		20 "

18) Leathered and rubbe red complete joint as to here enclosed drawing N. 5151 — No 220

B) GENVARA GENERATING STATION

1) - Rubber round bar for joints, diam. m/m 8	l.m.	200
2) - Rubber plates for joints, metallic not enclosed	m^2	5
3) - Joint mastic tallow	kg.	200

In order to hasten working equipment and erecting materials are needed as our stores have undergone a full pillage, viz:

1) - hemp rope to raise weights, diameter m/m 20	l.m.	700
2) - 7/8 inch bolts, effective lengths	N°	1.000
3) - Washers for over mention bolts	"	1.000

- 17) Leather for hydraulic joints

- Tickness m/m	3	10	Kg.
- " "	4	40	"
- " "	5	20	"

(oo) - 18) Leathered and rubbe red complete joint as to here enclosed drawing N. 5151 N° 220

- 19) Insulating transformer oil 220 tons

- 20) Lubricating oil (C.D.Foltzer type) 40 "

- 21) Oil for regulators and turbine bearings (C.Foltzer type) 20 "

hydraulic Vacuum October

NOTES - a) The quantities of oversigned materials are required for four sets repairing of Calleto generating stution; at present delivery of at least 1/2 of very quantities is needed;

b) Materials mentioned to N^rs. 16 and 18 (oo) (red marked) are very urgently needed.

B) - CERVARA GENERATING STATION

1) - Rubber round bar for joints, diam.m/m 8 l.m; 200

2) - Rubber plates for joints, metallic net enclosed m^2 5

Declassified E.O. 12356 Section 3.3/NND No. 785019

(°°) - 18) Leathered and rubbe red complete joint as to here enclosed drawing N. 5151 N° 220

- 19) Insulating transformer oil 220 tons

- 20) Lubricating oil (C.D.Foltzer type) 40 "

- 21) Oil for regulators and turbine bearings (C.Foltzer type) 20 "

Industrial Vacuum October

NOTES - a) The quantities of oversigned materials are required for four sets repairing of Galleto generating stution; at present delivery of at least 1/2 of very quantities is needed;

b) Materials mentioned to N^rs. 16 and 18 (°°) (red marked) are very urgently needed.

B) - CERVARA GENERATING STATION

1) - Rubber round bar for joints, diam.m/m 8 1.m; 200

2) - Rubber plates for joints, metallic not enclosed m^2 5

3) - Joint mastic tallow Kg. 100

In order to hasten workingequipment and erection materials are needed as our stores have undergone a full pillage, viz :

5/6

::/::

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tondino di gomma per guarnizioni idrauliche

diametro	m/m	11	Kg.	20
"	m/m	12	"	20
"	m/m	16	"	20
"	m/m	18	"	30
"	m/m	20	"	30

17) - Cuoio per guarnizioni idrauliche

spessore	m/m	3	Kg.	10
"	m/m	4	"	40
"	m/m	5	"	20

(ooo) 18) - Guarnizione completa formata da cuoio e gomma come al disegno N.5151 che qui alleghiamo — N° 220

19) - Olio isolante per trasformatori — Tonn. 220

20) - Olio lubrificante (tipo C.D. Foltzer) — Tonn. 40

21) - Olio per regolatori e cuscinetti turbine (tipo C.Foltzer) — Tonn. 20

ANNOTAZIONI - a) I quantitativi dei materiali sopra elencati occorrono per la riparazione dei quattro gruppi della Centrale di Galleto; al momento è necessaria la conse-

Declassified E.O. 12356 Section 3.3/NND No. 785019

	"	m/m	12	"	20
	"	m/m	16	"	20
	"	m/m	18	"	30
	"	m/m	20	"	30

17) - Cuoio per guarnizioni idrauliche

spessore	m/m	3	Kg.	10
"	m/m	4	"	40
"	m/m	5	"	20

(ooo) 18) - Guarnizione completa formata da cuoio e gomma come al disegno N.5151 che qui alleghiamo — N° 220

19) - Olio isolante per trasformatori — Tonn. 220

20) - Olio lubrificante (tipo C.D. Foltzer) — Tonn. 40

21) - Olio per regolatori e cuscinetti turbine (tipo C.Foltzer) — Tonn. 20

ANNOTAZIONI - a) I quantitativi dei materiali sopra elencati occorrono per la riparazione dei quattro gruppi della Centrale di Galleto; al momento è necessaria la consegna di almeno la metà dei quantitativi stessi.

- b) I materiali di cui ai N.ri 16 e 18 (ooo) (contrassegnati in rosso) sono urgentissimi.

Declassified E.O. 12356 Section 3.3/NND No. 785019

- B) CENTRALE DI CERVARA

1) - Tondino di gomma per guarnizioni diametro m/m 8	ml.	200
2) - Lastre di gomma per guarnizioni con rete metallica inclusa	mq.	5
3) - Sego per formazione di mastice da guarnizione	Kg.	100

Per accelerare i lavori ci occorrerebbero anche dei materiali di attrezzatura e montaggio, dato che i nostri magazzini sono stati completamente saccheggiati, e precisamente :

1) - Corda di canapa per sollevamento pesi - diametro m/m 20	ml.	700
2) - Bulloni da 7/8 di pollice, lunghezza utile m/m 130	N°	1.000
3) - Rondelle per detti	"	1.000

Declassified E.O. 12356 Section 3.3/NND No. 785019

diametro m/m 8	ml.	[illegible]
2) - Lastre di gomma per guarnizioni con rete metallica inclusa	mq.	5
3) - Sego per formazione di mastice da guarnizione	Kg.	100

Per accelerare i lavori ci occorrerebbero anche dei materiali di attrezzatura e montaggio, dato che i nostri magazzini sono stati completamente saccheggiati, e precisamente :

1) - Corda di canapa per sollevamento pesi - diametro m/m 20	ml.	700
2) - Bulloni da 7/8 di pollice, lunghezza utile m/m 130	N°	1.000
3) - Rondelle per dotti	"	1.000

Declassified E.O. 12356 Section 3.3/NND No. 785019

1) - hemp rope to raise weights, diameter m/m 20	l.m.	700
2) - 7/8 inch bolts, effective lenghts	N^{r}	1.000
3) - Washers for over mantion bolts	"	1.000

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Subject:- Electrical Insulating Materials ex U.K.

13/2

Directorate of Works,
H.Q. A.A.I. C.M.F.

1140/DW

4 Aug 44

To: Central Electrical Board,
H.Q. A.A.I.

Public Works & Utilities Sub-Comm.
H.Q. Allied Control Commission.

Herewith copies of Director of Works A.F.H.Q. letters DW/7435/DDW(3) dated 26 Jul 44 and 31 Jul 44, forwarded for information.

W. A. B. SMITH,
Lt. Col. R.E.,
for Brigadier,
Director of Works.

5154

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P Y.

SUBJECT:- Electrical Insulating Materials ex U.K.

To:- Chief Engineer,
NORTH AFRICA DISTRICT.

EAW/7435/EDW(S).

From:- Director of Works,
A.F.H.Q.

26 Jul,44.

Advice has been received from War Office that the following items of electrical insulating materials have been shipped to AL/DEMS from U.K. On receipt in NORTH AFRICA please arrange to take on charge, release and re-ship by first available means to E.S.D. ELBOW and advise this office of details of despatch.

	FSO/SSI No.	Convoy.	Description of Stores.	Tonnage. d.w. T.	Tonnage. d.w. Cwts.	Tonnage. Shipping Tons.	Tonnage. Shipping Ft.
(a)	H407/202 4/ED/4688 1 A/183	EM 57	1 case Electrical Insulating materials	-	2¾	-	8½
(b)	H407/213 1A/183/ED/4697	EM 57	5 drums Bakelite Varnish	-	2½	-	5
(c)	H406/104 4/ED/3912	EM 56	2 bales) Vellum 1 case) Parchment	-	6	-	20
(d)	H406/104 4/ED/3913	EM 56	1 case Paper Tubing	-	1¼	-	5

Copies of release Vouchers should be sent to this Directorate, D.Wks., H.Q. ALLIED ARMIES IN ITALY, CMF, and consignee.

5155

(Sgd) S. METTAM,
Major, R.E.,
for Brigadier,
Director of Works,
A.F.H.Q.

Copy to:- D.Wks.,
H.Q. ALLIED ARMIES IN ITALY,
CMF

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P Y.

SUBJECT:- Electrical Insulating Materials ex UK.

EMW/7435/DDW(S)

To:- Chief Engineer,
NORTH AFRICA DISTRICT.

31 Jul 44.

From:- Director of Works,
A.F.H.Q.

- - - - - - - - - - - - - - - - - -

- - - - - - - - -

Further to EMW/7435/DDW(S) of 26 Jul 44, O.C., E.S.D. BISKHAIA, under his ESED/12 of 26 Jul 44 reports receipt of the following stores ex U.K. on KMS 55 and 56.

Bakelite Sheets $\frac{3}{8}$"	70¾ F.S.
" " $\frac{1}{4}$"	887 F.S.

Impregnated Paper Tubing.

$\frac{5}{8}$" Bore, Average Length 4'	40 Tubes,
$\frac{3}{4}$" " " " 3'	65 "
$\frac{1}{8}$" " " " 2'3"	170 "

Vellum Parchment Super Quality.

Sheets 1'11" x 1'6½" 117 lbs.

Vellum Parchment Medium Quality.

Sheets 1'9½" x 1'5½" 209 lbs.

Certain of these stores are additional to those already detailed in EMW/7435/DDW(S) of 26 Jul 44. Will you, therefore, please arrange to include with those originally listed and release and ship to 51 S. ELBOW by first available means.

(Sgd) S. METCALF,
Major, R.E.
for Brigadier,
Director of Works,
A.F.H.Q.

Copy to:- Director of Works,
H.Q. Allied Armies in Italy,
C.M.F.

SM/JR.

Declassified E.O. 12356 Section 3.3/NND No. 785019

LOCAL RESOURCES SECTION

In reply refer to
17/20/LR

HQ AAI
CIF

26 JULY 1944.

TO : Central Electrical Board.

SUBJECT:- Stores Demand for SME

(73)

Reference your letter CEB/15/1 of 19 JULY 44., this Section asked D.W. whether he could supply from stocks held by him, and it is observed from his vouchers F/4736 and F/4735 (copies of which were received here for information) that he is putting the materials at your disposal.

Angle chanels etc
steel reclaimed and
various fornished to SME
27/7/44

JOHN C. RAMSDEN
Major. Inf. Assist.C.
Local Resources Section.

LHB/ar.

515

Declassified E.O. 12356 Section 3.3/NND No. 785019

OC 8 E.S.B.D. (R) CE DIETHREE (R) ~~EXECUTIVEENGINEER~~
CENTRAL ELECTRIC BOARD, H Q HAI

DW/2010
RESTRICTED (.) PLEASE CANCEL VOUCHER G/2162 YOUR LETTER ESD/G2162 REFERS

~~123~~ 1252/DW

5152

Declassified E.O. 12356 Section 3.3/NND No. 785019

79

A.A.I.
CENTRAL ELECTRICAL BOARD
Hq AAI CMF

REF: CEB/13/2

20 July 1944

SUBJECT:- Stores Demand.

TO:- AF Local Resources (I) Board, HQ AAI.

73

1. Herewith demand pro-forma, CEB/R/1 dated 20 July 44 for 300 tons Cement, for the Societa Romana di Elettricita.

2. The above mentioned stores are required to make cement injections in the galleries of the new hydro electric plant at SCALELLE.

3. It is pointed out that this quantity will not be required in one lot but should be made available so that S.R.E. may purchase as required by them.

4. It is understood that cement can be obtained from "Cementeria di Guidonia", but authority to purchase is necessary.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI-C.E.B.

See 82

5151

Declassified E.O. 12356 Section 3.3/NND No. 785019

Subject :- Issues of Fuel. ST 208.

OC 61 FTD RASC

Please issue monthly 4 tons of coke and 3 tons of coal to the OFFICINA COSTRUZIONI RIPARAZIONI ELETTROMECCANICHE NAPOLETANA on behalf of the AAI Central Electrical Board, APO 400.

Debit vouchers will be raised by you in respect of such issues on AAI Central Electrical Board.

Authority :- Adv AFHQ C&W Coal Section letter Coal/5 of 1 Jun 44.

Lt. Col.,
A.D.S.T.,
57 Area.

Headquarters.
25 Jun 44.

Copy to :- AAI Central Electrical Board APO 400
(Your letter CEB/13/2 of 23 Jun 44 refers.)

61

5159

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI C.M.F

REF: CEB/19/1

27 July 1944

SUBJECT:- Stores Demands

TO:- S.E., via P.E. Imbriani, NAPLES

1. Herewith "Impianto Pescara", also release vouchers fo 20 tonscement, Sheet Steel, Shaped Steel, which you should collect at your earliest convenience.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

CCS/D/1 (76)

ANNEX #1 to ANNEX #2 to JCS 97 to ABC 337
(1-22-44) Sec. 3 to CCS 20 (1-20-44)

REQUISITION (or DEMAND) FOR ALLOCATION (or ISSUE)

Demanding Service or Agency: AAI CENTRAL MUNITIONS BOARD

Commodity Demanded: CHROMITE

Quantity required:
(In metric tons, or other suitable unit) 300 tons

Place delivery required: Town: [illegible]

Province:

Compartment:

See (74) (76)

Date delivery required: Urgent, but not in one delivery

Stock on hand: -

Any special request: -

Equivalent to days supply

Certified that these supplies and stores are required for urgent operational/~~normal maintenance~~/~~stockpiling purposes~~

James A Gordon
COLONEL GS.....Rank
VICE CHAIRMAN.....Appointment
AAI CENTRAL MUNITIONS BOARD

Date: 20 July 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity required:
(In metric tons, or other suitable unit) 300 tons

Place delivery required: Town: ROME

Province:

Compartment:

Date delivery required: Urgent, but not in one delivery

Stock on hand: -

Any special request: -

Equivalent to days supply

Certified that these supplies and stores are required for urgent operational/~~normal~~ maintenance/ ~~stockpiling~~ purposes

Janet Groucher

CORPORAL CR.....Rank

VICE CHAIRMAN....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 20 July 44

For use of Local Resources Section only.

Prefix:
Demand No.
Serial:

Passed to A'G/ACC.....

Allocated by Committee.....

Approved by Board.....

Release Order No.....

Date.....

All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Società Romana di Elettricità

Per azioni - Sede in Roma - C. P. C. Roma N. 3247

capitale sociale L. 478.500.000 - versato

Roma 45 li July 16th 1944

VIA POLI, 14

N.

Colonel James P. GROVDON
Vice Chairman, AAI-C.E.B.

Via Poli 14 Rome

In riferimento alla nostra lettera del 7 Luglio corrente, nella probabilità che si rendano presto necessarie delle iniezioni di cemento alla galleria del nuovo impianto elettrico di Scalelle, desideriamo aver pronta la quantità necessaria di cemento, vale e dire 300 Tonnellate, da prelevare alla Cementeria di Guidonia.

Richiediamo pertanto lo sblocco del medesimo, nonchè i veicoli necessari al suo trasporto sino alla Centrale di Scalelle, essendo i mezzi di trasporto propri in cattive condizioni, a causa dello stato delle gomme in cui si trovano attualmente quasi tutti i nostri mezzi.

(Dr. Ing. Aldo Rovelli)
Direttore Generale

Referring to our letter of July 7th last, as it may be soon necessary to make some cement injections in the gallery of the new electric plant of Scalelle, we want to have the needed quantity of cement at hand, that is 300 Tons, to be taken from the Cementeria di Guidonia.

We therefore ask you to raise the blockade on aforesaid cement, and to supply us the vehicles needed for its conveyance to Scalelle plant, as we are quite in bad conditions about our own means of con-

Cod. Indir. Telefono n. 5-9-7 - Telegrammi: "Elettroma" - Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Colonel James P. CROWDON
Vice Chairman ,AAI-C.E.B.

Via Poli 14 Rome

In riferimento alla nostra lettera del 7 Luglio corrente,nella probabilità che si rendano presto necessarie delle iniezioni di cemento alla galleria del nuovo impianto elettrico di Scalelle,desideriamo aver pronta la quantità necessaria di cemento,vale a dire 300 Tonnellate,da prelevare alla Cementeria di Guidonia.

Richiediamo pertanto lo sblocco del medesimo,nonchè i veicoli necessari al suo trasporto sino alla Centrale di Scalelle,essendo i mezzi di trasporto propri in cattive condizioni, a causa dello stato delle gomme in cui si trovano attualmente quasi tutti i nostri mezzi.

(Dr. Ing. Aldo Rovelli)
Direttore Generale

Referring to our letter of July 7th last,as it may be soon necessary to make some cement injections in the gallery of the new electric plant of Scalelle,we want to have the needed quantity of cement at hand,that is 300 Tons,to be taken from the Cementeria di Guidonia.

51

We therefore ask you to raise the blockade on aforesaid cement, and to supply us the vehicles needed for its conveyance to Scalelle plant,as we are quite in bad conditions about our own means of conveyance,owing to the bad state of tyres in which almost all our vehicles find themselves in at present time.

Approved 15 July 1944
J P Crowdon Col. C.E

See 13

Costruzioni Telefoniche ed Elettriche - Telefoni ed Apparecchi Elettrici - Impianti Completi - Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(7)

REF: CEB/13/1

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CEF

19 July 44.

SUBJECT:- Stores Demand for SME

TO:- AF Local Resources (I) Board, AAI.

(19)

1. Ref this office Stores Demand CEB/10 dated 29 May 44. to which was attached list of material required by SME.

2. To date no release has been received in this office and we are informed that SME has not received any of the material demanded.

3. We are also informed that the lack of this material is seriously holding up the work of rehabilitation of Power Plants.

4. Will you please state the present position regarding the above mentioned demand.

JAMES P. GROWDEN,
COLONEL GS,
Vice Chairman, AAI - C.E.B.

See (80)

5146

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CMF

REF: CEB/13/1

19 July 44.

SUBJECT:- G.I. Water Piping

TO:- AF Local Resources (I) Board, HQ AAI.

1. Ref your 17/33/IR dated 22 June 44.

2. We have now received a reply to our application to DGMRS for the above stores to the effect that only 1½" piping is available in their Naples depot.

3. It is suggested, therefore, that the remaining quantities be obtained through CG PBS, together with the fittings demanded in our CEB/13a dated 17 June 44.

JAMES P. CROWDON,
COLONEL. CE,
Vice Chairman, AAI - C.E.B.

5145

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
HQ AAI CMF

REF: CEB/13/1

19 July 1944.

SUBJECT:- Water Piping

TO:- Depot Commander, Military Railway Stores Depot, No.1175,
POGGIOREALE.

1. Reference [illegible] letter dated 2 July 44.

2. Will you please release to the Societa Meridionale di Elettricitam Naples,

100 kgs G.I. Water Piping,

in accordance with instructions contained in the above quoted letter.

JAMES P. GIBBON.
COLONEL CE.
Vice Chairman, AAI - C.M.B.

COPY TO:- S.M.E., Naples.

514

Declassified E.O. 12356 Section 3.3/NND No. 785019

Allied Force
MILITARY RAILWAY SERVICE
Office of Director General

APO 400
2 July 1944

SUBJECT: Water piping

TO : A.A.I. Central Electrical Board - APO 400 U S Army

1. Reference is made to your file CEB/13/2, letter dated 23 June 1944, subject same as above, with particular reference being made to paragraph 3 of that letter.

2. The DG MRS has in stock at Military Railway Stores Depot #1175, Poggioreale, (Italian State Railway Yard) sufficient quantity of galvanized pipe to fill Central Electrical Board's requirements of 1-1/4" pipe only.

3. Captain Phillips, Depot Commander, Military Railway Stores Depot, has been given a copy of this letter and it is suggested that you forward to him requisition, or indent, covering quantity of 1-1/4" galvanized pipe requirements at the time these stores are collected.

For the Director General:

D. E. Hargreaves
E. F. MCFADDEN, for
Colonel, TC,
Asst. Gen'l. Mgr. - Stores

See 71

5143

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

VMr/im

Napoli, 17 Luglio 1944.

MEMORANDUM FOR MAJ. PRICE

Let me know please something about the following our requests for which still now we have not received the necessary releases :

- 25 Kg.s oil for hydraulic brakes (our request to C.E.B. on 11th. May)
- 1500 " galvanised iron pipes - " "" " " " 20 " "
- 8 sq.mt sheet iron " " " " " 26 " " su 19
- 1650 Kgs. shaped and shirt iron " " " " " 25 " " su 19
- - Accessories for pipes " " " " " 14 " June)
- 20 tons cement " " " " " 20 " "

Release DW received

Here annexed I give you the copies of the said requests.

With many thanks.

encl. 6

5142

Mod. 8 - 5000 - 14-7-1932 Tipi A. Trani

Declassified E.O. 12356 Section 3.3/NND No. 785019

24 GIU. 1944

475

CENTRAL ELECTRICAL BOARD

Vlcr/im

H E R E

Per urgenti lavori alle opere idrauliche dei ns. impianti Silani, abbiamo bisogno di :

- 20 Tonn. cemento

Vi preghiamo di volervi cortesemente interessare affinchè ci venga rilasciata un'assegnazione di detto cemento presso la Cementeria di Modugno.

Vi facciamo presente che l'ubicazione della Cementeria presso la quale ci sarà assegnato detto cemento è di grande importanza data l'attuale situazione dei trasporti.

Translation

Per urgent works at our hydraulic Sila plants we need :

- 20 tons cement.

Will you please obtain an allotment of the said cement from the Modugno factory.

We notify we absolutely need the cement from that factory because of the present conditions of the transportations.

With many thanks.

24.6.44

Fr Drun - Schellembric
5141

16-6-944

CENTRAL ELECTRICAL BOARD

H E R E

26231/452
VMz/rg.

Facendo seguito alla ns. 14354/401 del 20 Maggio Vi segnaliamo il ns. fabbisogno per accessori per tubi :

- Doppie viti in ghisa da :
  1/2" - 5/8" - 3/4" - 1" - 1 1/8" -
  1 1/4" - 1 1/2" - 1 3/4" - 2"
  n° 4 pezzi per ciascun tipo
- Raccordi a T in ghisa da :
  1/2" - 5/8" - 3/4" - 1" -
  1 1/4" - 1 1/8" - 1 1/2" - 1 3/4" -
  2" - 2 1/2"
  n° 4 pezzi per ciascun tipo
- Raccordi a croce in ghisa da :
  1/2" - 5/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4"
  2" - 2 1/4" - 2 1/2"
  n° 4 pezzi per ciascun tipo
- Manicotti in ghisa da :
  1/2" - 5/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4" -
  2" - 2 1/4" - 2 1/2"
  n° 4 pezzi per ciascun tipo
- Gomiti in ghisa a 90° senza bordo da :
  1/2" - 5/8" - 7/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4" - 2" n° 4 pezzi per ciascun tipo
- Riduzioni in ghisa da :
  2 1/2"/2 1/4" - 2 1/4"/2" -
  2"/1 3/4" - 1 3/4"/1 1/2" -
  1 1/2"/1 1/4" - 1"/3/4" -
  n° 4 pezzi per ciascun tipo

Detti accessori potrebbero essere forniti dalla "SIDERURGICA COMMERCIALE" Corso Garibaldi - Napoli - previa autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere tale autorizzazione.

5114

Declassified E.O. 12356 Section 3.3/NND No. 785019

Vmr/rs.

Facendo seguito alla ns. 14354/401 del 20 Maggio Vi segnaliamo il ns. fabbisogno per accessori per tubi :

- Doppie viti in ghisa da :
  1/2" - 5/8" - 3/4" - 1" - 1 1/8" -
  1 1/4" - 1 1/2" - 1 3/4" - 2" — n° 4 pezzi per ciascun tipo

- Raccordi a T in ghisa da :
  1/2" - 5/8" - 3/4" - 1" -
  1 1/4" - 1 1/8" - 1 1/2" - 1 3/4" -
  2" - 2 1/2" — n° 4 pezzi per ciascun tipo

- Raccordi a croce in ghisa da :
  1/2" - 5/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4"
  2" - 2 1/4" - 2 1/2" — n° 4 pezzi per ciascun tipo

- Manicotti in ghisa da :
  1/2" - 5/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4" -
  2" - 2 1/4" - 2 1/2" — n° 4 pezzi per ciascun tipo

- Gomiti in ghisa a 90° senza bordo da :
  1/2" - 5/8" - 7/8" - 3/4" -
  1" - 1 1/8" - 1 1/4" - 1 1/2" - 1 3/4" - 2" n° 4 pezzi per ciascun tipo

- Riduzioni in ghisa da :
  2 1/2"/2 1/4" - 2 1/4"/2" -
  2"/1 3/4" - 1 3/4"/1 1/2" -
  1 1/2"/1 1/4" - 1"/3/4" — n° 4 pezzi per ciascun tipo

5 1/4

Detti accessori potrebbero essere forniti dalla "SIDERURGICA COMMERCIALE" Corso Garibaldi - Napoli - previa autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere tale autorizzazione.

Ringraziamenti.

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Translation

Following our 14354/401 on 20 th may we notify our need for accessories for pipes :

- Cast-iron double-screwed nipples :
  1/2" - 5/8" - 3/4" - 1" - 1,1/8" -
  1,1/4" - 1,1/2" - 1,3/4" - 2" — 4 pieces for each type

- Cast-iron screwed T joints :
  1/2" - 5/8" - 3/4" - 1" -
  1,1/4" - 1,1/8" - 1,1/2" - 1,3/4" -
  2" - 2,1/2" — 4 pieces for each type

- Cast-iron screwed four ways joints :
  1/2" - 5/8" - 3/4" -
  1" - 1,1/8" - 1,1/4" - 1,1/2" - 1,3/4" -
  2" - 2,1/4" - 2,1/2" — 4 pieces for each type

- Cast-iron screwed straight joints :
  1/2" - 5/8" - 3/4" -
  1" - 1,1/8" - 1,1/4" - 1,1/2" - 1,3/4"
  2" - 2,1/4" - 2,1/2" — 4 pieces for each type

- Cast-iron screwed angle 90° joints :
  1/2" - 5/8" - 7/8" - 3/4" -
  1" - 1,1/8" - 1,1/4" - 1,1/2" - 1,3/4" - 2" — 4 pieces for each type

- Cast-iron screwed reductions :
  2,1/2"/2,1/4" - 2,1/4"/2" -
  2"/1,3/4" - 1,3/4"/1,1/2" -
  1,1/2"/1,1/4" - 1"/3/4" - — 4 pieces for each type

It is understood that these accessories are available at the "SIDERURGICA COMMERCIALE" - Corso Garibaldi - Naples, under the controll of the P.B.S.

Will you please obtain the necessary authorisation for the release of this item.

With many thanks.

5134

P.° Maglione - Schellembrid

10/6/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

25 MAG. 1944

CENTRAL MERCANTILE BOARD

M.C.M.

10702/ h/10

Fiz/rz.

Per lavori di riparazione e di ricostruzione alle incastellature della ns. Centrale Cepuano abbiamo bisogno di acquistare :

- Kg. 500 Ferro piatto 16 x 3 mm.
- " 500 " " 25 x 5 "
- " 300 " " 50 x 5 "
- " 50 " angolare 25 x 25 x 3 mm.
- " 100 " " 40 x 40 x 4 "
- " 100 " ad U da 50 x 30 mm.
- " 100 " " " " 65 x 42 "
- " 200 " a T da 50 "
- " 100 Lamiera ferro da 3 mm. di spessore.

Vi preghiamo di volervi interessare affinchè ci venga rilasciata l'autorizzazione per l'acquisto di detto ferro presso qualche Ditta locale controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For the restoration and reconstruction of the frameworks at our Capuano Plant we need to buy :

- Kgs. 500 Plate iron 16 x 3 mm.
- " 500 " " 25 x 5 "
- " 300 " " 50 x 5 "
- " 50 Angle " 25 x 25 x 3 mm.
- " 100 " " 40 x 40 x 4 "
- " 100 Channel " 50 x 30 mm.
- " 100 " " 65 x 42 "
- " 200 T " 50 "
- " 100 Sheet iron of 3 mms. thickness

5138

We beg you to kindly take the necessary steps in order that we

Declassified E.O. 12356 Section 3.3/NND No. 785019

Ref. N°

Via/ra.

Per lavori di riparazione e di ricostruzione alle incavallature della ns. Centrale Capuano abbiamo bisogno di acquistare :

- Kg. 500 ferro piatto 16 x 3 mm.
- " 200 " " 65 x 5 "
- " 300 " " 50 x 5 "
- " 50 " angolare 65 x 65 x 5 mm.
- " 200 " " 40 x 40 x 4 "
- " 100 " ad U da 50 x 38 mm.
- " 100 " " " " 65 x 42 "
- " 200 " a T da 50 "
- " 200 lamiera ferro da 3 mm. di spessore.

Vi preghiamo di volervi interessare affinchè ci venga rilasciata l'autorizzazione per l'acquisto di detto ferro presso qualche ditta locale controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For the restauration and reconstruction of the farmeworks at our Capuano plant we need to buy :

- Kgs. 500 plate iron 16 x 3 mm.
- " 200 " " 65 x 5 "
- " 300 " " 50 x 5 "
- " 50 Angle " 65 x 65 x 5 mm.
- " 200 " " 40 x 40 x 4 "
- " 100 Channel " 50 x 38 mm.
- " 100 " " 65 x 42 "
- " 200 I " 50 "
- " 200 Sheet iron of 3 mm. thickness

5132

We beg you to kindly take the necessary steps in order that we obtain the authorization to buy the said iron from any local firm that is under Allied Authorities control.

With many thanks.

F.to Maglione - Brun

24/5/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

26 MAG. 1944

CENTRAL ELECTRICAL BOARD

R O M E

14368/ 415

VAM/rg.

Per la riparazione della ventola di un trasformatore della ns. S/S Fratta, abbiamo bisogno di :

- 8 mq. lamiera di ferro da 2 mm. di spessore -

Vi preghiamo di volervi cortesemente interessare perchè ci venga rilasciata un'autorizzazione per l'acquisto di detta lamiera presso qualche ditta locale controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For repairing a transform air-blast at our S/S Fratta we need

- 8 sq. sheet iron with 2 mms. thickness.

We beg you to kindly take the necessary steps in order that we obtain the authorization to buy the said iron from any local firm that is under Allied Authorities control.

With many thanks.

F.to Maglione - Brun

25/5/44

5137

Declassified E.O. 12356 Section 3.3/NND No. 785019

20-5.44

CENTRAL ELECTRICAL BOARD

14354/401

R.R.R.

Vbm/mg.

Per gli impianti di acqua potabile dei ns. Centri della Sila, del Tusciano e di Bari, abbiamo bisogno di acquistare :

- 1500 Kg. Tubi di ferro zincato di varie sezioni.

Detti tubi sono disponibili presso la S/A Commercio Tubi e per il loro acquisto occorre l'autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere detta autorizzazione.

Ringraziamenti.

Translation

For our drinking-water distribution at our Plants: Sila, Tusciano, Bari we need to buy :

- 15 Tons. galvanised iron pipes of various size.

These pipes would be bought from the " Commercio Tubi Co." but the authorization of the P.B.S. is needed.

We beg you to kindly take the necessary steps in order that we obtain the said authorization.

With many thanks.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Per gli impianti di acqua potabile dei ns. Centri della Sila, del Tuscolano e di Bari, abbiamo bisogno di acquistare :

- 1500 Kg. Tubi di ferro zincato di varie sezioni.

Detti tubi sono disponibili presso la S/A Commercio Tubi e per il loro acquisto occorre l'autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare onde farci ot tenere detta autorizzazione.

Ringraziamenti.

Translation

For our drinking-water distribution at our Plants: Sila, Tuscia no, Bari we need to buy :

- 15 Tons. galvanised iron pipes of various size.

These pipes would be bought from the " Commercio Tubi Co." but the authorisation of the P.B.S. is needed.

We beg you to kindly take the necessary steps in order that we obtain the said authorisation.

With many thanks.

5136

Regione - Bari

19/5/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

11 MAG. 1944

GENERAL ELECTRIC BOARD

AERE

5000/303

VDM/rg.

Per la manutenzione dei ns. autoveicoli, abbiamo bisogno di :

- Kg. 25 olio speciale per freni idraulici.

Poichè il C.I.P. è attualmente sprovviste di tale olio che manca del tutto sul mercato. Vi preghiamo di voler gentilmente provvedere affinchè veniamo in possesso di quanto ci occorre.

Ringraziamenti.

Translation

For the maintenance of our moto-cars we need:

- 25 Kgs. (about 5 Gls) oil for moto-cars hydraulic.brakes.

We know that the C.I.P. has not at present any such oil and as it is absolutely lacking on the market we beg you to kindly take the necessary steps in order we obtain what we need.

With many thanks.

P.P. Magliano - Brun

H. Col King.
re. above 5135

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Ref.80.A/16.

N°I. Det.80. EBW. SAEC.
UDF. CMF.
24-June-1944.

(68)

Vice Chairman.
AAI.
Central Electrical Board
APO.400.

Subject:- Release Vouchers.

Herevith Release voucher G/1749, for aquittance,
please sign & return one copy.

.....Capt.
O.C. N°I. Det; 80. EBW. SAEC.

5134

Declassified E.O. 12356 Section 3.3/NND No. 785019

VOUCHER FOR R.E. STORES ISSUED FROM 60 EBW EX CMI CASTELLAMMARE DEPOT SHEET

DELIVERY REQUIRED BY ... Vocab. ... Section	GOODS TO BE CONSIGNED TO	ADVICES TO
	VICE CHAIRMAN R.A.E. CENTRAL ELECTRICAL BOARD. A P O 400	SAME (2). ADW (1 R) S/C (1 R) WEST.

Vocab. No.	DESCRIPTION OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking
GR NIV.	BOLTS BOX C/W NUTS WASHERS 1"x6"	NO	200	200					
						TO BE CONNECTED			

A. A. I.
OFFICIAL
CENTRAL
ELECTRICAL BOARD

AUTHORITY OF ISSUE	PARTICULARS AND DESPATCH	Checked by
Please issue as above Signed (D. A.W. Fulton Capt R.E.) Date 31 May 44.	Mode of Conveyance Road Veh 19304 Carriers Note No. CMI/029. Date 22/6/44	L. R. Stevens Lt. Date 23 June 44

PSSN/760/5-44/500 (100)

Declassified E.O. 12356 Section 3.3/NND No. 785019

D. D. W./S. FORM 3 (APPENDIX

ISSUED FROM BO EBW EX CMI CASTELLAMMARE DEPOT SHEET 1 OF 1

GOODS TO BE CONSIGNED TO
E CHAIRMAN
I.
NTRAL ELECTRICAL BOARD.
O 400

ADVICES TO
SAME (2).
ADW (1R)
B/C (1R) WEST.

Voucher No. G/1749
Command Demand No. CEB/13/2
Vote or Allotment No.

DESCRIPTION OF STORES	Unit	QUANTITY Required	QUANTITY Issued	Price	Amount	PACKAGES No.	PACKAGES Description	PACKAGES Marking	Measurement	TONNAGE Heavy Tons	C	Q	lbs.	TONNAGE Light Tons	ft.
C/W INSTRUMENT 1"x6"	No	200	200												
TO BE CONNECTED															

A.A.I. OFFICIAL
CENTRAL ELECTRICAL BOARD

R Radcliff

PARTICULARS AND DESPATCH	Checked by	CONSIGNEES REC. AND CERTIFICATE	
Mode of Conveyance Road Veh 1930 H	L. 2 Lieut R.		R. V. No.
Carriers Note No. CMI/029. Date 22/6/44	Date 23 June 44	Signature and Rank	Date

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLEGATO
N. 16529

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/1378

26 June 44

SUBJECT:- Stores

TO:- OC PBS, Engineer Section.

1. The Societa Meridionale di Elettricita require urgently at their SILA plants

20 tons CEMENT.

2. It is believed that cement can be obtained from the Modugno factory. If this is so it will greatly assist SME from the transport point of view.

3. Please arrange early release.

JAMES P. CROMACH,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5132

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21917
N. 475 VMGr/im
da citare nella risposta

Napoli, (105) 24 - 6 - 944
VIA P. E. IMBRIANI, 42

(69)

CENTRAL ELECTRICAL BOARD

H E R E

Per urgenti lavori alle opere idrauliche dei ns. impianti Silani, abbiamo bisogno di :

- 20 Tonn. cemento

Vi preghiamo di volervi cortesemente interessare affinchè ci venga rilasciata un'assegnazione di detto cemento presso le Cementerie di Modugno.

Vi facciamo presente che l'ubicazione della Cementeria presso la quale ci sarà assegnato detto cemento è di grande importanza data l'attuale situazione dei trasporti.

Translation

For urgent works at our hydraulic Sila plants we need :

- 20 tons cement.

Will you please obtain an allotment of the said cement from the Modugno factory.

We notify we absolutely need the cement from that factory because of the present conditions of the transportations.

With many thanks.

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

24.6.44

(67)

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tip. A. Trani - 7-44

Declassified E.O. 12356 Section 3.3/NND No. 785019

C.E.B.

(65)

Ref att Release Order, this should have been sent to ACC for endorsement but in order to avoid delay and confusion with present move arrangements, it is suggested that you take this release order to ACC Ind. & Comm. and have it endorsed right away. The Release will not be made until the note is endorsed.

Local Resources Section

(59)

A.A.I. OFFICIAL
29/6/44 CENTRAL ELECTRICAL BOARD

Release order ACC No 317
26/6/44
512.
packed to SME
(20 Gallons Sulphuric Acid)
for Cahora Bassa.
against CEB Demand 13/2
date 8/6/44.

Declassified E.O. 12356 Section 3.3/NND No. 785019

WEST

nips	Tomatoes	Lettuce	Celery	Asparagus	Peas	Pepper
20	75	75	75	75	300	75
25		50				
8						
					672	
30					15	
3	75	125	75	75	987	75

Lemons	Leeks	Tangerines	Scallions	Artichokes
10	25	25	5	448
10	25	25	5	448

WGM

Declassified E.O. 12356 Section 3.3/NND No. 785019

64

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 June 44.

SUBJECT:- Stores Demand

TO:- Engineer Officer,
ACC/ANG Region III.

1. Herewith application from the S.M.E. for

10 kgs grade 4 Mica Sheets

which are required for motor repairs.

2. This application is forwarded you in accordance with instructions contained in HQ ACC letter, ACC/055/PWU dated 10 June 44.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5139

Declassified E.O. 12356 Section 3.3/NND No. 785019

(61)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 June 44

SUBJECT:- Water Piping

TO:- DGMRS.

(62)

1. Herewith copy of Local Resources Section letter 17/33/LR dated 22 June 44 for information.

2. The Central Electrical Board's original demand was as follows:-

G.I. WATER PIPING:-

2½"	200 Kgs
2"	200 "
1½"	100 "
1"	400 "
3/4"	300 "
1/2"	300 "

3. Will you please state where these stores are available and when they may be collected.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

See 5 P.C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

H.Q. A.A.I. (REAR ADM ECH)
LOCAL RESOURCES SECTION
C.M.F.

(63)

REF :- 17/33/LR.

22 JUNE 44.

TO :- CENTRAL ELECTRICAL BOARD.
- - - - - - - - - - - - - -

SUBJECT :- G.I. Water Piping.

(63)

See (63) (72)

Reference your Availability Demand CEB/13 dated 8 JUNE 44.

1. The following material asked for is available at the Italian State Railways Yard, NAPLES, under control of Military Railway Services :-

3"	(no 2½")	50 mts., about.
2"		65 " "
1½"		50 " "
1"		250 " "
3/4"	(no ½")	650 " "

2. These are the only known stocks of Water Piping available in this area at the present time.

3. If Central Electrical Board will make application direct to Military Railway Services, an attempt will be made by them to satisfy your requirements.

5127

John C Ramsden

JOHN C. RAMSDEN,
Major, Infantry,
Local Resources Section.

JCR/lvw.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(60)

A.A.I. REF: CEB/13/2
CENTRAL ELECTRICAL BOARD
APO 400 23 June 44.

SUBJECT:- Coal Issues

TO:- S & T. 57 Area.

1. In accordance with instructions contained in Adv AFHQ CMF Coal Section letter, Coal/5 dated 1 June, will you please release to Officina Costruzioni Riparazioni Elettromeccaniche Napoletana, the following:

4 tons Coke
3 tons Coal,

which amounts are a monthly allotment.

2. Please notify this office when and from where these stores can be collected.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

Sec 60 (78)

Declassified E.O. 12356 Section 3.3/NND No. 785019

OFFICINA COSTRUZIONI RIPARAZIONI ELETTROMECCANICHE NAPOLETANA

S. A. CAPITALE L. 5.000.000
NAPOLI - Via Nuova delle Brecce (di fronte alla Raffineria)

INDIRIZZI { CASELLA POSTALE 122 / TELEGRAFICO: OCREN - NAPOLI / C/O. POSTALE N. 81/8801

TELEFONI { 51-003 / 52-221 / 7-1-818

OCREN NAPOLI

SEZIONE ELETTRICA

Costruzione trasformatori elettrici di qualunque tipo e potenza.

Saldatrici elettriche

Costruzione e montaggio di Quadri di manovra e controllo per impianti elettrici.

Costruzione e montaggio di Cabine e sottostazioni elettriche complete.

Costruzione apparecchiature elettriche di alta e bassa tensione.

Cambio caratteristiche di macchine elettriche e Riparazioni (trasformatori - motori - alternatori - dinamo ecc.)

Riparazione e taratura di Contatori elettrici e strumenti di misura.

Impianti di bordo.

Impianti di luce e forza motrice.

Impianti di linee di distribuzioni elettriche.

SEZIONE MECCANICA

Lavorazione di meccanica di precisione.

Lavorazione di Carpenteria metallica.

Ganci e perni portaisolatori.

Morsetteria.

Costruzioni metalliche, pali a traliccio capriate metalliche, carri ponte per gru, piloni, pensiline.

Serbatoi - Recipienti

Materiale tipo Decauville

Impianto per la zincatura a spruzzo ed a fuoco.

C. P. E. C. N.o 54640

N. | Sigla: GCT/1b

(da citare nella risposta)

Napoli, li 19/6/44

Egregio

SIG. COL. G R O W D O N

N A P L E S

OGGETTO

Application for coal.-

Sir,

we refer to our letter of 6th May ult regarding our application for a montly quantity of 7 tons coal (4 tons of coke and 3 tons of cardiff) needed for iron carpentry and forge works to be executed in our factory as well as for our foundry.-

The above quantity of coal was delivered to us for the month of April and May and we shall now feel obliged if you will kindly renew your authority for the relaese of the same quantity for the month of June.-

Thanking you beforehand, we are, Sir,

Yours respectfully.-

A. A. I.
OFFICIAL

CENTRAL
ELECTRICAL BOARD

p/a O. C. R. E. N.
Il Direttore / L'Procuratore

Allegati N. 2 copie lettere.-

Declassified E.O. 12356 Section 3.3/NND No. 785019

OPIA CONFORME

6th April 1944

Col. GROWDON

N A P L E S

Application for coal

Sir,

We beg to submit to your kind attention what follows.-

Our firm is specialized for mechanical works for acount of the Southern Electric Company, the Circumvesuvian Railway Company and other public utility Companies, and is now requisitioned by the P.B.S.-

For the execution of the above mentioned works we have in our factory a blacksmith-carpentry section provided with I2 forges, all of which are working, entailing a monthly consumption of about 3 tons coal.-

Our present working engagements concern particulary the repairs of some frame works for the Capuano and Matese plants and the repairs of tanks for transformers and radiators which are twisted or deformed in consequence of the explosion of mines.-

We have also a foundry for bronze and aluminium, which is specially equipped for thr casting of insulator tops and points for high and low tension lines ordered to us by the Southern Electric Company and for electric railway lines ordered by the Circumvesuvian Railway Company.-

We therefore require in addition to the above a montly allotment of about 4 tons foundry coal.-

Hoping that we shall be able to obtain these allotments, we remain, Sir,

yours respectfully.-

5125

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P I A

6/5/44

CCF/lt

E gregio
SIG. COL. G R O W D O N

N A P L E S

Application for coal

Sir,

we refer to our letter of 6th April ult. regarding our application for a monthly quantity of 7 tons coal needed for iron carpentry and forge works to be executed in our factory as well as for our foundry.

The above quantity of coal was delivered to us for the month of April and we shall now feel obliged if you will kindly renew your authority for the release of the same quantity for the month of May.

Thanking you beforehand,we are,Sir,

yours respectfully.-

To Ilva
It is understood that this coal has
been allottedon a montly basis

5124

James P. Crawdon-Col. C.E.
V. Ch. A.A.I.- C.E.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(60) 3993.

RED/ln

HEADQUARTERS
ALLIED CONTROL COMMISSION
Requisition Division
APO 394

In reply
refer to:
RD - 400/162

4 July 1944

SUBJECT: Electric Motor Brushes.

TO : Vice-Chairman, Central Electrical Board,
Headquarters, A.A.I.,
A.P.O. No. 400.

1. Reference is made to following requisitions for electrical materials:

A.C.C. Number		M.G.S. Number
10-ENG-Reg. III- 44	=	MGS - 83 - ENG
13-ENG-Reg. III- 44	=	MGS - 88 - ENG

2. G-5, AFHQ, now advises that electric motor brushes on both these requisitions are expected to be available for shipment by the end of July, 1944.

3. Advice of shipping number designators will be forwarded as soon as received here.

For the Chief , Requisition Division:

Robert A. Martino

ROBERT A. MARTINO,
Lt. Col., Spec. Res.,
Division Executive.

A.A.I.
OFFICIAL

CENTRAL
ELECTRICAL BOARD

5123

To Central Electric Board (Col. Groves)
For Action
Per Van Hewlen
Dooley
7/7

SECRET US CIPHER MESSAGE FOLIO NO: 76661
IN 5 JUL 44.

FROM: ADVG SIGNED SAC FED GAFE FROM MIDS AND NEPC
TO: AAI FOR GEB AND OAO DOG 20565.03 ?
ORIG NO WX 07502 FOR 181CE.03

REFERENCE STATUS OF MATERIALS FROM AGWAR CABLE WX 21530 DATED 15 JUNE 44. ELECTRICAL STORES ORDERED BY AGO . THIS INFORMATION IS FOLLOW UP TO OUR CABLE F 55225 DATED 5 JUNE 44.
AGO REQUISITION 1/17 DISC ENG ENGR -- IV JANUARY 24 ITEMS 1,2 AND 4 HAVE BEEN SHIPPED PADDL DEC. ITEM 3 HAS NOT YET NOT BEEN SHIPPED ITEMS 5 AND 6 SCHEDULED FOR COMPLETION ON OR BEFORE 31 JULY 44. ENDEAVOURING TO HAVE SHIPMENT OF SOME OF THESE MFG ITEMS BEFORE 31 JULY. REQUISITION 5 MISC ENG SIX -- 44 DATED 10 FEBRUARY ITEMS 1 2, 4 AND 10 THROUGH 16 AND 26 THROUGH 28 SCHEDULED FOR COMPLETION EARLY IN AUGUST. ITEMS 3,5,6,21,22 31,39 AND 40 SCHEDULED FOR COMPLETION LATE IN JUNE. ITEMS 8,9,19, 20, 23, 24, 25, 29 AND /32 SCHEDULED FOR COMPLETION THE MIDDLE OF JULY. AVAILABILITY OF ITEMS 7,30, 33 THROUGH 38 NOT KNOWN. ADVICE TO FOLLOW.
REQUISITION 2 MISC ENG 44 DATED 12 MARCH 44 UNABLE AT THIS TIME TO ADVISE WHEN MATERIAL WILL BE READY. IT IS ESTIMATED THAT BUSHINGS WILL BE COMPLETED BY SEPTEMBER. DETAILS DATE TO FOLLOW.
CERTAIN ITEMS BRITISH SOURCES, ADVICE FROM TROOPING. REQUISITION 10 MIS ENG - 44 OF 29 FEBRUARY AND 12 MIS ENG - 44 OF 1 MARCH 44 CALLING FOR MORE EQUIPMENT TO BE AVAILABLE FOR SHIPMENT BY THE END OF JULY 1944. PROGRESS HAS BEEN MADE OBTAINED BY CABLE BY 31 MAY TO EXPEDITE MANUFACTURE AND DELIVERY OF MACHINE BUSHES.

ZEMC	3 ADVICE
S(ES)	2
IN	2
MIDS	1
ADV	4
NEP	3

SAC DIAE.CA
T.T.A7152.02 JT

5127

Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC REQUISITION 1/17 HAS BEEN MADE - 17 JANUARY 24 ITEMS 1,2 AND 4
HAVE BEEN SHIPPED PACIFIC W.S.A. ITEM 3 HAS NOT YET BEEN SHIPPED
ITEMS 5 AND 6 SCHEDULED FOR OPERATION ON OR BEFORE 31 JULY 44.
ENDEAVOURING TO HAVE SHIPMENT OF SOME OF THESE TWO ITEMS BEFORE
31 JULY. REQUISITION 5 HEBU DEC XII - 44 DATED 10 FEBRUARY ITEMS 1
2, 4 /30 10 MERCHS 18 AND 26 THEREOF ARE SCHEDULED FOR DESPATCH EARLY MI
AUGUST. ITEMS 3,5,6,21,22 31,39 AND 40 SCHEDULED FOR
DESPATCH EARLY MI JUNE. ITEMS 8,9,15, 20, 23, 24, 25, 29 AND /32
SCHEDULED FOR DESPATCH END MIDDLE OF JUNE. AVAILABILITY OF ITEMS 7,30,
33 UNKNOWN AS NOT KNOWN, ADVISE TO FOLLOW.
REQUISITION 2 HEB DEC XII DATED 12 MARCH 44, UNABLE AT THIS TIME TO ADVISE
WHEN DELIVERY WILL BE READY. IT IS INTENDED THAT EQUIPMENT WILL BE
DESPATCHED BY AIRCRAFT. DETAILS DUE TO FOLLOW.
SUITABLE FOOD UNITED STATES, ADVISE FROM FIGURES. REFERENCE TO HEB XII -
44 OF 29 FEBRUARY AND XJ HEB XII - 44 OF 1 MARCH CONCERNING FREEZER UNITS
BOTH REQUISITIONS EXPECTED TO BE AVAILABLE FOR DISPATCH BY THE END OF
JULY 1944. DISCUSSIONS HAVE AGAIN BEEN INITIATED BY CABLE BY M LONDON TO
EXPEDITE MANUFACTURE AND DELIVERY OF REQUIRED FREEZERS.

PERS	3 HAMILTON
S(AD)	2
EA	3
TECH	1
ACC	4
WAC	1

SIG SECRET
T.T.M.(B)2.37

5129

4/7/44

extra

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 June 44.

SUBJECT:- Release of Stores

TO:- AF Local Resources Board (Italian)

1. Herewith pro forma in duplicate for :-

SULPHURIC ACID, 22B° - 20 gallons.

2. This is required in order to recharge the battery of accumulators which is being installed at the rehabilitated Calore hydro electric plant.

3. You have already released 5 gallons for this work but owing to a typist error on the part of the Societa Meridionale di Elettricita the application should have ready 25 gallons and not 5 gallons.

4. It is understood that the Society Meridionale di Elettricita can purchase at Montecatini Works, BARLETTA, but your authority is necessary.

JAMES P. CROSBIE,
COLONEL, CE,
Vice Chairman, AAI- C.E.B.

59A

APPENDIX "A" TO AAI AD HOC TENTATIVE
REQUISITION No. 8 DATED 20 JAN 44.

SUPPLY REQUISITION OR AUTHORITY TO PURCHASE

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded: SULPHURIC ACID, 22B°

Quantity required: (In metric tons, or other suitable unit) 20 GALLONS

Place delivery required: Town: CALORE

Province:

Department:

Date delivery required: Urgent Stock on hand: nil

Any special request: Equivalent to - days supply

Certified that these supplies and stores are required for urgent operational purposes.

COLONEL GE .....Rank

VICE CHAIRMAN .....Appointment

AAI CENTRAL ELECTRICAL BOARD

Date: 23 June 44

For use of Local Resources Section only.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity required: (in metric tons, or other suitable unit) 20 GALLONS

Place delivery required: Town: CALORE

Province:

Department:

Date delivery required: Urgent Stock on hand: nil

Any special request: Equivalent to - days supply

Certified that these supplies and stores are required for urgent operational purposes,

Date: 23 June 44

COLONEL OR .....Rank

VICE CHAIRMAN .....Appointment

AAI CENTRAL ELECTRICAL BOARD

For use of Local Resources Section only.

Prefix:

Demand No.

Serial:

Passed to AAI/ACS..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

8

(58)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

16 June 44

SUBJECT:- Collection of Stores.

1. This is to certify that the bearer is an employee of the Societa Meridionale di Elettricita and is an authorized person to collect from 80 KBW, CASTELLAMMARE, bolts, etc. as per attached vouchers and to deliver them to the stores of the S.M.E. at NAPLES.

L.G.PRICE, Major RE,
for Colonel, CE,
Vice Chairman, AAI - C.E.B.

5129

Declassified E.O. 12356 Section 3.3/NND No. 785019

8

857

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

18 June 44.

SUBJECT:- Controlled Stores

TO:- CG PBS (Eng Sect)

Sec 16

1. The following controlled material is urgently required by the Societa Meridionale di Elettricita for the installing of a Matese power unit at the Isto hydro electric station :-

Planking, 3cm, 4 M lengths - 12 C.M. total
" 5cm, 4 M " - 8 C.M. "
Rectangular timbers, 13x15cm and 15x18cm, length 6 M, or equivalent in round - 10 C.M. total.

2. Will you please release and state where this material can be collected.

3. This demand is made in accordance with instructions contained in AFLR(I) Board letter 2/1/LR dated 4 April 44.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5119

Declassified E.O. 12356 Section 3.3/NND No. 785019

8 8 (56)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Memorandum for Col. GROWDON

For the temporary installation of a Matese Unit on the Lete River, we need as soon as possible:

30 cu.mt. of lumber,

namely: 12 cu.mt. of planks, thickness cm. 3 - length mt. 4

8 cu.mt. of planks, thickness cm. 5 - length mt. 4

10 cu.mt. of squared or round timbers 13x15 and 15x18 cm length mt. 6

The above might be collected from the saw-mill of "Pietro Pupo e Figli" Cosenza„ or of anyone else,and conveyed to Lete by Allied transportation means.

Therefore we beg you that approval be granted for a release order from the 14th Forestery Company of the New Zeeland Engineers C.M.F. Crotone, which every saw-mill depend on; and in case railway transportation is preferred, authority for the allocation of 2 railway cars (1 type L, 1 type P; or better only one type P.O.Z.) at Cosenza station.

See (57)

5119

Naples, the 15th June 1944

MCu/pz

M.d. 8 (29.000) Tipl A. Trani - 6-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

55

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

17 June 44.

SUBJECT:- G.I. Water Pipe Fittings.

TO:- AF Local Resources (I) Board.

63

1. Further to this office demand CEB/13 dated 8 June 44.

2. Herewith list of fittings required for the piping demanded together with pro forma.

3. As already stated, these stores are required for drinking water distribution at Sila, Tusciano and Bari electric plants.

4. It is understood that these fittings are available from "SIDERURGICA COMMERCIALE", Corso Garibaldi, Naples, which is controlled by PBS

JAMES P. CROMDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

Sec 63

5117

CMB/13.

APPENDIX "A" TO AAI ADMINISTRATIVE INSTRUCTION No. 8 DATED 20 MAR 44.

SUPPLIES AND STORES REQUISITION (AAI CENTRAL ELECTRICAL BOARD)

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded:

SEE SCHEDULE ATTACHED

Quantity required:
(In metric tons, or other suitable unit)

Place delivery required: Town: HARDEN

Province:

Compartment:

Date delivery required: URGENTLY Stock on hand: NIL

Any special request: Equivalent to days supply

Certified that these supplies and stores are required for ~~URGENT~~ operational/normal maintenance/ ~~experimental~~ purposes

COLONEL GS

.....
VICE CHAIRMAN

.....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 17 June 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

SEE SCHEDULE ATTACHED

Quantity required:
(In metric tons, or
other suitable unit)

Place delivery required: To: HAMBURG

Province:

Compartment:

Date delivery required: URGENTLY Stock on hand: NIL

Any special request: Equivalent to days supply

Certified that these supplies and stores are required for urgent operational/normal maintenance/ ~~base spelling purposes~~

COLONEL GS

.....
VICE CHAIRMAN

.....Appointment
AAI CENTRAL MEDICAL BOARD

Date: 17 June 44

For use of Local Resources Section only.

Prefix:
Demand No.
Serial:

Passed to A/G/AQG..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SCHEDULE TO CEB/13/A.

NIPPLES, MALE THREADS,
1/2", 3/4", 1", 1.1/4", 2", 2.1/2" — 4 off each

TEE JOINTS,
1/2", 3/4", 1", 1.1/4", 2", 2.1/2" — 4 off each

CROSS JOINTS,
1/2", 3/4", 1", 1.1/4", 2", 2.1/2" — 4 off each

SOCKET JOINTS,
1/2", 3/4", 1", 1.1/4", 2", 2.1/2" — 4 off each

BENDS, 90°
1/2", 3/4", 1", 1.1/4", 2", 2.1/2" — 4 off each

REDUCERS,
1" - 3/4", 1¼" - 1", 2" - 1½", 2½" - 2" — 4 off each

Declassified E.O. 12356 Section 3.3/NND No. 785019

8

5k

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400.

CEB/1/4

14 June 44

SUBJECT:- Application for Power Supply.

TO:- CO PBS (Eng Sect)

1. Herewith application from F.I.C.E., NAPLES, for additional energy at their cable making factory.

2. It is presumed that you will take up this matter direct with F.I.C.E. which firm, it is understood, is working 100% for the Allied Services.

JAMES P. CROMBIE,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

511

Declassified E.O. 12356 Section 3.3/NND No. 785019

From Capt Boyce | Time 10.30
To Major PRICE | Date 19/6/44.
RE.

Telephone No.

Electricity Board. A.C.C.

F.I.C.E. in doing very good work, please give them all possible help.

Pol. Boyce Capt

Power Supply. 108. H.P.

Application passed to PBS 14/6/44

5113

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

13 June 1944.

The bearer is an employee of the Soc.Meridionale di Elettricità and is authorised to collect

5 TONS OF Bitumin

from EBSD Cancello and convey same to Frattamaggiore and Agnano.

L.G. PRICE MAJOR R.E.
A.A.I. CENTRAL ELECTRICAL
BOARD

Declassified E.O. 12356 Section 3.3/NND No. 785019

(17)

(57)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

12 June 1944

SUBJECT:- Release of Stores

TO:- CG PBS (Eng Sect)

1. The undermentioned stores are required by the S.M.E. for repairs to the penstock and the sluice gate at the MURO LUCANO Power Station:-

(a) OXYGEN - 25 Bottles
ACETYLENE - 20 Bottles

(b) for repairs to the penstock at MATESE Power Station :-

OXYGEN - 15 Bottles
ACETYLENE -, 8 Bottles

(c) for repairs to the penstock at CALORE Power Station:-

OXYGEN - 6 Bottles
ACETYLENE - 5 Bottles.

2. Will you please authorise early release.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5111

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

59

Memorandum for Col. Growdon

For the rehabilitation of our Muro Lucano Power Station, we need, besides other things:

25 bottles of Oxygen
20 " " Acetylene

necessary for the repair of the penstock at the intake and the sluice gate, which Navalmeccanica is charged with.

We beg you that approval be granted for the release order of the above.

Naples, the 10th June 1944

MCu/pz

Mod. 8 bis (5000) Tipl A. Trani - 1943

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Memorandum for Col. GROWDON

For the rehabilitation of our Matese Power Station, we need, besides other things

15 bottles of Oxygen
8 " " Acetylene

necessary for the repair of the penstock, which "Navalmeccanica" is charged with.

We beg you that approval be granted for the release of the above.

Naples, the 10th June 1944

MCu/pz

Stab. e Uff. (5800) Tipl. A. Trani N 45

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Memorandum for Col. Growdon

For the rehabilitation of our Calore Power Station at S.Mango, we need, basides other things:

6 bottles of Oxygen
5 " " Acetylene

necessary for the repair of the penstock in the "Navalmeccanica" factory in Naples.

We beg you that approval be granted for the release order of the above.

Naples, the 10th June 1944

MCu/pz

Mod. 6 bis (500) Tipd. A. Trani - 1-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

ENGINEER SERVICE
PENINSULAR BASE SECTION
APO 782

HHB/er
11 June 1944

SUBJECT: Release of Engineering Materials

TO : D.W., HQ. A.A.I. (Rear Adm. Echelon)
Attn: Vice Chairman, Central Electrical Board

1. Release of oxygen and acetylene forwarded herewith for Societa Meridionale di Elettricita.

For the Engineer Officer:

R. E. MAC DONALD
Major, C.E.
Purchasing & Contracting Officer

Incl: 2
(1-Release)
(2-Copy of letter-A.A.I.)

A. A. I.
OFFICIAL

CENTRAL
ELECTRICAL BOARD

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

8 June 1944

SUBJECT:- Release of Stores

TO:- CG PBS (Engineer Section)

1. Will you please authorise the release to the Societa Meridionale di Elettricita the following :-

OXYGEN - 6 (six)Bottles;
ACETYLENE - 3 (three) Bottles.

2. These stores are urgently required in order to construct a steam conduit at the CATERA Thermo-electric plant, Isle of Ischia.

3. It is understood that the above stores can be purchased from S.O.N. and S.F.A.D. via Galileo Ferrario, Naples, but your authorization is necessary.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman,AAI - C.E.B.

A. A. I.
OFFICIAL

CENTRAL
ELECTRICAL BOARD

Declassified E.O. 12356 Section 3.3/NND No. 785019

(47)

ENGINEER SERVICE
PENINSULAR BASE SECTION
APO 782

HHB/er
11 June 1944

SUBJECT: Release of Engineering Materials

TO : D.W., HQ. A.A.I. (Rear Adm. Echelon)
Attn: Vice Chairman, Central Electrical Board

1. Release of oxygen and acetylene forwarded herewith for Societa Meridionale di Elettricita.

For the Engineer Officer:

R. E. MAC DONALD
Major, C.E.
Purchasing & Contracting Officer

Incl: 2
(1-Release)
(2-Copy of letter-A.A.I.)

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

(46)

MEMORANDUM FOR COL.GROWDON

Referring to our memorandum of May 24th inst. we give the following data for the varnish.

The varnish is to be employed in the repair of some sections of the windings of our alternator nr.2 in Calusia Power Station. The alternator is 22.000 kVA 10 kV.

It is required a black, stove-drying varnish.

Drying temperature: 80° to 100° C. Time necessary for drying 5 to 6 hours.

50 kg. Required for exterior
500 kg at least required for entire work.

Naples, May 31st, 1944
GC/DM

ordered

5119

Mod. 6 bis (1939) Tipd. A. Trani - 1.43

Declassified E.O. 12356 Section 3.3/NND No. 785019

H.Q., A.A.I., (REAR ADM ECHELON)
LOCAL RESOURCES SECTION
C.M.F.

H5

SUBJECT :- Sulphuric Acid 22 B°

REF :- 17/18/LR.

Central Electrical Board.

10 June 1944.

Reference your demand CEB/13/2 dated 8 June 44, attached please find the necessary Release Note allocating you the required 5 (five) gallons of Sulphuric Acid 22 B°

A. A. I.
OFFICIAL
10/6/44
CENTRAL
ELECTRICAL BOARD

VLO/FB.

Lt. Col.,
A.Q.M.G.
Local Resources Section.

5109

Declassified E.O. 12356 Section 3.3/NND No. 785019

H.Q., A.A.I., (REAR ADM ECH[illegible]ON)
LOCAL RESOURCES SECTION
C.M.F.

44

SUBJECT :- Steel Wheels.

REF :- 17/20/LR.

Central Electrical Board.

6 June 1944.

1. Reference your letter CEB/13/2 of 29 May 44, your remarks have been conveyed to ACC, who point out that many of the items located by them are available for only a short time, and that they cannot undertake to duplicate their previous enquiries if a prompt investigation is not made on the part of the demanding Service.

2. In this case ACC have repeated their investigation with the following positive result:-

3. The undermentioned firm is presently engaged in adapting wheels of Italian motor cars to use 16 x 6.00 tyres, either by enlarging undersized wheels or by reducing oversized wheels:

Ditta Cotena,
Via Cappella Vecchia,
NAPLES.

A. A. I.
OFFICIAL

CENTRAL
ELECTRICAL BOARD

MHB/EB.

Lt.Col.,
A.Q.M.G.
Local Resources Section.

CEB/13

(43)

ATTACHMENT "A" TO AAI AD INTERIM
INITIAL NO. 3 DATED 20 APR 44.

[redacted] BOARD

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded: G.I. WATER PIPING:-

Quantity required: (in metric tons, or other suitable unit)		
	2½"	200 Kgs
	2"	200 "
	1½"	100 "
	1"	400 "
	3/4"	300 "
	1/2"	300 "

(57)

Place delivery required: Town: NAPLES

(62)

Province:

Department:

Date delivery required: Urgently

Stock on hand: nil

Any special request: required for drinking water distribution on power plants at SILA, FUCCIANO and BARI

Equivalent to days supply

Certified that these supplies and stores are required for urgent operational, normal maintenance, stockpiling purposes

..[redacted].....Rank

.VICE.CHAIRMAN...Appointment

AAI CENTRAL ELECTRICAL BOARD

Date: 8 June 44

5108

Declassified E.O. 12356 Section 3.3/NND No. 785019

Commodity Demanded: U.S. WATER PIPING:-

Quantity required: (In cubic tons, or other suitable unit)		
	2½"	200 Kgs
	2"	200 "
	1½"	100 "
	1"	400 "
	3/4"	300 "
	1/2"	300 "

Place delivery required: Town: HARLEY

Province:

Department:

S-5

See 62

Date delivery required: Urgently Stock on hand: nil

Any special request: required for drinking water distribution on power plants at SILA, KUSCLAND and ZARI

Equivalent to days supply

Critical that these supplies and stores are required for urgent operational/normal maintenance.

..Signature.....Rank

Date: 8 June 44 ..VICE CHAIRMAN...Appointment

AAI CENTRAL ELECTRICAL BOARD

5108

For use of Local Resources Section only.

Prefix:

Demand No.

Serial:

Passed to A.G./ACC.....

Allocated by Committee.....

Approved by Board.....

Release Order No.....

Date.....

All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

8 June 1944

SUBJECT:- Stores Demand

TO:- DW HQ AAI

1. The Societa Meridionale di Elettricita require the following stores :-

BITUMEN - 5 (Five) TONS.

2. This is required for covering the roofs of the erecting shop and warehouse at ACHANO II substation, also for covering the roofs of buildings at FRATTAMAGGIORE substation.

3. Will you please authorise release.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5107

Declassified E.O. 12356 Section 3.3/NND No. 785019

[redacted]

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
C. P. C. N. 21817

N. 4826/ 440 Vllr/rg.
da citare nella risposta

Napoli, (105) 1- 6 -944

(40)

VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

HERE

Per la copertura dell'officina di smontaggio e dei magazzini della ns. S/S Agnano II e per la copertura dell'edificio servizi delle ns. S/S Fratta, abbiamo bisogno di :

- 50 Q.li di bitume -

Vi preghiamo di volerVi cortesemente interessare affinchè ci venga effettuata un'assegnazione di detto bitume.

Ringraziamenti.

Translation

For covering the erecting shop and the warehouse of our S.S. Agnano II and for covering the auxiliary services' building of our S.S. Fratta, we need :

- 50 Qls. bitumine -

We beg you to kindly take the necessary steps in order that we obtain an allotment of the said bitumino.

With many thanks.

SOCIETA' MERIDIONALE DI ELETTRICITA'

6/6/44

5108

Mod. 7 (70.000) Tip. A. Trani - 943

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2 (40)

8 June 1944

SUBJECT:- Release of Stores.

TO:- A.F.Local Resources (I) Board.

1. Herewith proforma, in duplicate, for :-

SULPHURIC ACID, 22 B^{0} - 5 (five) gallons.

2. This is required in order to recharge the battery of accumulators which is being installed at the rehabilitated CALORE hydro electric plant, which work is considered to be of urgent military importance.

3. It is understood that the Societa Meridionale di Elettricita can purchase at Montecatini Works, Barletta, but your authority is necessary.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman,AAI - C.E.B.

5105

CMB/12

ANNEX 'A' TO AAI AD INTERIM
No. 8 DATED 20 MAR 44.

SUPPLEMENTARY DEMAND CHEMICALS REQUIRED

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded: SULPHURIC ACID, 22 B°

Quantity required (in metric tons or other suitable unit): 5 (five) GALLONS

Place delivery required: Town: CALORE

Province:

Department:

Date delivery required: Urgently

Stock on hand: -

Any special request: -

Equivalent to _ days supply

Certified that these supplies and stores are required for urgent operational [illegible]

COLONEL GS.....Rank

VICE CHAIRMAN.....Appointment

AAI CENTRAL ELECTRICAL BOARD

Date: 8 June 44

5107

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity required (in addition to other suitable): 5 (five) GALLONS

Place delivery required: Town: GALOMS

Postman:

Compartment:

Date delivery required: Urgently

Stock on hand: -

Any special request: -

Equivalent to _ days supply

Certify that these supplies and [illegible] for urgent operational [illegible]

[illegible]

GROUP CAPTAIN.....Rank

[illegible].....Appointment

Date: 6 June 44

AAI CENTRAL ELECTRICAL BOARD

5102

For use of Local Resources Section only.

Prefix:

Demand No.

Serial:

Passed to AIR/ACC..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETA MERIDIONALE DI ELETTRICITA

(19)

Memorandum for Col. GROWDON

For the accumulators battery of Calore plant 100 liters (about 5 gallons) of sulphoric acid at 22 B° would be required. The acid is available by Ilva Factory (Bagnoli).

We beg you to obtain the necessary permission from P.B.S.

We thank you.

Naples, the 7th June 1944

TM/pz

Mod. 5 bis (20 mm) Tipi A. Trani - 6.42

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

8 June 1944

SUBJECT:- Release of Stores

TO:* CO FBS (Engineer Section)

1. Will you please authorise the release to the Societa Meridionale di Elettricita the following :-

OXYGEN - 6 (six)Bottles)
ACETYLENE - 3 (three) Bottles.

2. These stores are urgently required in order to construct a steam conduit at the CATTRA Thermo-electric plant, Isle of Ischia.

3. It is understood that the above stores can be purchased from S.O.N. and S.P.A.D. via Galileo Ferrario, Naples, but your authorization is necessary.

JAMES P. CROMDON,
COLONEL CE,
Vice Chairman,AAI - C.E.B.

5102

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 – VERSATO L. 1.012.500.000

C. P. C. N. 21917

N. 32231/441 VMR/lm

da citare nella risposta

Napoli, (105) 7-6-944

VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

H E R E

La ns. consociata Soc.An.Forze Endogene Napoletane ha bisogno,per la costruzione della condotta di acqua calda per la centrale Geotermoelettrica di Cetara, di :

- 6 bombole di ossigeno
- 3 bombole di acetilene

che potrebbero essere acquistate presso la S.O.N. e la S.P.A.D. Via Galileo Ferraris,Napoli, previa autorizzazione della P.B.S.

Vi preghiamo di volervi cortesemente interessare on de farci ottenere detta autorizzazione.

Ringraziamenti.

Translation

Our associated Soc.An.Forze Endogene Napoletane needs for the construction of the hot water conduit at the Cetara Thermo-electric Plant :

- 6 bottles oxygene
- 3 bottles Acetylene

The said gases could be supplied by the S.O.N. and the S.P.A.D. at Via Galileo Ferraris,Naples, but the authorization of the P.B.S. is required.

We beg you to kindly take the necessary steps in order that we obtain the authorization.

Thanks.

SOCIETA' MERIDIONALE DI ELETTRICITA'

5/6/44

Telegrammi: FLEGIANO - NAPOLI

Declassified E.O. 12356 Section 3.3/NND No. 785019

(36)

HHB/er

1st Ind.
ENGINEER SERVICE, P.B.S., APO 782, 1 June 1944

TO: C.O., Hq. A.A.I.
(Attn: Chairman, Central Electrical Board)

1. Since this amount of material cannot be supplied from our Local Stocks it is recommended that request be submitted to Local Resources Board.

For the Engineer Officer:

H H Bouffier Capt CE
For F. W. MAC DONALD
Major, C.E.
Purchasing & Contracting Officer

A. A. I.
OFFICIAL
13/2 4/6/44
CENTRAL
ELECTRICAL BOARD

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

4 June 1944

SUBJECT:- Release of Controlled Items

TO:- Local Resources Section. HQ AAI

1. Herewith in duplicate pro forma duly completed for the release of controlled stores to the Societa Meridionale di Elettricita.

2. It is understood that these stores are available at

HELP TRUST,
Via del Chiostro, 9,
Naples,

but authorisation is necessary to enable S.M.E. to purchase.

3. These stores are required for hoisting tackle and for caulking yarn joints at the Capuano Power Plant.

JAMES P. CROWDON,
COLONEL GE,
Vice Chairman, AAI- C.E.B.

509

Declassified E.O. 12356 Section 3.3/NND No. 785019

26261

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 May 1944

SUBJECT:- Stores Release

TO:- CG PBS (Eng Sec)

1. Will you please authorize the release of the following material for the S.M.E.:-

Galvanised iron pipings, various sizes, 15 tons.

2. These stores are required in order to carry out drinking water distribution at the power plants of SILA, TUSCIANO and BARI.

3. It is understood that the above quantity of piping is available at the stores of Commercio Tubi Co, NAPLES, and that your authorization is necessary in order that SME may purchase.

James P. Growdon

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5099

CSB/11

APPENDIX 'A' TO AAI AD VICE NOTE
INSTRUCTION No. 8 DATED 20 MAR 44.

SUPPLIES AND STORES DE AND ON AFLR(ITALIAN) BOARD

Responsible Service or Agency: CENTRAL ELECTRICAL BOARD, APO 400.

Commodity Demanded:

Quantity required:
(In normal units, or
state suitable unit)

Hemp rope,	6mm dia.	- 100 kgs.
" "	8mm "	- 100 "
" "	12mm "	- 200 "
" "	15mm "	- 200 "
Hemp thread, 2-4mm dia.		20 "
Rough Hemp strands		10 "

Place delivery required: Town: NAPLES

Province:

Compartment:

Date delivery required: Urgently Stock on hand: Nil

Any special Request: Required in connection with rehabilitation of Capuano Steam Plant. Equivalent to - days supply

Certified that these supplies and stores are required for [redacted] operational/normal maintenance/ [redacted]

James A Gordon
COLONEL CE
.....Rank
VICE CHAIRMAN.
.....Appointment
AAI CENTRAL ELECTRICAL BOARD.

Date: 4 June 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Board, APO 400.

Correctly Demanded:

Quantity required (In metric tons, or other convertible unit)

Hemp rope,	6mm dia.	- 100 kgs.
" "	8mm "	- 100 "
" "	12mm "	- 200 "
" "	15mm "	- 200 "
Hemp thread, 2-4mm dia.		20 "
Rough Hemp strands		10 "

Place delivery required: Town: NAPLES

Province:

Compartment:

Date delivery required: Urgently Stock on hand: Nil

Any special request: Required in connection with rehabilitation of Capuano Steam Plant. Equivalent to - days supply

Certified that these supplies and stores are required for [redacted] operational/normal maintenance/ [redacted] purposes

James A Snowdon
COLONEL CE
.....Rank
VICE CHAIRMAN,
.....Appointment
AAI CENTRAL ELECTRICAL BOARD.

Date: 4 June 44

For use of Local Resources Section only.

Demand No. 509 Serial:

Passed to A G/A Cl.....

Allocated by Committee.....

Approved by Board.....

Release Order No.....

Date.....

All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(34)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21017

N. 10701-20565/ 439 VEkr/rf

da citare nella risposta

Napoli, (105) 2. 6. 944

VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

H E R E

Per gli attrezzi di sollevamento e per guarnizioni premistoppa delle tubazioni della ns/ Centrale Capuano, abbiamo bisogno di:

- Kg. 100 corda canapa da 6 mm. di ø
- " 100 " " " 8 " " "
- " 200 " " " 12 " " "
- " 200 " " " 15 " " "
- " 20 spago di canapa da 2 e 4 mm. di ø
- " 10 canapa pettinata.

Detti prodotti possono esserci forniti dal Consorzio Canapa - Via del Chiostro, 9 - Napoli - previa autorizzazione della Commissione Alleata di Controllo.

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere detta autorizzazione.

Translation

For the hoisting tackles and for the caulked yarn joints on the pipes of our Capuano Plant we need:

- Kgs. 100 hemp rope by 6 mms diameter
- " 100 " " " 8 " "
- " 200 " " " 12 " "
- " 200 " " " 15 " "
- " 20 hemp thread by 2 to 4 mms. diameter
- " 10 rough hemp.

The "Hemp Trust" Via del Chiostro, 9 - Naples, are able to furnish to us such a supply but the authorization of the A.C.C. is required -

We beg you to kindly take the necessary steps in order that we obtain the said authorization.

With many thanks.

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) T. 1/6/44 - 3-42

Declassified E.O. 12356 Section 3.3/NND No. 785019

(33)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

4 June 1944

SUBJECT:- Cement Allocation.

TO:- HQ Region III
Allied Control Commission.

1. Reference is made to your ES.104.3.8.B dated 13 May 44 to which was attached Release Order No ACC.70 dated 9 May 44, which authorised the Societa Meridionale di Elettricita to collect :-

CEMENT - 20 tons

from Italcementi, Salerno.

2. The release order mentioned above reached the S.M.E. on 20 May 44 and of the 20 tons of cement allotted, the S.M.E. were only able to collect 8 tons owing to lack of transport, leaving an outstanding balance of 12 tons.

3. As the release order ceased to be valid after 31 May 44, we shall be glad if you will issue a further release note to cover the balance.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman C.E.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(32)

SOCIETA MERIDIONALE DI ELETTRICITA

Memorandum for Col. GROWDON

1) From the Industry & Commerce Subcommission HC-ACC. we got the release order NO.A.CC.70 which we enclose copy of, for allocation of 20 Tons of cement.

2) As the relase order was in our hands on the 20th we were not able in 10 days to collect all the amount of cement with the transp. means available.

3) As the release order has ceased to be valid on May 31st we beg you for a renewal of it for the remaining 12 Tons.

Not available after 31st May

Annex: 2

Naples, the 1st June 1944
MCu/pz

5094

Mod. 8 bis (20.000) Tip. A. Trani - 8.42

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPIA

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

RELEASE ORDER NO. ACC. 70 9 th May 1944 DEMAND NO. ACC. C - 25

TO: Società Meridionale di Elettricità

NAPLES

REFERENCE: Form Mat.10. 3/42, 16th April

1. The following items have been to you by Industry & Commerce Sub-Commission, HQ-ACC

ITEM	MATERIAL	QUANTITY	FOR PERIOD
a.	Cement	20 Tons	May
b.			

2. The above items will be collected by you from stocks located at:

ITALCEMENTI - Fabbriche Riunite
Corso Garibaldi 5 - SALERNO

3. Collection should be made by 1944, failing which this Release Order ceases to be valid

4. Remarks

W.P. EVANS
Colonel
Director, Industry &
Commerce Sub-Commission

Copy to:

Form ACC-MAT No.11

Declassified E.O. 12356 Section 3.3/NND No. 785019

(31)

Adv A.F.H.Q., M.M.F.
Coal Section.

1 June 1944.

Ref : Coal/5.

Subject : Coal Issues.

To : D./.D.C.S. (LP & P) Italy.
C/o DDOS (LofC) Depots.
DT. 16 Base Workshops, RAME.
A.A.I. Central Electrical Board.

Copy to : S & T. H.Q., A.A.I.
S & T. DT. 57 Area.

It has been arranged that your future requirements of Coal and/or Coke should be dealt with by S&T, 57 Area.

Will you therefore please address all your requirements and demands for current deliveries to the latter, who hold adequate stocks of fuel for your purpose.

A. A. I.
OFFICIAL
13/2. 2/5/44
CENTRAL
ELECTRICAL BOARD

P R Evans

Lt Col.
Coal Section.

See 29 5099

Declassified E.O. 12356 Section 3.3/NND No. 785019

(20)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

2 June 1944

SUBJECT:- Stores Demand

TO:- HQ Allied Control Commission
Industry & Commerce Sub Commission.

1. Herewith, in duplicate, requisition No CEB/13/2/2 dated 2 June 44, together with five copies of Drawing No 5307.

2. It is requested that this requisition be forwarded for action by the most expeditious means.

3. The items as demanded are required for grinding and polishing bucket blades of hydraulic turbines, in order that the machines may operate efficiently.

4. Confirmation of action taken will be appreciated.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

WAR DEPARTMENT
Q. M. C. Form No. 100
(Revised Apr. 6, 1943)

309

REQUISITION

To ACC Ind & Com Sub Station No. of Sheets 1 Sheet No.

Requisition No. CEB 13/2/2 Date 12/6/44 Period Jan - Dec 1945

SHIP TO SME c/o AAI Central Electrical Board

INSTRUCTIONS FOR PREPARATION OF REQUISITION

REQUISITIONED BY (show Signature, Rank, Organization, Destination. If different from "SHIP TO" include address):	APPROVED BY:
Colonel Vice Chairman AAI Central Electrical Board	

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
	Grinding wheels Emery or Carborundum for grinding Turbine Secretary Tinker Emery or Carborundum for grinding steel see attached Prog. No 5307	No	Nil	Nil	10 Off each Total 30 10 Off each Total 30	
Shipment	Immediately to Tinker in one lot.					
Justification Bucket	These stones are required for grinding blades on Hydro Electric Turbines.					

509

U. S. GOVERNMENT PRINTING OFFICE : 16—35027-1

Declassified E.O. 12356 Section 3.3/NND No. 785019

INSTRUCTIONS FOR PREPARATION OF REQUISITION

Space "TO."—To show the approving officer to which requisition is submitted.

Space "PERIOD."—Show period for which the supplies are required.

Space "SHIP TO."—Full shipping address to be given. Where mail address is different from shipping address the former should also be shown, e. g., "Q. M., Fairfield Air Depot, Osborn, Ohio. Mail address, Fairfield." Except for established camps, posts, or stations, street or building address should be shown, e. g., "C. O. 325th Inf., National Guard, 156 Republic Bldg., Grand Haven, Mich." Where the property is to be invoiced to an organization, etc., different from that to which it is to be shipped, the required information will be shown.

Space "STOCK No."—Show stock number listed in Federal Stock Catalogue.

Space "ARTICLES."—Include sizes required. Show purpose numbers applicable to an article or group immediately above the article or group concerned.

Space "ON HAND AND DUE."—Show the quantity on hand plus the quantity approved on previous requisitions and not yet received.

Space "CONSUMED."—Show quantity consumed during the previous period.

Space "REQUIRED."—To be the quantity asked for by the requisitionist.

Space "APPROVED."—To be the quantity approved by the approving officer.

This form may be used in lieu of Q. M. C. Forms Nos. 402, 409, and 410 by appropriate modification.

IN THE SPACE BELOW SHOW BASIS FOR REQUISITION, i. e., Strength of Command, Number of Animals, Number of Animal-Drawn and Motorized Vehicles, Armament, or such other data as may be required by instructions issued by approving authorities.

THIS SPACE FOR ACTION OF APPROVING OFFICER

a10—25647-1

Declassified E.O. 12356 Section 3.3/NND No. 785019

(29)

13/2

2 June 44

Release of Coke

TO:- CO FBS (Quartermaster)

1. Will you please release to the Societa Meridionale di Elettricita, through the AAI Central Electrical Board:

3 (eight) tons of coke (25)

ex BAGNOLI, in accordance with authority contained in Adv. AFHQ CMF (Coal Section) letter, Coal/14 dated 31 May 44, copy of which has been forwarded to this office.

JAMES F. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

See (31)

5097

Declassified E.O. 12356 Section 3.3/NND No. 785019

(28)

Adv A.F.H.Q., C.M.F.
Coal Section.

31 May 1944.

Ref : Coal/14.

Subject : Release of Coke.

To : C.O., Peninsular Base Section.
(Quartermaster)

Copy to : A.A.I. Central Electrical Board.

See (29)

This is authority to release on demand 8 tons of Coke ex Bagnoli for :-

A.A.I. Central Electrical Board. Naples.

The Coke is required for urgent operational purposes for restoration of Electric Power Plants at Capuano, S.Mango, Matese and Lete.

The AAI Central Electrical Board will doubtless arrange to draw above by road lorry.

P.R. Evans

Lt Col.
Coal Section.

A.A.I. OFFICIAL
CENTRAL ELECTRICAL BOARD

Declassified E.O. 12356 Section 3.3/NND No. 785019

H.Q. A.A.I. (Rear Adm Ech),
LOCAL RESOURCES SECTION
C.M.F.

REF :- 17/34/LR.

30 MAY 44

TO :- AAI CENTRAL ELECTRICAL BOARD.

SUBJECT :- Coke.

1. Reference your demand CEB/9 dated 29 MAY 44 for 8-tons of Coke.

2. The supply of coke and coal is controlled entirely by the Coal Section, HQ AAI (Rear Adm Ech) to whom your demand has been passed.

for Lieut. Colonel,
A.Q.M.G.,
Local Resources Section.

SJEL/lvw.

5089

COPY TO:
Coal Section, HQ AAI
(encl. CEB/9)

Declassified E.O. 12356 Section 3.3/NND No. 785019

20

A.A.I. REF: CEB/13/2
CENTRAL ELECTRICAL BOARD
APO 400 30 May 1944

SUBJECT:- Lime

TO:- DW HQ AAI

1. Ref your 1767/DW dated 26 May 44.

2. The line will be directly accounted for by the Societa Meridionale di Elettricita; the Bulletino di Commando has therefore been endorsed as requested by you.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI- C.E.B.

5087

Declassified E.O. 12356 Section 3.3/NND No. 785019

SUBJECT: Lime Release

Directorate of Works,
H.Q., A.A.I.,
C.M.F.

Central Electricity
Board,
A.A.I.,
A.P.O. 400
(Att. Major Price).

1767/DW
26 May 44

Reference your CEB/13/2 dated 23 May 44.

Herewith Bulletino di Commando No. DWLP/609 in duplicate, both copies of which should be presented to the contractor.

If the lime is for C.E.B. use this Directorate will defray the cost.

If, however, it is for a contractor, please endorse the Bulletino "Contractor .....to account directly with Calci e Cementi" and inform this Directorate.

D.A. Clark.

D.A. CLARK
Capt. R.E.
for Brigadier
D.W.

HLS/EMR.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(25)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

29 May 1944

SUBJECT:- Stores Release

TO:- CG PBS (Eng Sect)

1. The following is required by the Societa Meridionale di Elettricita :-

OXYGEN - 6 (six) Bottles
ACETYLINE - 6 (six) Bottles.

2. These are necessary in order to carry out reconstruction at the steam power plant, CAPUANO.

3. Will you please notify this office when collection can be made so that SME can be instructed accordingly.

JAMES P. GROWDON,
COLONEL, CE,
Vice Chairman, AAI - C.E.B.

Release received
1/6/44

(2)

5086

Declassified E.O. 12356 Section 3.3/NND No. 785019

[redacted]

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 91217

N. 10690/ h09
da citare nella risposta

Napoli, (105) 25.5.944
VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

HERE

VIr/rg.

Per i lavori di ricostruzione in corso presso la ns. Centrale Capuano e per la manutenzione di detto impianto, ci occorrono :

- 6 Bombole di ossigeno
- 6 " " acetilene

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere dal P.B.S. l'autorizzazione per l'acquisto di detti gas presso la S.O.N. e la S.P.A.D. - Via Galileo Ferraris - Napoli.

Ringraziamenti.

Translation

For the reconstruction works we are doing at our Capuano Plant and for the maintenance of this plant we needs

- 6 Bottles oxygene
- 6 " acetylene

We beg you to kindly take the necessary steps in order that we obtain by the P.B.S. the authorization to buy the said gases from the S.O.N. and the S.P.A.D. - Via Galileo Ferraris - Naples.

With many thanks.

SOCIETA' MERIDIONALE DI ELETTRICITA'

5085

Telegrammi: TUSCANO - NAPOLI

25/44

Mod. ... Tip. A Tomo ...

Declassified E.O. 12356 Section 3.3/NND No. 785019

(23)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

29 May 1944

SUBJECT:- Stores Demand

TO:- DW HQ AAI

1. The following material is required by the Societa Meridionale di Elettricita :-

Bolts and Nuts, 1" x 6" - 100 Kgs.

2. These bolts and nuts are necessary in order to carry out repairs and restoration at the steam power plant, CAPUANO.

3. Will you please notify this office when manufacture is completed so that the SME can be instructed to collect.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

See 22

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
C. P. C. N. 21017

N. 10723/ H08
da citare nella risposta

Napoli, (105) 25-5-944
VIA P. E. IMBRIANI, 42

(22)

CENTRAL ELECTRICAL BOARD

HERE

VIR/rg.

Per i lavori di ricostruzione in atto presso la ns. Centrale Capuano abbiamo bisogno di :

- Kg. 100 Bulloni da 1" x 150

Vi preghiamo di volerVi cortesemente interessare onde far ci ottenere l'autorizzazione all'acquisto di detti bulloni presso i "Cantieri Metallurgici Italiani" che sono controllati dal D.D.W.

Ringraziamenti.

Translation

For the restoring works we are doing at our Capuano Plant we need :

- Kgs. 100 Bolts size 1"x 6" with nuts.

We beg you to kindly take the necessary steps in order that we obtain the authorisation to buy the said bolts from the "Cantieri Metallurgici Italiani" in Castellammare di Stabia that are under D.D.W. control.

With many thanks.

DW

SOCIETA' MERIDIONALE DI ELETTRICITA'

24/5/44

5082

(23)

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tip. A. Trani 1943

CMB/9 (21)

ADDITIONAL "A" TO AAI AD INTERIM
IN THEATER No. 8 DATED 20 MAR 44.

SUBSIDIARY REQUISITION (AUTHORIZATION) BOARD

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD
APO 400

Commodity Demanded: CCEB

Quantity required: (In metric tons, or other suitable unit) 8 (eight) TONS

(27)

Place delivery required: Town: [redacted]

Province:

Compartment:

Date delivery required: As soon as possible Stock on hand: Nil

Any special request: Required for restoration and of Electric Power Plants at CAPURSO, S. MARCO, MATERE, LUTZ. Equivalent to _ days supply

Certified that these supplies and stores are required for urgent operational/normal maintenance/ purposes

James K Knowlton

COLONEL..GS.....Rank

VICE-CHAIRMAN,....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 29 May 44

5089

For use of Local Resources Section only.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity required: (In metric tons, or other suitable unit) 8 (eight) TONS

(27)

Place delivery required: Town: NAPLES

Province:

Compartment:

Date delivery required: As soon as possible Stock on hand: NIL

Any special request: Required for restoration and maintenance of Electric Power Plants at CAPUANO, S. MANGO, MATESE, LIRI.

Equivalent to _ days supply

Certified that these supplies and stores are required for urgent operational/~~maintenance~~ purposes

James F. Brewster

~~COLONEL~~ ..CE.....Rank

~~VICE-CHAIRMAN~~.....Appointment
AAI CENTRAL ELECTRICAL BOARD

Date: 29 May 44

5089

For use of Local Resources Section only.

Prefix:
Demand No.
Serial:

Passed to AFG/ACC..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
C. P. C. N. 21917

Napoli, (105) 25-5-944
VIA P. E. IMBRIANI, 42

L.R. form (20)

N. 4822-10687/ 107
da citare nella risposta VIIIx/rg.

CENTRAL ELECTRICAL BOARD

H E R E

Per i lavori di riparazione alle ns. Centrali "Capuano - S.Mango - Matese - Lete" abbiamo bisogno di :

- 80 Qli carbone coke per forgia

Detto carbone potrà esserci ceduto dalla ILVA - Bagnoli previa autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare affinchè ci venga rilasciata detta autorizzazione.

Ringraziamenti.

Translation

For restoring works at our Plants "Capuano - S.Mango - Matese - Lete" we urgently need :

8 Tons
- 80 Qls. coke coal for forge -

The ILVA Co are able to supply the said coal but they need the authorization of the P.B.S.

We beg you to kindly take the necessary steps in order that we obtain the said authorization.

With many thanks.

SOCIETA' MERIDIONALE DI ELETTRICITA'

24/5/44

508

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tipi A. Trani - 3-42

CMB/10 (19)

ANNEX "A" TO AAI AD HOC MEETING
H. TRUCK, No. 8 DATED 20 MAR 44.

SUBSIDIARY REQUISITION BY AAI CENTRAL ELECTRICAL BOARD

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD
APO 400

Commodity Demanded:

Quantity required: AS PER ATTACHED SCHEDULE
(In metric tons, or other suitable unit)

(73)

Place delivery required: Town: NAPLES

Province:

Compartment:

Date delivery required: Urgently Stock on hand: Nil

Any special request: Required for repair of Capuano Steam Plant Equivalent to - days supply

Certified that these supplies and stores are required for urgent operational/~~normal maintenance~~, ~~description purposes~~.

James A. Crowdon
COLONEL GS
.....Rank
VICE CHAIRMAN
AAI CENTRAL ELECTRICAL BOARD Appointment

Date: 29 May 44

5089

Declassified E.O. 12356 Section 3.3/NND No. 785019

Quantity Demanded:

Quantity required: AS PER ATTACHED SCHEDULE
(In metric tons, or
other suitable unit)

Lee 73

Place delivery required: Town: NAPLES

Province:

Compartment:

Date delivery required: Urgently Stock on hand: Nil

Any special request: Required for repair of Capsamo Steam Plant Equivalent to - days supply

Certified that these supplies and stores are required for urgent operational/~~formal maintenance~~, ~~accounting~~ purposes

James A Crowdon

COLONEL GS
.....Rank

VICE CHAIRMAN
~~ACTING CHAIRMAN~~ Appointment

Date: 29 May 44

5089

For use of Local Resources Section only.

Prefix:
Demand No.
Serial:

Passed to A G/ACC..... Release Order No.....

Allocated by Committee..... Date.....

Approved by Board..... All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SCHEDULE TO CES/10.

Plate Iron,	16 x 3 mm	500 Kgs.
" "	25 x 5 mm	200 "
" "	50 x 5 mm	300 "
Angle Iron	25 x 25 x 3 mm	50 Kgs
" "	40 x 40 x 4 mm	100 "
Channel "	50 x 38 mm	100 Kgs
" "	65 x 42 mm	100 "
T "	50 mm	200 Kgs
Sheet Iron	3 mm thick	100 Kgs
" "	2 mm "	8 Square Metres

Declassified E.O. 12356 Section 3.3/NND No. 785019

OLR Forms (18)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21917

N. 10722/410

da citare nella risposta VMx/rg.

Napoli, (105) 25.5.944

VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

HERE

Per lavori di riparazione e di ricostruzione alle incastellature della ns. Centrale Capuano abbiamo bisogno di acquistare :

- Kg. 500 Ferro piatto 16 x 3 mm.
- " 200 " " 25 x 5 "
- " 300 " " 50 x 5 "
- " 50 " angolare 25 x 25 x 3 mm.
- " 100 " " 40 x 40 x 4 "
- " 100 " ad U da 50 x 38 mm.
- " 100 " " " " 65 x 42 "
- " 200 " a T da 50 "
- " 100 Lamiera ferro da 3 mm. di spessore.

Vi preghiamo di volerVi interessare affinchè ci venga rilasciata l'autorizzazione per l'acquisto di detto ferro presso qualche Ditta locale controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For the restoration and reconstruction of the frameworks at our Capuano Plant we need to buy :

- Kgs. 500 Plate iron 16 x 3 mms.
- " 200 " " 25 x 5 "
- " 300 " " 50 x 5 "
- " 50 Angle " 25 x 25 x 3 mms.
- " 100 " " 40 x 40 x 4 "
- " 100 Chanel " 50 x 38 mms.
- " 100 " " 65 x 42 "
- " 200 T " 50 "
- " 100 Sheet iron of 3 mms. thickness

We beg you to kindly take the necessary steps in order that we obtain the authorisation to buy the said iron from any local firm that is under Allied Authorities's control.

With many thanks.

507

SOCIETA' MERIDIONALE DI ELETTRICITA'

24/5/44

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tip. A. Trani 1943

Declassified E.O. 12356 Section 3.3/NND No. 785019

(17)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000

C. P. C. N. 21017

N. 14364/ h15

da citare nella risposta VIIr/rg.

Napoli, (105) 26-5-944

Via P. E. Imbriani, 42

CENTRAL ELECTRICAL BOARD

H E R E

Per la riparazione della ventola di un trasformatore della ns. S/S Fratta, abbiamo bisogno di :

- 8 mq. lamiera di ferro da 2 mm. di spessore -

Vi preghiamo di volervi cortesemente interessare perchè ci venga rilasciata un'autorizzazione per l'acquisto di detta lamiera presso qualche ditta locale controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For repair work at

For repairing a transform air-blast at our S/S Fratta we needs

8 sq. metres

- 8 mq. sheet iron with 2 mms. thickness.

We beg you to kindly take the necessary steps in order that we obtain the authorization to buy the said iron from any local firm that is under Allied Authorities control.

With many thanks.

SOCIETA' MERIDIONALE DI ELETTRICITA'

25/5/44

5072

Tipografia TUSCIANO - NAPOLI

Mod. 7 (20.000) Tipo A Trani 345

Declassified E.O. 12356 Section 3.3/NND No. 785019

(16)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

MEMORANDUM FOR COL. GROWDON

For the repair of Calusia alternator the following materials are needed:

1st – Cotton ribbon (about 7000 meters)
We have received from the Army 5000 yards of ribbon, of which 2400 have already been employed for the repair of the Torre Annunziata transformer's windings.
We have found on the market a cotton ribbon for 6 lire per meter.
We ask you if we may get some more cotton ribbon from the Army.

2nd – Insulating varnish (about 50 kg.)stove drying ready for use, or with an adequate quality of solvent.

We ask you to kindly look into this matter.

Naples, May 24th, 1944
CC/DM

Requested from Col. Smith +

5077

Mod. 9 bis (5000) Tipi A. Trani - 1-45

Declassified E.O. 12356 Section 3.3/NND No. 785019

(15)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

29 May 1944

SUBJECT:- Stores Release.

TO:- CG PBS (Eng Sect)

1. In order to carry out the rehabilitation of AGNANO II substation and repair shop the Societa Meridionale di Elettricita need:-

CEMENT - 35 tons.

2. Will you please authorize the release of this quantity.

3. This demand is submitted to you in accordance with instructions contained in Local Resources Section letter, 2/1/IR dated 4 April 1944.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

See

5076

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETA MERIDIONALE DI ELETTRICITA

(14)

Memorandum for Col. Growdon

For the rehabilitation of the repair-shop of our Agnano II Substation, we need 35 Tons of cement.

Therefore we beg you that approval be granted for the release of the above amount of cement from Ilva factory (Bagnoli).

O.K. JHG

May Price

Release rescind 1/6/44

JHG

Sec

507 (15)

Naples, the 27th May 1944

MCu/pz

Mod. 8 bis (29.000) Tip. A. Trani - 6-43

Declassified E.O. 12356 Section 3.3/NND No. 785019

(112)

REF: CEB/13/2

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

24 May 1944

This is to certify that the bearer is an employee of the Societa Meridionale di Elettricita and is an authorized person to collect from Giovanazzo Works, Bari,

Round iron, 10mm dia. - 4 cwts
Round iron, 20mm dia. -. 5.3 cwts (5648)

and convey to Tusciano where this material is required on work of military importance.

JAMES F. CROWDON.
COLONEL CE.
Vice Chairman, AAI - C.E.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(1)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 May 1944

SUBJECT: Stores Release

TO: DW HQ AAI CMF

1. Further to CEB/12/1 dated 15 April 44 and telephone conversation Major PRICE - Capt CLARK.

2. Will you please authorise the release of :-

LIME - 6 (six) tons

for purification of feed water at Capuano Steam Plant.

3. The a/m stores are to be purchased at Calce e Cementi, CASTELLAMMARE, but your authorisation is necessary.

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI- C.E.B.

See (25)

Declassified E.O. 12356 Section 3.3/NND No. 785019

(16)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

PER AZIONI

SEDE IN NAPOLI

CAPITALE L. 1.125.000.000 – VERSATO L. 1.012.500.000

C. P. C. N. 2017

N. 10686/400

da citare nella risposta

Napoli, (105) 20.5.944

VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

HERE

Vlr/rg.

Per la epurazione delle acque di alimentazione della ns. Centrale Capuano, abbiamo bisogno di :

- 60 Q.li calce idrata

Vi preghiamo di volerVi cortesemente interessare affinchè ci venga rilasciata da parte del D.D.W. l'autorizzazione per l'acquisto di detta calce presso la S/A Calce e Cementi di Segni in Castellammare di Stabia.

Ringraziamenti.

Translation

For the purification of the feed-water for our Plant Capuano we need :

- 6 Tons. lime -

We beg you to kindly take the necessary steps in order that we obtain from the D.D.W. the needed authorization for purchase the said lime from the Calce e Cementi C. in Castellammare di Stabia.

With many thanks.

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

19/5/44

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tip. A. Trani 3.43

Declassified E.O. 12356 Section 3.3/NND No. 785019

(10)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

23 May 1944

SUBJECT:- Stores Release

TO:- CG PBS (Eng Sec)

1. Will you please authorize the release of the following material for the S.M.E.:-

Galvanised iron pipings, various sizes, 15 tons.

2. These stores are required in order to carry out drinking water distribution at the power plants of SILA, TUSCIANO and BARI.

3. It is understood that the above quantity of piping is available at the stores of Commercio Tubi Co, NAPLES, and that your authorization is necessary in order that SME may purchase.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

507

Declassified E.O. 12356 Section 3.3/NND No. 785019

(9)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
C. P. C. N. 21917

Napoli, (105) 20. 5. 944
VIA P. E. IMBRIANI, 42

N. 14354/401
da citare nella risposta Vlk/rg.

CENTRAL ELECTRICAL BOARD

H E R E

Per gli impianti di acqua potabile dei ns. Centri della Sila, del Tusciano e di Bari, abbiamo bisogno di acquistare :

- 1500 Kg. Tubi di ferro zincato di varie sezioni.

Detti tubi sono disponibili presso la S/A Commercio Tubi e per il loro acquisto occorre l'autorizzazione della P.B.S.

Vi preghiamo di volerVi cortesemente interessare onde farci ottenere detta autorizzazione.

Ringraziamenti.

Translation

For our drinking-water distribution at our Plants: Sila, Tusciano, Bari we need to buy :

- 15 Tons. galvanised iron pipes of various size.

These pipes would be bought from the " Commercio Tubi Co." but the authorisation of the P.B.S. is needed.

We beg you to kindly take the necessary steps in order that we obtain the said authorization.

With many thanks.

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

19/5/44

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tipi A. Trani 1-42

Declassified E.O. 12356 Section 3.3/NND No. 785019

(8)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

19 May 1944

SUBJECT: Stores Demand

TO:- DW HQ AAI CMF

1. We are informed by Local Resources Section, HQ AAI (Rear Adm Tch) that you can supply the following material for repairs at TUSCIANO power plant :-

Iron, round, 10mm dia. - 200 kg.
Iron, round, 19mm dia. - 300 kg.

2. Will you please forward to this office Issue Voucher authorising release stating where this material can be collected.

JAMES P. CROMBIE,
COLONEL CE,
Vice Chairman, AAI- C.E.B.

COPY TO:- Local Resources Section,
HQ AAI (Rear Adm Tch)
Your 17/20/JR dated 18 May 44 refers.

(6)

5071

Release received and handed to SME 24/5/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

15 May 1944

SUBJECT:- Release of Stores

TO:- OC PBS (Eng Sect)

1. For the restoration of the hydro electric power station MATESE I, the Societa Meridionale di Elettricita require :-

Lumber, poplar - 10 (ten) Metre Cube

2. It is understood that
S.A.F.lli Feltrinelli,
Via Brecce a S.Erasmo,114,
NAPLES.
can supply the above lumber.

3. Please authorise early release.

A.A.I.
OFFICIAL
13/2 17/5/44
CENTRAL
ELECTRICAL BOARD

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman,AAI - C.E.B.

1st Ind.
ENGINEER SERVICE, P.B.S., APO 782, 17 May 1944

TO: O.I.C.,A.A.I., Central Electrical Board, APO 400

1. Release attached hereto in compliance with above request.

For the Engineer Officer:
For R. E. MAC DONALD, Major, C.E.
Purchasing & Contracting Officer

Incl: 1

Declassified E.O. 12356 Section 3.3/NND No. 785019

25176

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

16 May 1944

SUBJECT:- Release of Lumber

TO:- Major McDonald,
PBS Eng Sect.

1. Attached is letter to CG PBS (Eng Sect) which I have discussed with Col. Burns. He approves the release of the lumber mentioned and requested that it be handed directly to you for execution.

2. It is quite important that this work be carried on promptly.

James P. Growdon

JAMES P. GROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5089

Declassified E.O. 12356 Section 3.3/NND No. 785019

H.Q., A.A.I., (REAR ADM ECHELON)
LOCAL RESOURCES SECTION
C.M.F.

(6)

13/2

REF :- 17/20/LR.

SUBJECT :- Stores demand.

18 May 1944.

Central Electrical Board.

(5)

1. Reference your letter CEB/13/2 of 17 May regarding

Iron,	round,	10 mm dia	200 kgs.
"	"	19 " "	300 "

for repairs to TUSCIANO Power Plant, DW., HQ., AAI (Lt.Col. Glendinning) has been approached, and he is agreeable to supply you with this material.

2. Will you please therefore get into touch with DW and arrange details of delivery.

for Lt.Col.,
A.Q.M.G.
Local Resources Section.

MHB/WB.

5067 (8)

Declassified E.O. 12356 Section 3.3/NND No. 785019

(5)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

17 May 1944

SUBJECT: Stores Demand

TO:- A.F. Local Resources (Italian) Board.

1. The following stores are urgently required by the Societa Meridionale di Elettricita in order to carry out repairs at the TUSCLANO power plant.

Iron, round, 10mm dia. - 200 Kgs.
Iron, round, 19mm dia. - 300 Kgs.

2. Will you please arrange to have the a/m material released at an early date.

JAMES F. CROMMER,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

5002

(50)

ANNEXURE "A" TO AAI ADMINISTRATIVE
INSTRUCTION No. 8 DATED 20 MAR 44.

SUPPLY AND DEMAND BY AAI CENTRAL ELECTRICAL BOARD

Demanding Service or Agency: AAI CENTRAL ELECTRICAL BOARD

Commodity Demanded: IRON, ROUND, 10mm dia. - 200 Kgs
IRON, ROUND, 19mm dia. - 300 Kgs

Quantity required:
(In metric tons, or other suitable unit)

Place delivery required: Town: NAPLES
Province:
Compartment:

Date delivery required: IMMEDIATELY

Stock on hand: NIL

Any special request: For repairs at the TURCIANO power plant

Equivalent to -- days supply

Certified that these supplies and stores are required for urgent operational ~~purposes~~.

James P. Snowdon
...COLONEL GS.....Rank
VICE CHAIRMAN,
AAI CENTRAL ELECTRICAL BOARD.....Appointment

Date: 17 May 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

[illegible] Road, 19[illegible] Km. - 300 Kgs

Quantity required:
(In metric tons, or other suitable unit)

Place delivery required: Town: KABLEH

Province:

Department:

Date delivery required: IMMEDIATELY

Stock on hand: NIL

Any special request: For repairs at the TUSCIAN power plant

Equivalent to -- days supply

Certified that these supplies and stocks are required for urgent operational ~~purposes~~ requirements.

James P. Snowden

..COLONEL GS.....Rank

THE CHAIRMAN,
ALT GENERAL ALLOCATIONS BOARD.....Appointment

Date:
17 May 1944

For use of Local Resources Section only.

5 (Priority)
Demand No.
Serial:

Passed to A.C./ACC.....

Allocated by Committee.....

Approved by Board.....

Release Order No.....

Date.....

All notified.....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(4)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 – VERSATO L. 1.012.500.000
C. P. C. N. 21917

N. 8554/373 VMr/im
da citare nella risposta

Napoli, (105) 13-5-944
VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD

HERE

Per alcuni lavori di riparazione e manutenzione della ns. Centrale Tusciano abbiamo bisogno di acquistare :

- Kg. 200 - ferro tondo da 10 mm. di Ø
- Kg. 300 - ferro tondo da 19 mm. di Ø

Vi preghiamo di volervi cortesemente interessare affinchè ci venga rilasciata l'autorizzazione per l'acquisto di tale ferro presso una ditta controllata dalle Autorità Alleate.

Ringraziamenti.

Translation

For some repairing and maintenance works at our Tusciano Station we need to buy :

- 200 Kgs. Round iron of 10 mm. diameter
- 300 Kgs. Round iron of 19 mm. diameter

We beg you to kindly take the necessary steps in order that we obtain the authorization to buy the said iron from any firm under the control of the Allied Authorities.

With many thanks.

12/5/44

5066

SOCIETÀ MERIDIONALE DI ELETTRICITÀ

Telegrammi: TUSCIANO - NAPOLI

Mod. 7 (20.000) Tip. A. Trad. - 1942

Declassified E.O. 12356 Section 3.3/NND No. 785019

(3)

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

16 May 1944

SUBJECT:- Release of Lumber

TO:- Major McDonald,
PBS Eng Sect.

1. Attached is letter to CG PBS (Eng Sect) which I have discussed with Col. Burns. He approves the release of the lumber mentioned and requested that it be handed directly to you for execution.

2. It is quite important that this work be carried on promptly.

JAMES P. CROWDON,
COLONEL CE,
Vice Chairman, AAI - C.E.B.

506

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.A.I.
CENTRAL ELECTRICAL BOARD
APO 400

REF: CEB/13/2

15 May 1944

SUBJECT:- Release of Stores

TO:- CG PBS (Eng Sect)

1. For the restoration of the hydro electric power station MATESE I, the Societa Meridionale di Elettricita require :-

Lumber, poplar - 10 (ten) Metre Cube

2. It is understood that
S.A.F.lli Feltrinelli,
Via Brecce a S.Erasmo,114,
NAPLES,
can supply the above lumber.

3. Please authorise early release.

JAMES P. CROWDER,
COLONEL CE,
Vice Chairman,AAI - C.E.B.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(1)

SOCIETÀ MERIDIONALE DI ELETTRICITÀ
PER AZIONI
SEDE IN NAPOLI
CAPITALE L. 1.125.000.000 - VERSATO L. 1.012.500.000
C. F. C. N. 21917

N. 7248/374 VMr/im
da citare nella risposta

Napoli, (105) 13-5-944
VIA P. E. IMBRIANI, 42

CENTRAL ELECTRICAL BOARD
HERE

Per lavori di riparazione alla ns. Centrale I° Salto Matese in Piedimonte d'Alife abbiamo urgente bisogno di :

- 10 mc. Tavola di pioppo

che la "S.A. F.lli Feltrinelli" in Via Brecce a S.Erasmo 114, Napoli, potrebbe cederci previa autorizzazione della P.B.S.

Vi preghiamo di volervi cortesemente interessare affinchè ci venga rilasciata tale autorizzazione.

Ringraziamenti.

Translation

For restoring works at our I Matese Plant in Piedimonte d'Alife we need very urgently :

- 10 mc. cloven popular lumber (poplar) pioppo

The "S.A. F.lli Feltrinelli" at Via Brecce a S.Erasmo 114, Naples, could furnish it if previously the authorization of the P.B.S. is granted.

We beg you to kindly take the necessary steps in order that we obtain the said authorization.

With many thanks.

12/5/44

5063

Telegrammi: TUSLIANO - NAPOLI

Mod. 7 (20.000) Tipi A. Trani - 3-42

I 2 7 0