Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 305/A/PWU

10000/150/815

Declassified E.O. 12356 Section 3.3/NND No. 785019

10000/150/815

SUPPLIES FOR ACEA
SEPT. - DEC. 1944

305

305/PWU SUPPLIES FOR ACEA ~~Volumes~~ 1

A

A

Materials demanded

ACEA

ACE/305/PWU

"A"

Vol I

closed: 7 Sept 1964

Declassified E.O. 12356 Section 3.3/NND No. 785019

Records of Allied Liaison

ACEA

ACC/305/PWU

11 A

Opened: 7 Sept 1944
Closed: 26 Dec 1944

10000 150 8/15

THIS FOLDER
CONTAINS PAPERS
FROM SEP. 1944
TO DEC. 1944
CATALOGUE.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Geh.Dirc. ENG.CARLO FASCETTI of JOSEPH born in Calci (Pisa)

Licence to carry fire arms N° 621476 - Rome

Driver : OLINDO GUELFI of C/LELIO borno in Rovigno Marittimo (Livorno)

Car Licence N° 78 issued at Livorno

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

GESTIONE UNICA TERMICA

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

ROMA, (105)
VIA MILANO, 26

100

Anno XX

Roma, 26 dicembre 1944 WWWWWWWW

ALLA SOC. AN. MONTECATINI
Via Antonio Salandra, 13 = R O M A

e.p.c. ALL'A.C. PUBLIC WORKS and
UTILITIES = Sub Commission =
Via Vittorio Veneto = R O M A

OGGETTO: Fosfato Trisodico.

Vi preghiamo voler dare istruzioni al Vostro Stabilimento di Cretone di spedire a mezzo ferrovia all'indirizzo Societa' Romana di Elettricita' - Sezione Ostiense - Raccordo Romana Gas - Roma - la tonnellata di fosfato trisodico, il cui prezzo in L. 75.000.=, e' stato regolarmente versato presso codesto Ufficio.

Per la spedizione il Vostro Stabilimento di Cretone dovra' prendere accordi con l'Ufficio Trasporti dell'A.C. competente della Zona.

Presso il suddetto Ufficio la P.W.and U. Sub-Commission - Roma - Via Veneto, gentilmente si interessera' per un sollecito trasporto di questo fosfato trisodico, assolutamente necessario per l'esercizio dei generatori di vapore delle Centrali Termoelettriche di Roma.-

Distinti saluti

Ing. Mario Ruggeri

Application for Transport. (emergency) made on 27/12/44

(A) cap 5652

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPIA

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

99

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Servizio IV

ROMA, (103) 18 Dicembre 1944 Anno XXII
VIA MILANO, 62

P.W.U.

R o m a

Via Vittorio Veneto - Ministero delle Corporazioni

OGGETTO : richiesta sblocco carbone.

Queste Azienda deve eseguire alcune fusioni in bronzo (ca. 4 Q.li) occorrenti per la riparazione delle turbine delle Centrali Idroelettriche di Castelmadama e Mandela.=

La Ditta Meloni Giovanni - Via Assisi n.49 Roma - incaricata di detta fusioni, ha richiesto q.li sei di carbone coke del quale i nostri magazzini sono totalmente sprovvisti.=

Si prega pertanto codesto Ufficio voler concedere a favore di questa Azienda lo sblocco presso la Society Romana Gas, di detto quantitative di carbone.=

IL DIRETTORE
(F.to Ing. Angelucci)

5651

S E R V I Z I O I°

p.c.c.

IL CAPO SERVIZIO

verbal request.
Eng Zamarani asked to contact Eng Conte of Gas Co and draw from stock. (signed initial) 30/12/44.

Declassified E.O. 12356 Section 3.3/NND No. 785019

305

Commerce Bulletin Rathbun asked Powell to collect and forward to HQAC. Rejoin marked Rome Power Station

C O P Y

FROM: THE COMMODORE SUPERINTENDENT
DOCKYARD, TARANTO

DATE : 17th December 1944

TO : THE CHIEF OF SECTION (British)
Allied Force Local
Resources Section
Allied Force H.Q.
Copies to : The Commander in Chief
Mediterranean Station
The Public Works and Utilities
Sub Commission HQ.A.C.

MATERIALS FOR ROME POWER STATION

With reference to my letter No. 14/F/1083 of 23rd November 1944 the items mentioned therein have not yet been collected.

Request you will confirm that this material is still required.

EE/5300/Com
26 Dec 44
Com to Southern Rly

Sd. J. POWELL
COMMODORE SUPERINT.
TARANTO

Information from Maj. Sadler AFHQ(W)B 21/12/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE
GESTIONE UNICA TERMICA

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

ROMA, (103) 26 Dicembre 1944 Anno XX
VIA MILANO, 62

TO: PUBLIC WORKS and UTILITIES
Sub-Commission
R O M A = Via Veneto =

OGGETTO: Fosfato Trisodico.

Vi alleghiamo la copia della lettera oggi inviata alla Montecatini, pregando di volervi cortesemente interessare per un sollecito arrivo del Fosfato Trisodico.

Ringraziando distintamente Vi salutiamo,

Ing. Mario Ruggeri

5644

Declassified E.O. 12356 Section 3.3/NND No. 785019

RECEIVED
P.W. & U. SUB-COM.
24 DEC 1944 305

FILE

HEADQUARTERS ALLIED COMMISSION
APO 394
COMMERCE SUB-COMMISSION
Releases & Requirements Section

Tel: 478905

FJS/rjd

Ref: AC/5000/1/Commerce 305

23 December 1944

SUBJECT: Material for Rome Power Station.

TO : Public Works And Utilities Sub-Commission.

1. Your ACC/305/PWU, dated 25 October 1944, refers.

2. Attached is a copy of a letter ref LRS/312/46, dated 21 December 1944, which we have to-day received from AFLRS and which is passed to you for information and necessary action.

W.P. EVANS
Colonel
Director
Commerce Sub-Commission

1. Encl : Letter referred to in para 2

5648

Declassified E.O. 12356 Section 3.3/NND No. 785019

ALLIED FORCES LOCAL RESOURCES SECTION
A.F.H.Q.

LRS/312/46

POSTAL ADDRESS
AFLRS,RAAC, CMF.
Telephone RCME 66429

SUBJECT: Materials for Rome Power Station.

TO : HQ. AC. Commerce Sub-Commission

21 December 1944

Reference your AC/5000/1/Commerce dated 27 Oct. 1944.

Information has been received by this Section from G-4 (B) that N° 7 in your list, Anti-friction metal (White Metal) Type A Tosi, 600 kgs, is the only item available which they have authorised to release and is located in PBS depots.

C.M. BRAHAM, Major
for Chief of Section
AFLRS

5647

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj [illegible]
P.W. & U.-Elect. Section

94

MEMORANDUM

Subject : Material for Rome Power Station

To : Lt.Col. Lapper
Major Barry
Major Renton
Capt. Vannoy
Capt. Trummershausen

15/12/44

Ref. 306/PWU

1. Please note that : -

600 Kgs Anti-friction metal

has been made immediately available for the engines of Montemartini Power Station Rome, from Royal Naval Stores Taranto, and is being shipped to us under Requisition Nos MGS-232-X-ENG and MTO-ENG-4527.

2. Advise from G-5 Section AFHQ, Ref. E.I dated 11 Dec.44.

L. G. PRICE
L.G.PRICE, Major RE
For Lieut-Colonel
Chief Electr.Division

56[illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj [illegible]
P.W. & U.-Elect. Section

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

18/12/44

Reference: 305/PWU

Subject : Lubrificants

To : A.C.E.A.
Via Milano 62
Roma

1. We are in receipt of your letter 8141 dated 15 Dec.44 regarding your lubrificant requirements for January - March 1945, but before any action is taken, on our part to provide, we shall be glad to discuss the question with, one of your representitives since the quantities demanded appear to be excessive in view of the stocks held by you on the 20 Nov. 44.

2. According to our records your stocks on the 20 Nov.44 were :

2	Cilindri Diesel	28.576 Kgs.
3	Manovellismi Diesel	42.070 "
4	Turbine a Vapore	39.229 "
	Grasso Stauffer	.700 "

3. Regarding Transformer Oil, this can be supplied on demand at short notice.

4. Further information is required on the other oils since you do not specify type, grade etc.

L.G. PRICE

L.G. PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo Telegrafico: AGEA - ROMA
Telefoni dello Stato: 43-543 - 43-544
Conto Corrente Postale: 1/2902

Roma (103), 13 DIC. 1944 ANNO XX
VIA MILANO, 62

Att.Maj.PRICE
Central Electric Board dell'A.C.
R O M A

Da citare nella risposta:
PROT. N. 8141
UFFICIO APPROVVIGIONAMENTI
PRAT. N. 04

Si rimette il nostro fabbisogno di oli lubrificanti strettamente indispensabile per il trimestre Gennaio-Marzo 1945.

Si fà presente l'urgenza e l'indifferibilità di avere l'assegnazione di tutto quanto richiesto.

Distinti saluti.

IL DIRETTORE

5644

Allegati N. 2

TIP. MUNNE & ALESSANDRONI - ROMA

Declassified E.O. 12356 Section 3.3/NND No. 785019

Allegato alla lettera in data 15 dicembre 1944 n. 8141

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Fabbisogno lubrificanti

30000 KWhs.

Tipo lubrificante	Fabbisogno per il trimestre Gennaio-Marzo 1945 - kg.
40000 KWh. per day.	
Olio per trasformatori elettrici	7.500,-
Oili lubrificanti	
80 Tons Per turbine a vapore	3.000,-
40 Tons Per cilindri Diesel	22.500,-
91 Tons Per manovellismi Diesel	30.000,-
Per motori elettrici di media potenza	450,-
Per regolatori e supporti turbine idrauliche	1.000,-
Per lubrificazione turbine idrauliche	400,-
2 Tons Grasso giallo Stauffer	800,-

38 Tons in motors
at end of year

AZIENDA COMUNALE
ELETTRICITA' ed ACQUE
IL DIRETTORE
Bari

5643

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

R O M A

Caratteristiche principali di parte dei lubrificanti richiesti

---

Olio per trasformatori : assenza di impurità e umidità - viscosità a 20° :
max 8° Engler - viscosità 50°: max 2,5° Engler - viscosità 75° : max 1,5° Engler - infiammabilità P.M. minimo : 140° C/- infiammabilità Marcusson minimo 150° C. - acidità organica espressa in acido oleico : max 0,05 - acidità minerale ed alcalinità zero - rigidità dielettrica media 40 kV.

Lubrifiéante per turbina a vapore : assenza di impurità e umidità - viscosità a 50° = 4° Engler - viscosità a 100° : 1,4° Engler - scorrevole a 0° - infiammabilità P.M. minimo 180° C - acidità minerale ed alcalinità zero - acidità organica - in acido oleico max 0,1% - ceneri : max 0,02%.

Lubrificante per cilindri Diesel : esclusivamente minerale - assolutamente neutro - punto di infiammabilità P.M. 245° C. toll. 10° C - punto di accensione 285° C. toll. 10° C.- viscosità a 10° C scorrevole - viscosità a 50° C. da 14° a 22° Engler.

Lubrificante per manovellismi Diesel : esclusivamente minerale - assolutamente neutro - punto di infiammabilità 215° C - toll. 5° C - punto di accensione 250° C. toll. 5° C.- viscosità a 10° C.- scorrevole - a 50° C. - da 7° e 10° Engler.

Lubrificante per macchine e trasmissioni medie e leggere : - viscosità a 50° - 3,5° E - punto infiammabilità min. 170°

5642

Copia

AEUA 305

Roma 12 Dicembre 1944

N° 8041 di prot.

Raccomandata a mano

AL MINISTERO DELLA MARINA

Direzione Generale Costruzioni Navali e Meccaniche

R O M A

Questa Azienda Comunale Elettricita' ed Acque si trova nella necessita' di riparare il rotore di una turbina a vapore Tosi a 3.000 giri da 9.000 cavalli, rotore deterioratosi nel cilindro equilibratore, per intrusione di corpi estranei sul relativo labirinto e per conseguente deformazione del cilindro stesso e dell'anello fisso di ghisa che lo circondava.-

La riparazione richiede mezzi d'opera di cui questa Azienda non dispone nella propria officina, specialmente per cio' che riguarda la parte rotante, per la quale, dopo effettuata la ritornitura e la sostituzione del cilindro equilibratore, sara' indispensabile procedere alla riequilibratura statica e dinamica.-

Nelle attuali condizioni l'unico stabilimento che possa effettuare con ogni garanzia di successo la riparazione è, a quanto ci viene suggerito dall'Ufficio di Roma della Ditta Tosi, l'Arsenale di Taranto.-

Questa Azienda prega pertanto cotesto Onorevole Ministero di voler benevolmente consentire l'esecuzione presso l'Arsenale di Taranto della riparazione in questione e, dato lo spirito di cordiale collaborazione che la R.Marina ha sempre svolto nei suoi confronti, nonchè il pubblico interesse rivestito dal funzionamento della Centrale Termoelettrica di Roma, confida nella risposta affermativa della quale fin d'ora ringrazia.-

5647

Con osservanza.

IL DIRETTORE

Applicatura made by transporter [illegible] hint REME

Declassified E.O. 12356 Section 3.3/NND No. 785019

Direzione Generale Costruzioni Navali e Meccaniche

R O M A

Questa Azienda Comunale Elettricita' ed Acque si trova nella necessita' di riparare il rotore di una turbina a vapore Tosi a 3.000 giri da 9.000 cavalli, rotore deterioratosi nel cilindro equilibratore, per intrusione di corpi estranei sul relativo labirinto e per conseguente deformazione del cilindro stesso e dell'anello fisso di ghisa che lo circondava.-

La riparazione richiede mezzi d'opera di cui questa Azienda non dispone nella propria officina, specialmente per cio' che riguarda la parte rotante, per la quale, dopo effettuata la ritornitura e la sostituzione del cilindro equilibratore, sara' indispensabile procedere alla riequilibratura statica e dinamica.-

Nelle attuali condizioni l'unico stabilimento che possa effettuare con ogni garanzia di successo la riparazione è, a quanto ci viene suggerito dall'Ufficio di Roma della Ditta Tosi, l'Arsenale di Taranto.-

Questa Azienda prega pertanto codesto Onorevole Ministero di voler benevolmente consentire l'esecuzione presso l'Arsenale di Taranto della riparazione in questione e, dato lo spirito di cordiale collaborazione che la R.Marina ha sempre svolto nei suoi confronti, nonchè il pubblico interesse rivestito dal funzionamento della Centrale Termoelettrica di Roma, confida nella risposta affermativa della quale fin d'ora ringrazia.-

5647

Con osservanza.

IL DIRETTORE

application made by transporter Reissuing Unit ROME for plane from 687 Navy 18/12/44.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copia

Roma, 16 Dicembre 1944

Ministero della Marina -Direzione Generale
Delle Costruzioni Navali e Meccaniche.-

ALL'AZIENDA COMUNALE ELETTRICITA' ED ACQUE
R O M A

S.G. Sez. 4a
Prot. 23080 Allegati

ARGOMENTO: Riparazione macchinario.

Risposta al foglio n° 8041 del 12 Dicembre 1944

1° Preso atto del contenuto del foglio in riferimento, in relazione al carattere di pubblico interesse che rivestono i lavori, oggetto del foglio in riferimento, questa D.G. aderisce alla richiesta di questa Societa', che quindi è invitata a prendere accordi diretti con la Direzione Costruzioni Navali di Taranto sia, per l'esecuzione del lavoro che per il perfezionamento amministrativo della pratica.-

2° In pari data si sono impartite le necessarie istruzioni alla detta Direzione.-

5670

p. IL MINISTRO
IL COLONELLO DEL G.N.
Capo Ufficio Coordinamento
(F.to Leonardo Rapisarda)

Declassified E.O. 12356 Section 3.3/NND No. 785019

605

CONFIDENTIAL

FILE AGRA Spare Copy

ALLIED FORCE HEADQUARTERS
G-5 Section
APO 512

Ref. E-1

11 December 1944

SUBJECT: Material for Rome Power Station

TO : Headquarters, Allied Commission, APO 394
(Public Works & Utilities Sub-Commission)

1. A.F.L.H.S. communicated with this Headquarters on 31/10, ref LHS/312/17 (not to this office) and enclosed list of material needed for engines of the Montemartini Power Station, Rome.

2. Of this material, 600 Kg Anti-friction metal has been made immediately available and is being shipped to you under Requisition No's. MOS-232-X-Eng. and MTO-ENG-4527.

3. The overall problem of power provision for ROME is under consideration.

For the Acting Assistant Chief of Staff, G-5:

R. V. GRADY
Captain, TC
Economics & Supply Div.

Com. Haines
MED 45/405/4/1
2-5 SJG 44

CONFIDENTIAL

Declassified E.O. 12356 Section 3.3/NND No. 785019

Prot. int. N. 126 UCCA

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-commission
Electrical Section

Prot.AC/306/PWU 7114 13/11/44

OGGETTO : Lampade elettriche portatili.
A : A.C.E.A. Via Milano 62 R o m a

1. - Facendo seguito alla lettera AC/306/PWU in data 10 Ottobre 1944 di questo Ufficio, Vi notifichiamo che Vi sono stati assegnati i seguenti materiali:

nº 100 lampade elettriche portatili complete di lampadina, 2 batterie e una lampadina di ricambio per ogni lampada portatile.
nº 100 batterie di ricambio.

2. - Vi preghiamo di far sapere a questa Sottocommissione la data in cui avete intenzione di ritirare tali materiali, in modo da poter prendere i necessari accordi.

3. - Il prezzo per Voi si aggirerà sulle 95 (novantacinque) lire per ogni lampada completa, e conformemente a tale prezzo Vi saranno rilasciate le fatture.

F.to E.J.BARRY
Major C.E.
Act.Chief.Elec.Div.

5632

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copy

DUPLICATE FILE 96

FROM:- THE COMMODORE SUPERINTENDENT,
DOCKYARD, TAFANTO.

DATE:- 20th November, 1944. No. 14/2/1067.

TO:- MAJOR-GENERAL, ALLIED COMMANDER,
A.P.O. 39½, PUBLIC WORKS AND
UTILITIES SUB-COMMISSION.

REPAIRS TO POWER STATIONS.

Reference your letter No. AC/39½/PWU dated 3rd November, 1944, it is confirmed the two items mentioned in your paragraph 2 were not supplied to the Tafa engineers.

COMMODORE SUPERINTENDENT,
TAFANTO.

5637

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
IGP/bs

85

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

References: 305/PWU

2/12/44

SUBJECT: FOUNDRY COKE

TO : A.C.C.A.
Via Milano 62 - Roma

1. Herewith letter authorising the Societa Romana per il Gas to release to

Ditta Maloni, 200 Kgs Coke
Ditta Barchiesi, 300 Kgs Coke

in accordance with your request dated 29 Nov. 44.

L.G. PRICE

L.G. PRICE, Major RE
for Lieut-Colonel
Chief Electrical Division

1 Encl.

563

Declassified E.O. 12356 Section 3.3/NND No. 785019

(84)

Telephone 478805
LGP/ba

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

2/12/44

Reference: 305/PWU

SUBJECT : FOUNDRY COKE

TO : SOCIETA ITALIANA PER IL GAS
Via Ostiense 84
Roma

1. Please supply the following to Meloni Via Assisi 4. Roma:

200 Kgs Foundry Coke grade 4 30

and to Barchiesi Via Cavour 144, Roma:

300 Kgs Foundry Coke grade 4 30

2. The above mentioned firms have been commissioned to carry out casting of parts, urgently needed for the restoration of electrical plant.

3. Please arrange to invoice each firm direct.

L. G. PRICE

L.G. PRICE, Major RE
for Lieut-Colonel
Chief Electrical Division

5634

Declassified E.O. 12356 Section 3.3/NND No. 785019

Le presente denuncia deve essere compilata e trasmessa in triplice esemplare, entro il 20 novembre corrente.

COMUNE DI ROMA

Denuncia degli operai addetti a lavori PES

OPERAI ED IMPIEGATI ADDETTI AI LAVORI PESANTI

Al Comune - Ufficio Tesseramento - Via de

La Ditta A.C.E.A (denominazione o ragione sociale) *dichiara che nel* la CENTRALE TERMOELETTRICA (stabilimento, officina, miniera, ecc.) *denominato* G. M.

esistente in R O M A - Via Ostiense (via, piazza, località del Comune) *N.* 106 *alla data del 15 novembre 1944 erano addetti a* (specificazione altro indicati) *i seguenti operai:*

Numero d'ordine	COGNOME NOME E PATERNITÀ DELL'OPERAIO		Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc. e numero civico)		QUALIFICA DELL'OPERAIO (specifica con esattezza il genere di lavoro compiuto sulla scorta dell'estratto a ter[illegible])	Ore di lavo[illegible] svolto, presta[illegible] in media nel mese di ottobre 194[illegible]
1	Cegne Pio	Francesco	1879	Via Ostiense	106	Capo Macchinista	60
2	Caponetti Rocco	Emilio	1904	L.Testaccio		Macchinista	70
3	Conti Ugà	Temistocle	1917	V/lo della Scala	10	Fuochista	65
4	Fratercangeli Sante	Giovanni	1901	Via A.Volta	39	Fuochista	62
5	Lorenzini Duilio	Angelo	1893	Viale del Re	244	Macchinista	65
6	Montelecne Giuseppe	Giacomo	1899	Via Nomentana	91	Turbinista	68
7	Nobili Ferruccio	Vittorio	1896	Via Serante	24	Turbinista	71
8	Pierluca Gaetano	Francesco	1887	Via G. Ferraris	19	Turbinista	70
9	Pandolfi Ernesto	Zeffiro	1899	Via Mastrogiorgio	5	Turbinista	67
10	Ranieri Raniero	Filippo	1884	Via Ostiense	6	Fabbro	60
11	Tagliaccezo Giuseppe	Aron	1895	L.Testaccio	9	Turbicista	65
12	Cascapera Mario	Agostino	1910	Via Bodoni	82	Macchinista	65
13	Coltellacci Silvio	Giovanni	1911	Via B.De Nobili	9	Fuochista	64
14	De Rossi Roberto	Luigi	1886	Via Cavour	124	Macchinista	65
15	Ineretelli Gaetano	Domenico	1887	Via A.Volta	39	Scorie.di osrb.	72

Si dichiara che i predetti operai non sono in possesso della tessera supplementare "A" e "B" di cui al

L'azienda ha una mensa operaia obbligatoria? SI (rispondere sì o no)

LA COMMISSIONE

Visto: SEZIONE PROVINCIALE DELL'ALIMENTAZIONE

5634

Declassified E.O. 12356 Section 3.3/NND No. 785019

...messa
...rente.

COMUNE DI ROMA

Prima di compilare la presente denuncia leggere attentamente le importanti avvertenze a tergo.

...uncia degli operai addetti a lavori PESANTI

LAVORI PESANTI

Al Comune - Ufficio Tesseramento - Via dell'Ara Massima di Ercole, 103.

...(sobborgo)
...tiense
...(del Comune)

dichiara che nel le CENTRALE TERMOELETTRICA *denominato* G. MONTEMARTINI
(stabilimento, officina, miniera, ecc.)
N. 106 *alla data del 15 novembre 1944 erano addetti a lavori pesanti (secondo i concetti e l'esem-*

...rai:

...ATERNITÀ ...to	Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc.; numero civico)		QUALIFICA DELL'OPERAIO (specificare con esattezza il genere di lavoro compiuto sulla scorta dell'elenco a tergo)	Ore di lavoro settim. prestate in media nel mese di ottobre 1944	Data di assunzione	OSSERVAZIONI
Francesco	1879	Via Ostiense	106	Capo Macchinista	60	1913	
Emilio	1904	L.Testaccio		Macchinista	70	1/12/1920	
Temistocle	1917	V/lo della Scala	10	Fuochista	65	25/1/917	
Giovanni	1901	Via A.Volta	39	Fuochista	62	24/3/925	
Angelo	1893	Viale del Re	244	Macchinista	65	15/10/928	
Giacomo	1899	Via Nomentana	91	Turbinista	68	1/3/925	
Vittorio	1896	Via Tiburtina	24	Turbinista	71	21/4/924	
Francesco	1887	Via G. Ferraris	19	Turbinista	70	2/1/928	
Zeffiro	1899	Via Mastrogiorgio	5	Turbinista	67	9/6/927	
Filippo	1884	Via Ostiense	6	Fabbro	60	27/5/913	
Aron	1895	L.Testaccio	9	Turbinista	65	1/6/912	
Agostino	1910	Via Bodoni	82	Macchinista	65	5/7/934	
Giovanni	1911	Via B.De Nobili	9	Fuochista	64	17/6/934	
Luigi	1886	Via Cavour	124	Macchinista	65	1/10/913	
Domenico	1887	Via A.Volta	39	Scario.di carb.	72	14/3/914	

28/11

Stab. Tipografico Arti Grafiche Pellotti - Tel. 42267

...ui non sono in possesso della tessera supplementare "A" e "B" di cui alla circolare n. 07684 della SEPRAL.

...una mensa operaia obbligatoria? SI
(rispondere sì o no)

LA COMMISSIONE

PER LA DITTA
(firma e qualifica)

...ROVINCIALE DELL'ALIMENTAZIONE

563/

Declassified E.O. 12356 Section 3.3/NND No. 785019

Le presente denuncia deve essere compilata e trasmessa in triplice esemplare, entro il 20 novembre corrente.

COMUNE DI ROMA

Denuncia degli operai addetti a lavori PES

OPERAI ED IMPIEGATI ADDETTI AI LAVORI PESANTI

Al Comune - Ufficio Tesseramento - Via del

La Ditta A.C.E.A. (Denominazione o ragione sociale) dichiara che nella CENTRALE TERMOELETTRICA (stabilimento, officina, miniera, ecc.) denominato G. M

esistente in ROMA = Via Ostiense = (via, piazza, località del Comune) N. 106 alla data del 15 novembre 1944 erano addetti a

(specificazione retro indicata) i seguenti operai:

Numero d'ordine	COGNOME NOME E PATERNITÀ DELL'OPERAIO		Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc.; numero civico)		QUALIFICA DELL'OPERAIO (specifica con esattezza il genere di lavoro compiuto sulla scorta dell'elenco a tergo)	Ore di lavoro effettivamente prestate in media nel mese di ottobre 1944
16	Meconi Ignazio	Enrico	1903	V.Degli Scipioni	207	Fuochista	64
17	PPalletta Bruno	Pietro	1908	P.zza Mattei	19	Turbinista	64
18	Taddei Luigi	Angelo	1905	V.Donatello	50	Macchinista	68
19	Videni Domenico	Gaetano	1915	V.Benchi Vecchi	134	Macchinista	62
20	Francavilla Eugenio	Fernando	1905	V.Lorenzo Valla	2	Fabbro	68
21	Ferrazzi Luigi	Michele	912	V.Velentignano	21	Macchinista	58
22	Carasi Vittorio	Sebastiano	912	V.Mentolo	8	Macchinista	72
23	Serino Luigi	Luigi	909	V.Ostiense	363	Fabbro	68
24	Tropeano Giuseppe	Luigi	908	V.Degli Scipioni	88	Macchinista	66
25	Mannocchi Cesare	Domenico	915	V.Fanfagesta	63	Fuochista	78
26	Angelucci Umberto	Felice		V.Prenestina	318	Scaric.di carb.	68
27	Sabene Giuseppe	Luigi	892	V.A.Volta	39	Muratore	72
28	Sanrocco Giuseppe	Francesco	886	V.Prenestina	94	Macchinista	70
29	Corsi Paolo	Luigi	926	V.A.Guglielmetti	21	Scaric.di carb.	62
30	Marietti Vincenzo	Bernardino	904	P.zza Leoi	5	" " "	68

Si dichiara che i predetti operai non sono in possesso della tessera supplementare "A" e "B" di cui al

L'azienda ha una mensa operaia obbligatoria? SI (rispondere sì o no)

LA COMMISSIONE

Visto: SEZIONE PROVINCIALE DELL'ALIMENTAZIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Prima di compilare la presente denuncia leggere attentamente le importanti avvertenze a tergo.

COMUNE DI ROMA

...ia degli operai addetti a lavori PESANTI

...RI PESANTI

Al Comune - Ufficio Tesseramento - Via dell'Ara Massima di Ercole, 103.

... dichiara che nel... CENTRALE TERMOELETTRICA (stabilimento, officina, miniera, ecc.) denominato G. MONTEMARTINI

... = N. 106 alla data del 15 novembre 1944 erano addetti a lavori pesanti (secondo i concetti e l'esem-...

...NITÀ	Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc.; numero civico)		QUALIFICA DELL'OPERAIO (specifica con esattezza il genere di lavoro compiuto sulla scorta dell'elenco a tergo)	Ore di lavoro settim. prestate in media nel mese di ottobre 1944	Data di assunzione	OSSERVAZIONI
...rico	1903	V.Degli Scipioni	237	Fuochista	64	15/3/924	
...tro	1908	P.zza Mattei	19	Turbinista	64	7/13/925	
...ele	1905	V.Donatello	50	Macchinista	68	25/7/935	
...tano	1915	V.Benchi Vecchi	134	Macchinista	62	6/2/1939	
...nando	1905	V.Lorenzo Valla	2	Fabbro	68	20/6/939	
...hele	1912	V.Valentiniano	21	Macchinista	58	1/10/939	
...stiano	1912	V.Montolo	8	Macchinista	72	1/8/929	
...gi	1909	V.Ostiense	363	Fabbro	68	11/7/944	
...gi	1908	V.Degli Scipioni	88	Macchinista	66	18/2/941	
...enico	1915	V.Famagosta	63	Fuochista	78	1/11/939	
...iac		V.Prenestina	318	Serie.di carb.	68	1/6/933	
...i	892	V.A.Volta	39	Muratore	72	1/2/938	
...nesco	886	V.Prenestina	94	Macchinista	70	14/6/916	
...i	926	V.A.Guglielmotti	21	Serie.di carb.	62	31/8/44	
...nardino	1904	P.zza Lodi	5	" " "	68	19/9/44	

...non sono in possesso della tessera supplementare "A" e "B" di cui alla circolare n. 07684 della SEPRAL.

...mensa operaia obbligatoria? SI (rispondere sì o no)

LA COMMISSIONE

PER LA DITTA

(firma e qualifica)

...VINCIALE DELL'ALIMENTAZIONE

Società Tipografica Artigiana Perioth — Tel. 22267

Declassified E.O. 12356 Section 3.3/NND No. 785019

Le presente denuncia deve essere compilata e trasmessa in triplice esemplare, entro il 20 novembre corrente.

Prima

COMUNE DI ROMA

Denuncia degli operai addetti a lavori PESAN

OPERAI ED IMPIEGATI ADDETTI AI LAVORI PESANTI

Al Comune - Ufficio Tesseramento - Via dell'Ar

La Ditta A.C.E.A (Denominazione o ragione sociale) dichiara che nel 1a CENTRALE TERMOELETTRICA (Stabilimento, officina, laboratorio, ecc.) denominato G. MONT

esistente in (via, piazza, località del Comune) N. 106 alla data del 15 novembre 1944 erano addetti a lavori

(specificazione retro indicati) i seguenti operai:

Numero d'ordine	COGNOME NOME E PATERNITÀ DELL'OPERAIO		Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc. e numero civico)		QUALIFICA DELL'OPERAIO (specificare con esattezza il genere di lavoro compiuto sulla scorta dell'elenco a tergo)	Ore di lavoro settim. prestate in media nel mese di ottobre 1944	D... assi...
31	Mussoni Giovanni	Agostino	1886	V.Valle Aureli	35	Gestore di carbon	62	3
32	Paccoci Otello	Alfredo	1916	V.M.Giordano	46	" " "	68	
33	Pezzotti Orlando	Angelo	1917	B.Quarticciolo	9	" " "	71	
34	Silvestri Giovanni	Sancli	1923	V.Principe E.	40	" " "	72	
35	Valentini Giuseppe	Camillo	1918	V.Maruccini	10	" " "	66	1
36	Videni Alberto	Gaetano	1918	V.Banchi Vecchi	134	" " "	68	1
37	Barberini Duilio	Tullio	1911	V.Otranto	23	" " "	72	
38	Barberini Giuseppe	Tullio	1918	V.Luceletta	19	" " "	68	
39	Ieretolli Domenico	Gaetano	1926	V.A.Volta	39	Fabbro	72	1
40	Beretta Paolo	Francesco	1892	V.Ostiense	106	Capo Macchinista	70	
41	Di Santo Alfredo	Tito	1891	VE.zza Pantano	F.5	Macchinista	70	27

Si dichiara che i predetti operai non sono in possesso della tessera supplementare "A" e "B" di cui alla c

L'azienda ha una mensa operaia obbligatoria? SI (rispondere sì o no)

LA COMMISSIONE

Visto: SEZIONE PROVINCIALE DELL'ALIMENTAZIONE

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNE DI ROMA

Prima di compilare la presente denuncia leggere attentamente le importanti avvertenze a tergo.

...ia degli operai addetti a lavori PESANTI

...RI PESANTI

Al Comune - Ufficio Tesseramento - Via dell'Ara Massima di Ercole, 103.

... dichiara che nel la CENTRALE TERMOELETTRICA denominato G. MONTEMARTINI
(stabilimento, officina, miniera, ecc.)

N. 106 alla data del 15 novembre 1944 erano addetti a lavori pesanti (secondo i concetti e l'esem-...ma)

...NITÀ	Anno di nascita	INDIRIZZO DELL'ABITAZIONE (via, piazza, ecc., numero civico)	QUALIFICA DELL'OPERAIO (specifica con esattezza il genere di lavoro compiuto sulla scorta dell'elenco a tergo)	Ore di lavoro settim. prestate in media nel mese di ottobre 1944	Data di assunzione	OSSERVAZIONI
...estino	1826	V.Valle Aurelia 35	Scarico carbone	62	31/8/44	
...frodo	1916	V.M.Giordano 46	" " "	68	1/8/44	
...gelo	1917	B.Quarticciolo 9	" " "	71	8/8/44	
...nelli	1923	V.Principe E. 40	" " "	72	8/8/44	
...milio	1918	V.Marcucini 10	" " "	66	10/7/44	
...etano	1918	V.Bianchi Vecchi 134	" " "	68	10/10/44	
...llio	1911	V.Otranto 23	" " "	72	5/6/44	
...llio	1918	V.Lacoletta 19	" " "	68	4/8/44	
...ettino	1926	V.A.Volta 39	Fabbro	72	15/11/44	
...ancesco	1892	V.Ostiense 106	Capo Macchinista	70	2/2/922	
...to	1881	VE.zza Pastore F.6	Macchinista	70	27/7/913	

...non sono in possesso della tessera supplementare "A" e "B" di cui alla circolare n. 07684 della SEPRAL.

...mensa operaia obbligatoria? SI
(rispondere sì o no)

LA COMMISSIONE

...VINCIALE DELL'ALIMENTAZIONE

PER LA DITTA
(firma e qualifica)

...ezione Tipografica Artigiana Pellori Tel. 23767

Declassified E.O. 12356 Section 3.3/NND No. 785019

P.W. & U.

FILE

Magg. Price

COMUNALE
AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

Prot. N. 7703

(da citare nella Risposta)

RECEIVED
P.W. & U. S/C A.C.
30 NOV 1944 198

ROMA. (103)
VIA MILANO, 62 30

30 NOV. 1944 Anno XX

SERVIZIO IV

HEADQUARTERS Lazio - Umbria REGION AMG
Engineering Division APO 394
R O M A
Corso d'Italia 25
e p; c;
ALLIED COMMISSION HEADQUARTERS
R O M A
Via Veneto

Vi trasmettiamo:

1) un rapporto settimanale sulla situazione delle centrali Idro elettriche alle ore 24 di Domenica 26 Novembre 1944
2) un rapporto sulla situazione dei lavori eseguiti sulle linee di trasmissione della settimana dal 20/11/44 al 26/11/44
3) uno specchio dell'energia prodotto od erogata durante la settimana dal 20/11/44 al 26/11/44
4) uno schema completo della situazione linee.

IL DIRETTORE
Bonfon

30 NOV.

563

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA COMUNALE ELETTRICITA' ED ACQUA

Rapporto settimanale sulla situazione delle centrali Idroelettriche alle ore 24 di domenica 26 Novembre 1944

CENTRALE DI SALISANO -

Si è iniziato il trasporto del cemento necessario alla ricostruzione del fabbricato organo.

Proseguono i lavori di rilievo e di riparazione dei macchinari.

CENTRALE DI CASTELMADAMA

E' stata accertata la possibilità di ricostruzione del terzo gruppo, per la quale occorrerà la fusione delle due semichiocciole superiori, la ricostruzione di due supporti, la rettifica dell'albero, la saldatura delle due semichiocciole inferiori, la fasciatura delle bobine dello statore, la riparazione della eccitatrice e la fusione di altre parti di minor mole. Data la possibilità di ricostruzione di questo gruppo è in corso di studio lo schema di riattivazione della Centrale con due gruppi.

Si è iniziata la chiusura con muratura dei vani di porte e finestre ove non è possibile la sostituzione dell'infisso.

E' stata inviata a Terni la coppia di giranti da rifondere.

Proseguono i lavori il cui inizio è stato segnalato nei precedenti rapporti.

CENTRALE DI MANDELA

Proseguono i lavori il cui inizio è stato segnalato precedentemente. 6537

E' ultimato il montaggio del pacco lamellare del semi statore superiore.

Declassified E.O. 12356 Section 3.3/NND No. 785019

LINEE DI TRASMISSIONE

Rapporto settimanale dei lavori eseguiti dal 20/11/44 al 26/11/44

Sono state ultimate le riparazioni su una delle due terne della linea a 60 KV Terni - Roma in prossimità di Salisano. Detta linea deve essere quindi considerata efficente in una terna per tutto il suo sviluppo di Km. 85 circa.

Sono state riparate altri 7 Km. circa della linea a 150 KV. Terni Laurentina nel tratto Aspra - Cottanello.

Declassified E.O. 12356 Section 3.3/NND No. 785019


AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Produzione energia durante la settimana

lunedì 20 novembre a domenica 26 novembre

Centrali	Produzione totale Kwh.	Produzione quota ACEA Kwh.	Potenza massima totale Kw.	Potenza massima quota ACEA Kw.
Vesta (Consorzio CIA)	346.747	168.121	2.200	1.100
Comunacqua(Consorzio CIAS)	514.080	335279	4.800	2.710
Scalelle " "	463.000	241.382	3.800	1.930
S. Paolo - Diesel	223.200	223.200	4.500	4.600
S. Paolo - Turbine	240.100	240.100	3.300	3.300
Totale energia prodotta		1.208.082		
Energia prelevata dalla S.R.E. (oltre spettanza consorziale)		9 25.892		
Totale energia prodotta e prelevata		2.133.974		20.500
Totale energia erogata		1.936.902		19.400
Energia fornita alla S.R.E. da S. Paolo		108.058		563

Declassified E.O. 12356 Section 3.3/NND No. 785019



Declassified E.O. 12356 Section 3.3/NND No. 785019

A. C. E. A.

Schema del 26 Novembre 1944

150 kV
60 »
30 »
8,4 »

Linee efficenti ———————
» in riparazione — — — —
» danneggiate . . . . . .

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE
AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

CENTRALE TERMOELETTRICA "MONTEMARTINI"

ROMA, (103) 29 Novembre 1944 Anno XX
VIA MILANO, 62

A. C. PUBLIC WORKS & UTILITIES

e p.c. ALLA DITTA MELONI
Via Assisi 4 ROMA

ALLA DITTA BARCHIESI
Via Cavour 144 ROMA

- PROMEMORIA -

Per la fusione dei seguenti materiali:

1) Lingotti in bronzo per il peso complessivo di Kg. 150
2) Parti in ghisa delle cucine Aziendale del peso complessive di Kg. 300

occorre fornire rispettivamente alla Ditta MELONI Via Assisi 4, Kg 200 e alla Ditta BARCHIESI Via Cavour 144, Kg. 300 di carbone coke.

Vi preghiamo pertanto di volerci fare ottenere l'autorizzazione a prelevare dalle officine del GAS Via Ostiense il quantitativo di carbone coke di cui sopra.

Distinti saluti.

5524

L'ING. CAPO SERVIZIO

Translation:
For the smelting of the following materials:
1)Bronze ingots -Total weight 150 Kilos
2) Cast iron parts for the Cucina Aziendale
Total weight 300 Kilos
a supply of 200 kilos coke to Meloni Firm (via Assisi 4) and 300 Kilos to Barchiesi Firm (Via Cavour 144) is needed.
We beg to ask you for the authorisation for the collection of the above mentioned amount of coke from the Gas Plant at Via Ostiense.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.C.E.A.

File n. 7803

(to be mentioned when replying)

Translation

(Miss Dellero /ms)

FILE 9

REGIO IV

HEADQUARTERS LAZIO - UMBRIA REGION AMG
Engineering Division APO 394
ROME, corso d' Italia, 25

and for the attention of
Allied Commission Headquarters
ROME, Via Veneto

We forward :

a) a weekly report on hydro-electric stations at midnight, Sunday, 26 Nov. 1944;

b) a report on the situation of work carried out on the transmission lines during the week 20 - 27 Nov. 1944;

c) a tabulation of power generated and distributed during the week 20 - 27 Nov. 1944;

d) a complete report on transmission lines.

The dep. Management

BONDONI

5622

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.C.F.A.

Weekly report on the situation of the hydro electric Power station at 24 hours of Sunday 26th Nov. 1944.

BALIMBING POWER STATION:-

The transport of the cement necessary for the rehabilitation of crane building has been started.

The works of survey and repair of the machinery are going on.

CAMERANANA POWER STATION

The possibility of rehabilitating the three units has been accepted; it will require the casting of the two upper seal labyrinths the rehabilitation of the two bearings, the rectification of the shaft, the welding of the two inferior seal labyrinths, the winding of the coils of the stator, the repair of the exciter and the casting of other parts of smaller size. Considering the possibility of rehabilitation of this unit the project of putting the power station back into operation with two units is being studied.

The filling of doors and windows openings with masonry when it is not possible to replace the frames, has been started. The couple of ingots to be melted down again has been forwarded to Tarni.

The works covered in our previous communications are being continued.

LUCENA POWER STATION

The works the beginning of which has been communicated previously are going on. The assembling of the laminations of the upper semi-stator has been completed.

5627

Declassified E.O. 12356 Section 3.3/NND No. 785019

TRASMISSION LINES

Weekly report of works carried out from 20th Nov. 1944 to 26th Nov. 1944.

The repairs of one circuit of the 2 circuits lines of 60 KV Terni Rieti line near Collevano have been completed. The said line must therefore be considered efficient only in one circuit for all the length of about 85 Km. About 7 more Km. of the 150 KV Terni - Leonessa line have been repaired in section Sopra-Grottonallo.

GENERATION DURING WEEK MONDAY 20 NOV. TO SUNDAY 26 NOV. 1944.

	Generation		Max. Peak	
Power Stations	Total Kwh	ACEA Kwh	Total Kwh	ACEA Kwh
Vecchia (Comprensivo C.I.A.)	346.747	168.121	2.200	1.100
Tivoli (Comprensivo C.I.A.)	514.000	335.279	4.000	2.710
Cedilla " "	465.000	241.362	3.800	1.950
S.Paolo-Diesel	223.200	223.200	4.600	4.600
S.Paolo-Turbine	240.100	240.100	3.500	3.500
Total generation	1.208.082			
Power received by S.A.R. (In excess of allotted quantity)	925.892			
Total generated and received	2.133.974		20.500	
Total outgoing power	1.936.902		19.400	
Power to S.A.R. by S.Paolo Plant	103.058			

Distribution :

5626

Col. Tepper
Maj. Fantini (Eng. Calenda)
Maj. Bruzzi
Maj. Carloo
Capt. Tarantelli
Consolidated Umbria Lazio Region (att. Regional Engineer)

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE 78

P R O - M E M O R I A

Roma 25 Novembre 1944

Nella centrale Montemartini sono ora immagazzinate :

Tonn. 2151 di Fuel oil
Tonn. 1555 di natta Diesel

La capienza dei serbatoi efficiente notificata a suo tempo è la seguente:

NAFTA DIESEL :	Cisterna metallica	Tonn.	1300.=
	" cemento armato	"	800.=
		Tonn.	2100.=
FUEL OIL :	Cisterna blindata cemento armato n.1	Tonn.	850.=
	Cisterna blindata cemento armato n.2 (metà)	Tonn.	425.=
	L'altra metà è piena di prodotti petroliferi di proprietà della Soc.Permolio.		
	Cisterna tonda cemento armato	"	750.=
		Tonn.	2025.=

Da quanto sopra risulta che non è più possibile immagazzinare FUEL OIL perchè la giacenza di 126 Tonn. supera la capienza dei serbatoi efficienti: tale eccedenza è stata immagazzinata in una cisterna da 270 Tonn. esistente in più delle predette, ma sulla cui tenuta non si può fare sicuro affidamento, e che pertanto sarà vuotata per prima non appena tornate in efficienza le caldaie a nafta.=

E'perciò opportuno che gli invii di FUEL OIL siano sospesi almeno fino a quando sia liberata dalla "Permolio"la mezza cisterna da tale Società occupata; cosa che finora non è avvenuta malgrado siano stati fatti dalla "Permolio" i necessari passi presso gli Alleati onde ottenere il nulla osta per il trasferimento dei suoi prodotti.=

IL CAPO SERVIZIO

URGENT ELECTRICAL

FOR G-3 17/7

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

MAJOR WORKS

Date: 21/ 10/ 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS & UTILITIES SUB COMMISSION

3. COMMODITY DEMANDED CHANNEL, 3" WIDE (See Sheet)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 350 Kgs.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5. JUSTIFICATION: (Detail this information on back of Form). see over

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? Ditta Fratelli FRANCHI

(b) If locally - Where? Via Sicilia 120 -Roma

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: ACEA

Address: Via Milano 62

ROMA

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 5/2/45 Signature: [signature]
Rank, Title, Office
Major RE
Electrical Section-PW&U, Sub.Comm.

9. REGIONAL APPROVAL Title Date:

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: [illegible] (Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 350 Kgs.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5. JUSTIFICATION: (Detail this information on back of Form). see over

6 SOURCES OF SUPPLY (if known). Give particulars: Ditta Fratelli FRANCHI

(a) Has Material been located?

(b) If locally - Where? Via Sicilia 180 -Roma

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: ACEA

Address Via Milano 62

ROMA

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: Signature: [signature] Rank, Title, Office Major RE Electrical Section-PWB.Sub.Comm.

9. REGIONAL APPROVAL Title Date:

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. Our Release Order No. 1841

Date: Date: 30 March

REMARKS: Release to handed Pediconi 2/12/44 G-317

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PARTICULARS :- Shaped Channels

200 mm x 7 metres	Kgs. 180
240 mm x 2.80 metres	" 95
300 mm x 1.00 metres	" 50

Angles

140 x 140 mm x 1 metres	35
Total	Kgs 360.-

JUSTIFICATION :- Urgently required for the rehabilitation of sub station Castelmaidama.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE
AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

305 / 1607

FILE

Prot. N. ... (Da citare nella Risposta)

SERVIZIO IV

ROMA, (163)
VIA MILANO, 62

23 NOV. 1944

Anno XX

HEADQUARTERS Lazio - Umbria REGION AMG
Engineering Division APO 394
R O M A
Corso d'Italia 25

e p.c.

ALLIED COMMISSION HEADQUARTERS
R O M A
Via Veneto

A causa delle ostruzioni esistenti nel tratto di alveo dell'Aniene sotteso dal nostro impianto di Mandela non era stato possibile finora immettere in detto alveo l'intera portata del fiume, inquantochè ciò avrebbe causato un eccessivo innalzamento del livello d'acqua provocando danni considerevoli alle coltivazioni e ad alcune costruzioni delle zone limitrofe, con conseguenti cospicui oneri per risarcimento dei danni. La recente piena ha rimosso queste ostruzioni, rendendo così possibile l'immissione dell'intera portata del fiume nell'alveo di magra e quindi l'ispezione nell'interno della galleria di derivazione.

Si è potuto constatare che la platea del canale presenta per un tratto di circa 3 Km. delle profonde erosioni, tali da rendere necessaria la ricostruzione dell'arco rovescio per il corrispondente tratto.

Necessita quindi l'urgente assegnazione da parte di codesta Commissione di qli.2.000 (duemila) di cemento tipo 500 questo quantitativo non deve essere considerato compreso nelle precedenti richieste.

Dato il carattere di assoluta urgenza di questo lavoro, per far fronte alle prime necessità, si è stabilito di inviare a Mandela il quantitativo di cemento (facente parte della prima assegnazione di qli. 1.540) che si era previsto di dover inviare a Rieti per i lavori di ri_

./.

costruzione del ponte canale sul fiume Salto.

Considerata l'urgenza di ambedue i lavori suaccennati si prega codesta Commissione di dare collecita evasione alla nostra richiesta.

IL DIRETTORE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

RACCORDI - APPARECCHI - ACCESSORI PER ACQUEDOTTI E PER DISTRIBUZIONE D'ACQUA
FABBRICA DI SARACINESCHE PER ACQUEDOTTI E PER IRRIGAZIONE - FONTANELLE - SFIATI CHIUSINI STRADALI - CHIUSINI INODORI - APPARECCHI DI MISURA - RUBINETTERIA PER DISTRIBUZIONE
APPARECCHI PER INCENDIO E PER IRRIGAZIONE - ATTREZZI DA POSATORE
DEPOSITO DI TUBI - CORDE CATRAMADE E PIOMBO - LABORATORIO MODELLI
FONDERIA DI GHISA E METALLI
MODELLI - FUSIONI E LAVORAZIONI MECCANICHE IN GENERE
PICCOLA CARPENTERIA IN FERRO

FILE

VIA ASSISI, 29 - ROMA
TELEFONO 70-304
C. P. E. DI ROMA N. 31649

OFFICINE MECCANICHE E FONDERIE
GIOVANNI MELONI
ROMA

Roma, li 15 Novembre 1944 A.

N.

OGGETTO:

Al COMANDO ALLEATO
IV REGIONE
Sezione Ingegneria
R O M A

Corso d'Italia

p.c. all'A. C.
Sottocommissione
LL. PP. e SS. PP.

La Ditta sottoscritta, Officine Meccaniche e Fonderie Giovanni Meloni, sede in Roma, Via Assisi n. 29, fa domanda per l'assegnazione di:

N. 3 coperture e n. 3 camere d'aria, sezione 600-16

necessarie per il suo motocarro GUZZI tipo E.R., targa n. 12835, permesso di circolazione n. 76628, potenza HP 5, portata Q/li 10, motore n. 43571, telaio n. 2651.

Si fa presente che detto motocarro è indispensabile a questa Ditta per i trasporti inerenti alla costruzione di pezzi speciali ed apparecchi per acquedotti, destinati alla alimentazione idrica della città di Roma a mezzo della Società Acqua Pia Antica Marcia e dell'Azienda Comunale Elettricità ed Acque; nonché per i trasporti inerenti alla costruzione di materiali occorrenti per il ripristino delle centrali idroelettriche della Società Romane di Elettricità.

Analoga domanda è stata già inoltrata alla Watertation, Via del Mare n. 45. 5627

OFFICINE MECCANICHE E FONDERIE
GIOVANNI MELONI

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
L3F/ba

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: 305/PWU 21/11/44

SUBJECT : CARBON BRUSHES

TO : SOCIETA PER I FORNI ELETTRICI
E L'ELETTROCARBONIUM
MARNI SCALO

1. We have received a copy of Azienda Comunale Elettricita ed Acqua letter No.7204 dated 9 Nov.44 and note that certain defects are still evident in the manufacture of carbon brushes.

2. It is requested that all possible steps be taken to remedy as soon as possible.

W.M.LAPPER,LT COL.
CHIEF ELECTR.DIVISION

5629

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE COMUNALE
ELETTRICITÀ ED ACQUE

C. TRALE TERMOELETTRICA MONTEMARTINI

Indirizzo telegrafico: AGEA - Roma
Telefoni della Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

3070

ROMA, (103) 17 novembre 1944
VIA MILANO, 62

N. 927 di Prot.

OGGETTO: sosta cisterne.=

ALLA COMMISSIONE ALLEATA P.W U

e p conoscenza:

ALLE FF.SS. STAZIONE DI OSTIENSE

= R O M A =

Portiamo a conoscenza di codesta Commissione che dal giorno 11 scorso la cisterna 903852 (di nafta per caldaie), proveniente da Napoli è sotto scarico , e cio' per fatto indipendente dell'A.C.E.A. poichè il liquido non fluisce che lentissimamente per difetto di funzionamento della valvola interna.

Onde evitare indebite soste, si prega di voler intervenire presso le FF.SS., affinchè sia constatato l'inconveniente e siano presi i necessari provvedimenti.=

p. IL CAPO SERVIZIO

5619

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

A.C.E.A.

930

November 17th 1944

ALLIED COMMISSION
Public Works and Utilities Sub-Commission

ROME

STAZIONE OSTIENSE

ROME

We beg to inform you that the tank n. 903852, received from Naples and containing naphta for boilers is being emptied since November the 11th because of extremely slow flowing out due to faulty valves inside of the tank.

Will you kindly request the State Railways to accertain the trouble and to take the necessary steps, thus avoiding any undue delay.

CHIEF OF SERVICE

(Ing. PARVOPASSU)

561

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Prot. N. 7204
(da citare nella Risposta)

14 NOV Rec'd 093 al 3055

Indirizzo Telegrafico: AGEA - ROMA
Telefoni dello Stato: 43-543 - 43-544
Conti Correnti Postali: 1/2902

Roma (105), 9 Novembre 44 ~~ANNO XX~~
VIA MILANO, 62

SOCIETA' PER I FORNI ELETTRICI E
L'ELETTROCARBONIUM

NARNI SCALO

a 1/2 uff. di Roma
Ingg. Calori ed Arteri (Siemens)

R O M A
Piazza Mignanelli 3

e p.c. ALL'A.C.C.
Public Works e Utilities Sub-Commission
Electrical Section
R O M A
Via Veneto

Oggetto: Spazzole di Carbone.

A seguito della nostra lettera 30 Ottobre 1944 n° 6941, vi comunichiamo, dopo una settimana di esercizio, le seguenti osservazioni sui campioni di spazzole N1 e TE1 rimesseci per prova:

1°) Le spazzole N1 risultano di durezza alquanto elevata poichè si nota sui collettori una rigatura assai sensibile.

2°) Le spazzole TE1 danno, come gia' segnalato, un sensibile scintillamento; ma non rigano il collettore e, d'altra parte, la loro usura, non è, ad assestamento avvenuto, cosi' forte come sembrava dopo le prime 24 ore di servizio.

5617

3°) Persistono i difetti relativi ai capicorda ed alle piastri=

Declassified E.O. 12356 Section 3.3/NND No. 785019

NARNI SCALO

a 1/2 uff. di Roma
Ingg. Calori ed Arteri (Siemens)
R O M A
Piazza Mignanelli 3

e p.c. ALL'A.C.C.
Public Works e Utilities Sub-Commission
Electrical Section
R O M A
Via Veneto

Oggetto: Spazzole di Carbone.

A seguito della nostra lettera 30 Ottobre 1944 nº 6941, vi comunichiamo, dopo una settimana di esercizio, le seguenti osservazioni sui campioni di spazzole N1 e TE1 rimesseci per prova:

1º) Le spazzole N1 risultano di durezza alquanto elevata poichè si nota sui collettori una rigatura assai sensibile.

2º) Le spazzole TE1 danno, come gia' segnalato, un sensibile scintillamento; ma non rigano il collettore e, d'altra parte, la loro usura, non è, ad assestamento avvenuto, cosi' forte come sembrava dopo le prime 24 ore di servizio.

5617

3º) Pàrmangono i difetti relativi ai capicorda ed alle piastrine isolanti.

4º) Si è notata qualche rottura del carbone in corrispondenza al ribattino di attacco della trecciola, il che fa pensare a riscaldamento e dilatazioni locali.

In considerazione di quanto sopra, si conclude che nè l'uno nè l'altro tipo di spazzole soddisfa pienamente ai requisiti necessari; che occorre adottare un materiale di durezza intermedia fra quel=

./.

Allegati N. .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

la N1 e quella TE1, che occorre poi eliminare radicalmente i difetti dei capicorda e della piastrina; che occorre infine ramare la parte superiore del carbone, onde diminuire i riscaldamenti locali in corrispondenza all'attacco della traccia e le conseguenti rotture.

Vi preghiamo di volerci dare assicurazione circa i provvedimenti che prenderete al riguardo e circa la consegna delle spezzole in questione.

Distinti saluti.

IL DIRETTORE

5516

Declassified E.O. 12356 Section 3.3/NND No. 785019

Translation

Rome, Nov 9th 1944.

COMPANY FOR ELECTRIC FURNACES AND ELECTROCARBONIUM.
NARNI-SCALO

Through Rome Offices to:
Ingg. Calori and Artieri (Siemens)
ROME

and for attention of A.C.P.W.U. Electric Sect. S.T.C.
ROME

SUBJECT: Coal brushes. (Carbon?)

Reference to our letter dated Oct. 30th 1944, Nº 6941 we inform you, after a week's operation, of the following remarks about the samples of the brushes NI and TEI, sent to us, by way of trial:

1) The brushes NI are of a rather high hardness because we notice a very deep rifling on the collectors.

2) The brushes TEI, as already brought to notice, throw out many sparks, but they do not rifle the collectors, and on the other hand, when settled down, their consumption is not so strong as it seemekd after the first 24 hours of operation.

3) The defects relating to the lugs and the insulating plates still continue.

4) We have noticed some fractures of the coal, where the cord's rivet is fastened: this lets us think of heating and local expension.

561

From what we have said above, we conclude that both types of brushes have not the required qualities: it is necessary to use a material of a hardness intermediate between the ones of the N I and TE I. That it is necessary to avoid radically the defects of the lugs and of the plate;

Declassified E.O. 12356 Section 3.3/NND No. 785019

that it is necessary, at last, to copper the upper part of the coal, in order to abate the local heatings in the places where the cord's rivet is fastened, and to avoid the consequent fractures.

We beg you to inform us of the measures you will take about the matter and of the delivering of the said brushes.

The Director.
(Signed.....)

Declassified E.O. 12356 Section 3.3/NND No. 785019

0 305 484503 0

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

(21)

AZIENDA ~~GOVERNATORATO~~ COMUNALE
ELETTRICITÀ ED ACQUE

CENTRALE TERMICA DI S. PAOLO

ROMA, (103) 15 Novembre 1944 ~~XIXXXXXXX~~
VIA MILANO, 62

A.C. PUBLIC WORKS & UTILITIES

N. 224 di Prot.

e p c

ALLA SOCIETA' "UMANITARIA"
Via Sabelli n° 213
= R O M A =

= P R O M E M O R I A =

Per la fusione dei seguenti materiali:

N° 24 Portine di protezione
" 12 Fiancate (5destra 5 sinistra)
" 50 Griglie destre
" 50 " sinistre
" 100 piedi per griglia
" 100 teste " "
" 6 alberi per movimento griglia

del peso complessivo di circa 150q.li la Società "Umanitaria", Via Sabelli, n. 213, ci richiede q.li 100 di carbone coke da gas.

Poiché i materiali di cui sopra sono necessari per il riordino e la manutenzione delle 12 caldaie Underfield istallate nella Centrale di S. Paolo della S.R.E., vi preghiamo di volerci fare ottenere l'autorizzazione a prelevare dalle officine del gas in Via Ostiense il quantitativo di carbone coke di cui sopra.

Distinti saluti

INGEGNERE M. RUGGERI

Declassified E.O. 12356 Section 3.3/NND No. 785019

(71°

16 November 1944

M E M O

The firm "Umanitaria" via Sabelli 213 has sent us a request for a supply of 100 quintals gas-coke needed for the melting of following parts :

n. 24 protecting gates

n. 12 broad sides (6 left hand and 6 right hand)

n. 50 left hand grates

n. 50 right hand grates

n.100 grate brackets

n.100 grate heads

n. 6 shaft for grate motion

wighing altogether 150 quintas.

Considering that the above parts are needed for the reassembling and maintenance of n. 12 Underfield boilers installed at S.Paolo Plant (Romana Co.) we kindly ask you to issue the authorization to draw the coke from the Gas Plant at via Ostiense.

Respectfully yours.

5612

Declassified E.O. 12356 Section 3.3/NND No. 785019

70

LGP/bs

Telephone 478805

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: 305/2/U

17/11/44

SUBJECT: RELEASE OF COKE

TO : SOCIETA ROMANA PER IL GAS
Via Ostiense, 84-Roma

1. Please release to "Umanitaria" Via Sabelli 213, Roma

100 Quintali Coke.

2. This firm of "Umanitaria" have been instructed to manufacture cast iron replacement parts for the boilers of Azienda Comunale Elettricita ed Acque which work is urgent, and the above coke is required for the furnaces of "Umanitaria".

W.M.LAPPER, LT.COL
CHIEF ELECTRICAL DIVISION

5611

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE

AZIENDA ~~GOVERNATORIALE~~
ELETTRICITÀ ED ACQUE

f.212 SEGRETERIA

(da citare nella Risposta)

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

ROMA, (103)
VIA MILANO, 62

1 1 NOV. 1946 Anno XX....

Headquarters A.C.C.
Public Works & Utilities Sub.
Electrical ~~Utilities~~ Division
APO 394

In riscontro al foglio n.305/PWV del 25 ottobre u.s. accusiamo ricevuta di n. 3 certificati di esenzione dal richiamo alle armi relativi ai sottonotati ns/ dipendenti

PANDOLFI GIORGIO
PROIETTI GUIDO
BURIANO NICOLA

IL DIRETTORE

5671

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/305/PWU

16/11/44

SUBJECT: REPAIRS TO POWER STATIONS ROME

TO : COMMODORE SUPERINTENDENT
Taranto

1. Further to this office letter even numberdated 3/11/44 and your 14/961 dated 17/10/44 to which was attached list of materials supplied by you for the above mentioned Power Plants.

2. We attach hereto a list of material which is still required to complete the work of repairs and which we have tried to obtain locally so for without success.

3. Will you please state if you can supply this material from your stocks, if not nearest substitutes.

E.J.BARRY, Major C.E.
Act.Chief Elect.Div.

ENCL. List of materials.

5600

Declassified E.O. 12356 Section 3.3/NND No. 785019

68

LIST OF MATERIALS

1.	Rubberised asbestos (Jance Platte)rectang.15x10 mm.	mt. 300
2.	Graphited asbestos rectangular 15 x 10 mm.	" 150
3.	Rubber circular ; diam. 10 mm.	" 25
4.	" " " 12 "	" 10
5.	Sheet copper thickness 1 mm size 1 mt x 1 mt.	sq. " 12
6.	Alumised Leather, thickness 3 mm.	Kg. 12
7.	Antifriction metal (white metal)Type A Tosi	" 600
8.	German silver for welding	" 5
9.	Injection valves springs -outside diam of coils 60 mm - diam steel wire 6 mm - length of spring 473 mm - number of turns 17 - Tension 30 Kgs. no. 20	

5602

Declassified E.O. 12356 Section 3.3/NND No. 785019

(67)

HEADQUARTERS ALLIED COMMAND
COMMERCE SUB-COMMISSION
APO 394
Availabilities Section

ERG/mob

305

Tel.: 478397

Ref: AC/5060/1/Commerce

14 November, 1944.

SUBJECT : Material for Rome Power Station.

TO : Public Works & Utilities Sub-Commission;

1. Reference conversation (Major Price - Major Green) and further to your letter AC/305/Price dated 9 Oct. 1944.

2. The following letter has been received from AFHQ under Reference LRS/312/24 dated 14 Nov. 1944.:-

" The C-in-C Med.,A.F.H.Q. , has requested the Commodore Superintendent ,Taranto to arrange, as far as practicable, supply of the materials in question. It is suggested that contact be made accordingly with the Commodore Superintendent.

As other Services have been asked to assist, it is requested that you will keep this Section informed of progress in order that items supplied can be deleted from the original list attached to your above named letter."

3. It is understood that you will take the matter up direct with the Commodore Superintendent, Taranto.

W.P.EVANS
Colonel
Director
Commerce Subcommission.

5607

17110/M G1486 66

URGENT
ELECTRICITY

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Copy to :
P.W. & U. Sub-Comm.
att.n Electrical Section

Date: 1st November 1944
4 24 Oct 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG~~/ACC~~ FORMATION LAZIO-UMBRIA REGION / Engineering Division

3. COMMODITY DEMANDED IRON
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 350 kilos

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where? Fratelli Franchi - Via Sicilia N° 180 , Roma.

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A . C . C . A .

Address Via Milano N° 62 - Roma -

8. It is certified that these supplies ande stores are required for ~~(URGENT) (NORMAL) (STOCK-PILING)~~ purposes. (Strike out words not applicable).

A. M. G. REGION 5608
ENGINEERING DIVISION
ELECT. MECH. SECTION
PROVINCES Rank, Title, Office. APP.

Date: 1st November 1944

Signature: [illegible]

[illegible] Capt. [illegible] Section

Declassified E.O. 12356 Section 3.3/NND No. 785019

LAZIO-UMBRIA REGION / Engineering Division

2. AMG~~ACC~~ FORMATION

3. COMMODITY DEMANDED IRON

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 360 Kilos

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of Form)

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where? Fratelli Franchi - Via Sicilia N° 180 , Roma.

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A . C . E . A .

Address Via Milano N° 62 - Roma -

A. M. G. REGION 5607
ENGINEERING DIVISION
ELECT. MECH. SECTION
PROCESSED Rank, Title, Office. APP.
CHIEF E & M Section
DATE

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 1st November 1944 Signature:

9. REGIONAL APPROVAL J.S.P. Feeny Capt CMP Title Lt. Col. R.E.
for Regional Engineer

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION)

AFLR (1) B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) COMMODITY DEMANDED

Iron " C "	= height	= length	= weight	
	h= 200 m/m	7,00	metres	180 kilos
	h= 240 "	2,80	"	95 "
	h= 300 "	1,00	"	50 "
Iron " L "	= 140 x 140 m/m	1,00	"	35 "
		TOTAL		360 kilos

5) JUSTIFICATION

These materials are required for the reconstruction of a transformer of the Castelmadam Electric-Power Plant,which is included in rehabilitation works for Electric-Power Supply.

As these works are to be completed in a near future,allocation of the above-mentioned materials is an urgent matter.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Translatio

FILE

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Rome, Oct. 31, 1944

To: TERNI CO.
T e r n i

Copy to A.C.C.
Public Works and Utilities
R o m e

Referring to our letter n. 6643 Oct. 20 concerning reconstruction of steel terminal covers for Montermatini Plant turbogenerator, we forward the ACEA n. 3193 blue print showing bronze rings referred to in paragraph (4) of the above mentioned letter and shown approximately in drowing n. 3191 enclose with it. Those rings, too, have been distorted because of excessive speed cousing windings to press against them, and therefore must be cast again - we send them together with this letter and the second steel terminal cover.

Casting must be done with exceptional care to avoid any possible internal gas bubble which could impare the generator balance; if necessary equipment is available an X ray control would be desirable.

About tolerances for covers and rings and constructional details we outline the following points:

1) Surfaces of covers and rings must be machined (~~V~~ UNIM n0. 36 sheet).

2) Coupling between covers and rings (diameter 670 of drawing n. 3191) must be "free-tight" of "precise" grade (UNIM No. 24 sheet).

3) The diameter of cover hole (420 on drowing n. 3191) can be made 0,1 mm. larger that the one of the cover now in your hands.

Declassified E.O. 12356 Section 3.3/NND No. 785019

R o m e

Referring to our letter n. 6643 Oct. 20 concerning reconstruction of steel terminal covers for Montermatini Plant turbogenerator, we forward the ACEA n. 3193 blue print showing bronze rings referred to in paragraph (4) of the above mentioned letter and shown approximately in drowing n. 3191 enclose with it. Those rings, too, have been distorted because of excessive speed cousing windings to press against them, and therefore must be cast again - we send them together with this letter and the second steel terminal cover.

Casting must be done with exceptional care to avoid any possible internal gas bubble which could impare the generator balance; if necessary equipment is available an X ray control would be desirable.

About tolerances for covers and rings and constructional details we outline the following points:

1) Surfaces of covers and rings must be machined (▽▽ UNIM nO. 36 sheet).

2) Coupling between covers and rings (diameter 670 of drawing n. 3191) must be "free-tight" of "precise" grade (UNIM No. 24 sheet). 3603

3) The diameter of cover hole (420 on drowing n. 3191) can be made 0,1 mm. larger that the one of the cover now in your hands.

4) No tolerance has been shown for the external diameter (680 on drowings 3191 - 3193) of the coupling between rings and rotor because 3 mm. excess metal will be left there to allow for subsequent grinding work in the plant thus dispensing from a special caliber.

....

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) Any, including above, tolerances are shown on drowings according to UNIM sym-bols.

6) Any dimension not shown on drowings must be equal to that of cover and rings already in your hands.

7) We request also that every stenciling of old pieces be reproduced on new ones.

We wait for an answer to the present letter and also to the one no. 6643 Oct. 20 expecially concerning time and price foressen. We also request that every effort be made to complete construction as soon as possible, the operation of the turbo-generator beeing most needed.

Distribution:

Col. Lapper
Major Renton - Ing. Calenda - O.& T. File
Major Barry
Major Price
Capt. Vannoy.

5607

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

MINISTERO DELLE COMUNICAZIONI
Ferrovie dello Stato

28 Ott. 1944

(64)

ROMACOSTIENSA

Spett.ACEA
Cetrale elett. S.Palo
ROMA

N.7026 R/Acea

Codesta Centrale in data odierna ha spedito dal Raccordo i carri macchinari elettrici N.88670 e 478345 diretti a Terni senza presentare le prescritte lettere di vettura a P.V.

Detti documenti sono necessari essendo i trasporti autorizzati dalla ACC con etichette rosse.

Pregasi pertanto voler presentare a regolarizzazione delle dette spedizioni con cortese sollecitudine le lettere sudette dovendo inviarle alla stazione destinataria di Terni.

Con l'occasione pregasi far conoscere se i trasporti dei fusti vuoti ex naphta spediti il 6/10 il 9/10 il 12/10 ed il 16/10 carri 7548013- 483571 263938 - 77496033 - 442907 - 414816 - 19360 e 487506 siano stati autorizzati dal locale Comando Americano con etichette bianche oppure con etichette a diagonali rossem poiche in quastu'ultimo caso occorre provvedere alla regolarizzazione anche dei detti trasporti spediti senza alcun documento.

IL CAPO STAZIONE SUBALTERNO

F.to

5603

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGO/bs

63

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Electrical Section -PUBLIC WORKS & UTILITIES SUB-COMMISSION

Reference: AC/305/PWU

8/11/44

SUBJECT:- TRANSPORTATION

TO :- UFFICIO TRASPORTI DI ROMA

1. The Azienda Communale Elettricita ed Acque requires transportation to convey 600 Qli of lime from Segni to Castelmadama which lime is to be used on the rehabilitation of electrical plant.

2. It is recomended that this transport be granted to them.

L.G.PRICE
Major RE
Elect.Section
P.W. & U. Sub-Comm.

5602

Declassified E.O. 12356 Section 3.3/NND No. 785019

3052

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

AZIENDA GOVERNATIVA
ELETTRICITÀ ED ACQUE

ROMA, (105) VIA MILANO, 62 — Anno XX

SERVIZIO IV

ALLIED COMMISSION -- HEADQUARTERS

R O M A

Via Veneto

Si prega codesto Comando voler rilasciare una dichiarazione attestante che i lavori di ricostruzione delle nostre Centrali Idroelettriche rivestono carattere di assoluta necessità e urgenza. Detta dichiarazione ci è necessaria per ottenere dall'Ufficio Trasporti di Roma l'assegnazione dell'automezzo occorrente al trasporto di 600 qli. di calce da Segni a Castelmadama.

IL DIRETTORE

5607

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LHP/bs

61

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/305/PWU

7/11/44

SUBJECT: TRANSPORT OF CEMENT

TO : WHOM IT MAY CONCERN

1. This is to certify that vehicle 18 RI-Roma 83560 the property of Azienda Communale Elettricita ed Acque is an authorized vehicle employed on behalf of the Allied Commission HQ to collect from Italcementi Civitavecchia

CEMENT.

2. This vehicle will convey the following who are authorised to collect the cement.

Sig. Giuseppe De Santis
Sig. Ugo Novelli.

L.G.PRICE
Major RE
Elect.Sect
P.W.& U.Sub-Comm.

5606

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
XXXXXXXXXXXXXXXX
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni della Stato: 43.543-43.544
Conto Corrente Postale: 1,2902

Prot. 7064
(da citare nella Risposta)

ROMA, (103) 6 NOV. 1948 Anno XX
VIA MILANO, 62

SERVIZIO IV

ALLIED COMMISSION - HEADQUARTERS

R O M A

Via Veneto

Si prega codesto Comando voler concedere l'autorizzazione ad accedere all'interno della zona militare di Civitavecchia per i seguenti nostri dipendenti :

Sig. Domenico MESCHINI
" Luigi PEDICONI
" Ugo SUATONI

Detti nostri impiegati devono recarsi presso gli stabilimenti della Soc. Italcementi per trattare le modalità di trasporto del cemento concesso per i lavori di questa Azienda dalla Commissione Alleata e per ottenere dall'Autorità locale una proroga al termine di consegna specificato nella concessione stessa.

IL DIRETTORE
5596

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
XXXXXXXXXXXXXXXX
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

305

ROMA, (303) 6 NOV. 1944 Anno XX
VIA MILANO, 62

SERVIZIO IV

ALLIED COMMISSION= HEADQUARTERS

R O M A

Via Veneto

Si prega codesto Comando voler concedere l'autorizzazione ad accedere nella zona militare di Civitavecchia per il nostro autocarro 18 BL - ROMA 81560 che dovrà eseguire il trasporto da Roma agli stabilimenti della Soc. Italcementi in Civitavecchia di sacchi di carta per cemento, e che nel viaggio di ritorno trasporterà un carico di cemento alla nostra Centrale di Castelmadama.

Il suddetto autocarro sarà condotto dagli autisti DE SANTIS Giuseppe e NOVELLI Ugo.

IL DIRETTORE

559

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LCP/bs

HEADQUARTERS ALLIED COMMISSION
A.F.H.Q. 394
Public Works & Utilities Sub-Commission
Electrical Section

References: AC/303/303/PWU

7/21/44

SUBJECT: COAL STOCKS HOME POWER PLANTS

TO : SOCIETA ROMANA DI ELETTRICITA -Via Poli 11,-Rome

SOCIETA A.C.E.A.- Via Milano 62, Rome

1. In order to ensure that the Rome Power Plants receive an adequate supply of fuel daily, it is necessary that this Sub-Commission be given accurate daily returns under the following headings:

Stock on hand
Arrivals
Consumption
Remains

2. A statement as at midnight each 24 hours is telephoned to these H.Qs every morning at 0900 hours, from the Power Plants, and it is only with this information that the fuel position is known.

3. These morning bulletins have recently contained inaccurate information and in order that the position be made clear we ask you to telephone this office at 0900 hrs 21/11/44 the exact stock of coal held in your stores (including coal in silos) as at 23.59 hours 20/11/44.

4. The telephone number of this office is 478807

K.J. BAKER
MAJOR C.E.
ACT.CHIEF ELECT.DIV.

Copy to Coal Division
Industry Sub Comm

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copy of Memo handed to Major Reston 8/11/44

Reference ACEA report as at midnight 29/10/44.

Castellmadama and Mandella

Lime is not a controlled item and can be bought in the open market

Similar to same

Cement ACEA had a release for 5535 tons on 28/10/44, on the 8/11/44 the cement had not been collected from Civita vecchia

59

Declassified E.O. 12356 Section 3.3/NND No. 785019

4 Encls
305 Cels.

HEADQUARTERS ALLIED COMMISSION
APO 394
COMMERCE SUB-COMMISSION
AVailability Section

BT/rc

Ref. AC/5000/1/Commerce

3 November 1944

SUBJECT: Material for Rome Power Station

TO : Public Works & Utilities Sub-Commission
(Electrical Section)

1. Reference your letter AC/305/PWU dated 31 Oct. 44, as yet no information has been received regarding items of stores required by you.

2. The urgency of this matter is fully appreciated and every endeavour possible is being made to procure this information without delay.

W.E. SCOTTEN
Major, M.I.S.
Acting Director
Commerce Sub-Commission

5595

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

HEADQUARTERS ALLIED COMMISSION
A.P.O.394
Public Works & Utilities Sub-Commission
Electrical Section

3/11/44

Reference: AC/305/PWU

SUBJECT: REPAIRS TO POWER STATIONS ROME

TO : COMMODORE SUPERINTENDENT
Taranto

1. We are in receipt of your letter 14/961 dated 17 Oct.44 and Cable F 46916 dated 1 Nov.44 and it is confirmed that the four engineers will return to Taranto on completion of the work on one generator.

2. Regarding the list of material that was attached to your 14/961 dated 17 Oct.44. two items are shown which, the Toni engineers claim, was not included in the material drawn by them namely:-

Asbestos graphite jointing 5/8"	30 lbs
Metal antifriction (white metal)	10 cwt.

3. We shall be glad to have your confirmation.

E.J.BAILEY
Major C.E.
Asst.Chief Elect.Div.

559

Declassified E.O. 12356 Section 3.3/NND No. 785019

RESTRICTED

ALLIED CONTROL COMMISSION

INCOMING MESSAGE

P Works 015 9756

TO: ALLIED COMMISSION

SIGNAL MESSAGE CENTER No: NTW02

FROM: AFHQ SIGNED SACMED

CLASSIFICATION:

REFERENCE No: F46916

PRECEDENCE: ROUTINE

DATE AND TIME OF ORIGIN: Nov 011853A

OFFICE OF ORIGIN: CITE CINC MED AND FHGEG

ACTION

RESTRICTED.

Para 1. (Ref your 5211 of 21 October). It is approved for the 4 engineers to return to ROME to complete unfinished work on 1 generator which it is understood will take 10 days approximately and the CINC MED is instructing the FOTALI accordingly.

Para 2. On completion they are to be returned to TARANTO, their release for the 2 months requested is not approved.

Major Price
Please arrange transport for these men from Leghorn to Rome and return. Report to Station Hospital will be arranged for the personnel to be placed in the Station Hospital for the period of the generator repair.
JWS

AC Dist
Act - P Works (2)
Inf - Alce
Econ Sec
File (2)
Float
5593

HEADQUARTERS
2 NOV 1944
A.C.C.

RESTRICTED

DATE and Time of RECEIPT November 020910

Distribution:

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

IGH/bs

MEMORANDUM

SUBJECT :- MATERIAL FOR ROAF POWER STATIONS

31/10/44

TO :- COMMERCE SUB COMMISSION

FROM :- PUBLIC WORKS & UTILITIES SUB COMMISSION
Electrical Section

ACC/305/PWU

1. Reference this Sub Commission letter even number dated 25 Oct.44 and list which was attached.

2. Will you please state if you have been successful in locating all or any of the items of stores required.

E.J.BARRY
Major E.C.
Act.Chief Elect.Div.

5592

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE

AZIENDA ELETTRICITÀ ED ACQUE

Prot. Gen. N 118 A.E.C.A.

6922

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

ROMA, (103) 31 OTT. 1944 Anno XX...
VIA MILANO, 62

HEADQUAHTES
Lazio Umbria-Region AMG
Engineering Division
E & M SECTION - APO 394
R o m a
Corso d'Italia 25

Copy

e p.c.
Allied Commission HQ
→ Maj.Price
R o m a
Via Veneto

Questa Azienda, come da accordi intercorsi, chiede a codesto Comando l'assegnazione dei seguenti materiali:

Kg.500 di rame in barre da mm. 70x6
" 300 " " " 50x5
" 150 " " " 30x3
" 100 " " " 25x2
" 100 " " " 20x1,5
" 300 (mt.100) di corda di rame da mmq.300
" 180 (mt.100) " " " " 200
" 135 (mt.150) " " " " 100

5991

Il materiale di cui sopra è necessario per il montaggio in diverse zone di cabine elettriche, che si prevede debbano essere costruite nello spazio di mesi sei, per c/ del nostro Servizio Distribuzione.

IL DIRETTORE

Declassified E.O. 12356 Section 3.3/NND No. 785019

30 OCT Recd

C/EL
CCB

HEADQUARTERS
ALLIED COMMISSION
COMMERCE SUBCOMMISSION
Availability Section
APO 394

ERG/rc

Ref. AS/SCSC/1/Commerce 27 October 1944

SUBJECT: Material for Rome Power Stations

TO : Ministry of Industry, Commerce & Labour

1. Public Works and Utilities Sub-Commission of this Board have written to us as follows:

"1. The diesel engines of the Montemartini Power Station Rome are now out of commission, undergoing complete overhaul, which overhaul is being carried out by specialists of Fiat Company who have been loaned to this Sub-Commission for a limited period.

2. Spare parts and some materials has been obtained through military and Naval sources but there still remains certain material that will have to be furnished before the engines can be put into operation."
As list attached -

~~The list referred to is attached.~~

2. It is hardly necessary to stress the importance of obtaining these materials for the Montemartini Power Station and it is requested that a special enquiry be made to discover any availability. May the matter please be treated as very urgent, and a report made to this Sub-Commission as soon as possible.

3. At the same time, we are making enquiries among military units to ascertain whether any of the materials are available from that source.

For the Acting Chief Commissioner:

W.E. SCOTT
Major, R.A.O.C.
Acting Director
Commerce Subcommission

Encl.: List of materials enclosed with P.W.U's letter quoted above.

Major Price

Copy to: Public Works & Utilities S/C.

5398

Declassified E.O. 12356 Section 3.3/NND No. 785019

30 OCTRecd

C/EL.

(52)

HEADQUARTERS
ALLIED COMMISSION
COMMERCE SUBCOMMISSION
Availability Section
AFO 394

ERG/rc

Ref. AC/5000/1/Commerce

27 October 1944

SUBJECT: Material for Rome Power Stations

TO : AFLRS, RAAC, CMF.

1. A letter has been received from Public Works and Utilities Sub-Commission of this HQ, reading as follows:

"1. The diesel engines of the Montecartini Power Station Rome are now out of commission, undergoing complete overhaul, which overhaul is being carried out by specialists of Toni Company who have been loaned to this Sub-Commission for a limited period.

2. Spare parts and some materials has been obtained through military and Naval sources but there still remains certain material that will have to be furnished before the engines can be put into operation."

Enclosed is the list of materials required.

2. In view of the great importance of the work for which the materials are required, it would be greatly appreciated if enquiries could be made among the Services mentioned above, with a view to obtaining these special items.

For the Acting Chief Commissioner:

W.E. SCOTTER
Major, W.I.S.
Acting Director
Commerce Sub-Commission

5589

Encl.: List of materials enclosed with P.W.U's letter.

Copy to: Public Works & Utilities S/C.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

LIST

1.	Rubberised asbestos (Jones Plotte) rectangular 15 x 10 mm.	mt?	300
2.	Graphited asbestos rectangular 15 x 10 mm.	"	150
3.	Rubber circular: diam 10 mm.	"	25
4.	" " " 12 "	"	10
5.	Sheet copper thickness 1 mm. size 1 mt x 1 mt;	sq.mt.	12
6.	Alumised Leather, thickness 3 mm.	Kg.	12
7.	Antifriction metal (white metal) Type A. Tosi	"	600
8.	German Silver for welding	"	5
9.	Injection valves springs - outside diam of coils 80 mm. diam steel wire 6 mm. - length of spring 473 mm. number of turns 17 - Tension 30 Kgs.	no.	20

Declassified E.O. 12356 Section 3.3/NND No. 785019

31 OCT Recd

C/EL CCB

21 Ottobre 1944

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

UCCA
Prot. int. N. 116

6849

HEADQUARTERS
LAZIO - UMBRIA REGION AMG
Engineering Division
E.&.M. Section
Apo 394
Corso d'Italia 25 - Roma

e p.c. Allied Commission HQ.
Maj. PRICE
Via Veneto - Roma

Questa Azienda si pregia far presente quanto segue:

La Ditta Fonderie Officine Bastianelli - Via dei Sabelli 106 Roma - ha urgente necessità di ottenere da codesto Comando una assegnazione di:

10 tonn. di coke metallurgico
10 " " ghisa in pani

occorrenti per eseguire fusioni di muffole e sostegni per candelabri, per conto dell'Azienda medesima.

Con la presente questa Azienda chiede, pertanto, che sia concessa alla ditta suddetta l'assegnazione dei materiali richiesti, onde possibile, nel più breve tempo, condurre a termine i lavori per la fornitura delle muffole e dei sostegni per candelabri suddetti.

IL DIRETTORE
Bucci

5587

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/ba 60

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/305/PWU

27/10/44

SUBJECT:- Materials required.

TO :- A.C.F.A.
Via Milano 62-Roma

1. Reference your request for;

NAILS (various sizes)

2. This item of stores is neither restricted nor controlled and can be bought directly by you in the open market.

3. For your information there are large stocks of nails (various sizes) at:-

I.L.V.A. San Giovanni Valdarno
(Arezzo)
and it is suggested you purchase direct.

L.G.BERRY
Major C.E.
Act.Chief Elect.Div.

5584

URGENT
ELECTRICITY

30 OCT Rec'd

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Copy to :
P.W.&U. SC
att.n ELECTRICAL SECTION

Co 1/78 (49)

170/26/10 8.

Major Price

Date: 26 October 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION LAZIO=UMBRIA REGION / Engineering Division
3. COMMODITY DEMANDED IRON WIRE (rebaked)
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: 400 Kgs
(b) Next Month:
(c) Second Month:
(d) Third Month:
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located? yes
(b) If locally - Where? Industria Prodotti Siderurgici-Pozzo delle Cornacchie
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? 17
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
7. ADDRESS FOR DELIVERY:

CASTEL/MADAMA .
Power Station

Consignee: A.C.E.A.
Address: V.Milano Nº 62 - Rome -

8. It is certified that these supplies and stores are required for (URGENT) (NORMAL) (STOCK PILING) purposes. (Strike out words not applicable).

A. M. G.
ENGINEERING D 550
ELECT. MECH. SECT.

Date: 26 October 1944 Signature: Lt. Wade Brown R
Rank, Title, Office

9. REGIONAL APPROVAL Title Lt.Col.R.E. Date
For Regional Engineer

Chief E&M Section
DATE

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: IRON WIRE (rebaked)

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 400 Kgs

(b) Next Month:

(c) Second Month:

(d) Third Month:

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where? Industria Prodotti Siderurgici-Pozzo delle Cornacchie 17

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

CASTEL/MADAMA
Power Station

Consignee: A.C.E.A.

Address: V.Milano Nº 62 - Rome -

8. It is certified that these supplies and stores are required for (URGENT) (NORMAL) (STOCK PILING) purposes. (Strike out words not applicable).

Date: 26 October 1944

Signature: Peter F. Natale 2nd Lt, C.E.

A. M. ENGINEERING SECTION 538 ELECT. MECH. SEC

Rank, Title, Office: Lt. Wade Brown R

9. REGIONAL APPROVAL: For Regional Engineer Title Lt.Col.R.E. Date Chief E&M Sectio

CITY DATE

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) JUSTIFICATION

Material urgently needed for the reconstruction of Castelmadama hydro-electric Power Plant . Required for bindings of the wrought irons of reinforced cement used for the various rebuilding works of the Plant.

As these works are of greatest importance for the rehabilitation of this Plant and necessary for improved Electric Power Supply to Rome allotment of these materials is an urgent matter.

Declassified E.O. 12356 Section 3.3/NND No. 785019

URGENT

ELECTRICITY

30 OCT Recd

copy to : G-1178

P.W.&U. SC
Electrical Section

HEADQUARTERS att.n
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

169/26/10 P

Date: 26 October 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG~~/FACC~~ FORMATION LAZIO-UMBRIA REGION . Engineering Division
3. COMMODITY DEMANDED IRON WIRE (annealed)
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: 1 ton
(b) Next Month:
(c) Second Month:
(d) Third Month:
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located? yes
(b) If locally - Where? Industrie Prodotti Siderurgici-Pozzo delle Cornacci
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? 17
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
7. ADDRESS FOR DELIVERY:

CASTELNADANA
Power Station

Consignee: A.C.E.A.
Address: V. Milano 62 -Rome-

8. It is certified that these supplies and stores are required for (URGENT) (NORMAL) (STOCK PILING) purposes. (Strike out words not applicable).
Date: 26 October 1944 Signature: Peter F. Natale
Lt. WADE BROWN, R.
Rank, Title, Unit

ENGINEERING DIVISION
ELECT. MECH. SECTION

9. REGIONAL APPROVAL 2nd Lt. C.E. Title Lt. Col. R.E. Date Chief Elec Sect.
for Regional Engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: IRON WIRE (annealed)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: 1 ton
(b) Next Month:
(c) Second Month:
(d) Third Month:

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located? yes
(b) If locally - Where? Industria Prodotti Siderurgici-Pozzo della Cornacci 17
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

CASTELNADANA
Power Station

Consignee: A.C.E.A.
Address: V. Milano 62 -Rome-

8. It is certified that these supplies and stores are required for (URGENT) (NORMAL) (STOCK PILING) purposes. (Strike out words not applicable).
Date: 26 October 1944 Signature: Peter F. Natale
Rank, Title and Unit: Lt. WACS BROWN, R. ELECT. MECH. ENGR. SEC. OFFICER

ENGINEERING DIVISION
NOTICES
Date
CITY
DATE

9. REGIONAL APPROVAL 2nd Lt. C.E. Title Lt. Col. R.E. Chief Engr Sect
For Regional Engineer

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. Our Release Order No.
Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) JUSTIFICATION

Material urgently needed for the reconstruction of Castelmadama hydro-electric Power Plant. Required for bindings of the irons of reinforced cement used for the various rebuilding works of the Plant.

As these works are of greatest importance for the rehabilitation of this Plant and necessary for improved Electric, Power Supply to Rome allotment of these materials is an urgent matter.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj. Price P.W.O. xv. S/C 8th fl. 8 21mm

Cement C 311 (11/9 - 50 tons)
C 338 (20/9 - 15 tons)
C 337 (20/9 - 300 tons) R/O 14 91 15th tons

Permitt for Tons 300

Iring reforcing C 203 (11/9 - 5 tons) R/O 14 25

Accumulated iron wire C 202 (11/9 - 200 kgs) next

Metal ropes C 204 (15/9 ø mm. 8 kgs 300
ø " 20 " 100.
C 207 (20/9 ø mm. 12 kgs. 1100
ø mm. 27 " 400.

Nails C 206 (15/9 ø mm. 15 kgs 200 ø mm. 30 kgs 300)
C 266 (20/9 1,500 Tons)

next
C 259 (20/9 Kgs 1.000)

Sulphuric acid D 63 (23/9 Kgs. 100 next

Iron reinforced C 211 (21/9 Kgs 30.000) R/O 14 26 rel. 14,5 tons

Hemp Ropes F 24 (20/9 ø mm. 25 Kgs. 500)
F 25 (15/9 ø mm. 30 Kgs. 500) R/O 14 52

Calcium carbide E 31 (11/9 Kgs. 300)
E 32 (20/9 Kgs. 300)
E 34 (20/9 Kgs. 500) next 1 Ton
E 35 (23/9 ~~Kgs.~~ Tons. 5)

Oxigen = 158 (11/9 cm. 80) 16 cyl.?

Hydrogen M.C. 200 (11/9 cm. 60) uncontrolled
M.C. 206 (20/9 cm. 60) n.c.
Hydrochloric acid M.C. 200 (23/9 Kgs 100) n.c.
Tarred card board M.C. (16/9 sq mts 200) n.c.

558

Commerce
Ind. Comm.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGP/bs 116

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACA/305/PWU

26/10/44

SUBJECT :- YOUR MAT 10 OF 12/8/44

TO :- Regional Commissioner
Lazio Region
(Att. Lt. Wade Brown)

1. Herewith release order no.1539 dated 23 Oct.44 in respect of

12.000 Bolts (varying sizes)

demanded by you on 12 Aug.1944.

2. Please pass this release to ACEA as soon as possible.

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

Enc. Release No.1539

5587

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

G-148

Date: 12 AUGUST 44

1. DEMAND FOR ~~CONTROLLED~~ MATERIALS.
2. AMG/ACC FORMATION: 2nd Keyston IV TOU DIV.
3. COMMODITY DEMANDED: Bolts
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: Ap. 12.000
(b) Next Month:
(c) Second Month:
(d) Third Month:
5. JUSTIFICATION: (Detail this information on back of Form). For maintenances and repairs
6. SOURCES OF SUPPLY (if known). Give particulars: Rome Power Co.
(a) Has Material been located?
(b) If locally - Where? NO
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: Azienda Comunale d'Elettricita' ed Acque
Unknown
7. ADDRESS FOR DELIVERY:
Same Via Ostiense 107
Rome
Consignee: ACEA
Address: Via Milano 62
Rome
8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).
Date: 12 AUGUST 44
Signature: Lt. Arch. Rep
Lieut. A.C. Rank, Title, Unit 332 E.M.SQN

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: Cables

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: Mt. 12.000

(b) Next Month: .....

(c) Second Month: .....

(d) Third Month: .....

.....

5. JUSTIFICATION: (Detail this information on back of Form). For maintenances and repairs

6. SOURCES OF SUPPLY (if known). Give particulars: Rome Power Co.

(a) Has Material been located? NO

(b) If locally - Where? .....

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....

.....

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: Azienda Comunale Elettricità ed Acqua

Unknown

7. ADDRESS FOR DELIVERY:

Same Via Ostiense 192

Rome

Consignee: AMA

Address: Via Milano 62

Rome

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 14 August 44 Signature: Lt. Col. Rome

Lieut. Col. Rank, Title, Office A.A.S.C.2

9. REGIONAL APPROVAL: Lt.Col.Birchett Title: Dir. ACC Div. Date: 14 AUGUST 44

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. ..... Our Release Order No. 1539

Date: ..... Date: 23 October

REMARKS: .....

.....

.....

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

G-148

Declassified E.O. 12356 Section 3.3/NND No. 785019

Bolts	I/2"	- Mesure 40 - 60 - 80 mm.	under the head		Nº.2.000
"	3/4"	- "	"	"	Nº.2.000
"	5/8"	- "	"	"	2.000
"	I"	- "	"	"	I.000
"	I"	I/4" "	"	"	I.000
"	I"	I/2" "	"	"	I.000
"	I"	3/4" "	"	"	I.000
"	2"	"	"	"	I.000
Nails of various mesure and shape				.....	TONN. 3,5
Bolts with nut		ø 7/5"	length mm.	II0 under the head	Nº.I00
"		ø 7/8"	"	90 "	I00
"		ø 3/4"	"	II0 "	I00
"		ø 5/8"	"	70 "	300
"		ø I/2"	"	60 "	300

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGF/ps

MEMORANDUM

ACC/305/PWU

25 October 1944

SUBJECT: -MATERIAL FOR ROME POWER STATIONS.

TO :- COMMERCE SUB- COMMISSION

FROM :- PUBLIC WORKS & UTILITIES SUB-COMMISSION

1. The diesel engines of the Montemartini Power Station Rome are now out of commission, under-going complete overhaul, which overhaul is being carried out by specialists of Tosi Company who have been loaned to this sub-Commission for a limited period.

2. Spare parts and some materials has been obtained through Military and Naval sources but there still remains certain material that will have to be furnished before the engines can be put into operation.

3. Will you please make every effort to locate the material required (see attached list) as early as possible. It is suggested that some of this material may be available through Royal Engineer channels and/or ordinance.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

Encl. List

5589

Declassified E.O. 12356 Section 3.3/NND No. 785019

(15)

LIST

1.	Rubberised asbestos (Jones Platte) rectangular 15 x 10 mm	mt.	300
2.	Graphited asbestos rectangular 15 x 10 mm	"	150
3.	Rubber circular : diam 10 mm	"	25
4.	" " " 12 "	"	10
5.	Sheet copper thickness 1 mm size 1 mt x 1 mt	sq.mt.	12
6.	Aluminised leather, thickness 3 mm	Kg.	12
7.	Antifriction metal (white metal) Type A.Tosi	"	600
8.	German Silver for welding	"	5
9.	Injection valves springs -outside diam of coils 80 mm -diam steel wire 6 mm - length of spring 473 mm -number of turns 17 -Tension 30 Kgs.	no.	20

5574

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LDE/ns

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities sub-Commission
Electrical Section
APO 394

ACC/305/PWU

25/10/44

SUBJECT : WORKS OF REPAIR AND RESTORING
ELECTRICAL APPARATUS AND MACHINE

TO : A.C.E.A.
Via Milano 62-Roma

1. Reference your letter no.6561 dated 17 oct.1944.

2. At the conference between your Eng. Orazi, Major Bell and Eng. Errera, Eng.Orazi was asked the dates that A.C.E.A. would like to have the Terni Steel works complete their part of the rehabilitation of Castelmadama, Mandella, and Palizano. These dates were February 15, March 15, and April 15, therefore the Terni steel works were contacted and these dates (in general) agreed upon.

3. The pattern shop of Terni Steel works have started work on Castelmadama and Mandela. They are hampered however by a shortage of lumber, an item that ACEA promised to furnish for the above projects. It this lumber is forthcoming in the very near future, the completion dates mentioned above can be revised upward another month.

4. The priority of work in the Terni Company has been set by this office, hence the Terni Company is not at liberty to accept or reject terms as set by the ACEA except through this office.

5. With regard to supplies, it has been ascertained that all your demands have been passed through the Regional Commissioner Lazio Regio (Region IV) and that certain material has in fact been released to you. This Sub-Commission is taking steps to have released to you as soon as possible all outstanding items.

557

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bg

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/105/PWU

25/10/44

SUBJECT:- YOUR MAT 10-No.130/22/9

TO :- Regional Commissioner
Lazio Region

1. Herewith release order no. ACC.1491 dated 20/10/44 which is for a portion (154 Tons) of the 300 Tons demanded by you on 20 Sept. 44.

2. It is very important that this release be passed to A.C.I.A. as soon as possible since work of rehabilitation on electrical plants is held up through lack of cement.

3. This Sub-Commission is pressing for the release of all ACIA outstanding items.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

Encl. Release no.1491.

5577

URGENT ELECTRICITY

130/22/9

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

C-337

Date: 20 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. ~~AMG~~/ACC FORMATION: Region IV - Engineering Division
3. COMMODITY DEMANDED: Cement (type 500)
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: 330 tons.
   (b) ~~Next Month~~:
   (c) ~~Second Month~~:
   (d) ~~Third Month~~:
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? Yes
   (b) If locally - Where? Consorzio Italiano Leganti Idraulici-132 V.del Trito: Roma
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? Cementeria di Spoleto - Cementeria di Civitavecchia
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
7. ADDRESS FOR DELIVERY:
   Salisano hydro-electric plant
   M.R. Sheet 17 A 95-5
   Consignee: A.C.C.A.
   Address: Via Milano N° 62 - Roma -
8. It is certified that these supplies and stores are required for (URGENT), (~~NORMAL~~), (~~STOCK PILING~~) purposes. (Strike out words not applicable).
   Date: 20 September 1944
   Signature:
   A.M.G. REGION IV
   Lt. WADE BROWN
   ENGINEERING DIVISION
   Rank, Title, Office: Chief, [illegible] Section

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. ~~AMG~~ACC FORMATION .....

3. COMMODITY DEMANDED Cement (type 500)

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 330 tons.

(b) ~~Next Month~~:

(c) ~~Second Month~~:

(d) ~~Third Month~~:

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? Yes

(b) If locally - Where? Consorzio Italiano Leganti Idraulici-132 V.del Trito: Roma

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

Cementeria di Spoleto - Cementeria di Civitavecchia

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Salisano hydro-electric plant

M.R. Sheet 17 A 95-5

Consignee: A.C.E.A.

Address: Via Milano N° 62 - Roma -

8. It is certified that these supplies and stores are required for (URGENT). (~~NORMAL~~), (~~STOCK PILING~~) purposes. (Strike out words not applicable).

Date: 28 September 1944 Signature:

A.G.C. REGION IV
Lt. WADE BROWN
Rank Title Office
Chief Book Section

9. REGIONAL APPROVAL Title Lt.Col.R.E. Date

Regional Engineer ACC/IV

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. 5575

Our Release Order No. 11,91

Date: 20 October

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

C-337

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) JUSTIFICATION

Material urgently required for rehabilitation of one unit of SALISANO Hydro-electric plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LDP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/305/PWU

25/10/44

SUBJECT:- EXEMPTION FROM MILITARY SERVICE

TO :- A.C.C.A.
Via Milano 62-Roma

1. Herewith 3 exemption certificates in respect of :-

Pandolfi Giorgio
Protetti Guido
Suriano Nicola

2. Please acknowledge receipt.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

Encl. 3 certificates.

5573

Declassified E.O. 12356 Section 3.3/NND No. 785019

Subject:- Exemption from Military Service.

25 OCT Recd

104 C.R.E.WORKS
C.M.F.
Tel: 66023-4-5
Ref: CRE/ADM/80.
25 October 44

To:- Public Works and Utilities
Sub-Commission, A.C.C.

Herewith 3 Exemption Certificates in respect of employees of the A.C.E.A.

Pandolfi Giorgio
Protetti Guido
Suriano Nicola

DM/LV.

(D.A.CAMERON)
Capt.RE & Adjt.
104 C.R.E.Works

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/305/PWU

25/10/44

SUBJECT:- CARBON BRUSHES

TO :- A.C.I.A.
Via Milano 62 -Rome

1. Reference your letter no.6592 dated 18 oct.44 to:-
Societa per i Forni Elettrici e l'Elettrocarbonium
Narni Scalo
regarding carbon brushes.

2. We have investigated your complaints regarding manufacture, directly with the above mentioned Societa and the Societa have assured us that the defects will be remedied and that the remainder of your order in being executed. In the meantime, 24 (twenty four) brushes will be dispatched to you to arrive by the 30th Oct. in order that you may test out the new design.

3. Should you meet with further difficulties, please advise us.

E.J. BARRY
MAJOR C.E.
Act.Chief Elect.Div.

5574

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

129

Fili 305

N. 6744
(da citare nella Risposta)

ROMA, (103) 24 OTT. 1944 Anno XX
VIA MILANO, 62

HEADQUARTERS
LAZIO-UMBRIA REGION AMG
Engeneering Division - APO 394
R O M A
Corso d'Italia 25

e p.c.

HEADQUARTERS - Allied Control Commission
R O M A
Via Veneto

Ci occorre d'urgenza l'assegnazione del materiale di ferro quì sotto specificato :

ferro a	C	da	h = 200 mm.	ml.	7,00	peso complessivo	Kg. 180-
"	" C	"	h = 240 mm.	"	2,80	" "	" 95-
"	" C	"	h = 300 mm.	"	1.00	" "	" 50-
"	" L	"	120 x 140 "	"	1.00	" "	" 35-
						Totale	Kg. 360-

Detto materiale, occorrente per la ricostruzione del carrello e dell'intelaiatura di un trasformatore di Castelmadama, ci risulta acquistabile presso la Ditta Fratelli FRANCHI Via Sicilia 180, ove si trova sotto il controllo dell'Autorità Alleata.

IL DIRETTORE
f.to Ing. Aggelucci
337

URGENT ELECTRICAL

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

MAJOR WOOD

Date: 21/ 10/ 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION ~~PUBLIC WORKS & UTILITIES SUB COMMISSION~~

3. COMMODITY DEMANDED ~~CHANNELS AND ANGLES~~ (see over) (Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 360 kgs.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5 JUSTIFICATION: (Detail this information on back of Form). see over

6 SOURCES OF SUPPLY (if known). Give particulars: Ditte Fratelli FRANCHI

(a) Has Material been located? Via Sicilia 180 -Roma

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: ACEA

Address Via Milano 62

ROMA

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Date : 24/ 10/ 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS & UTILITIES SUB COMMISSION

3. COMMODITY DEMANDED CHANNELS AND ANGLES (see over)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 360 Kgs.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5. JUSTIFICATION: (Detail this information on back of Form). see over

6. SOURCES OF SUPPLY (if known). Give particulars: Ditta Fratelli FRANCHI

(a) Has Material been located? Via Sicilia 180 -Roma

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: ACEA

Address Via Milano 62

ROMA

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: Signature: L Otnes

Rank, Title, Office Major RE
Electrical Section-PW&U.Sub.Comm

9 REGIONAL APPROVAL Title Date:

5572

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

PARTICULARS :- Shaped Channels

200 mm x 7 metres	Kgs. 180
240 mm x 2.80 metres	" 95
300 mm x 1.00 metres	" 50

Angles

140 x 140 mm x 1 metres	35
Total	Kgs 360.-

JUSTIFICATION :- Urgently required for the rehabilitation of Sub Station Castelmadama.

Declassified E.O. 12356 Section 3.3/NND No. 785019


SARACINESCHE NORMALI PER ACQUA A CORPO PIATTO

(Pressione esercizio 10 atm. - Pressione prova 20 atm.)


AG 63


ESECUZIONE: secondo la fig. 1 fino a 110 m.m.; secondo la fig. 2 oltre 110 mm. di passaggio.
CORPO E COPERCHIO in ghisa a sezione ovale; CUNEO di chiusura in ghisa.
ALBERO FILETTATO in metallo Muntz stampato fino a 150 mm. di passaggio; in bronzo o metallo Muntz oltre 150 mm.; MADREVITE in bronzo.
ANELLI DI TENUTA nel corpo e nel cuneo in ottone.
BUSSOLA del premistoppa in ottone.

Cromatura a caldo internamente ed esternamente.



1







2

DIAMETRO DEL PASSAGGIO d		FLANGE		ALTEZZA SENZA ACCESSORI		DIAMETRO VOLANTINO mm.
mm.	pollici	Diam. D mm.	Distanza L mm.	dalla mezzeria mm.	Totale mm.	
60	2 1/2	175	260	270	360	150
80	3	200	280	330	430	170
100	4	230	300	375	490	170

Declassified E.O. 12356 Section 3.3/NND No. 785019



1



2

Diametro del Passaggio d		Flange		Altezza senza accessori		Diametro Volantino mm.
mm.	pollici	Diam. D m.m.	Distanza L mm.	dalla mezzeria mm.	Totale mm.	
60	2½	175	260	270	360	150
80	3	200	280	330	430	170
100	4	230	300	375	490	170
125	5	260	325	420	555	225
150	6	290	350	480	630	225
200	8	350	400	590	770	350
250	10	400	450	750	960	375

5571

N.B. - Flange forate secondo la Dima Internazionale.
Alberi con filettatura sinistra (chiusura nel senso dell'orologio)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Tosi

Roma, 22/10/1944

30

NOTA SUL VIAGGIO DELL'ING. RUGGIO A TARANTO PER CONTO DELL'A. C. E. A.

Al mio arrivo a Taranto, l'11 corr., il Commodoro Powell trovava=si assente perchè in missione a Roma. Nessuno degli Ufficiali da lui dipendenti si è inteso in grado di assumere decisioni sull'oggetto delle mie richieste per cui ho dovuto attendere il rientro dell'Ammiraglio Powell avvenuto nel pomeriggio di lunedì 16. Precedentemente al mio incontro l'Ufficiale era stato informato dello scopo della mia missione. Egli, pur riconoscendo le gravi necessità di Roma nella questione dell'energia elettrica, ha dichiarato che i lavori di riparazione al naviglio militare Alleato assumono importanza maggiore e precedenza assoluta per cui, malgrado le mie più vive preghiere, si è dichiarato non favorevole all'allontanamento da Taranto di operai meccanici specializzati. Ad una decisione del genere il Commodoro Powell era stato comunque orientato dal Comandante Jmms col quale avevo in precedenza trattato.

L'Ammiraglio, che nell'occasione erasi dimostrato estremamente gentile, si è dichiarato disposto a favorirci - nei limiti del possibile - nella richiesta di materiali ed ha disposto in tal senso. In conseguenza di ciò mi era stata assicurata la consegna del 10% del materiale in amianto gommato e graffitato di cui alla nota dell'A.C.E.A.; ci venivano inoltre assicurati i fogli di alingherite da 3 mm. di spessore; parte del rame in fogli ed il totale quantitativo del materiale antifrizione e cioè i 600 Kg. del notamento succitato.

All'atto del ritiro dei materiali, le guarnizioni di amianto non 5579
però
vennero consegnate in quanto si disse che i magazzini Alleati ne erano del tutto sforniti; Il rame in fogli era di dimensioni ristrette per cui il Cantiere Tosi lo sostituì con egual peso in fogli da 1 x 2 metri.

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Per quel che si riferisce al metallo antifrizione non sono riusci=
to a spiegarmi quanto avvenuto. Dal gestore di magazzino vennero in un
primo tempo fatti caricare sul camion circa 1.100 Kg. di metallo bian=
co in pani, vale a dire un quantitativo quasi doppio di quello richie=
sto; senonchè all'atto della partenza del camion, un Ufficiale Inglese
dette ordine di scaricare interamente il metallo bianco dichiarando che
i magazzini Alleati non potevano cederlo per scarsa disponibilità.

L'episodio, avvenuto poche ore prima della partenza, alla sera del
mercoledì, e quando già i magazzini del R. Arsenale erano chiusi, ha im=
pedito che mi approvvigionassi di qualche centinaio di Kg. di metallo
antifrizione del tipo adottato in Marina e che in realtà è sostanzial=
mente differente dal metallo bianco da me richiesto.

Il R. Arsenale ci ha fornito guarnizioni circolari di gomma e qual=
che Kg. di cuoio all'allume. Ho eseguito lunghissime ricerche per le
molle da valvole di iniezione non riuscendo a trovarne della lunghezza
di 473 mm. necessarie ai motori dell'A.C.E.A. Mi ero approvvigionato
di circa 200 metri di trafilato per molle che avrebbero potuto essere
costruite a Roma senonchè ad un controllo eseguito pochi minuti prima
della partenza constatavo che per un errore del gestore di magazzino,
anzichè acciaio armonico era stato dato del comune trafilato non rispon=
dente allo scopo. Ho lasciato a Taranto detto materiale perchè venga re=
stituito alla Marina.

Del rimanente materiale, il Cantiere Tosi ha fornito tutto quanto gli
era possibile ed anche con un certo sacrificio considerato che si è di=
venuti gelosissimi delle proprie scorte e per nulla disposti a decur=
tarle.

Mi è stato riferito che le guarnizioni di amianto gommato e grafi=
tato possono essere rintracciate a Napoli acquistandole a prezzi di
mercato libero. In tal senso l'A.C.E.A. potrà fare le ricerche del caso,
ben disposto ad interessarmi della cosa se ne ricevessi l'incarico. Per
lo scopo potrò richiedere l'aiuto del Ministero Marina che potrebbe a=

5569

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Tosi

gevolarmi nelle ricerche a mezzo degli organi di Maricost-Napoli.

Per quel che si riferisce all'elettore, non è più possibile disporre di quello in precedenza segnalatoci per ragioni di carattere militare. Il Direttore di Maricost-Taranto si è però molto gentilmente occupato ancora della questione riuscendo a trovare disponibile un elettore appartenente alla torpediniera "LINCE" che trovasi, sinistrata di guerra, in una località della costa. E' stato disposto perchè l'elettore venga smontato e trasportato a Taranto donde potrà successivamente, dopo verifica, essere inoltrato a Roma. A tal proposito verranno presi opportuni accordi con la Direzione dell'A.C.E.A.

Il sig. Martegani non è rientrato con me a Roma in quanto piuttosto malandato in salute a causa dei disagi del viaggio ed anche perchè il non completo approvvigionamento dei materiali non gli ha fatto ritenere urgente la sua presenza a Roma.

Dopo il colloquio col Commodoro Powell e seguendo le istruzioni avute dal sig. Magg. Barry all'atto della partenza, ho avvicinato il Col. Turner dell'A.C.C. di Taranto al quale ho consegnato la lettera ricevuta dallo stesso Magg. Barry. Il Col. Turner si è molto rincresciuto delle decisioni prese dal Commodoro Powell dichiarando che sul momento sarebbe stato ben difficile modificarle.

Da alcuni Funzionari dell'A.C.C. e dal Royal Navy di Taranto, come del resto dallo stesso Commodoro Powell, mi è stato detto che qualora le Autorità di Roma interessassero il Comando in Capo del dell'A.C.C. e dei materiali
Mediterraneo circa la cessione di operai, sarebbe assai probabile un risultato favorevole. Anche al riguardo tratterò verbalmente con le Autorità dell'A.C.C. di Roma e con la Direzione dell'A.C.E.A.

5562

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Tosi

Poichè il viaggio di andata è stato quanto mai disagiato per le condizioni atmosferiche in cui è avvenuto essendo l'automezzo del tutto aperto, ho vivamente pregato l'A.C.C. di Taranto di provvedermi di un qualunque tendone col quale proteggere alla meglio il personale ed i materiali. L'A.C.C. riteneva invece competente della cosa il Royal Navy. Malgrado il mio vivo interessamento, la richiesta avanzata non ha avuto esito.

Analogamente non ho potuto ottenere dall'A.C.C. di Taranto una lettera raccomandatizia per l'A.C.C. di Foggia onde ottenere ricovero notturno durante la sosta dell'automezzo. Così pure risultato negativo ha ottenuto la mia richiesta di apporre sul permesso di viaggio dell'autista Cooc una postilla che giustificasse il ritardo nel rientro a Roma, ritardo motivato dall'assenza da Taranto del Commodoro Powell. L'autista Cooc ligio ai termini del permesso intendeva assolutamente partire allo scadere di esso.

Sono pertanto vivamente meravigliato che questioni così semplici e di ordinaria amministrazione siano apparse alle autorità Alleate di Taranto di difficile attuazione.

Il viaggio di ritorno è stato ancora più disagiato di quello dell'andata. L'autocarro appena ad una quarantina di Km. da Taranto ha avuto una grave avaria all'asse di trasmissione per cui, malgrado i tentativi fatti non ha potuto essere messo in efficienza. E' stato pertanto necessario imbragarlo con un carro attrezzi e trasportarlo a Roma a rimorchio.

In tutto il viaggio sia di andata che di ritorno l'unica assistenza è stata fornita dal Comando dell'Areoporto di Gioia del Colle al quale solo spetta il merito di aver avuto considerazione delle condizioni di viaggio offrendo con generosa larghezza gli aiuti del caso.

Al rientro a Roma l'autista Cooc, malgrado ripetutamente pregato,

./.

5567

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Sosi

non ha voluto assolutamente sostare per breve tempo presso la sta= zione elettrica di S. Paolo recandosi invece al posteggio principa= le alleato in Piazza Verdi.

Dopo un viaggio effettuato nelle peggiori condizioni l'aver dovu= to scaricare in piazza Verdi (Sede dell'autoparco principale Alleato) il materiale su un autocarro fortunatamente fornito dall'A.C.E.A. ha costituito un altro gravoso disagio che un minimo di comprensione a= vrebbe eliminato.

- - -

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Tosi

ELENCO DEI MATERIALI RICERCATI A TARANTO PER ASSICURARE L'ESERCIZIO CONTINUATIVO DEI MOTORI DIESEL M.D.1C. TOSI DELLA CENTRALE MONTEMARTINI IN ROMA

OGGETTO	ALLEATI	R.MARINA	TOSI	Materiale assicurato per mt.	Supplied by R. Navy.
Amianto gommato Janes Platte). Guarnizione rettangolare 15x10 mm. (Campione 1) mt. 300	–	–	–	mt. 300	
Amianto grafitato. Guarnizione rettangolare 15x10 mm. (Campione 2) ..... mt. 150	–	–	–	mt. 150	30 lbs.
Gomma. Guarniz. circolare diam. 5 mm.	–	–	100%	—	50 mt
Gomma. " " " 8 "	–	–	100%	—	60 mt
Gomma. " " " 10 "	–	25%	50%	mt. 25	50 mt
Gomma. " " " 12 "	–	80%	–	mt. 10	6 yds
Gomma, con interposta tela da mm. 2	–	–	100%	—	45 sq mt
" " " " " mm 3					3 " mt
Klingerite da mm. 1, 2 fogli 1x2 ml.	–	–	100%	—	2 sheets
" " " 2, 4 " " "	–	–	100%	—	2 sheets
" " " 3, 2 " " "	100%	–	–	—	56 lbs
" " " 4, 2 " " "	–	–	100%	—	2 sheets
Rame, fogli spessore mm. 1, dimensioni 1x1	25%	–	15%	sq.mt. 12	5 sheets.
Cotone pressato, dimensioni 15x15 mm.	–	–	100%	—	25 Kgs.
Cuoio all'allume, spessore mm. 3	–	20%	–	Kg. 12	
Metallo antifrizione, (tipo A Tosi)	–	–	–	Kg. 600	(500 Kgs)
Tubi di rame, diam.int. 40 mm., est. 50 mm.	–	–	100%	—	20 mt
Argentana per saldatura	–	–	–	Kg. 5	
Verga in ottone per saldatura	–	–	100%	—	
Cuscinetti a sfere, diam.est. 62 mm., int. 30 mm., spessore 16 mm.	–	–	100%	—	
Molle per valvole iniezione diam. medio 30 mm., diam. filo 5 mm., lunghezza molla libera 473 mm.	–	–	–	N° 20	

Maj. Price

INSPECTION OF ACQUORIA PLANT

22 OCT. 1944

Representatives: Terni Co. Ing. De Gasperi
A.C.C. Capt. Vannoy and Ing. Errera
S.R.E. Ings. Corbino and Guciani.

160 M. HEAD SECTION.

The castings of one unit of the "high head" plant were inspected. S.R.E. is to transport the pieces to Terni where drawings will be made with the assistance of S.R.E. engineers. After the drawings are completed it will be necessary to establish priorities to begin work on the castings.

The generators are badly damaged and will be difficult to repair. This section appears to be a long term proposition and does not at the present time warrant the granting of priorities.

100 M. HEAD SECTION

The damage to this section of the plant is fairly complete. Eng. Corbino believed one alternator can be salvaged from the parts of all. He does not know where a turbine may be obtained. However, he mentioned one located in Sardinia.

50 M. HEAD SECTION

The turbine and generator removed from Ceprano are being installed. After installation the generator will have to be dried out. This work is progressing according to schedule and will be ready for operation 15 Dec. 1944.

No difficulties in this work were voiced and all materials are on hand or arrangements have been made.

550

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA GOVERNATORIALE
ELETTRICITÀ ED ACQUE

6605

To: HEADQUARTERS
LAZIO-UMBRIA REGION AMG
(Engineering Division)
E.& M. Section
APO 394
Corso d'Italia 25 R O M E

e p.c.
To: Maj.PRICE ←
Allied Commission
Via Veneto R O M E

Rome 19th October 1944

Prot. int. N. 112

Con riferimento alla Vs/ lettera in data 10 ottobre 1944 ACC/306/PWU, Vi comunichiamo che il fabbisogno di questa Azienda è di n° 100 (cento) lampade elettriche portatili, complete di batterie di ricambio.

IL DIRETTORE

5562

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGF/be

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/305/PWU

19/10/44

SUBJECT: - HYDRO CHLORIC ACID

TO : - A G E A
Via Milano,42-Roma

1. Reference your application for:

200 Kgs of Hydro Chloric Acid
this commodity is not controlled by any Allied organisation and you may purchase direct from any available source.

E.J.BAILEY
Major C.E.
Act.Chief Elect.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A.C.E.A.

6592/

18 Oct,1944

TO SOCIETA PER I FORNI ELETTRICI E L'ELETTROCARBONIUM

NARNI SCALO

and for knowledge to ACC. PUBLIC WORKS & UTILITIES
SUB COMMISSION

Att. Major Barry

ROME

We beg to inform you about some defects we found in the first set of 100 brushes for three-phase motor at varying speed size 25 x 28 x 7. which is included in the order of 1000 remitted you with our letter of the 7th October last no. 6133.
(1) Defect in the quality of carbon for which excessive fragility the brush spoils by use.
(2) Defect between the copper feed and the carbon, the copper feed comes out from its housing for the breaking of the brush corner in which is attached the housing.

(3) Defect in the lugs, they get broken with extreme facility at the root of the folding past which locks the copper feed.
(4) Defect in the insulation patch, this not supported by the dove-tail, but only stuck on, it comes out with extreme facility. The above mentioned defects put the brushes out of use after a few hours of operation.

Therefore we ask you to provide for the elimination of fore said defects in the manufacting of the 900 brushes that still have to be delivered and to have the brushes the same as the semple handed to you which attained exactly the aim.
We eclose some worn out brushes so you can realise better what we have above mentioned.
Please inform us of action taken.

Signed....

Testing Tuesday 31/10/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE
AZIENDA ~~GOVERNATORIALE~~
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni dello Stato: 43.543 - 43.544
Conto Corrente Postale: 1/2902

Prot. N. 6592
(da citare nella Risposta)

ROMA, (103) 18 OTT. 1944 Anno XX
VIA MILANO, 62

Spett. Società per i Forni Elettrici
e l'Elettrocarbonium
NARNI SCALO

e p.c. A.C.C. Ufficio Lavori Pubblici
Major Barry - Via Veneto p.no 8^
R O M A

Con la presente Vi informiamo di alcuni difetti che abbiamo riscontrato sul primo lotto di 100 spazzole per motore trifase a velocità variabile, dimensioni 25x28x7, facente parte dell'ordinazione di 1000 passatavi con n/ lettera del 7 Ottobre 1944 n° di prot. 6133.

1^ difetto nella qualità del carbone manifestantesi in una eccessiva fragilità per la quale la spazzola si sbriciola con l'uso.

2^ difetto nell'attacco della treccicla al carbone: la treccicla esce dal suo alveolo causa la rottura dell'angolo della spazzola in cui l'alveolo è praticato.

3^ difetto nei capicorda: essi si spezzano con estrema facilità in corrispondenza alla radice della parte piegata che serra la trecciola.

4^ difetto nella piastrina d'isolamento: questa, non mantenuta da coda di rondine, ma sola incollata, si distacca con estrema facilità.

I difetti di cui sopra rendono le spazzole inutilizzabili dopo poche ore di funzionamento.

Vi preghiamo pertanto di voler provvedere, nella confezione delle 900 spazzole ancora da consegnare, ad eliminare i suaccenna

./.

5554

cennati difetti ed a rendere le spazzole conformi al campione, da noi rimessovi, che corrispondeva in modo perfetto allo scopo.

Uniamo alla presente qualche spazzola deteriorata onde possiate meglio rendervi conto di quanto esposto.

Vi preghiamo di darci cortese assicurazione circa i provvedimenti che adotterete.

IL DIRETTORE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

26 OCT Recd 30/10 P.W+U 13720 File

FROM:- THE COMMODORE SUPERINTENDENT, DOCKYARD, TARANTO.

DATE:- 17th October, 1944. No. 14/961.

TO:- HEADQUARTERS, ALLIED CONTROL COMMISSION, PUBLIC WORKS AND UTILITIES SUB-COMMISSION.
(Copy to:- The Commander-in-Chief, Mediterranean Station, The Flag Officer, Taranto & Adriatic, Liaison Italy, with copies of Headquarters, Allied Control Commission, Public Works and Utilities Sub-Commission's letters No. ACC/305/PWU dated 5th October, 1944 and 9th October, 1944).

REPAIRS TO POWER STATION, ROME.

With reference to your letter No. ACC/305/PWU dated 9th October, 1944, the stores in attached list have today been released for use at Rome Power Station.

2. The release of 10 further engineers is quite impossible without Commander-in-Chief, Mediterranean's approval. The absence of those already gone has delayed a ship.

3. The ten men in your list (paragraph 3) are not Diesel experts, they are just "fitters" and I feel sure there must be 10 equally qualified men in Rome or some other place not engaged in ship repairs.

HEADQUARTERS 25 OCT 1944 A. C. C.

Lowell

555

COMMODORE SUPERINTENDENT, TARANTO.

Declassified E.O. 12356 Section 3.3/NND No. 785019

STORES RELEASED FOR ROSE POWER STATION

Rubber, circular jointing, mm. 5 diameter.	....	50	metres.
Rubber, circular jointing, mm. 8 diameter.	....	50	metres.
Rubber, circular jointing, mm. 10 diameter.	....	50	metres.
Rubber, inside canvas, mm. 2.	....	4	sq. metres.
Rubber, inside canvas, mm. 3.	....	3	sq. metres.
Klingherite, mm. 1, size m. 1 x 2.	....	2	sheets.
Klingherite, mm. 2, size m. 1 x 2.	....	2	sheets.
Cotton, greased, size 16 x 16 mm.	....	25	Kilogrammes.
Copper piping, internal diameter mm. 40, external diameter mm. 50.	....	20	metres.
Brass rods, welding.	....	10	Kilogrammes.
Ball bearings, external diameter 62 mm.	....	)	
Ball bearings, internal diameter 30 mm.	....	)20	in all.
Ball bearings, thickness 20 mm.	....	)	
Klingherite, mm. 4, size m. 1 x 2.	....	2	sheets.
Asbestos graphite jointing 5/8".	....	30	lbs.
Rubber strip round 1/2".	....	5	yards.
Klingherite, 3 mm.	....	56	lbs.
Metal antifriction (white metal)	....	10	cwt.
Copper sheet 1 mm. (32 W.D.G.).	....	5	sheets.

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMUNALE
AZIENDA [illegible]
ELETTRICITÀ ED ACQUE

Indirizzo telegrafico: AGEA - Roma
Telefoni della Stato: 43.543-43.544
Conto Corrente Postale: 1/2902

29

Prot. N. 6561

ROMA, (165) Anno XX...
VIA MILANO, 62

17011

All'HEADQUARTERS ALLIED CONTROL COMMISSION
R O M A
Via Veneto

1. Con riferimento alla conversazione avuta con il Sig.magg.Bell e dal Sig. Ing. Errera di codesto Ufficio con il nostro Ing.Orazi, Vi comunichiamo i termini da noi previsti per l'approntamento delle Centrali danneggiate, per quanto riguarda i lavori di riparazione e ripristino delle strutture murarie, delle apparecchiature elettriche e del macchinario elettrico :

Castelmadama	15 febbraio 1945
Mandela	28 febbraio 1945
Salisano	31 maggio 1945

2. Per le centrali di Castelmadama e Mandela detti termini corrispondono a quelli comunicativi al principio del settembre scorso mediante prospetto grafico nel quale si prevedeva una durata di sei mesi per la rimessa in funzione degli impianti distrutti. Per la Centrale di Salisano la previsione è variata in seguito ai più precisi accertamenti sui danni subiti dall'alternatore, e deve intendersi con la riserva di poter eseguire sul posto le necessarie riparazioni.

3. Calcolando che per i trasporti, montaggi e prove occorrano due mesi per ogni centrale, la consegna del macchinario idraulico dovrebbe avvenire alle seguenti date per non arrecare ritardi sul programma esposto :

5555

Castelmadama	15 dicembre 1944
Mandela	31 dicembre 1944
Salisano	31 marzo 1945

:/:

Declassified E.O. 12356 Section 3.3/NND No. 785019

In caso di ritardo su questi termini, è prevedibile un eguale ritardo dell'entrata in funzione dei singoli impianti.

4. Poichè presumiamo che tali termini non potranno essere accettati dalla Soc.Terni, vi preghiamo di darci comunicazione tempestiva dei termini che fisserete allo scopo di adeguare il ritmo dei nostri lavori a quei termini, ed evitare così da parte nostra un inutile eccesso di spesa per acceleramenti che non darebbero, vantaggio.

5. Tutti i termini suesposti sono calcolati contando di poter ottenere tempestivamente le assegnazioni di cemento e di viveri per il personale, di automezzi pesanti per il trasporto dei pezzi da Terni alle Centrali. A tale riguardo vi facciamo notare che finora non siamo riusciti ad ottenere alcuna assegnazione di mezzi o materiale, malgrado le reiterate richieste ed i continui solleciti.

IL DIRETTORE

Declassified E.O. 12356 Section 3.3/NND No. 785019

385

T R A N S L A T I O N

1. - Reference to conversation with Maj.Bell and from Eng.Errera of this Office with our Eng.Orazi, we beg to communicate you the foreseen terms, within which our damaged Plants will be able to operate again, in regard to the works of repair and restoring of the walls, of the electrical apparatus and machines.

Castelmadama	15th February 1945
Mandela	28th February 1945
Salisaho	31st May 1945

2. - For Castelmadama and Mandela Plants, foretold terms are corresponding to those ones we communicated at the beginning of last September through a grafic curve, in which a time of six months was foreseen to get the damaged Plants operating again.For Salisano Plant the foresight has changed, afterwards more precise ascertainments upon the damages of the alternator, and shall be intended on condition that the necessary repairs may be performed on the place.

3. - Calculating that for transports, fitting and trials, two months for each Plant will be necessary, the delivery of hydraulic apparatus should be made at the following dates, in order not to delay the foreseen program:

Castelmadama	15th December 1944
Mandela	31st December 1944
Salisano	31st March 1945

In case of delay on these terms, an equal delay for operating of Plants is foreseen.

4. - Since we suppose that such terms will not be accepted by"Terni" Company, we beg you to give us timely communication of the terms you will fix, in order to adequate our works to these terms, and so avoid a useless excess of expenses to get hastenings, which will be of no advantage.

5. - All foretold terms are calculated on condition of obtaining opportunely the supplies of cement and food for our personnel, of lorries for transportation of the pieces from Terni to the Plants.
In regard to this we wish to point out that till now we have not received any assignation of means or materials, in spite of our reiterated requests and continuous solicitations.

THE MANAGER

5553

Maj Price
Will you arrange for 5 d complete this letter
for Maj Bowman's signature.
Lt B

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
APO 394

ACC/305/PWU

16/10/44

SUBJECT: - SULPHURIC ACID

TO : - ACC Lazio Region
Att. Lt. Wedg-Brown

1. Herewith release order No. ACO 1375 dated 13 Oct.44 authorizing ACEA to collect from Montecatini Works Portici.

100 Kgs Sulphuric Acid

as the result of MAT 10 submitted on 29 Sept. 44.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

Encl. Release order.
MAT 1o.

5559

Declassified E.O. 12356 Section 3.3/NND No. 785019

18 OCT 1944
C/EL.

HEADQUARTERS
ALLIED CONTROL COMMISSION
~~INDUSTRY~~ COMMERCE SUB-COMMISSION
APO 394

Ref: Your form MAT 10-29 September Date 14 October 1944

SUBJECT: (a) UNCONTROLLED)
(b) ~~XXXXXXXXXX~~) MATERIALS FOR CIVILIAN NEEDS.

TO: Public Works Utilities Sub-commission HQ ACC ✓ HYDRO CLORIC ACID

1. Your application(x) under above reference

is/~~xxxx~~ returned herewith as the material required is:

(a) uncontrolled by A.F. Local Resources (Italian) Board;
(b) ~~xxxxxxxxxxxxxxxxxxxxxxxxx~~
(c)

2. Remarks:

This material may be procured from any available ~~sources~~ source without reference to this HQ or AFLR(I)B.

W. P. EVANS
Colonel,
Director, ~~Industry~~ & Commerce Sub-Commission

Encls: 1 form MAT 10

5551

Copy to:

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

UE-225

COPY

Date: 29 . 9. 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS UTILITIES SUB-COMMISSION

3. COMMODITY DEMANDED a) ~~Sulphuric Acid. Density 1,18 ph~~
b) Hydro - Cloric Acid.
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: (A) ~~100 Kgs~~)
(B) 100 ")

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of Form)

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? No

(b) If locally - Where? No

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? No

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A.C.E.A. Thermo Plant
Address Via Ostiense - Roma

8. It is certified that these supplies ande stores are required for (URGENT), ~~(NORMAL)~~, (~~STOCK PILING~~ purposes. (Strike out words not applicable).

Date: 29.9.44 Signature:

Declassified E.O. 12356 Section 3.3/NND No. 785019

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS UTILITIES SUB-COMMISSION

3. COMMODITY DEMANDED a) ~~Sulphuric Acid. Density 1,18 ph~~
b) Hydro - Cloric Acid.
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: (A) ~~100 Kgs~~)
(B) 100 ")

(b) Next Month

(c) Second Month

(d) Third Month

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? No

(b) If locally - Where? No

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? No

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A.G.E.A. Thermo Plant

Address Via Ostiense - Roma

8. It is certified that these supplies and stores are required for (URGENT), ~~NORMAL~~ (~~STOCK PILING~~ purposes. (Strike out words not applicable).

Date: 29.9.44 Signature:

Rank, Title, Office

9. REGIONAL APPROVAL Title WM.LAPPEN Lt.Col.Chief Util.and Adm Div. Date:

5550

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR (1) B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10.

Original see MAT 10, D-65 VC-225

Declassified E.O. 12356 Section 3.3/NND No. 785019

This material is required for, -

(a) Batteries and accumulators

and

(b) for cleaning the pipes of the boilers at Rome Power Stations

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel.48906L

HEADQUARTERS
ALLIED CONTROL COMMISSION
PUBLIC WORKS AND UTILITIES SUB-COMMISSION
APO 394

FILE

EJB/sc

ACC/305/PWU

9/10/44

Subject : Repairs to Diesel Engine Generators
Power Station Rome

To : COMMADORE POWELL
Superintendent Naval Dock Yards - Taranto

1) - The Diesel drivern generating sets at the Montemartino plant Rome have been giving very indifferent service and to help the situation you kindly arranged the temporary loan of Engineers of Franco Tosi Cantieri Navali - Taranto.

2) - The engineers have now completed their inspection and find amongst other things that certain spare parts are required. It is understood these may be available in Taranto. A request for these parts has been covered by a letter to the Flag Officer R.N. Eastern Italy copy of which is attached for your guidance.

3) - In addition the Tosi's engineers state that to put these engines in order they will require the release of the undermentioned workmen for a month:

BEDIN Angelo	DANDRIA' Ferdinando
DE TOMMASO Carlo	GUAZZONI Francesco
MAURI Giuseppe	FALCONE Antonio
BUZZI Luigi	DISCARO Nicola
LEONE Adderlo	SANTORO Luigi

4) - You will appreciate I am sure that the loss of these sets to this City is a very serious matter at the moment and this Headquarters will be glad if you will do every thing possible to help in granting :
(a) the release of the workmen
(b) the release of the material.

5) - Two of the Italian engineers are returning to-day to Taranto to make arrangements accordingly :

1 enclosure

E.J.BARRY
Major C.E.
Acting Chief Elec.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

TRANSLATION- Solari B.

FRANCO TOSI

Roma 6 oct.44

A.C.E.A. Power Plants MONTEMARTINI

Foods for our Staff

By interest of Capt. Lovell, all our staff coming from Taranto and working for ACEA's Montemartini Plant had, untill to day, the allied Forces rationed food.

Will you please grant us the same favour for the future, owing to the fact that having these rations our staff took their meals in the power plants and so they loose no time going round the town for lunch.

Trusting that you will grant our request if only for the reason of saving time.

(Signed) .....

Declassified E.O. 12356 Section 3.3/NND No. 785019

Franco Tosi

Società per Azioni – Capitale sociale L. 91.213.400 interamente versato

SEDE LEGALE - MILANO
DIREZIONE GENERALE - LEGNANO
STABILIMENTI MECCANICI
E FONDERIE
LEGNANO

CANTIERE NAVALE
TARANTO

UFFICIO A ROMA
VIA DEL TRITONE 169
Via VIII Veneto, 89
UFFICIO A LA SPEZIA
VIA MANZONI, 2

TELEGRAMMI FRANCOTOSI-ROMA-TELEFONO 42884 e 480-227

Roma, 6 ottobre 1944

Spett.

A. C. C.

Public Works and Utilities

R O M A

A.C.C.A.- Centrale MONTEMARTINI
Viveri per nostro personale

Per interessamento dell'egr. sig. Cap. Iovell, il personale di questa Ditta proveniente da Taranto e addetto ai lavori della centrale Montemartini dell'A.C.C.A. ha goduto sino ad oggi del beneficio delle razioni viveri in uso presso le Forze Armate Alleate.

Siamo vivamente a pregare l'A.C.C. a voler cortesemente mantenere il beneficio accordato anche in considerazione del fatto che i viveri concessi venivano consumati sul posto di lavoro nel mentre che, sopprimendoli, il nostro personale sarebbe costretto ad allontanarsi dalla centrale per consumare i pasti in un ristorante della Città. Ciò con notevole perdita di tempo data la scarsità dei mezzi di trasporto.

Siamo fiduciosi del benevolo accoglimento dell'oggetto della presente che mira sopratutto a non distogliere il personale dal lavoro in corso, per cui, anticipatamente ringraziando, ossequiamo.

FRANCO TOSI
Società per Azioni
UFFICIO DI ROMA

55 17

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 409031

LGP/bs 24

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities sub-Commission
Electrical Section
A.P.O. 394

ACC/305/PWU

5/10/44

SUBJECT: REPAIRS TO DIESEL ENGINE GENERATORS
POWER STATION ROME

TO : Flag Officer R.N.
Eastern Italy

1. The diesel driven generating sets at the Montemartini Plant Rome has been giving very indifferent service and it was found necessary to get

Engineers of Franco Tosi
Centicre Navale
Taranto

to carry out repairs and overhaul.

2. The Engineers have now completed their inspection and find that certain spare parts are required which parts, it is understood, can be obtained from their ship yard or the Royal Navgl Yard Taranto, in either case it will be necessary for the Royal Navy to release these spare parts and make it possible for this HQ. to carry out the above mentioned repairs.

3. You will appreciate that the loss of these generating sets to this city is a serious matter at the moment, and this HQ. will be glad if you will do all possible to help by granting the Tosi engineers the necessary release order.

4. It is expected that the Tosi engineers will return to Taranto, to obtain the spare parts referred to, in the course of a few days.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

5548

2 wks for 2 pieces

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 405001

ICS/bk

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
A.P.O. 394

ACC/305/PWU

5/10/44

SUBJECT: PANEL PLATES AND ACCESSORIES.

TO : A C C A
Via Milano 42-Roma-

1. Please release to Region IV ACC. the following which are stored in your stocks

Type 300 m/m for 20 atmospheres		No. 35
Type 400 " " 15 "		" 120
Bends 1/64	400 m/m	" 2
1/32	" "	" 6
1/16	" "	" 2
1/32	" "	" 1
Reducers 350 m/m to 300 m/m		" 1
400 " " 350 "		" 1
400 " " 300 "		" 1

2. This material when collected will be charged to the

PROVINCIAL COMMISSIONER AND

KITCHEN

who will arrange payment.

L.J.BAYLY
MAJOR C.E.
ACT.CHIEF ELCT.DIV.

COPY TO:
PROVINCIAL COMMISSIONER ARC - VITERBO
REGION IV ACC - CAPT.LAYTON
CORRESPONDENCE SUB-COM ACC.S.C. - CAPT.ADAIR

5545

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 489081

LGP/bs

22

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
A.P.O. 394

ACC/305/PWU

5/10/44

SUBJECT: GATE VALVES - A.C.E.A. COY

TO : Regional Engineer Region IV

Reference attached drawing & translation.

1. The gate valves were originally requested on a M.A.T. 10 from your office.

2. The original quantities required for stockpiling were:-

10 of each up to 150 m/m diam.
5 " " of 200 and 250 m/m diam.

3. It was considered by this HQ. that the above demand was excessive. In this connection the matter was referred back to the A.C.E.A. who stated that one only of each size would be sufficient for stock purposes.

4. The A.C.E.A. Coy were further asked to provide a drawing of the valves giving full particulars and measurements. The valves having to be obtained from England or America.

5. Will you please resubmit this demand in the form of a requisition to the Industry Sub-Commission, giving full particulars as to why these are required.

WM. LARKEN
Lt.Colonel
Chief Util.and Adm.Div.

ENCL. 2 DRAWINGS

File 21

URGENT -
ELECTRICAL MATERIAL.

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 29. 9. 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS UTILITIES SUB - COMMISSION

3. COMMODITY DEMANDED a) Sulphuric Acid. Density 1,18 Bh.
b) ~~Hydro~~ - Chloric Acid.
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: (A) 100 Kgms.)
~~(B)100~~ .)

(b) Next Month

(c) Second Month -

(d) Third Month -

5 JUSTIFICATION: (Detail this information on back of Form).

6 SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where? NO

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? NO

(d) If blocked. give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A.G.E.A Thermo Plant

Address Via Ostiense - Roma

8. It is certified that these supplies ande stores are required for (URGENT), (~~NORMAL~~) (~~STOCK PILING~~) purposes. (Strike out words not applicable).

Date: 29.9.44 Signature:

Rank, Title, Office.

W.H.LAPPER Lt.Col.Chief Util.and Adm.Div.

9. REGIONAL APPROVAL Title Date: 5/10/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED a) Sulphuric Acid. Density 1,20 Bé
b) Hydro - Chloric Acid.
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: (A) 100 Kgms. / (B) 100 " }

(b) Next Month -

(c) Second Month -

(d) Third Month -

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where? NO

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? NO

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: A.G.E.A Thermo Plant

Address Via Ostiense - Roma

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 29.9.44 Signature: [signature] Rank, Title, Office.

WALLAPER Lt.Col.Chief 5th Ord Adm.Div.

9. REGIONAL APPROVAL Title Date:

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. Our Release Order No. 375

Date: Date: 13 Oct.

REMARKS:

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

This material is required for : -

(a) Batteries and accumulators

and

(b) For cleaning the pipes of the boilers at Rome Power Stations.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

MEMO FOR ENG. ZAMORANI.

LIST OF MATERIALS REQUIRED IN ORDER TO SUPPLY PROMPTLY THERMO-PLANT MONTEMARTINI A.C.E.A.

Translation

Sulphoric Acid

density 1,18 Bh. Kg.100

(dor accumulators batteries -var.serv.)

Commercial chlorhydric Acid (Hydro-chloric acid)

(for pipes scaling) Kg.100

Acetylene cylinders No.8

Oxigen cylinders No. 20

We precise that the above mentioned request of acetylene and oxigen is justified being required fob bending of steampipes during assembling forthe connection between Thermo - Plants A.C.E.A. and S.R.E.

It must be kept in mind that the normal allotment (2 oxigen and 1 acetylene cylinders every second day) is entirely consumed for the ordinary maintenance of the Plant.

Rome, 7th Sept. 1944

The officida request will be submitted to morrow.

5542

Declassified E.O. 12356 Section 3.3/NND No. 785019

PRO-MEMORIA PER L'ING. ZAMORANI

++++++++++++++++++++++++++++++++++++

Elenco dei materiali che occorre approvvigionare con urgenza per la Centrale Termoelettrica G.Montemartini A.C.E.A.

Acido solforico densita' 1,18 Bh. (per batteria accumulatori serv.vari)	Kg.	100
Acido cloridrico commerciale (disincrostazione tubazioni)	Kg.	100
Bombole di acetilene	n.	12
Bombole di ossigeno	n.	20

Si precisa che la soprascritta richiesta di acetilene e di ossigeno è giustificata dalla necessita' di approvvigionare tali materiali per la curvatura in montaggio di tubi della connessione di vapore fra le Centrali Termiche A.C.E.A. e S.R.E.

Si fa presente che la normale assegnazione (2 bombole di ossigeno e 1 di acetilene ogni due giorni) è consumata per intero per la ordinaria manutenzione della Centrale.

Roma, 27 settembre 1944

5542

Le richieste ufficiali
vine formulate domani

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel. 489081

JWL.B/bs

20

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Work & Utilities Sub-Commission
A.P.O. 394

ACC/305/PWU

27 Sept. 44

SUBJECT : BALL BEARINGS - A.G.E.A. - ROME
TO : Commerce Sub-Commission HQ.ACC

1. Will you please cause enquiries to be made as to the availability or manufacture of the undermentioned.

BALL BEARINGS			220 R.SKF
SIZE : -	Outside	diam.	62 m/m
	Inside	"	30 m/m
	Width	"	20 m/m
Quantity required			24

2. The Ball Bearings are required for Injection valves of two Disel Engines at the Montemartini Plant Rome.

3. These engines, if out of Commission will mean a loss to Rome City of 150000 KWhs daily. This is a serious position in view of the present shortage of electricity in Rome Area. In this connection may this matter be considered as urgent.

W.M. LAPPER
Lt.Colonel
Chief Util.and Adm.Div.

5544

Requisition Dawson

29/9/44.
Both Bearings have been found in Stock
Note also for verbal communication
with major Kemp.

A.G.E.A.
File

Declassified E.O. 12356 Section 3.3/NND No. 785019

WAR DEPARTMENT
Q. M. C. Form No. 400
(Revised Apr. 6, 1931)

REQUISITION

To: Lt.Col.W.M.Lapper - Public Works & Util. Sub. Comm. No. of Sheets one Sheet No. one

Repairs to Disel Engine's

Requisition No. 2 Date Rome Area Period Sept.1944 - Feb.1945

SHIP TO ALLIED CONTROL COMMISSION - CIVITAVECCHIA

REQUISITIONED BY (show Signature, Rank, Organization, Destination. If different from "SHIP TO" include address):	APPROVED BY:
PUBLIC WORKS & UTILITIES SUB - COMMISSION HEADQUARTERS ALLIED CONTROL COMMISSION - ROME	

STOCK No.	ARTICLES	UNIT	ON HAND AND DUE	CONSUMED	REQUIRED	APPROVED
	220 R. SKF. BALL BEARINGS : - Size outside diam 62 m/m inside " 30 m/m width " 20 m/m	)			24	

1. It is requested that this order be placed so that these bearings can be sent by the most expeditions route.

2. Prior to the war the Montemartini Station Rome of which two Disel Engines are a part, had not been in operation for a number of years. Subsequently on restarting they were found to be inefficient, so much so that they were stripped and repaired as far as possible. These Ball Bearings are required for the injection valves of the engines, the present one's being very badly worn.

3. These engines, if out of commission for any length of time mean a loss to Rome city of 6.000 Kw. This is serious when considering that only 7% of the normal supply is available when all plants are working.

In this connection it would be appreciate if these Ball Bearings (8) could be sent here by "plane".

55[illegible]

U. S. GOVERNMENT PRINTING OFFICE

Declassified E.O. 12356 Section 3.3/NND No. 785019

INSTRUCTIONS FOR PREPARATION OF REQUISITION

Space "TO."—To show the approving office to which requisition is submitted.

Space "PERIOD."—Show period for which the supplies are required.

Space "SHIP TO."—Full shipping address to be given. Where mail address is different from shipping address the former should also be shown, e. g., "Q. M., Fairfield Air Depot, Osborn, Ohio. Mail address, Fairfield." Except for established camps, posts, or stations, street or building address should be shown, e. g., "C. O. 328th Inf., National Guard, 156 Republic Bldg., Grand Haven, Mich." Where the property is to be invoiced to an organization, etc., different from that to which it is to be shipped, the required information will be shown.

Space "STOCK No."—Show stock number listed in Federal Stock Catalogue.

Space "ARTICLES."—Include sizes required. Show purpose numbers applicable to an article or group immediately above the article or group concerned.

Space "ON HAND AND DUE."—Show the quantity on hand plus the quantity approved on previous requisitions and not yet received.

Space "CONSUMED."—Show quantity consumed during the previous period.

Space "REQUIRED."—To be the quantity asked for by the requisitionist.

Space "APPROVED."—To be the quantity approved by the approving officer.

This form may be used in lieu of Q. M. C. Forms Nos. 402, 409, and 410 by appropriate modification.

IN THE SPACE BELOW SHOW BASIS FOR REQUISITION, i. e., Strength of Command, Number of Animals, Number of Animal-Drawn and Motorized Vehicles, Armament, or such other data as may be required by instructions issued by approving authorities.

THIS SPACE FOR ACTION OF APPROVING OFFICER

16—22627-1

URGENT
ELECTRICITY

113/P1/4

WB/bi

E-3H

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 20 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION REGION IV - Engineering Division

3. COMMODITY DEMANDED Calcium Carbide
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 300 kilos

(b) Next-Month

(c) Second-Month

(d) Third-Month

5. JUSTIFICATION: (Detail this information on back of Form)

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? YES

(b) If locally - Where? Soc. Terni 66 V. due Macelli - Rome -

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

C. Madama
M.R. Sheet 17 G7-76

Consignee: A.C.E.A.

Address: 62 Via Milano - Rome -

5534

8. It is certified that these supplies ande stores are required for (URGENT), (~~NORMAL~~), (~~STOCK PILING~~) purposes. (Strike out words not applicable).

Date: 20 September 1944

Signature:

A.M.G. REGION IV
Lt. RP Wade Brown
Engineering Officer G DIVISION

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: Calcium Carbide

Give particulars of specification on back of Form

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 300 Kilos

(b) Next Month

(c) Second Month

(d) Third Month

Initially Required 300 Kilos
can be used
as per
quantity
300 kg.

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? YES

(b) If locally - Where? Soc. Terni Se V. due Macelli – Roma –

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

C. Madase
M.R. Sheet 17 G7-76

Consignee: A.C.E.A.

Address: 62 Via Milano – Roma –

5539

8. It is certified that these supplies ande stores are required for (URGENT). (~~NORMAL~~). (~~STOCK PILING~~) purposes. (Strike out words not applicable).

Date: 20 September 1944 Signature:

A.M.G. REGION IV
Lt. [illegible] Wade Brown
Signature and Title of Officer
CHIEF G DIVISION
Chief E.M. Section
ELECT. MECH. SECTION

9. REGIONAL APPROVAL Title Lt.Col. R.E.
Regional Engineer ACC/IV

Date:

PREPARED APP.

CHECKED DATE

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION)

AFL R (1) B Release Order No. Our Release Order No. 1586

Date: Date: 29/10

REMARKS:

E-3H

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

(5) Justification :

Material urgently required for rehabilitation of one unit of C.Madama hydro-electric plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

URGENT

ELECTRICITY

152/22/7

E-32 (1)

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 20 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION: Region IV - Engineering Division
3. COMMODITY DEMANDED: Calcium Carbide
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: 300 M/tons
   (b) Next Month:
   (c) Second Month:
   (d) Third Month:
5. JUSTIFICATION: (Detail this information on back of Form)
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? Yes
   (b) If locally - Where? Soc. Limit. Via Due Macelli Nº 66 - Roma -
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
7. ADDRESS FOR DELIVERY:
   Salisano hydro-electric plant
   M.F. Sheet 17 A 93 - 5

   Consignee: A.C.C.A.
   Address: Via Milano Nº 62 - Roma -

   5532

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK PILING)~~ purposes. (Strike out words not applicable).
   Date: 20 September 1944

   Signature: A. M.G. REGION IV Lt. ENGINEERING DIVISION

   Rank, Title, Office

Declassified E.O. 12356 Section 3.3/NND No. 785019

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: .....

(b) Next Month: .....

(c) Second Month: .....

(d) Third Month: .....

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where? Soc. Romana Via Due Macelli N° 66 - Roma -

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: .....

7. ADDRESS FOR DELIVERY:

Salisano hydro-electric plant
M.F. Sheet 17 A 93 - 2

Consignee: A.G.F.H.Q.

Address: via Veneto N° 56 - Roma -

5532

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK PILING)~~ purposes. (Strike out words not applicable).

Date: 20 September 1944

Signature:

Rank, Title, Office

Lt.Col. A.G.D.

9. REGIONAL APPROVAL

Title Regional Engineer ACC/IV

Date

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No.

Date:

Our Release Order No. 1585

Date:

REMARKS: 24/10

E-32

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

A.M.G. REGION IV
Lt. [illegible]
ENGINEER SECTION
RECEIVED
Section
DATE

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) JUSTIFICATION

Material urgently required for rehabilitation of one unit of SALISANO hydro-electric plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copy to: Lt. Fisher
HQ. A.C.C.
PW & U. Sub-Commis.

101/16/9

(17)

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Urgent: electricity

Date: 16 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION Electrical and Mechanical Section-Engineering Division
3. COMMODITY DEMANDED Various materials (as specified on back of Form) Reg. IV
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: as specified on back of Form
   (b) Next Month: .....
   (c) Second Month: .....
   (d) Third Month: .....
   .....
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? NO
   (b) If locally - Where? .....
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....
   .....
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
   .....
7. ADDRESS FOR DELIVERY:

   Consignee: ACSA (Via 555 No. 62 Rome)
   To be delivered to
   Address: ACSA (Via Ostiense No. 127-Rome-)
   Stores

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

   Date: 16 September 1944

   Signature: .....
   Rank, Title, Office
   Lt. E. P. WADE FROM
   Title ..... Date ..... Reg. IV/ACC

9. REGIONAL APPROVAL:

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED Various materials (as specified on back of Form)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: as specified on back of Form

(b) Next Month: .....

(c) Second Month: .....

(d) Third Month: .....

.....

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where? .....

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....

.....

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

.....

7. ADDRESS FOR DELIVERY:

Consignee: ACCA (Via Cilicia No. 62 Rome) 555

To be delivered to Address: ACCA (Via Cotilense No.127-Rome-)
Stores

8. It is certified that these supplies and stores are required for (URGENT). (NORMAL). (STOCK PILING) purposes. (Strike out words not applicable).

Date: 16 September 1944 Signature: [signature]
Rank, Title, Office

9. REGIONAL APPROVAL [signature] Title Lt.Col.,Engineer Date: A.F.H.Q. MAIN FRONT Section Reg.IV/ACC
Regional Engineer A.C.C.,Reg/IV

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. ..... Our Release Order No. .....

Date: ..... Date: .....

REMARKS: .....

.....

.....

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

91

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) COMMODITY DEMANDED

italiano	inglese
300 Kg. Funi di Canape ø 25 m/m	300 Kilos Hemp Ropes ø 25 m/m
200 Kg. " " " ø 30 m/m	200 Kilos " " ø 30 m/m
300 Kg. Funi Metalliche ø27 m/m	300 Kilos Metal Ropes ø 27 m/m
100 Kg. " " ø20 m/m	100 Kilos " " ø 20 m/m

5) JUSTIFICATION :

Materials urgently required for rehabilitation of MANDEMA hydro-electric plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

102/17/16

To: Hq. A.C.C.
P.W. & U. Sub-Commission
Attn. Lt. Butcher

Date 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION Hdqs. IV Engineer Division
3. COMMODITY DEMANDED
(Give particulars of specification on back of form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand 50 Tons
(b) Next month
(c) Second month
(d) Third month
5. JUSTIFICATION: (Detail this information on back of form).
6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has material been located? No
(b) If locally - Where?
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) Where?
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: Not known
7. ADDRESS FOR DELIVERY:
Consignee A.C.C.
Address Via Cimino 6
Roma
8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).
Date 11 Sept. 1944 Signature Lt. Chief [illegible] Section
Rank, Title, Office
9. REGIONAL APPROVAL Title Date 11 Sept.44

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. Our release Order No.

Date Date

REMARKS:

Form ACC-MAT No. 10

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) Specification:

Cement (type 500) xxxxxx50 Tons.

5) Justification:

Reconstruction of Machine Room and foundations for machines.

ELECTRICITY URGENT

To: HQ. A.C.C.
1...2U. Sub-Comm.
Attn. Lt. Butcher

103/17/9
15

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION: Region IV Engineering Division
3. COMMODITY DEMANDED: Iron Reinforcing
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: 5 Tons
(b) Next Month: ———
(c) Second Month: ———
(d) Third Month: ———
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located? No
(b) If locally - Where?
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
not known
7. ADDRESS FOR DELIVERY:
MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000
Consignee: A.C.E.A.
Address: Via Milano 62
Roma 5535
8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK PILING)~~ purposes. (Strike out words not applicable).
Date: 11 Sept. 1944
Lieut. Chief E & M Section
Signature:
Lt.Col. G. de CE Findlay VC MC
Rank, Title, Office
9. REGIONAL APPROVAL
Title Regional Engineer, 11 Sept. 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. AMG/ACC FORMATION

3. COMMODITY DEMANDED: Iron Reinforcing

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 5 Tons

(b) Next Month: ———

(c) Second Month: ———

(d) Third Month: ———

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? No

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: not known

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000

Consignee: A.C.E.A.

Address: Via Milano 53
Roma

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 11 Sept. 1944

Signature: Lieut. Chief E & M Section

Lt.Col. G. de CE Findlay VC MC

Rank, Title, Office

9. REGIONAL APPROVAL Title Regional Engineer Date 11 Sept. 1944

FOR USE OF LOCAL RESOURCES SECTION: (Commerce Sub-Commission)

AFLR(I)B Release Order No Our Release Order No

Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) Specification: Iron for reinforcing Concrete 5 Tons.

5) Justification : Reconstruction of Machine Room
and foundations for machines.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

To: Hq. ACC.
F. V. & U. Sub-Comm.
Attn: Lt. Butcher

104/17/8
14

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION ..... Region IV Engineering Division
3. COMMODITY DEMANDED ..... Coal
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: ..... 15 Tons
   (b) Next Month: .....
   (c) Second Month: .....
   (d) Third Month: .....
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? ..... NO
   (b) If locally - Where? .....
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
   Coal Section ACC
7. ADDRESS FOR DELIVERY:
   MANDELA
   Power Plant
   M.R. 1080 sheet 17 1:200.000
   Consignee: A.C.E.A.
   Address: Via Milano 62
   Roma 5534
8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCKPILING) purposes. (Strike out words not applicable).
   Date: 11 Sept. 1944
   Signature: Chief E. & M. Section
   Rank, Title, Office
9. REGIONAL APPROVAL
   Lt. Col. C. de CE Findlay VC MC Title Regional Engineer Date 11 Sept. 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: Coal

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: I5 Tons

(b) Next Month: ———

(c) Second Month: ———

(d) Third Month: ———

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

Coal Section ACC

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000

Consignee: A.C.E.A.

Address: Via Milano 62

Roma 553

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 11 Sept. I944

Signature: Chief E. & M. Section

Rank, Title, Office

9. REGIONAL APPROVAL: Lt.Col. G. de CB Findlay VC MC Title Regional Engineer Date 11 Sept. I944

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. ——— Our Release Order No ———

Date: ——— Date: ———

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) Specification - Coal for Heating forges.

5) Justification - Repairing of tools.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

To: Hq. A.C.C.
I.W. & U. Sub-Comm.
Attn: Lt. Butcher

105/17/3
13

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION: Region IV Engineering Division
3. COMMODITY DEMANDED: Hydrogen
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: 60 Cubic metere
   (b) Next Month: ———
   (c) Second Month: ———
   (d) Third Month: ———
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? NO
   (b) If locally - Where?
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: NOT KNOWN
7. ADDRESS FOR DELIVERY:
   MANDELA
   Power Plant
   M.R. 1080 sheet I7 1:200.000
   Consignee: A.C.E.A.
   Address: Via Milano 62
   Roma
8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL)~~ ~~(STOCK PILING)~~ purposes. (Strike out words not applicable).
   Date: 11 Sept. 1944
   Signature: Chief E & K Section
   Rank, Title, Office
   Lt.Col. G. de CE Findlay VC MC
9. REGIONAL APPROVAL ..... Title Regional Engineer Date 11 Sept. 1944

595

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. AMG/ACC FORMATION

3. COMMODITY DEMANDED: Hydrogen
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 60 Cubic meters

(b) Next Month: _____

(c) Second Month: _____

(d) Third Month: _____

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

NOT KNOWN

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet I7 1:200.000

Consignee: A.C.E.A.
Address: Via Milano 62
Roma

8. It is certified that these supplies and stores are required for (URGENT). (NORMAL) (STOCK-PILING) purposes. (Strike out words not applicable).

Date: 11 Sept. 1944 Signature: Chief B & M Section
Rank, Title, Office

9. REGIONAL APPROVAL Lt.Col. G. de CE Finlay VC MC Title Regional Engineer Date 11 Sept. 1944

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No: Our Release Order No

Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

555

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) Justification - Welding for Repairs to Plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

To: Hq. A.C.C.
P.W. & U. Sub-Comm.
Attn: Lt. Butcher

106/17/2
12

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION: Region IV Engineering Division
3. COMMODITY DEMANDED: Calcium Carbide
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: 300 kgs
   (b) Next Month: —
   (c) Second Month: —
   (d) Third Month: —
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? YES
   (b) If locally - Where? Ditta Carracciolo Rome
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? ~~EXCESS RESERVE~~
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.: E & S Region IV
7. ADDRESS FOR DELIVERY:
   MANDELA
   Power Plant
   M.R. 1080 sheet 17 1:200.000
   Consignee: A.C.E.A.
   Address: Via Milano 62
   Rome 553?
8. It is certified that these supplies and stores are required for (URGENT). ~~(NORMAL). (STOCK PILING)~~ purposes. (Strike out words not applicable).
   Date: 11 Sept. 1944
   Signature: Lieut. Chief E & M Section
   lt.Col G de CE Findlay
   Rank, Title, Office
9. REGIONAL APPROVAL
   Title: Regional Engineer Date: 11 Sept. 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: [illegible]

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 300 kgs

(b) Next Month: ——

(c) Second Month: ——

(d) Third Month: ——

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? YES

(b) If locally - Where? Ditta Ceracciolo Roma

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

~~XXXX/Region~~XXX

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

E & S Region IV

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000

Consignee: A.C.E.A.

Address: Via Milano 62

Rome 5532

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL)~~, ~~(STOCK PILING)~~ purposes. (Strike out words not applicable).

Date: 11 Sept. 1944

Signature: Lieut. Chief E & M Section

Rank, Title, Office

lt.Col G de CE Findlay

9. REGIONAL APPROVAL

Title Regional Engineer Date 11 Sept.1944

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No: ..... Our Release Order No .....

Date: ..... Date: .....

REMARKS: .....

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) Justification - Acetylene welding for repairs to plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

To: Hq. A.C.C.
P.W. & U. Sub-Comm.
Attn: Lt. Butcher

10 ~~/17~~/9
(M

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION ..... Region IV Engineering Division
3. COMMODITY DEMANDED ..... Oxygen
(Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
(a) Single lot demand: ..... 80 Cubic metres
(b) Next Month: .....
(c) Second Month: .....
(d) Third Month: .....
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
(a) Has Material been located? ..... YES
(b) If locally - Where? ..... Ditta Locatelli – Roma
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? .....
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
..... E & S Region IV
7. ADDRESS FOR DELIVERY.
MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000
Consignee: A.C.C.A.
Address: Via Milano 62
Roma
8. It is certified that these supplies and stores are required for (URGENT). ~~(NORMAL). (STOCK PILING)~~ purposes. (Strike out words not applicable)
Date: 11 Sept. 1944
5531
Signature: Lieut. Chief E&M Section
Rank, Title, Office
9. REGIONAL APPROVAL Lt. Col. C. de C. Findlay AMC Title Regional Engineer Date 11 Sept. 1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. AMG/ACC FORMATION: Region IV Engineering Division

3. COMMODITY DEMANDED: Oxygen
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 80 Cubic metres

(b) Next Month: _____

(c) Second Month: _____

(d) Third Month: _____

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? YES

(b) If locally - Where? Ditta Locatelli - Roma

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

E & S Region IV

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000

Consignee: A.C.S.A.

Address: Via Milano 62
Roma

8. It is certified that these supplies and stores are required for (URGENT). (NORMAL). (STOCK PILING) purposes. (Strike out words not applicable)

5531

Date: 11 Sept. 1944 Signature: Lieut. Chief E&M Section
Rank, Title, Office

9. REGIONAL APPROVAL: Lt.Col. G. de C. Findlay Title: Regional Engineer Date: 11 Sept. 1944

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. _____ Our Release Order No _____

Date: _____ Date: _____

REMARKS: _____

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) Justification Welding on Repairs to plant.

Declassified E.O. 12356 Section 3.3/NND No. 785019

ELECTRICITY URGENT

To: Hq. A.C.C.
P.W.B. U. Sub-Comm.
Attn: Lt. Butcher

108/17/3
(10)

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 11 Sept. 1944

1. DEMAND FOR CONTROLLED MATERIALS.
2. AMG/ACC FORMATION: Region IV Engineering Division
3. COMMODITY DEMANDED: Annealed Iron Wire
   (Give particulars of specification on back of Form)
4. QUANTITY REQUIRED: (In metric tons or other suitable unit)
   (a) Single lot demand: 200 Kgs
   (b) Next Month: —
   (c) Second Month: —
   (d) Third Month: —
5. JUSTIFICATION: (Detail this information on back of Form).
6. SOURCES OF SUPPLY (if known). Give particulars:
   (a) Has Material been located? NO
   (b) If locally - Where?
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?
   (d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:
   NOT KNOWN
7. ADDRESS FOR DELIVERY:
   MANDELA
   Power Plant
   M.R. 1080 sheet E7 1:200.000
   Consignee: A.C.F.A.
   Address: Via Milano 62
   Roma
8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).
   Date: 11 Sept. 1944
   Signature: Lieut. Chief P.W.B. Section
   Lt.Col.G. de GE Findlay MC
   Rank, Title, Office
9. REGIONAL APPROVAL ... Title Regional Engineer Date 11 Sept. 1944

5535

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: Annealed iron wire

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 200 Kgs

(b) Next Month: ———

(c) Second Month ———

(d) Third Month: ———

5. JUSTIFICATION: (Detail this information on back of Form)

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

NOT KNOWN

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 sheet 17 1:200.000

Consignee: A.C.F.I.

Address: Via Milano 62
Roma

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: 11 Sept. 1944

Signature: Lieut. Chief [illegible] Section

Rank, Title, [illegible]

Lt.Col.G. de CS Findl[illegible] AC

9. REGIONAL APPROVAL Title Regional Engineer Date 12 Sept. 1944

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. Our Release Order No

Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

5537

Declassified E.O. 12356 Section 3.3/NND No. 785019

3) Specification - Annealed Iron wire for reinforcing tyings.

5) Justification - Repairs to Machine Room.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Copy to: Lt Batcher
HQ. ACC.
PW. & U. Sub-Com

109/17/9

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

URGENT
ELECTRICITY

Date: 16 September 1944

1. DEMAND FOR CONTROLLED MATERIALS.

2. /AMG/ACC FORMATION REGION IV - Eng. Division

3. COMMODITY DEMANDED Tarred Card Boradd (board)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 200 (two Hundred) sq. m.

(b) Next Month: ---

(c) Second Month: ---

(d) Third Month: ---

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where? ---

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:
MANDELA
Power Plant
M.R. 1080 Sheet 17- I:200000

Consignee: ACEA
Address: Via Milano 62
Roma

8. It is certified that these supplies and stores are required for (URGENT). ~~NORMAL~~, (STOCK PILING) purposes. (Strike out words not applicable).

Date: 16 Sep. 1944

Signature: [signature]
Rank, Title, Office Chief E & M Section

9. REGIONAL APPROVAL [signature] [signature] 17/9/1944

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED: Tarred Card Board (Board)
(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 200 (two Hundred) sq. m.

(b) Next Month: ———

(c) Second Month: ———

(d) Third Month: ———

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? NO

(b) If locally - Where? ———

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

MANDELA
Power Plant
M.R. 1080 Sheet 17- I:200000

Consignee: ACEA

Address: Via Milano 62
Roma

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL)~~, (STOCK PILING) purposes. (Strike out words not applicable).

Date: 16 Sep. 1944

Signature: [signature]
Chief E & M Section
Rank, Title, Office

9. REGIONAL APPROVAL [signature] Title Lt. Col Re Date 17/9/1944
Regional Engineer ACC / Reg. IV

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5- Justification /: To cover machines hall roofing of Mandela
hYdroelectric plant

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

305 (8)

Tel:439081

LGF/tr

HEAD UARTERS
ALLIED CONTROL COMMISSION
Public Works and Utilities Sub-Commission
APO 394

ACC/305/P.U

7 Sept.44

SUBJECT : Material and Equipment urgently needed for Mandela Hydro Plant.

TO : Lt. E.P.WARE BROWN, Region IV.

Please check against MAT-1c as arranged by telephone and return.

for W.M.LAPPER
Lieut-Colonel
Chief, Util.& Adm.Div.

Encl: List of materials (Mandela)

5522

Declassified E.O. 12356 Section 3.3/NND No. 785019

(9)

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Promemoria consegnato all'ACC.Reg.IV (Ing.Castellano) il 7 settembre 1944.

RICHIESTE DI PNEUMATICI

17-6-1944 - 1° richiesta alla A.M.G. - R.A.C. - E&M Sect. (Prot.3524) per n.100 pneumatici -

31-8-1944 - Il maggiore Rentom della A.C.C. - H.Q. effettua un sopraluogo all'autoparco per rendersi conto dello stato delle gomme e fa eseguire numerose fotografie -

3-8-1944 - 2° richiesta alla A.M.G. - R.A.C. - E & M Sect. (prot. 4603) a conferma della precedente -

25-8-1944 - 3° richiesta idem. c.s.

28-8-1944 - Le A.M.G. - R.A.C. - E & M Sect. invia moduli di richiesta separata per ogni macchina -

31-8-1944 - I moduli suddetti vengono restituiti debitamente compilati.

5527

Translation

6

AGMA Electric Company

Service Section IV

Material and equipment urgently needed for the rehabilitation of one unit of Castel Madama hydro plant

	Materials	Amount	To be employed for	Date of employment
1.	Cement (type 500)	100 tons	Bridge on canal plant building unit foundations	50 tons now 15 tons 1-12-44 35 tons 1-10-44
2.	Lumber (superstructures)			
	a) Beams 40 c.m.		Bridge on canal plant building	0.15 c.m. now 25 c.m. now
	b) Planks 26 c.m.		Bridge on canal plant building	20 c.m. now 6 c.m. now
3.	Permit for covering	1500 sq.m.	Machines hall roofing	now
4.	Beams	45 c.m.	"	now
3a)	Tarred cardb ard	1500 sq.m.	"	
4a)	Lumber a) Beams b) Planks	 18 c.m. 45 c.m.	 "	
5.	Iron for rein - forced concrete	30 tons	Bridge on canal plant building unit foundations	20 tons 1-9-44 5m tons 1-12-44 5m tons 1-10-44
5a)	Zincated iron sheet	55 sq.m.	Plant building	now

7-9-44

* Items 3a) and 4a) may be supplied in place of no.3 and 4.

6.	Annealed iron wire	400 kilos	Concrete tying	552 kilos 1-9-44

Declassified E.O. 12356 Section 3.3/NND No. 785019

2.	Lumber (superstructures)			
	a) Beams 40 c.m.		Bridge on canal plant building	0.15 c.m. now 25 c.m. now
	b) Planks 26 c.m.		Bridge on canal plant building	20 c.m. now 6 c.m. now
3.	Eternit for covering	1500 sq.m.	Machines hall roofing	now
4.	Beams	65 c.m.	"	now
3a)	Tarred cardb ard	1500 sq.m.	"	
4a)	Lumber a) Beams b) Planks	 18 c.m. 45 c.m.	 "	
5.	Iron for rein - forced concrete	30 tons	Bridge on canal plant building unit foundations	20 tons 1-9-44 5x tons 1-12-44 5x tons 1-10-44
5a)	Zincated iron sheet	55 sq.m.	Plant building	now

7.9.44

* Items 3a) and 4a) may be supplied in place of no.3 and 4.

6.	Annealed iron wire	400 Kilos	Concrete tyings	532 1-9-44
	Equipment			
7.	Tires for cars	No 5	Direction of works	now
8.	tires for small trucks	No 5	Transports	now
9.	Tires for big truck	No.16	Transports (heavy)	now
10.	Gasoline	220 Gals per month	Cars and trucks	now
11.	Oxyacetylene welding apparatus	No 1	Assembly	now
12.	Calcium Carbide	700 Kilos	Welding apparatus	now
13	Oxygen	80 c.m.	"	now
14.	Hydrogen	60 c.m.	"	now

Declassified E.O. 12356 Section 3.3/NND No. 785019

	Materials	Amount	To be employed for	Date of employmen
15.	Coal for forges	15 tons	Tools repairs	now
16.	Nails	1 tonn	Workshop	now
17.	Hemp ropes	500 kilos	"	now
18.	Metal ropes	400 kilos	"	now
19.	Compressor with dull hammer	No. 2	Demolition of foundations	now

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Servizio IV

Fabbisogno dei materiali e mezzi d'opera più urgenti e necessari per il ripristino di un gruppo alla Centrale di CASTELMADAMA

MATERIALI

Materiali	Quantità	Impiego	Data d'impiego
1) Cemento a 500	qli. 1000	Ponte canale	qli.500 subito
		fabbricato centrale	" 150 1-12-944
		fondazione gruppo	" 350 1-10-944
2) Legname per ponteggi armatura ecc.			
a) Travi	mc. 40	Ponte canale	mc. 15 subito
"		Fabbricato centrale	" 25 "
b) Tavolame	mc. 26	Ponte canale	" 20 "
"		Fabbricato centrale	" 6 "
3) Eternit	mq. 1500	Copertura sala macchine	"
4) Legname vario			
Travi	mc. 45	" " "	"
3bis) Cartone catramato	mq. 1500	" " "	"
4bis) Legname vario			
a) Travi	mc. 18	" " "	"
b) Tavolame	" 45	" " "	"
5) Ferro per c.a.	qli. 300	Ponte canale	qli.200 - 1-9-1944
		Fabbricato centrale	" 50 1-12-944
		Fondazioni gruppo	" 50 1-10-944
5bis) Lamiera zincata per conversa	mq. 55	Fabbricato centrale	5527 subito

N.B. Le concessioni dei materiali di cui ai N. 3 e 4 annullano la richiesta di quelli dei N° 3 bis e 4 bis e reciprocamente. -

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

6) Filo ferro ricotto	qli. 4	Legature ferri c.a.		- 1-9-44

MEZZI D'OPERA

7) Gomme per autovettura	N. 5	Direzione del servizio		- subito
8) " " camioncino	" 5	Trasporti leggeri		- "
9) " " autotreno	" 16	Trasporti materiale		- "
10) Benzina	lt/m. 1000	Autovetture a autotreno		- "
11) Saldatrice ossiacet.	N. 1	Montaggi ecc.		- "
12) Carburo di calcio	Kg. 300	Saldatrice		- "
13) Ossigeno	mc. 80	"		- "
14) Idrogeno	" 60	"		- "
15) Carbone di forgia	qli. 150	Riparazione attrezzi		- "
16) Chiodi	" 10	Cantiere		- "
17) Funi canapa	" 5	"		- "
18) Funi metalliche	" 4	Montaggi		- 1-1044
19) Compressori con martelli demolitori	N. 2	Demolizioni fondazioni e varie		- subito

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA COMUNALE ELETTRICITA'ED ACQUE

Servizio IV

Fabbisogno dei materiali e mezzi d'opera più urgenti o necessari per il ripristino di un gruppo alla Centrale di MANDELA.

MATERIALI

Materiali	Quantità		Impiego	Data d'impiego
1) Cemento a 500	qli.	500	Sala macchine	qli.100 -1-12-44
			Fondazioni gruppo	" 400 -1-10-44
2) Ferro per c.a.	"	50	Sala macchine	" 35 -1-12-44
			Fondazioni gruppo	" 15 -1-10-44
3) Filo ferro ricotto	"	2	Legature ferro c.a.	-1-10-44
4) Travi abete	mc.	20	Centrale	- subito
5) Tavolame vario	"	12	"	- "
6) cartone catramato	mq.	200	Copertura lucernai sala macchine	- "

MEZZI D'OPERA

7) Gomme per autovetture	N.	5	Direzione del servizio	Già compresi nelle
8) " " camioncino	"	5	Trasporti leggeri	richieste per la
9) " " autotreno	"	16	Trasporto materiale	Centrale di Castel-
10) Benzina	lt/m	1.000	Autovetture e autotreno	Madama.
11) Carburo di calcio	Kg.	300	Saldatrice	- subito
12) Ossigeno	mc.	80	"	- "
13) Idrogeno	"	60	"	- "
14) Carbone forgia	qli.	150	Riparazione attrezzi	- "
15) Chiodi	"	15	Cantiere	-1-9-44
16) Funi canapa	"	5	"	-1-9-44
17) Funi metalliche	"	4	Montaggi	-1-10-44
18) Compressore con martello demolitore	N.	1	Demolizioni fondazioni e varie	-1-9-44

5523

7 II 44

Declassified E.O. 12356 Section 3.3/NND No. 785019

(4)

AZIENDA COMUNALE ELETTRICITA' ED ACQUE

Servizio IV

Fabbisogno dei materiali e mezzi d'opera più urgenti e necessari per il ripristino di un gruppo alla centrale di SALISANO

MATERIALI

	Materiali	Quantità	Impiego	Data d'impiego
1)	Cemento a 500	qli.3300	Ponte canale	qli.3000 - 1-9-1944
			fabbricato gru	" 100 - 1-10-944
			centrale	" 200 - 1-12-944
2)	Ferro per c.a.	qli.1000	Ponte canale	" 900 - 1-9-1944
			fabbricato gru	" 50 - 1-10-944
			centrale	" 50 - 1-12-944
3)	Filo ferro ricotto	qli. 10	Legature c.a.	" - 1-10-944
4)	Travi abete	mc. 150	Ponte canale e centrale	- 1-9-1944
5)	Tavolame vario	" 150	" " "	- 1-9-1944

MEZZI D'OPERA

7)	Gomme per autovetture	N. 5	Direzione del servizio	Già compresi nelle
8)	" " camioncino	" 5	Trasporti leggeri	richieste per la
9)	" " autotreno	" 16	Trasporto lateriale	Centrale di Castelma-
10)	Benzina	lt/M.1000	Autovetture e autotreno	dama.
11)	Carburo di calcio	Kg. 300	Saldatrice	subito
12)	Ossigeno	mc. 80	"	"
13)	Idrogeno	" 60	"	"
14)	Carbone forgia	qli. 150	Riparazione attrezzi	"
15)	Chiodi	" 15)	Cantiere	1-9-1944
16)	Funi di canapa	" 5	"	1-9-1944
17)	Funi metalliche	" 4	Montaggi	1-10-944
18)	Compressore con martelli demolitori	N. 1	Demolizioni e fodazioni e varie	1-9-1944

5527 G. 44

(3)

A.G.E.A.

Service IV

Materials required for repair masoneries and auxiliai es of Ca telmadama hydro power plant.

1)	Cement type 500	tons	3
2)	Hydrate lime		1
3)	Air bricks with three holes	ea	10.000
4)	Bricks for socles		30.000
5)	Eternit for covering (sheets)	s.m.	1.500
6)	Lumber : beam Trieste type (spruce)	c.m.	100
7)	Lumber: various plank		100
8)	Round iron for ~~[illegible]~~concrete ~~xxx~~	tons	10
9)	L.T.I. moulded iron for fixture		6
10)	Iron for I beam		5
11)	Iron sheets for fixtures (doors)		1
12)	Lead sheets for covering		4
13)	Window panes	s.m.	400
14)	Putty for window panes	Kg	200

Means for workin.

1)	Tires for motor trucks	ea	16
2)	Gasoil fuel	Qli	600
3)	Lubricants		60
4)	Calcium carbide		10
5)	Coal for forges		2
6)	Nails		15X
7)	Hemp ropes		5
8)	Acetylen lamp for miners	ea	10
9)	Wheelbarrows		50
10)	Buckets, shovels, pickaxes, hammers and various utensils	Qli	5
11)	Metal ropes	"	4
12)	Compressors for dull hammers	N	2
13)	oxycetylen welding apparatus		1

1.9.44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Inclosure B (2)

A.C.E.A.

Service IV

Materials required for repair masoneries and anxiliaries of Salisano hudro power plant.

1)	Cement type 500	q.l.	8,000
2)	hydrate lime	"	5,000
3)	air-bricks with three holes	N.	15.000
4)	bricks for socles	"	20.0000
5)	bricks for ceiling " SAP"	"	10.000
6)	eternit for covering (sheets)	s.m.	==
7)	lumber: beam Trieste type (spruce)	c.m.	50
8)	lumber: various plank	" "	60
9)	round iron for ferroconcrete	Kg.	20.000
10)	(L.T.& I) moulded iron for fixtures	"	3.000
11)	iron sheets for fixtures (dours)	"	500
12)	window - panes	q.m.	100
13)	Rulty for window panes	Kg.	50
14)	Asplalt	"	3.000

MEANS FOR WORKING

1)	Tires for motor trucks	N.	14
2)	gasoil fuel	q.l.	500
3)	lubricants	"	50
4)	calcium carbide	"	50
5)	coal for forges	"	100
6)	mails	"	10
7)	hemp ropes	"	5
8)	acetylen lamp for miner	N.	30
9)	wheel barnows	"	50
10)	buckets, shovels, pickaxes, hammers and various utensils	q.l.	5
11)	metal ropes	"	4
12)	compressors for dull-hammers	N.	2
13)	oxyacclyleu welding apparatus	"	1

1-9-44

5520

(1)

ACEA

Materials required for repair-masoneries and auxiliares of Mandela hydro-power plant

1)	Cement type 500	tons	200
2)	Hydrate li e	"	100
3)	Air brick, with three holes	N	5000
4)	Bricks for socles		10.000
5)	Bricks for ceiling SAP		15000
6)	Marseillaise t les		2000
7)	Lumbers:beam " Trieste" type spruce e.m.		50
8)	Lumber various plank		60
9)	Round iron for ferroconcrete	tons	5
10)	L T and I moulded iron for fixtures	"	3
11)	Iron sheet, for fixtures (doors)	kg	400
12)	Windowpanes	qm	300
13)	Putty fo window panes	Kg	300
14)	Glasses for skylights	qm	300

Means for working

1)	Tires for motor trucks	n.	14
2)	Gasoil fuel	Qli	500
3)	Lubricants	=	50
4)	Calcium Carbide	"	10
5)	Coal for forges		100
6)	Nails		10
7)	Hemp ropes		5
8)	Acetylen lamp for miner	N.	10
9)	Wheel barrows		50
10)	Buckets, showels, pickaxes , hammers and various utensils	Qli	5
11)	Metal ropes		4
12)	Compressors for dull hammers	N.	2
13)	Oxyacetylen welding apparatus		1

a.44

Declassified E.O. 12356 Section 3.3/NND No. 785019

7)	Lumbers:Beam " Trieste" type spruce e.m.		50
8)	Lumber various plank		60
9)	Round iron for ferroconcrete	tons	5
10)	L T and I moulded iron for fixtures	"	3
11)	Iron sheet, for fixtures (doors)	Kg	700
12)	Windowpanes	sqm	300
13)	Putty fo window panes	Kg	300
14)	Glasses for skylights	sqm	300

Means for working

1)	Tires for motor trucks	n.	14
2)	Gasoil fuel	Qli	500
3)	Lubricants	"	50
4)	Calcium Carbide	"	40
5)	Coal for forges		100
6)	Nails		10
7)	Hemp ropes		5
8)	Acetylen lamp for miner	N.	10
9)	Wheel barrows		50
10)	Buckets, showels,. pickaxes , hammers and various utensils	Qli	5
11)	Metal ropes		4
12)	Compressors for dull hammers	N.	2
13)	Oxyacetylen welding apparatus		1

1.9.44

5519

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

305/PWD

MATERIALS DEMANDED

Riservato Personale

MINISTERO DELLE CORPORAZIONI

UFFICIO STUDI E RICERCHE

BOLLETTINO SETTIMANALE
DEI PREZZI E DEI CAMBI

Declassified E.O. 12356 Section 3.3/NND No. 785019

UFFICIO STUDI E RICERCHE

BOLLETTINO SETTIMANALE
DEI PREZZI E DEI CAMBI

Roma, _____

Declassified E.O. 12356 Section 3.3/NND No. 785019

6881