Declassified E.O. 12356 Section 3.3/NND No. 785019

ACC 306/B

10000/150/818
(B)

Declassified E.O. 12356 Section 3.3/NND No. 785019

10000/150/818
(B)

GENERAL MATERIAL
(MAR. 1944);
OCT. 1944 – JAN. 1945

Declassified E.O. 12356 Section 3.3/NND No. 785019



3081B

General

Material

Vol II

OPENED: 23 OCT 44

CLOSED: 18 JAN 45

10000 150 818

THIS FOLDER
CONTAINS PAPERS
FROM OCT - 44
TO JAN - 45
CATALOGUE.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Vincenzo & Luigi Marrocco

CONCERIA PELLAMI - CUOIAMI

Tel[illegible]mi: MARROCCO CONCERIA
C. P. C. LECCE N. 14435
C. C. POSTALE 13/1610

24 GEN 1945

Galatina 18 gennaio 1945
(Lecce) - (Italia)

Spett. Commissione Alleata
SottoCommissione Lavori Pubblici
Divisione Ricostruzione
Roma

Ci permettiamo rivolgere a codesta Commisione la nostra ricgiesta di 200 Tonnellate di cemento tipo 500, poichè nè in Lecce nè in Bari ci è stato possibile ottenere delle assegnazioni.

Il Cemento occorre per la costruzione dei nostri stabilimenti e vi saremmo grati se vorrete communicarci qualcosa al riguardo.

Distinti saluti.

Vincenzo Marrocco

590[illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telegrammi: VIBELLONO - BARI
Telefoni: UFFICIO 11.183 / OFFICINA 13.352

Spedizioni: Via XXI APRILE, 114
U. P. C. - Bari N. 43661
C. C. Postale 13/5271

Ditta Vito Bellomo - Bari

UFFICIO TECNICO DI RAPPRESENTANZE — OFFICINA ELETTROMECCANICA

A. PELLIZZARI & F. - ARZIGNANO
S. A. LOMBARDINI - REGGIO EMILIA
S. A. C. M. O. - ROMA
PIGNONE - FIRENZE
BREDA - MILANO

Bari, 16 gennaio 1945

UFFICIO: Via Nicolai, 59 OFFICINA: Via XXI Aprile, 114

P.W. &. U. Sub Commission

HQ A.C.

ROMA

Ringrazio sentitamente per l'interesse preso riguardo le domande e venendo a Roma prossimamente non mancherò di ringraziare di persona.

Colgo l'occasione per inoltrare richiesta di olio per trasformatori occorrente per vari trasiormatori che abbiamo in questo momento in riparazione e che appena terminati i lavori occorrera rimettere in efficenza. Occorrono esattamente

4 Ton di Olio per trasformatori

e appena potrete assegnarci detto quantitativo volgliate informarci per poter provvedere al pagamento presso la CIP.

Distinti saluti.

Bellomo Vito

5903

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE

WML/sg

Tel : 489081.
Extn: 320.

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works and Utilities Sub-Commission

201

13 Jan 45.

REFERING : 187/PWU.

SUBJECT : Officers Postings.

TO : G-1 (British).

1. Reference is made to letter file 187 dated 12/10/44 addressed to CE AFHQ requesting the posting of P/142572 Major L.G. PRICE, R.E. to this Division of Public Works and Utilities Sub-Commission HQ. A.C.

2. This officer was called forward from D of W staff AFHQ BNAF on 3 February 1944 to take up an appointment on AAI Central Electrical Board and was attached to HQ AAI pending the approval of a W.E. or T.O.

3. Before a WE or TO was approved the AAI Central Electrical Board was disolved and Major Price was instructed by HQ AAI letter 2131/Q2 dated 15 Aug. 44 to transfer the business of the AAI Central Electrical Board to Public Works and Utilities Sub-Commission Electrical Division HQ A.C. and to which Sub-Commission Major Price is attached, filling the appointment of Material Supply Engineer (see this Office 187/PWU. dated 13 Dec 44).

4. This Officer is doing most valuable work in connection with the Electrical rehabilitation programme in Italy and it is desirable that his services be retained for this most important work. It is requested therefore that Major Price be posted and assigned to HQ A.C. and the position regularised.

L.A. JENNY, 5907
Lt-Colonel, C.E.,
Director.

noted L.G. Price may PE
18/1/45

Did this letter go out as initials
P.G. or L.G.? Should be "L.G." please check.
WRP

Declassified E.O. 12356 Section 3.3/NND No. 785019

S. A. I. M.

SOCIETÀ ANONIMA INDUSTRIA MOLINI

Capitale Sociale L. 500.000 int. versato

Sede in TRIGGIANO

C. P. C. BARI N. 38771

Telegrammi: S A I M - Triggiano
Telefono 16

Triggiano (Bari), 30 DICEMBRE 1944

ON.

PUBBLIC WORK = A.C.

ROMA

Per la costruzione di n°2 silos da grano della portata singola di T.500 circa, Vi preghiamo volerci assegnare T.120 di cemento per consegna in 2 o 3 scaglioni da appoggiarsi allo scalo merci della F.S.E. di Triggiano.

Data l'urgenza dell'inizio dei lavori necessari a frontoggiare i continui impegni di immaggazzinamento di grano ai quali siamo chiamati dall'A.C. di Bari che appoggia i suoi piroscafi sul porto di Bari, avremmo piacere che il primo scaglione ci fosse consegnato entro la seconda quindicina di gennaio entrante.

Distinti saluti.

S. A. INDUSTRIA MOLINI
Il Consigliere Delegato

5901

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE

COPY

HQ. A.C.
Toscana Region
P.W. & U. Division

13 Jan. 45

199

RVIII/100/FIR/5

Subject : Porcelain Insulators

To : Public Works and Utilities
S/C
Electr.Div.

1. Attached hereto information called for in your Ref. 306/PWU

A. CROWTHER MAJOR RE
Electr. Office
Toscana Region

5969

SOCIETA' CERAMICA
RICHARD - GINORI
STABILIMENTO di DOCCIA
COLONNATA (Firenze)
12 GEN. 1945

SOCIETA' CERAMICA RICHARD= GINORI

Stab.ti = DOCCIA & RIFREDI

==========

DISPONIBILITA' ISOLATORI DEI TIPI DI PIª NORMALE CONSUMO
(normalizzati "Civi") E DI QUELLI DI MODELLI SPECIALI
(esclusi telegrafonici e bassa tensione)

Declassified E.O. 12356 Section 3.3/NND No. 785019

SERIE NORMALIZZATE

Modello			tensione esercizio	Disponibilità
			ISOLATORI PER LINEE ALTA TENSIONE	
21258 verdi	Serie	Delta	6 KV.	050
21901	"	Americana	6 "	1000
21259	"	Delta	10 "	165
21902	"	Americana	10 "	3000
21304	"	Paderno	18 "	480
21261	"	Delta	20 "	165
			ISOLATORI PORTANTI PER INTERNO (sola porcellana)	
			(A gole)	
419			5 KV.	1000
622			5 "	1300
668			5 "	700
695			8 "	600
			=A colonnino a tassello interno=	
12884			5 KV.	1000
12886			15 "	1400
17246			50 "	50
			=A colonnino a base esterna=	
19681			5 KV.	2000

Declassified E.O. 12356 Section 3.3/NND No. 785019

21901	"	Americana	6 "	1000
21259	"	Delta	10 "	165
21902	"	Americana	10 "	3000
21304	"	Paderno	16 "	400
21261	"	Delta	20 "	165

ISOLATORI PORTANTI PER INTERNO (sola porcellana)

(A gole)

419	3 KV.	1000
622	3 "	1300
668	5 "	700
695	6 "	600

=A colonnino a tassello interno=

12884	3 KV.	1000
12886	15 "	1400
17246	30 "	50

-A colonnino a base esterna=

19581	3 KV.	2000
19585	20 "	2800

5897

= A colonnino a base esterna=
(serie rinforzata)

21511	3 KV.	500
21514	15 "	500

Declassified E.O. 12356 Section 3.3/NND No. 785019

Modello	Tensione esercizio	Disponibilità
	ISOLATORI PORTANTI PER ESTERNO	
21991	15 kV.	200
	ISOLATORI PASSANTI PER INTERNO(1000 Amp.)	
20064	3 kV.	12
17255	20 "	14
	ISOLATORI PASSANTI PER INTERNO(1600 Amp.)	
22831	6 kV.	11
	ISOLATORI PASSANTI PER ESTERNO(300 Amp.)	
19681 brani	25 kV.	30
	ISOLATORI PASSANTI PER ESTERNO(1000 Amp.)	
21936	6 kV.	18
21938	15 "	7
21939	20 "	50

Declassified E.O. 12356 Section 3.3/NND No. 785019

Modello	Tipo di montatura	Tipo montaggio	ø campana	carico rottura	Disponibilità	
			ISOLATORI A SOSPENSIONE			
19406 br.	a forchette	a cemento	m/m.110	Kg. 2000	2000	già montati
19450 "	a orbita	a lega metallica	" 170	" 7000	2000	da montare
19235 "	a orbita	" "	" 255	" 7000	4000	montati
					5000	da montare
18316 "	a orbita	" "	" 255	" 8000	1000	" "
20448 " (tipo antisale)	" "	" "	" 260	" 6000	6200	montati
					1200	da montare

T I P I S P E C I A L I

Isolatori per apparecchiature tipi "Adda" = "Technorasio" ="Magrini" "C.G.S." ="C.G.E." = ecc., nonchè tipi diversi per applicazioni varie ecc. complessivamente Qli 600 circa.=

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

HQ 56 Area

Subject: Bitumen

18CRE 820

HQ. ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference your 306/P&U dated 3 Jan.45

Please arrange to collect 1 ton of Bitumen from 1215 Stores Section, Vairmo, quoting this letter as authority.

Lt.Col .....
Commdor RE

Field
12 Jan 45

Copy to 1215 Stores Sec. HQ

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE

1st Ind.

Engineer Section P.B.S. Local Procurement Branch. Jan.11/1945

To: Headquarters, Lazio - Umbria Region A.M.G.,
Engineer Division, A.P.O. 394.

1. It was suggested by Lt. Col. Cooley that these request for cement be sent to Hq. A.C. Public Utilities Sub-Commission with a request for them to set priorities.

2. These cement requirements should then be incorporated in the bid submitted to this office by A.C.

For the Engineer :

J. Huston MacClane
Capt. C.E.
P & C. Officer.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RESTRICTED

FILE

1st Ind to ltr Hq AC, file 156/PWU,
dated 20 December 1944

AG 412.41/838 D-O 1st Ind
HEADQUARTERS MTOUSA, APO 512, 14 January 1945

AWK/wfb

TO: Deputy President, Allied Commission, APO 394

1. Inquiry has been made, both from MAAF and the United States Signal Corps, relative to availability of either 3-phase or single phase engine driven electric generators.

2. The United States Signal Corps reports none available at this time.

3. MAAF reports a possibility of release of 3-phase 60 cycle generators if a replacement by single phase generators can be made; since no single phase generators are available, this offer cannot be accepted.

4. If generators do become available, either in single or 3-phase, you will be advised.

5. Major Renton of the Public Works Sub-Commission, has further detailed information on this subject.

For the Theater Commander:

HEADQUARTERS 15 JAN 1945

JACK CARTER,
Captain, AGD,
Asst Adjutant General.

1 Incl
n/c

RESTRICTED

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LNP/bs

Maj. Wood
P.W. & U. Sub Commission

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

17/1/45

References: 306/PWU

Subject : Comcut MAT. 10 Forms

To : COMMERCE SUB COMMISSION HQ AC.
(Attn. Maj. Wood)

1. Herewith MAT 10 forms in duplicate for attention and action please.

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

6 Encl.

5892

306

Tel. 439.051 Ext.317

L/wl/mm

104

HEADQUARTERS ALLIED COMMISSION
Public Works and Utilities Sub-Commission
APO 394

File : 218/PWU

17 January 1945

Subject : Electric Power Supply.

To : Hqts. A.M.G. 8th Army (Rear)

1. Ref. R.IX/PU/G2 letter 3 Jan. 45.

2. As per discussion with Lt. Col. Spann, Major R.A. Bell and a group of electrical officers, of this Sub-Commission, will be located in the forward area and he will proceed to Florence in the next few days to establish an office.

3. As soon as possible Major Bell will contact you and arrange for the officers who will work on electrical matters in your territory.

W.M. LAIDLER
Lieut-Colonel
Chief Electrical Div.

c.c. Major R.A. Bell.

5[illegible] 39?

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj Price's Office
P.W. & U.-Elect. Section

Telephone 478805
LGP/be

103

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

16/1/45

Reference: 306/PWU

Subject : Bricks

To : Societa Fornace di Sinalunga
Siena

1. Please release to Pasquale Martignano the following
15.000 Bricks for roofing
lenghth: 1 metre or 1.20 metres, made up of 10.000 maximum width and 5000 minimum width,
also :
12.000 whole Bricks 28 x 14 cm.

2. You should make out invoices to the above named direct.

L. G. PRICE
L.G.PRICE.MAJOR RE
for Lieut- Colonel
Chief Electr. Division

Translation:

1. Prego rilasciare a Pasquale Martignano i seguenti materiali :
15.000 tavelloni lunghezza m. 1 oppure 1.20
dei quali 10.000 spessore massimo e 5.000 spessore minimo
ed anche
12.000 mattoni detti campeggiano o mezzanino misure cm. 28 c 14.
2. Inviare la fattura direttamente al soprannominato.

5897

L.G.PRICE MAJOR RE

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/ba

Maj. Price's Office
P.W. & U. Elec. Section

192

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

16/1/45

Reference: 306/PWU

Subject : Supplies -Civil Affairs

To : Director of Engineer Production and Stores
Engineer Section AFHQ

1. Due to delays in shipments of paper the demand for cement bags, far exceeds the supply, we shall be glad therefore if you can help by issuing a release note to ESD Monterotondo to supply this Sub Commission A.C. with

10.000 Paper Cement Bags
of the valve type.

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

583?

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LOP/DB

Maj Price 's Office
P.W. & U.-Elect.Section

191

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference: 306/PWU

16/1/45

Subject : MAT 10 -31/10/44

To : Commerce Sub Commission
Att. Maj. Wood

1. On the 1.11.44 a MAT 10 form was submitted to you as an urgent demand for

50 Tons Cement

to be released to Giuseppe Lanorma.

2. We now learn that this demand has not yet been met.

3. Please state when we may expect the release order.

L. G. PRICE
L.G.PRICE.MAJOR RE
for Lieut-Colonel
Chief Electr.Division

5884

Declassified E.O. 12356 Section 3.3/NND No. 785019

Mail Censor's Office
P.W. Correspondence Section

100

Phone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

26/1/45

Reference: 306/PWU

Subject : Insulated Tubing

To : C.C. P.W.S. (Main)

1. The firm of Giuseppe Lasorsa with head Office in Bari, ordered and paid in 1943

59030 metres of Insulated tubing

but before delivery could be effected, all stocks were "frozen" by the Allied authorities.

2. Is it possible please to give instruction that this material may now be released, in order that the above mentioned firm can complete certain work in their engineering factory.

3. The firm Giuseppe Lasorsa are manufacturers of electrical equipment much needed by Allied authorities.

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electrical Division

Copy to Giuseppe Lasorsa-Bari

" " Fabbrica Italiana Conduttori Elettrici
Via Arenaccia 296
Naples

5333

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 473805
LGP/ba

Maj. Price's Office
P.W. & U.-Elect. Section

189

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

14/1/45

Reference: 306/PWU

Subject : Bricks

To : Societa Formaci di Sinalunga
Siena

1. Please release to Firm Giuseppe Lasorsa

15.000 whole Bricks 28 x 14 x 6 cm.

2. It is understood that you have these bricks in stock and that you will invoice the above mentioned firm direct.

L. G. PRICE
L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

Translation

1. Prego rilasciare alla Firma Giuseppe Lasorsa

15.000 mattoni pieni misure 28 x 14 x 6 cm.

2. E notorio che avete i detti mattoni in magazzino per i quali fatturerete direttamente la firma menzionata.

L.G.PRICE,MAJOR 5807

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj [illegible] Price
P.W. & U.-Elect.Section

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

14/1/45

Reference : 306/P&U

Subject : BRICKS

To : Laterizi Montalto
Lucera

1. Please release to Firm Giuseppe Lucorsa

15.000 Special Bricks type S.A.P.
length 35/40 cm. width 16/18 cm.

2. It is understood that you have these bricks in stock and that you will invoice the above mentioned firm direct.

L. G. PRICE

L.G.PRICE.MAJOR RE
for Lieut- Colonel
Chief Electr.Division

Translation

1. Prego rilasciare alla Ditta Giuseppe Lucorsa

15.000 mattoni SAP lunghezza cm.35/40
altezza cm. 16/18.

2. E notorio che avete questi mattoni in magazzino per i quali fatturerete direttamente la firma menzionata.

L.G.PRICE.MAJOR RE

PASQUALE MARTIGNANO
PARABITA
(Lecce)

FILE
184

13/1/1945

RECEIVED
P.W. & U. SPC A.C.
13 JAN 1945 - 306

Alla Spett.Commissione Alleata
Public Works and Utilities
R o m a

MATERIALE

In seguito a quanto esposto verbalmente mi permetto di esporre qui appresso i materiali urgentemente necessari per la costruzione del mio stabilimento in Parabita:

1500 mq. di cartone bitumato tipo bisabbiato per tettoie,

15.000 tavelloni lunghezza da m. 1 (o m.1.20) dai quali 10.000 spessore massimo e 5.000 di spessore minimo)

50 Tonn. di cemento tipo 500 per poter proseguire i lavori poiche l'assegnazione delle prime 50 tonn. e insufficiente.

12.000 mattoni detti - campeggiane o mezzanine misure:cm 28 x 14

Vi sarei infinatamente riconoscente se vorrete provvedere al piu presto possibile a quanto sopra per mettermi in grado di eseguire i miei lavori.

Ringraziando , distinti saluti

Pasquale Martignano

Nota: I vagoni per il trasporto dei fusti vuoti come verbalmente esposto sono a Napoli .Occorrebbero quattro vagoni destinazione Parabita (Lecce).
Grazie nuovamente.

Pasquale Martignano 588

Declassified E.O. 12356 Section 3.3/NND No. 785019

RECEIVED
P.W. & U. SUB A.C.
13 JAN 1945 - 306

Alla Spett.Commissione Alleata
Public Works and Utilities
R o m a

MATERIALE

In seguito a quanto esposto verbalmente mi permetto di esporre qui appresso i materiali urgentemente necessari per la costruzione del mio stabilimento in Parabita:

1/ 1500 mq. di cartone bitumato tipo bisabbiato per tettoie,

2/ 15.000 tavelloni lunghezza da m. 1 (o m.1.20) dai quali 10.000 spessore massimo e 5.000 di spessore minimo)

3/ 50 Tonn. di cemento tipo 500 per poter proseguire i lavori poiche l'assegnazione delle prime 50 tonn. e insufficiente.

4/ 12.000 mattoni detti - campeggiane o mezzanine misure:cm 28 x 14

Vi sarei infinitamente riconoscente se vorrete provvedere al piu presto possibile a quanto sopra per mettermi in grado di eseguire i miei lavori.

Ringraziando , distinti saluti

Pasquale Martignano

Nota: I vagoni per il trasporto dei fusti vuoti come verbalmente esposto sono a Napoli .Occorrebbero quattro vagoni destinazione Parabita (Lecce).
Grazie nuovamente,

Pasquale Martignano 5885

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price's file
P.W. & U. Elect. Section

186

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

12/1/45

Reference: 306/PWU

Subject : Intake 300 KW Hydro-Electric Plant
Subiaco

To : Director of Engineer Production and Stores
Engineer Section AFHQ

1. A demand has been received from Subiaco Paper Mills for 80 (eighty) metres of iron piping of 900 (nine hundred) m/m diameter to be used for the intake to a 300 KW turbine.

2. The above stores are located with the firm Bosco of Terni but your authority is necessary for release.

3. May release be authorised please.

L. G. Price

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

588

Declassified E.O. 12356 Section 3.3/NND No. 785019

DW.

Rome 11th January 1945

Eng.Crespi, owner of the Subiaco Paper Mill asks for 80 meters of iron pipe with a diameter of 900 m/m able to support a pression of 2 Atm. Kg. to be used for the intake of a 300 KW turbine placed in the Subiaco Paper Mill.

It is known that the m/m iron pipe exists in the Firm Bosco of Terni.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj Price's Office
F.W. & U. Elect. Section

185

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference : 306/PWU

12/1/45

Subject : Cement for Lasorsa

To : Ferrovie dello Stato
Bari

1. This is to certify that 50 Tons of Cement shipped to Bari under this HQ Number 13821 dated 21/12/44 in Waggons No. 1016584, 1011112 and 7102469 (see attached copies) was conveyed as Allied Commission traffic and was not civilian traffic, it is requested therefore that the deposit claimed by you, be returned to Signor Lasorsa Giuseppe.

2. The attached copies of waggon labels may be retained by you for record purposes.

L. G. PRICE
L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

588

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj [illegible]
P.W. & D.Elect.Section

Telephone 478805
LGP/ba

184

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

11/1/45

Reference: 306/PWU

Subject : HIGH TENSION JOINTING COMPOUND

To : Director of Engineer Production and Stores
AFHQ (Sr)

1. Reference is made to this office 13/2 dated 25/11/44. EPW/7135/DDW(S) dated 2 Nov. 44 and voucher E/4356.

2. Important electrical repair work is held up for want of HT Jointing Compound, will you please state if you have now received Shipments and whether the same can be made available to this Sub - Commission to be used in connection with the electrical rehabilitation programme.

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electr.Division

5883

Declassified E.O. 12356 Section 3.3/NND No. 785019

FILE

306

INCOMING MESSAGE

C/7907
JAN 141520
PRIORITY

HQ.. A.C.

FROM ALCOM SOUTHERN REGION

TO : ALCOM COMMERCE SUB COMMISSION ACTION
PUBLIC WORKS SUB COMMISSION INFO
AFHQ FOR AFLRS INFO

183

RESTRICTED

REFERENCE YOUR LETTER AC/5300/COM dated 26 December 44. Material for Rome Power station despatched to Naval MC ROME on ROME ferry 5 January 45 by NOIC NAPLES via MC office in 1 case marked TA 1497

DIST.

INFO - ACTION COMMERCE SC
P W & U.
A/ PRESIDENT CHIEF COMMISSIONER
ECON. SEC
FILE

5831

Declassified E.O. 12356 Section 3.3/NND No. 785019

RIPARAZIONI E MODIFICA CARATTERISTICHE
MACCHINARIO ELETTRICO

LAVORAZIONI MECCANICHE IN GENERE

INGRANAGGI DRITTI PER INTERNI ED ESTERNI, ELICOIDALI, BIELICOIDALI, CONICI, ECC.

MOTORIDUTTORI E RIDUTTORI DI VELOCITÀ

IMPIANTI INDUSTRIALI - CABINE DI TRASFORMAZIONE

ELETTROPOMPE PER ACQUA, VINI, ECC.

COMPRA - VENDITA

RAPPRESENTANTE DEPOSITARIO
TECNOMASIO ITALIANO BROWN BOVERI
MILANO

MACCHINE ELETTRICHE E APPARECCHI ELETTRODOMESTICI

S. I. P. I. E. - MILANO PER STRUMENTI ELETTRICI

Telegr.: OFFICINA LASORSA

C. F. E. BARI N. 5010

OFFICINA PER INDUSTRIE ELETTROMECCANICHE

GIUSEPPE LASORSA

- BARI -

Officina: VIA MARIO ROSSANI, 51 - Telefono 12.657
Casa e Deposito: VIA CRISANZIO, 144 - Telefono 12.098

Bari, I2/ I/ 45

SPETT/
PUBLIC WORKS & UTILITIES SUB COMMISSION
R O M A

Vi prego di volermi assegnare per la costruenda nuova Officina, regolarmente autorizzata sia dal 2& distretto che dal Ministero Industria & Commercio Italiano i seg materiali :

N° I500 pezzi di mattoni SAP per volte della lunghezza circa di cm 35/40 e alti cm I6/I8.

I medesimi dovrebbero essere assegnati alla fabbrica di Laterizi MONTALTO in Lucera prov/ di Foggia.

Inoltre per la costruzione di N° 6 coppie di Silos da foraggi occorrenti alla tenuta della mia Signora sita in S. LITARDO (prv/ di Perugia)

N° I5.000 mattoni pieni della misura di cm 28 x I4 x 6 , con preghiera di rispettare tale misura essendo obbligata per il genere di lavoro.

Essi dovrebbero essere assegnati in una fornace della zona la più vicina alla stazione di Chiusi, e come destinatario sui vagoni dovrebbe essere indicato : FEDERICO PIAZZESI fattore Tenuta S. Litardo e poggiati alla stazionee di Chiusi.

Ringraziando gradite distinti saluti

Declassified E.O. 12356 Section 3.3/NND No. 785019

RIPARAZIONI E MODIFICA CARATTERISTICHE MACCHINARIO ELETTRICO

LAVORAZIONI MECCANICHE IN GENERE

INGRANAGGI DRITTI PER INTERNI ED ESTERNI, ELICOIDALI, BIELICOIDALI, CONICI, ECC.

MOTORIDUTTORI E RIDUTTORI DI VELOCITÀ

IMPIANTI INDUSTRIALI - CABINE DI TRASFORMAZIONE

ELETTROPOMPE PER ACQUA, VINO, ECC.

COMPRA - VENDITA

RAPPRESENTANTE DEPOSITARIO:
TECNOMASIO ITALIANO BROWN BOVERI
MILANO
MACCHINE ELETTRICHE E APPARECCHI ELETTROMEDICALI

S. I. P. I. E. - MILANO PER STRUMENTI ELETTRICI

Telegr. OFFICINA LASORSA

C. F. E. BARI N. 2010

OFFICINA PER INDUSTRIE ELETTROMECCANICHE

GIUSEPPE LASORSA

- BARI -

Officina: VIA MARIO ROSSANI, 51 - Telefono 12.657
Casa e Deposito: VIA CRISANZIO, 144 - Telefono 12.098

1821

Bari, I2/ I/ 45

SPETT /

PUBLIC WORKS & UTILITES SUB COMMISSION

R O M A

SBLOCCO MATERIALI presso la FICE di Napoli.

Da diverso tempo con la medesima ero in trattative per l'acquisto di tubi Ber= gmann , acquisto che dalla medesima fu definito come dalle fatture Nº 27I & 273 del 6 e 7 Novembre I943.

Per varie ragioni e principalmente per i trasporti la merce e rimasta giacen= te presso i loro magazzeni, essendo poi la fabbrica stata messa sotto control= lo Alleato, vi prego di voler provvedere a farmi tenere ordine di sblocco di quanto sopra essendomi della massima urgenza in questo momento i materiali di cui sopra.

A documentazione allugo le due fatture.

DEREQUISIZIONI MACCHINE UTENSILI E AUTO.

5879

A suo tempo dalle autorità Alleate furono requisiti varie macchine nella mia Officina come dac requisizioni accluse :

Data 30/7/44 . rep/ Nº 450955 , Nº I Tornio completo di accessori .
Data I/8/44 . rep/ Nº 450989 , Nº I Trapano completo fori sino a mm I2.
Data I4/3/44 , req/ Nº 6/B/23I , Nº I Auto Lancia Aprilia non targata,

Alligo le requisizioni in parola in più quella Italiana riguardante la requi= sizione della vettura Lancia, datata 20/3/44.

Ringraziamenti anticipati di quanto; andrete a fare , e con distinti saluti.

Nº 6 Alligati .

Declassified E.O. 12356 Section 3.3/NND No. 785019

Capt H G Beale
HQ Region IV
7 Jan 45.

Dear Major,

I have just returned from Ancona, Macerata etc, and took the opportunity of looking in at Cachetti's Foundry at Porto Civitanova.

I could find no stocks worth mentioning of nuts and bolts there. They have however a good stock of rivets if required.

U.N.E.S. think they can find nuts and bolts at Fermo. Will let you know more by result in due course.

Yours sincerely
Harry Beale.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RECEIVED
P.W. & U. S/C A.C.
9 JAN 1945 306

3061

FILE 71

ENGINEER SECTION
A.F.H.Q.
C.M.F.
Telephone No. Freedom 818.

SUBJECT:- Electrical Supplies for Rehabilitation - ITALY. ENG/3750

TO:- Chief Electrical Division,
HQ Allied Commission,
APO 394.

8 Jan 45.

1. In reply to your letter 306/PWU dated 31 Dec 44. We have to inform you that we are fully cognisant of all Stores held in British Engineer Stores Depots. The proposed visit of your representative is, therefore, unnecessary.

2. Should you desire our help in the supply of electrical materials, will you please let us know what types and quantities are required, and the project on which it is intended to use them.

C.C.PARKMAN,
Lt. Col., R.E.,
for Brigadier,
D.E.P.& S.

5877

Spoke Col Parkman's Department 14/1/45 No action at present

DVJB/JG.

Col Parkman formal 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Mail Private Office
P.W. & U.-Elect.Section

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

178

8/1/45

Reference: 306/PWU

Subject : Demands

To : MINISTERO DELL'INDUSTRIA, COMMERCIO
E LAVORO
Via Flavia 14 -Roma

1. It is requested that replies be given to this Sub Commission letters, reference and dates as follows :

Reference	Date	Subject
302/PWU	12/12/44	(Materials urgently required for the rehabilitation of Larderello Power Plant).
303/PWU	11/12/44	(100 Kgs Animal Fat -urgently required in order to bring into commission the Hydro Electric Plant of Galleto-Terni)
300/PWU	11/12/44	(MAT 10 - 20 quintals Calcium Carbide 400 Welding Electrodes No.6)
301/PWU	9/12/44	(List material required for the operation of the San Paolo Power Plant)
306/PWU	8/12/44	(2 Tons of Tar for Contractor ICEM)

L. G. PRICE

L.G.PRICE ,MAJOR RE
for Lieut-Colonel
Chief Electr. Division

5375

Declassified E.O. 12356 Section 3.3/NND No. 785019

Subject:- Bitumen.

RECEIVED
PW & U S.C
17 JAN 1945 306

FILE

HQ Allied Commission,
A.P.O. 394,
Public Works & Utilities Sub Comm.
Electrical Section.

Chief Engineer,
3 District, CMF.
Tel: Baseball 88.
CE.5011.

5 Jan 1945.

1. Reference your 306/PWU dated 2 Jan 1945.

2. Herewith copy of this office CE.5011 dated 17 Dec 1944, which does not appear to have been received by you.

(C.G.SMART)
Lieut. R.E.,
for Brigadier,
Chief Engineer.

CGS/VM.

COPY.

Subject:- Bitumen.

HQ Allied Commission,
A.P.O. 394.
Public Works & Utilities Sub Comm.
Electrical Section.

Chief Engineer,
3 District, CMF.
Tel: Ext 88.
CE.5011.

17 Dec 1944.

18 CRE Wks

1. In reply to your letter 306/PWU of 14 Dec 1944, if you apply to 18 CRE Wks he will doubtless be able to arrange for you to have 1 ton of Bituminous Tar from his dump at VAIRANO.

(signed) R.W.E.LEWIN
Major R.E.,
for Brigadier
Chief Engineer.

5875

Declassified E.O. 12356 Section 3.3/NND No. 785019

306 1750

HEADQUARTERS
AAG/AC
ABRUZZI-MARCHE REGION
C. M. F.

TO : H. S. O. HQ AAG/AC Abruzzi-Marche Region.

FROM : Regional Engineer.

SUBJECT : ACC/MAT No. IO.

REF : 5/517/16.

DATE : 4 ~~Nov.~~ Dec. 1944.

518/17/1
5/17/44.

Attached hereto forms ACC/MAT. No. IO in triplicate for the following material :

Cement : 172 Tons.

C. A. LATIMER.
Lt. Col.
Regional Engineer.

5377

Send copy to Maj Ward

Declassified E.O. 12356 Section 3.3/NND No. 785019

Reg Engineer.
This copy for your files.

HEADQUARTERS ALLIED COMMISSION
APO 394
COMMERCE SUB-COMMISSION
Release & Requirements Section

26 Nov 44.

BT/ale

Tel. 478905

Ref. AC/5000/3/Commerce

23 November 1944

SUBJECT: Cement

TO : HQ AAC Abruzzi-Marche Region

AAO 504 560

1. Your letter ref. R/5/519/17/1 dated 17 November '44 refers.

2. The position you write upon in para. 2 appears to this Subcommission to arise from an arrangement made between the Regional Engineer and the CRE 21 Works Chieti; therefore no action by this HQ would seem to be necessary in that Modugno Works (Bari) is also controlled by D.W.

3. With regard to the point raised in para 3 of your above mentioned letter this Subcommission is in entire agreement that you make direct application to the military units concerned for your cement requirements.

For the Chief Commissioner:

Arrow W. CRE 21 - 10-I-

W. P. EVANS
Colonel
Director
Commerce Sub-Commission

1 Incl. - undated AC MAT 10 form (in triplo)

5873

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

1. DEMAND FOR CONTROLLED MATERIALS. Date: 2 December '44

2. ALE/ACC FORMATION Public Works & Utilities Officer

3. COMMODITY DEMANDED Cement 50 tons
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit).
(a) Single lot demand : 50 tons
(b) Next Month
(c) Second Month
(d) Third Month

5. JUSTIFICATION : (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
(a) Has material been located ? NO
(b) If locally - Where ? NO
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where ? Civitavecchia Bari Barletta etc.
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:
Consignee: Capo Comis Civile Macerata
Address Macerata

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK FILLER)~~ purposes. (Strike out words not applicable).

Date: 2 December '44 Capt. John Trundle Signature
Rank, Title, Office.
Capt. P.W. & U. Officer Marche Division

5872

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY DEMANDED Cement 50 tons
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit).
(a) Single lot demand : 50 tons
(b) Next Month
(c) Second Month
(d) Third Month

5. JUSTIFICATION : (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
(a) Has material been located ? NO
(b) If locally - Where ? NO
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where ? Civitavecchia Bari Barletta ect.
(d) If blocked, give names of establishment and military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:
Consignee: Capo Como Civile Ricostr
Address Macerata

8. It is certified that these supplies and stores are required for (URGENT), (~~NORMAL~~), (~~STOCK FILLER~~) purposes. (Strike out words not applicable).

Date: 2 December 44 Capt. John Hrvatsh Signature
Rank, Title, Office.

9. REGIONAL APPROVAL C Platania Title Capt. P.M. & D. Officer Marche Date 5872 Reg. March

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

AFLR (I) B Release Order No. _____ Our release Order No. _____

Date _____ Date _____

Remarks:

Form ACC-NAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

The material requested is for the reconstruction of the bridge over the torrente Fiastra on State RD. 78 Macerata Province.
This is the main Rd. from Macerata to Ascoli Piceno.
A provisory bridge is no practical at this location and there is no parallel Rd. which can be used.

John Hurdish, Capt.

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY & COMMERCE SUB-COMMISSION
APO 394

Date: 3 December 44

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION Caserta Area & Provincial Section

3. COMMODITY DEMANDED [illegible]
(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit).
(a) Single lot demand : 1 - ton
(b) Next Month 1 - ton
(c) Second Month 1 - ton
(d) Third Month 1 - ton

5. JUSTIFICATION : (Detail this information on Back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
(a) Has material been located ? NO
(b) If locally - Where ? NO
(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where ?
(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:
Consignee: Base Sanit Civile Caserta Province
Address Caserta

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK-PILING)~~ purposes. (Strike out words not applicable).

Date: 3 December '44 Capt John Ithralson Signature
Rank, Title, Office. 5871

9. REGIONAL APPROVAL A Rattazzi Title Log. Eng. Date 3/12/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

(Give particulars of specification on back of form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit).
   (a) Single lot demand :
   (b) Next Month
   (c) Second Month
   (d) Third Month

5. JUSTIFICATION : (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:-
   (a) Has material been located ? NO
   (b) If locally - Where ? NO
   (c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where ?
   (d) If blocked, give rules of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:
   Consignee:
   Address

8. It is certified that these supplies and stores are required for (URGENT), ~~(NORMAL), (STOCK BUILDING)~~ purposes. (Strike out words not applicable).

   Date: [illegible] December '44 — Capt. John Thurston — Signature
   Rank, Title, Office. 5871

9. REGIONAL APPROVAL — Title — Date

FOR USE OF LOCAL RESOURCES SECTION (I & C SUB-COMMISSION).

AFLR (I) B Release Order No. — Our release Order No.

Date — Date

Remarks:

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

This material requested is for a important bridge on the Provincial Rd. Macerata-Pausula-Ascoli Piceno over the Chienti river.

A provisory bridge at this location is not practical and there is no parallel road in the vicinity.

John Howard, Capt.

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEAD UARTERS
ALLIED CONTROL CO SION
INDUSTRY & CO ERCE SUB-CO ISSION
AFO 394

1. SUPPLIES AND STORES DEMAND — Date _____

2. DEMANDING SERVICE: Engineering Div.Abruzzi-Marche Region AC/AMG.

3. COMMODITY DEMANDED: Cement (500 type)

4. QUANTITY REQUIRED (In metric tons or other suitable unit)
   a. Current month, November 1944: 180 Tons.
   b. Next month, _____ 1944: _____
   c. Third month, _____ 1944: _____
   d. _____ _____: _____

5. STOCKS ON HAND, as of _____ 1944: _____

   Equivalent to _____ days of supply.

6. DATE DELIVERY REQUIRED: Immediatly (Nov.15) 1944.

7. SPECIAL REQUEST FOR IMMEDIATE SUPPLY: COMMODITY: Cement.

   a. QUANTITY: 180 Tons.

8. PRIORITY OR URGENCY: Most urgent.- See note on back of this sheet.

9. PLACE DELIVERY REQUIRED:
   Town or Commune To be delivered to 3 Bist at Modugno.

   Province Bari Compartment Puglie

10. It is certified that these supplies and stores are required for (URGENT) (~~NORMAL PURPOSES~~) (~~SPECIAL PURPOSES~~) purposes. (Strike out words not applicable).

    Date: Nov.14th 1944

    [signature] Signature.

    Lt.Col.Reg.Engr. Title, Office.

11. REGIONAL APPROVAL Dohan Kennedy Title RCO Date 16/11/5870
    MAT 10/AM/67 Capt.

Declassified E.O. 12356 Section 3.3/NND No. 785019

4. QUANTITY REQUIRED (In metric tons or other suitable unit)
a. Current month, November 1944: 180 Tons.
b. Next month, 1944:
c. Third month, 1944:
d. :

5. STOCKS ON HAND, as of 1944:

Equivalent to days of supply.

6. DATE DELIVERY REQUIRED: Immediatly (Nov.15) 1944.

7. SPECIAL REQUEST FOR IMMEDIATE SUPPLY: COMMODITY: Cement.

a. QUANTITY: 180 Tons.

8. PRIORITY OR URGENCY: Most urgent.- See note on back of this sheet.

9. PLACE DELIVERY REQUIRED:
Town or Commune To be delivered to 3 Bist at Modugno.

Province Bari Compartment Puglie

10. It is certified that these supplies and stores are required for (URGENT) (~~ORDINARY PURPOSES~~) (~~CIVIL USE~~) purposes. (Strike out words not applicable).

Date: Nov.14th 1944 Signature.

Lt.Col.Reg.Engr. Title, Office.

11. REGIONAL APPROVAL Dshan Kennedy Title Asso Date 16/11/5870
MAT 10/Am/67 Capt.

FOR USE OF LOCAL RESOURCES SECTION ONLY

Allocated by Committee: Release Order No.:
Approved by Board: Date:

Date: All notified

Form ACC-MAT NO. 10

Declassified E.O. 12356 Section 3.3/NND No. 785019

This cement is to be released for urgent Military construction in the south - to replace cement furnished to Abruzz-Marche Region for most urgent civil bridge and Public Works construction from stock of 21 C.R.E. at Saint Vito (Chieti).

It will save the transportation of 400 tons of cement, viz - 200 tons. from Bari north to A.M. Region and return of 200 tons from St.Vito to Southern area.

C.A. LATIMER
Lt.Col. C.E.
Regional Engineer

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj Price Office
P.W. & U. Electrical Section

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

6/1/45

Reference: 306/PWU

Subject : Request for Tonnage allocation for Italian Ports May 45

To : Director Transportation Sub Commission

1. Reference your AC/26/123/Tn/S. dated 4 Jan 45.

2. So far as this Sub Commission is concerned the return is

N I L.

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut- Colonel
Chief Electrical Division

5869

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LCP/bs

Maj. Price's Office
P.W. & U. Elec. Section

(17)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

6/2/45

Reference: 306/PWU

Subject : Porcelain Insulators

To : Regional Commissioner
Tuscany Region
(Att. Maj. Crowther)

1. The catalogue of Richard Ginori has been received, and for which many thanks, but we are still without the information needed i.e. the types of insulators in stock, without this information we cannot determine their use.

2. Will you, please supply the desired information at an early date.

L.G. PRICE

L.G.PRICE.MAJOR RE
for Lieut-Colonel
Chief, Electrical Division

5802

Declassified E.O. 12356 Section 3.3/NND No. 785019

(122)

Telephone 478805
LGP/bn

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

5/1/45

Reference: 306/PWU

Subject : Travel Permit

To : C.I.T.
Rome

1. This is to certify that ALBERTO PIETRO DENTICI has been granted permission to travel to Macerata on important business and it is necessary that he be given priority to travel as his permit expires on 31 Jan 45.

2. Will you please grant the above named a seat on the vehicle that leaves Rome for Macerata either Saturday 6/1/45 or Tuesday 9/1/45.

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief,Electr.Division

5867

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/be

Maj [illegible]
P.W. & U. Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference: 306/PWU

3/1/45

Subject : Bitumen

To : 18 CRE Works RE
CRE

1. Reference this office even number dated 21/12/44 to which was attached copy of CE 3 Dis letter CE 5011 dated 17/12/44.

2. May we be favoured with an early reply please.

3. Release should be forwarded to this Sub-Commission.

L.G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electr. Division

5805

SECRET

RF/hl

HEADQUARTERS ALLIED COMMISSION
APO 394
Transportation Sub-Commission

RECEIVED
PW & CA/SC A.C.
5 JAN 1945

Tel: 489081 Ex.534
Our Ref: AC/26/123/Tn/3

4 January 1945.

SUBJECT: Request for Tonnage Allocation for Italian Ports, May 1945.

TO : Food Sub-Commission
Agricultural Sub-Commission
Industry Sub-Commission
Commerce Sub-Commission
Public Health Sub-Commission
Finance Sub-Commission
Public Works & Utilities Sub-Comm.
U.N.R.R.A.

for Major Lush
" Major Merrick
" Major Mowbray
" Major Gant
" Col.Griffin
" Major Baxter
" Major Price
" Mr.Rackman

You are requested to submit to the Transportation Sub-Commission, Shipments, Ports and Warehousing Division, your estimated tonnage acceptances into Italian Mainland Ports for May 1945, as follows:-

Commodity	West Coast Naples Area	West Coast Leghorn & North	Genoa	East Coast Naval Ports	East Coast Ancona & North	Venice	Grand Total

Your estimated tonnages should be based on the

Declassified E.O. 12356 Section 3.3/NND No. 785019

Public Health Sub-Commission " Col.Griffin
Finance Sub-Commission " Major Dexter
Public Works & Utilities Sub-Comm. " Major Price
U.N.R.R.A. " Mr.Rockmar

You are requested to submit to the Transportation Sub-Commission, Shipments, Ports and Warehousing Division, your estimated tonnage acceptances into Italian Mainland Ports for May 1945, as follows:-

Commodity	West Coast Naples Area	West Coast Leghorn & North	Genoa	East Coast Reel Ports	East Coast Ancona & North	Venice	Grand Total

Your estimated tonnages should be based on the requisitions you have placed with, and had accepted by the Requisitioning Sub-Commission, or any firm demands you have made to AFHQ., for supplies for that month.

Please contact J/Comdr.E.Fearnsides, Room 10, 6th Floor, Phone 489081, Ex.534, if you have any queries about this return.

You are requested to submit your reply to this Sub-Commission not later than Saturday, 13 January.

E Fearnsides J/Cmdr. ATS
for MERRITT H. TAYLOR
Director

Copy to: Economic Section
Requisitioning Sub-Commission
Priority & [illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj. Price 's Office
P.W. & U.-Elect. Section

Telephone 47805
LGP/bs

0169

HEADQUARTERS ALLIED COMMISSION
AMG 394
Public Works & Utilities Sub Commission
Electrical Division

31/12/44

Reference: 306/PWU

Subject : Electrical Supplies for Rehabilitation, Italy

To : C in C AFHQ

1. It is understood that electrical material still exists in North African Depots which could be utilised on the rehabilitation of electric power plants in this theatre i.e. electrical material which do not appear in the British Engineer Vocabulary of Stores and which was originally demanded for this Country.

2. In order that a thorough check can be made, it is requested that a technical representative of this Sub-Commission (an officer who is acquainted with the depots) be granted permission to proceed to North Africa at an early date and report on the availability of electrical stores suitable for utilisation in Italy.

W.H. LAPPIN, LT.COLONEL
CHIEF ELECTRICAL DIVISION

5307

Declassified E.O. 12356 Section 3.3/NND No. 785019

P.W.I.B. 1/321

1 JAN 1945

A. SCIARRA

D RM BARI 14500 32 23 18=

BARI 29305-25-4-112=

CARRI MANCANTI DOCUMENTI DOVUTO LASCIARE CAUZIONE PUNTO PARTIAMO NAPOLI LUNEDI SAREMO ROMA MARTEDI AVISANDO ARRIVO CORDIALITA - LASORSA GIUSEPPE

1 JAN 1945

Declassified E.O. 12356 Section 3.3/NND No. 785019

DIMAGGIORE PRICE
COMMISSIONE ALLEATA VIA
ITTORIO VENETO
ROMA

Fatevi correntisti postali:

Pagamenti e riscossioni in tutte le località del Regno. Fra correntisti i pagamenti e le riscossioni mediante postagiro sono eseguiti senza limitazione di somma ed in esenzione da qualsiasi tassa

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj
P.W. &

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference: 306/PWU 2/1/45

Subject : BITUMEN

To : CE 3 DISTRICT
(Attn. Major Lowin)

1. May a reply be given to our even number dated 14/12/44, requesting the release of

1 Ton Bituminous Tar

please.

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electrical Division

5882

58

Telephone 472805
LDP/bs

Maj. Price's Office
P.W. & U. Elect. Section

(165)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

29/12/44

Reference: 306/PWU

Subject : Sodium Phosphate

To : Montecatini
Via Salandra 13
Roma

1. Confirming conversation with Eng. Zamorani (on behalf of ACEA) and Major Price this HQ, please note that rail transportation has been arranged to convey from Crotone to Roma

1. Ton Sodium Phosphate
on January 1st 1945.

2. Labelling of wagon etc. will be attended to by Crotone representative.

L.G. PRICE

L.G.PRICE .MAJOR RE
for Lieut-Colonel
Chief Electr. Division

Declassified E.O. 12356 Section 3.3/NND No. 785019

URGENT.

FILE T.O.

Date 28 December 1944

1. DEMAND FOR CONTROLLED MATERIALS:

2. AMG/ACC FORMATION: GROSSETO PROVINCE

3. COMMODITY DEMANDED: Cement - type 300
(in metric tons or other suitable unit).

4. QUANTITY REQUIRED:

(a) Single lot demand: 20 Tons

(b) Next month

(c) Second month

(d) Third month

5. Justification: (Detail this information on the back of the Form)

6. SOURCES OF SUPPLY (if known). Give particulars:-

(a) Has material been located?

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.

7. ADDRESS FOR DELIVERY:

Consignee: Societh Elettrica [illegible]

Addres : Grosseto

Grosseto Province

8. It is certified that these supplies and stores are required for (URGENT). (NORMAL). (STOCK FILLING) purposes. (Strike out words not applicable).

Frank Clewing

Declassified E.O. 12356 Section 3.3/NND No. 785019

(b) Next month

(c) Second month

(d) Third month

5. Justification: (Detail this information on the back of the Form)

6. SOURCES OF SUPPLY (if known). Give particulars:-

(a) Has material been located?

(b) If locally – Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.

7. ADDRESS FOR DELIVERY:

Consignee: Societh Elettrica Maremmana

Addres : Grosseto

Grosseto Province

8. It is certified that these supplies and stores are required for (URGENT), (NORMAL), (STOCK FILLING) purposes. (Strike out words not applicable).

Date _____ FRANK J. CHIARI, Capt. Inf. Signature
Prov. Supply Officer

9. REGIONAL APPROVAL 5389

FOR USE OF LOCAL RESOURCES BOARD SECTION (I. & C. Sub-Commission)

AFLR (I) B Release Order Order No. _____ Ord release order No. _____

Date _____ Date _____

Form MAT 10

Declassified E.O. 12356 Section 3.3/NND No. 785019

Justification : For repairs on ~~exxxx~~ electric power line (reconstruction of foundations Grosseto-Scansano line) to assure regular function of electric service and to repair high tension line (also reconstruction of foundations) of Chiusi - Poggio Piovano line Works approved by Genio Civile .

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

(64)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

28/12/44

Reference: 306/2WU

Subject : DRAWING OFFICE EQUIPMENT

To : PUBLIC WORKS & UTILITIES SUB-COMMISSION
Electrical Section (Att. Capt. Vennoy)

1. The equipment as set out below is on charge to Major L.G.PRICE RE from British Ordinance and is on loan to Electrical Section P.W. & U. S/C.

2. Will you please consider these remarks when making an inventory of the equipment now used by the Drawing Office staff, so that in the event of British Ordinance recall, the equipment can be returned to them otherwise Major Price will be called upon to make good the deficiencies.

3. If it should be that you do not require these items you can return to Major Price's care.

C E B Drafting Equipment

Drafting Tables 42" x 29"	nos.	2
Wooden T squares 2 - 57" 1-approx 24"	"	3
Field barometer	"	1
Field compass	"	1
Tape measure 300 ft. (Major Price's Off)	"	1
Celluloid goniometers (Protractors 360° 9"	"	3
Drawing sets MK II		2
French curves (one set)	"	5
Celluloid Triangle squares	"	7
Straight edges (scale-meters) -Box wood	"	4 (N.5-N.6A-N.8A-N.20)

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electrical Division

5854

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price's Office
P.W. & U. Elect. Section

(16)

M E M O R A N D U M

Ref. 306/PWU

28/12/44

Subject : Cement

To : Commerce Sub Commission

From : P.W. & U. S/C
Electr. Div.

1. Reference conversation Major Wood - Major Price of 27/12/44.

2. It is estimated that the Public Works and Utilities Sub Commission will require,

30.000 Tons of Cement

to be used for repairs and rehabilitation during the six months January to June 1945.

3. Will you please take the necessary action to make the above quantity available, as demanded.

L.G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr. Division

Declassified E.O. 12356 Section 3.3/NND No. 785019

N.A.
P.W. & U. Hist. Section

(12)

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

27/12/44

Reference: 306/PWU

Subject : Cement

To : Pasquale Martigmano
Stabilimento in PARABITA
(Lecce)

1. Please note that we have released to you

50 Tons Cement

and rail transport has been arranged accordingly.

2. It will only be necessary for you to make financial arrangements with Calce e Cementi, Corso Umberto 262-Rome.

3. You will be notified of date of dispatch.

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electr. Division

COPY TO: CALCE E CEMENTI
Corso Umberto 262
Rome

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj [illegible]
P.W. & U. Elect. Section

(161)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

Reference: 306/PWU

27/12/44

Subject : Cement

To : Giuseppe Lasorsa
Via Mario Rossani 51
Bari

1. Please note that we have released to you

50 Tons Cement

and rail transport has been arranged accordingly.

2. It will only be necessary for you to make financial arrangements with Calce e Cementi , Corso Umberto 262-Roma.

3. You will be notified of date of dispatch.

L.G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

5956

COPY TO: CALCE E CEMENTI
Corso Umberto 262
Roma

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price
P.W. & U. Elect. Section

(12)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Division

27/12/44

References: 306/PWU

Subject : Cement

To : Ditta Vito Bellomo
Via Nicolai 59
Bari

1. Please note that we have released to you

50 Tons Cement
and rail transport has been arranged accordingly.

2. It will only be necessary for you to make financial arrangements with Calce e Cementi, Corso Umberto 262-Rome.

3. You will be notified of date of dispatch.

L.G. PRICE

L.G.PRICE,MAJOR RE
for Lieut- Colonel
Chief Electr. Division

COPY TO: CALCE E CEMENTI
Corso Umberto 262
Rome

5855

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telegrammi: VIBELLOMO - BARI
Telefoni: UFFICIO 11.183
OFFICINA 13.352

Spedizioni: Via XXI APRILE, 114
U. P. C. - Bari N. 43661
C. C. Postale 13/5271

Ditta Vito Bellomo - Bari

UFFICIO TECNICO DI RAPPRESENTANZE — OFFICINA ELETTROMECCANICA

A. PELLIZZARI & F. - ARZIGNANO
S. A. LOMBARDINI - REGGIO EMILIA
S. A. C. M. O. - ROMA
PIGNONE - FIRENZE
BREDA - MILANO

20 DEC 1944
313

Bari, 15/12/44

UFFICIO: Via Nicolai, 59 OFFICINA: Via XXI Aprile, 114

ALLIED COMMISSION HQ
PUBLIC WORKS & UTILITIES
SUB COMMISSION
ELECTRICAL DIVISION
ROMA

Le mie varie domande presentate finora a Bari al 2° ed al 3° Distretto hanno solo avute delle vaghe promesse. Mi permetto quindi scrivere direttamente alla Vostra Commissione poiche mi hanno detto che ogni ordine deve partire da Roma.
Prego richiamare la vostra attenzione sulla necessita per la mia Ditta di ottenere un'assegnazione di Cemento per urgenti lavori alla mia officina Elettromeccanica. La mia Officina e tra le piu importanti a Bari e lavora esclusivamente per riparazioni di utilita civile e militare. La richiesta di Cemento e tra le prime da me presentate perche la piu urgente ma altri materiali sono necessari per l'efficienza dell'Officina. Mi permettero di inviarvi una dettagliata lista nella speranza che vorrete accogliere benevolmente le mie richieste.
La quantita di Cemento, tipo 500, necessaria e di 100 Tonnellate, preferirei avere l'assegnazione in una sola volta per le ragioni di trasporto che si presentano giornalmente piu difficili.
Vogliate prego ritenere la mia pratica della massima urgenza e provvedere al piu presto al rilascio dello sblocco del cemento necessario.

In attesa di Vostre istruzioni al riguardo, ringrazio anticipatamente

3857

Vito Bellomo

Declassified E.O. 12356 Section 3.3/NND No. 785019

(158)

Pasquale Martignano fu Giov.
Stabilimento Vinicolo Proprio
Parabita (Lecce)

li 15/12/44 194

Spett. Ufficio P.W. U. Sub.Comm
H/ AUC
Roma

Cemento

Facendo seguito alla mia del 26 novembre 1944, Vi prego volervi interessare alla mia domanda per 100 tonn. di Cemento necessarie per costruzioni urgenti da fare al mio stabilimento che ora e del tutto inoperoso.

Vi sarei molto grato se voleste farmi ottenere il Cemento al piu presto affinche io possa iniziare i lavori.

Faro il possibile per venire a Roma per perlare a voce delle mie necessita.

Ringraziando anticipatamente,

Pasquale Martignano

5852

Declassified E.O. 12356 Section 3.3/NND No. 785019

Pasquale Martignetto fu Giov.
Stabilimento Vinicolo Proprio
Parabita (Lecce)

2 DEC 1944

li 26 novembre 1944

Spett. Ufficio Public Work and Utilities
Ufficio Mag. Price
Commissione Alleata
Roma

Mi permetto disturbare codesto Ufficio nella speranza che abbia trovato la via giusta. Tante sono state le mia domande dal giugno scorso ma fino ad oggi ogni ufficio mi ha rimandato ad un altro.

Ora spero proprio che si voglia fare per me una domanda per cento tonnellate di cemento tipo 500 da prelevarsi o da Taranto Cementeria Ionica o da Modugno Cementeria Pugliese. Quest'ultima sarebbe meglio perche ha una produzione superiore di cemento ed anche per il trasporto del materiale la situazione si presenta meglio.

La mia richiesta e giustificata dal fatto che i bombardamenti e i vandalismi hanno distrutto completamente la mia centrale di produzione ed ora avendo iniziato i lavori di reabilitazione ho urgentemente bisogno del cemento per la ricostruzione dei padiglioni.

L'Ufficio di Bari, dove ho incontrato un amico mi ha consigliato di scrivere a questo indirizzo e prego proprio di fare tutto il possibile per il mio caso. Tutto il lavoro e fermo ed i miei operai non possono lavorare. Rivolgo percio alla cortesia del Mag. Price la preghiara vivissima di voler inoltrare la mia domanda per 100 ton. di cemento.

Appena possibile verro a Roma, ad ogni modo prego senza attendere il mio arrivo di voler iniziare la pratica.

Grazie infinitamente

Bisogno 11 autoveicoli 5853

Telephone 478805
LGP/bs

Maj. [illegible] office
P.W. & U. Elec. Section

(156)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

21/12/44

Reference:306/PWU

Subject : Bitumen

To : 18 CRE Works
CMF

1. We attach hereto copy of CE 3 Dis letter CE 5011 dated 17 Dec.44.

2. Will you please release for the use of the HQ

1 Tons Bituminous Tar
from your dumps at Vairano.

L. G. PRICE

L.G.PRICE,MAJOR RE
for Lieut-Colonel
Chief Electr.Division

Copy of CE 3 Dis letter
CE 5011 dtd 17 Dec.44

5891

Declassified E.O. 12356 Section 3.3/NND No. 785019

~ 4/0005
LGP/bs

Maj Pric[illegible]s office
P.W. & C.[illegible] Section

(155)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

20/12/44

References: 158/PWU

Subject : Industrial Power

To : Hq MTOUSA
APO 512

1. Attached hereto is copy of a letter received from Hq AAF 5th Army which is self explanatory.

2. It is understood that such a number of mobile generators, with attendants, may be released by the Air Force Service Command which generators were originally intended for use with radar sets.

3. Your early decision on this question will be appreciated.

W.L.LAPPER, Lt.Colonel
Chief Electr.Division

Encl. Copy ltr HQ AAF 5th ARMY
dtd 8 Dec.44

5858

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

(153)

HQ AMC FIFTH ARMY
APO 464 US ARMY

DMG/EEH/cpn

2059
December 8, 1944

SUBJECT: Industrial Power

TO : HQ.A.C. (Attention Chief Commissioner)

1. Due to the shortage of electrical energy in the army area there are many small industrial plants, olive presses and hospitals that are likely to be without power or light for some time to come unless some form of mobile power units can be secured and loaned to them until such time as power is available over the regular network.

2. The motors in most common use in this part of the country are three phase, 50 cycle, 260 volt. Any mobile gasoline or diesel driven generators suitable to operate such motors could be used to advantage in starting many small industries.

3. It is suggested that 30 such units with operating personal be requested from MTOUSA for use in 5th Army Area by A.C. as many of these generators will continue in operation outside the army area as the rear boundary advances.

Signed: EDGAR ERSKINE HUME
Brigadier General, GSC
A.C. of S., G-5 Section

5849

Declassified E.O. 12356 Section 3.3/NND No. 785019

Maj Price's office
P.W. & U. Electrical Section

Telephone 478895
LGP/ba

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

20/12/44

Reference: Civil Supplies

To : Regional Commissioner
Lazio Umbria Region
(Att. Regional Engineer)

1. Herewith list of supplies required by Societa dell'Acqua Pia Antica Marcia for 1945, for your attention.

2. Should you have any difficulty in meeting the demands this Sub Commission will be glad to assist.

L. G. PRICE

L.G.PRICE.Major RE
for Lieut-Colonel
Chief Electr.Division

Encl. Ltr Ministero del Lavori Pubblici
dtd 11 Dec.44
List of materials

Declassified E.O. 12356 Section 3.3/NND No. 785019

(153)

Telephone 478805
LOP/bs

Maj. Price 's Office
P.W. & U. Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

References: 158/PWU

4/16

20/12/44

Subject : Industrial Power

To : HQ AMG 5th Army
APO 464 US Army

1. Reference is made to your 205/9 dated 8 Dec.44.

2. The provision of mobile generators for the starting up of small industries in Army areas has been taken up with MTOUSA, and we will communicate the result to you as soon as a reply has been received.

W.M. LAPPER Lt.Col.
Chief Electr.Division

5847

Declassified E.O. 12356 Section 3.3/NND No. 785019

RECEIVED
P.W. & U.S/C A.C.
21 DEC 1944 306

Subject:- Prisoners.

From Allied Commission,
A.P.O. 394.
Public Health & Welfare Sub Commission,
Medical Section.

17 Dec 1944.

To C.M.F.

1. In reply to your letter 306/PW of 14 Dec 1944, re you asked to be told what conditions we were to arrange for you to have 1 box of cigarettes for those internees in Vienna.

(P.W.E. Section)
Major R.A.,
for Lt-Colonel,
Chief Sanitary Officer.

58/46

D./D.

RECEIVED CT
P.W. & U. S/C A.C.
18 DEC 1944 306

HEADQUARTERS
ALLIED MILITARY GOVERNMENT
TOSCANA REGION
PUBLIC WORKS AND UTILITIES DIVISION

306

17 Dec.44

SUBJECT : Porcelain Insulators

TO : Public Works & Utilities Sub-Commission
attn. Major Prics.

Reference your letter 306/PWU dated 6 dec.

1. Herewith list of insulators in stock.

2. List of materials required to start manufacture of insulators.

3. Details of Plant in the test ROOMs etc. together with a short history of the firm concerned.

4. Copies of Authority blocking Plant, materials etc. and Form I P C S " Availability of Industry "

5. Any further action in this connection you may wish to take will receive immediate attention.

For Regional Engineer

A. CROWTHER
Major R E
Electrical Utilities
Toscana Region

Lt Col Dyson M.A.
Pda 19/12

Maj Harris

5845

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

s 73

SOCIETÀ CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

SESTO FIORENTINO

Doccia 15 Dicembre 1944

Nº 1514

DISPONIBILITA' ISOLATORI (esclusi tipi telegrafonici ed a bassa tensione)

SERIE NORMALIZZATI "C.I.V.I."

Isolatori per linee Alta Tensione tipi vari e per tensioni varie	circa nº 5000	pezzi
Isolatori portanti per interno tipi vari e per tensioni varie	" " 10000	"
Isolatori portanti per esterno tipi vari e per tensioni varie	" " 200	"
Isolatori passanti per interno tipi vari e per tensioni varie	" " 50	"
Isolatori passanti per esterno tipi vari e per tensioni varie	" " 100	"
Isolatori a sospensione tipi vari (montati a lega)	" " 20000	"

Serie speciali "Adda", "Tecnomasio", "Magrini", "C.G.E.", "C.G.S." ecc., nonché tipi speciali per applicazioni varie ecc.;

complessivamente circa Q.li 1200

5847

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ CERAMICA RICHARD GINORI
STABILIMENTO DI DOCCIA
SESTO FIORENTINO

A 75
S 73

(2)

Nº I

PROVVISTE ED ACCESSORI DI LAVORAZIONE NECESSARI PER ESEGUIRE LA PRODUZIONE INDICATA.

Qualità	Quantità annua	Normali fonti di rifornimento
Ghisa comune per montature isolatori portanti	Kg. 10.000	F.lli Cosimini -Pieve a Nievole. F.lli Cantoni -Bergamo Fonderie Pracchi -Milano.
Ghisa malleabile per montature isolatori sospesi	" 200.000	id. c. s;
Ferro omogeneo per esecuzione perni per isolatori sospesi	" 40.000	Tecnomasio It. Brow-Boveri-Milano S.I.S.M.A. Villadossola
Zinco per zincatura montature di cui sopra	" 30.000	F.lli De Lucchi-Trezzano Rosa Metallizzazione Italiana Pavia
Piombo puro per esecuzione lega antim. per montaggio isol. sospesi	" 80.000	Montevecchio -Milano-
Antimonio per detta lega (12%)	" 11.000	A.M.M.I. Roma
Ottone per coppiglie isol. sospesi	5.500	Figli di Geremia Boliani -Vimercate -Milano-
Ottone per capsule isol. rigifi di linea	" 2.000	Metallurgica Ital. Fornaci di Barg
Vernice antiruggine per montat. isolatori portanti	" 500	Vernici Ital "Standard" Milano
Grafite per montaggio isol. sospesi	600	Chiari e Bencini -Firenze-
Vernice "Flatting" di 3A per montaggio isol. sospesi	" 600	Attilio Parentini -Firenze-
Cemento tipo 600 per montaggio isolatori vari	" 24.000	Consorzio Ital. Leganti idraulici -Firenze-
Mole a smeriglio a tazza	nº 300	S.A.M.le Norton -Corsico-
id. a disco	" 150	(Rolla Fortunato -Carrara (Industria Mole abrasivi -Roma-
Legname per imballaggio	m3 1000	Soc. acc. Marretti-Pesto F. A. Donati -Colonnata- Cesare Matteucci -Firenze- Giuseppe Manetti -Tavarnuzze-

segue

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETÀ CERAMICA RICHARD GINORI
STABILIMENTO DI DOCCIA
SESTO FIORENTINO

N° 2

QUALITÀ	Quantità annua	Normali fonti di rifornimento
Chiodi per imballaggi	Kg. 10.000	S.A.Ferdinado Zanoletti -Firenze-
Paglia di riso	" 50.000	Rossi Mauro -Malarbergo-
Carborundum per rettifica	" 1.000	F.lli Galbaressa &Domodossola
Ferro ossido per vernic.isol.	" 200	Montecatini -Milano-
Nafta per impasti ceramici	3.000	Soc.Italo-Americana pel Petrolio
Olio d'olivaper forme isol.	" 1.000	Super -Passignano sul Trasimeno+
Sapone per forme	" 350.-	A.Parentini -Firenze-
Sodio Silicato	" 2.500	Caverni e Pecori -Livorno-
Soda Solvay	" 4.500	S.A.Solvay -Rosignano-

5842

Declassified E.O. 12356 Section 3.3/NND No. 785019

4

HEADQUARTERS FIFTH ARMY
A. P. O. 4464, U. S. Army
Office of the A. C. of S., G-4

MEW/CSD/jdr
21 November 1944

Memorandum:

Subject: Local Resources Blocked for Military Use.

To: Whom it May Concern.

1. The plant of "Stabilimento Richard-Ginori",Sesto-Fiorentino, has been blocked for Military use of Fifth Army by AMG.

2. The products, raw materials, machinery and buildings of this firm will not be requisitioned by any unit for any purpose without prior clearance of Engineer Headquarters, Headquarters Fifth Army.

For the A. C. of S., G-4:

CHARLES S. D'ORSA,
Colonel, G. S. C.,
Executive Officer.

5841

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS FIFTH ARMY
A. P. O. #464, U. S. Army
Office of the A. C. of S., G-4

REE/CSD/crw
21 November 1944

Memorandum: RO#1

To: Stabilimento Richard-Ginori, Sesto - Fiorentino

Release Order

for

Local Resources Blocked for Military Use

1. The material listed below is hereby released for your requisition and purchase in accordance with existing instructions:

Item	Quantity
Coal (for operation of electrical insulator plant)	2,000 tons

2. Material is now blocked by AMG under order of Commanding General, Fifth Army, at the following location:

Societa Electrica Selt-Valdarno, Centrale Termo-Elettrica, [illegible]

For the Army G-4:

for CHARLES S. D'ORSA,
Colonel, GSC,
Executive Officer.

Countersigned by AMG, Fifth Army
A. D. Rust, Capt.

cc: Addressee

Owner or Representative

5819

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

N°

'A CERAMICA RICHAR[illegible]-GINORI
STABILIMENTO DI DOCC[illegible]

R E P O R T

The DOCCIA Factory was founded in 1735 and was the thir china Factory to be built in Europe. For this reason the German Authorities at one time decided that this traditional building - of historical and cultural importance - would never be damaged by them, but protected as far as possible.

On the 19th juli 1944 at 11 o' clock the MANAGER, Dott.Ing.Francesco Merlini received the visit of the German Inspector Carrow who, by order of Commander Baron Von Viebahn, intimated the Manager to pack his bags, because the same evening they would come to fetch him, to take him and his family "into the North". Hearing this the Undersigned and his family no themselves in Florence, telling the Germans that he was leaving for Milan on his own account. The S.S. Command sent their men round 5 times to take him away, but were unable to find him, till finally, about the 27th July, one of their Officers told the Overseer of the Works that the S.S. were leaving for Bologna.

On 1st August 1944 at 8,30 a.m. the Manager was informed that several Germans had arrived at the Factory in a lorr, with orders to blow the place up. The Manager raced to the spot and dogged the German mine-layers, and by cutting fuses from 9 in the morning till 9,30 at night, managed to save a part of the ovens (though all are partly damaged)and part of the machinery.

The Manager would like to point out, however, that much of the more important machinery and raw material had previously been hidden and walled-up by us. We had worked at the difficulty and risky task for over a month. The Electrical Cabin, the transformers of the trgin-out rooms, material for sewething insulators etc. were saved-thanks to our patient manouvers in hilding-rendered all the more dangerous by ~~manouvers~~ the frequent German inspection.

Our books show that from September 1943 to June 1944 on a total of L. 20.000.000, he amount confiscated by the Germans was L. 600.000.= i.e 3%.

With subtlety, and because the Manager can talk German, it became possible to save a quantity of material and machinery which would otherwise have been requisitioned or totally destroyed by the Germans.

We have stock read in the Factory and in the Warehouse, for which we have already a contract with I.C.U.

We should welcome an inspection by A.M.G. in order to decide on our future work, especially as we have been informed that there is an urgent need for porcellane insulators. We call your notice to the fact that our is the ONLY Factory for the production of insulators existing in liberated Italy.

For reference we should like to point out that we have exported Insulators to CANADA, EGYPT, SOUTH AMERICA etc. all of which we can proove with the necessary documents.

583a

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETÁ CERAMICA RICHA[illegible]-GINORI
STABILIMENTO DI DOCCIA

N° _____

0 3

PROSPETTO N° 1

Riferimento Comma N° 10 a)

ELETTRICITA'

n° 1 Trasformatore C.G.E.Trifase Volt.30.000/170 da KV.30 Ampere 100 Periodi 50

" 3 " Brown-Boveri Trifase Volt.30.000/170 da KVA. 200 Ampere 650 Periodi 50

" 2 " " Trifase Volt.30.000/170 da KVA. 225 Ampere 763 Periodi 50

" 1 " Oerlikon Monofase Volt. 30.000/170 da KVA. 75 Ampere 442 Periodi 50

PER UN COMPLESSIVO DI KW. 608 PARI A HP. 800

Consumo medio mensile a lavoro normale KW. 225.000
" " giornaliero " " " 7.500

Consumo medio mensile a lavoro ridotto KW. 125.000
" " giornaliero " " " 4.100

583[illegible]

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETÁ CERAMICA RICHARD GINORI
STABILIMENTO DI DOCCIA

Nº _____

ALLEGATO Nº 2

Riferimento Comma 12

a) C O M B U S T I B I L I

Consumo mensile normale (ossia con 2000 operai e lavorazione in pieno):

Carbone fossile a lunga fiamma	Tonn.	1500
Lignite	"	1000
Legna	"	500

Consumo mensile dopo le riparazioni parziali:

Carbone fossile a lunga fiamma	Tonn.	600 * *
Lignite	"	400
Legna	"	200

b) M A T E R I E P R I M E

Consumo mensile normale:

Materie per Porcellane

Argille e Caolini	Tonn.	350
Feldspati	"	120
Quarzi	"	175
Carbonato di calcio e varie	"	5
	"	650

Materie per Refrattari

Argille, Caolini e Varie	"	550
	Tonn.	1200

Consumo mensile dopo le riparazioni parziali:

Materie per Porcellane

Argielle e Caolini	Tonn.	150
Feldspati	"	60
Quarzi	"	88
Carbonato di calcio e varie	"	2
		300

Materie per Refrattari

Argille, Caolini e varie	"	300
	Tonn.	600

* SI STANNO FACENDO PROVE PER COMBUSTIONE A NAFTA

5837

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ CERAMICA RICHARD - GINORI
STABILIMENTO DI DOCCIA

ALLEGATO N° 3
Riferimento Comma 12

A 75
S 73

N°

ESISTENZA MATERIE PRIME E COMBUSTIBILI PER GLI STABILIMENTI DI DOCCIA E DI RIFREDI al 1° GENNAIO 1943 =

Materie per Porcellane

Arena di Fontainebleau	Tonn.	13,600
" Dura di Calabria	"	135,450
" Tenera di Calabria	"	255,150
Argilla Isolatorenton	"	71,100
" Mullembak 36/40	"	101,600
" Vicenza F.A.	"	9,100
Allumina Calcinata	"	7,500
Bentonite	"	12,850
Caolino Osmosa	"	455.-
" Zettlitzer	"	774,200
" Borgotaro	"	30,500
" P.3	"	121,600
" T.V. Soc.Naz.Caolino	"	---
" Mara Giglio A.	"	27.-
" C.I.B. Sasso	"	152.-
" Sardo P.P.	"	173,300
Calcare di Mondovì	"	15,500
Ciottoli del Ticino	"	27.-
" del Belgio	"	23,700
" Carpano	"	5,550
Feldspato Finlandese	"	88,500
" Sempione	"	62,900
" Piona	"	98,500
" Sondalo	"	12,800
Ghiaietto Sardo	"	810.-
Marmo di Carrara	"	12,300
Kreide	"	13,200
Pasta Francese	"	147,400
Pegmatite Bauscher	"	261,300
Quarzo Cristallino di Norvegia	"	112,600
" di S.Cristoforo	"	13.-
" Davoli	"	251,900
Quarzite di Monzone	"	11,400
Rivestimenti per Dorotee	"	64,500
Sabbia Quarzose Diomiri	"	11,600
Terraglia di Milano	"	4,500
Talco di Val Chisone	"	10,800
Vernice Francese B.V.4	"	32,400
" Waldershoff	"	2,600
Totale	Tonn.	4.434,000

583

./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETÀ CERAMICA RICHARD GINORI
STABILIMENTO DI DOCCIA

Nº _____

Materie Refrattarie

Argilla	Blauton B.	Tonn.	80.-
"	Excelsior mista	"	791.-
"	Z.T. Walter Rasch	"	---
"	Piano Romano	"	---
"	Blauton Landwerk	"	410.-
"	Flora I.G. Bleu	"	159.-
"	Blaschet tipo A.	"	79,160
"	Kalselton	"	74.-
"	Blauton M.T.S.	"	175,330
"	Ponholz marca XII	"	20,180
"	Ponholz Oberton	"	28,220
"	Spugnoli S.Giovanni Vº	"	71,760
Caolino	T.L.C.	"	410.-
"	T.L.R.	"	88.-
"	S.H.I.	"	10.-
"	Gesso del Sasso	"	20.-
Italcorindone	Gultarossa	"	10.-
Terra Manuelli		"	85,742
Vitros		"	1,500
Quarzo Fuso		"	13.-
Sabbia quarzosa grezza		"	6.-

Totale Tonn. 2.534,922

Teli da presa alti	cm. 105	mt.	477.-
" " "	" 80	"	215.-
" " "	" 50	"	2686.-

Idrato di Allumina	Tonn.	18.-
Piombo antimoniale	"	70,868

Combustibili

Carbone fossile estero	Tonn.	73.-
Carbone coke	"	2.-
Legna da ardere	"	124.-
Lignite	"	10.-

" Lo Stabilimento di RIFREDI viene rifornito da DOCCIA a mezzo autocarri.

583

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

ALLEGATO N° 4
Riferimento Cenna 12

A 75
573

N°

ESISTENZA MATERIE PRIME E COMBUSTIBILI PER GLI STABILIMENTI DI DOCCIA E DI RIFREDI AL 12 SETTEMBRE 1944 =

Materie per Porcellana

Allumina calcinata	Tonn.	7,680
Arena di Fontainebleau	"	0,680
" Dura di Calabria	"	129,700
" Tenera di Calabria	"	164,800
Argilla Isolaterenton	"	42,700
" Mullembak	"	7,200
" Vicenza V.A.	"	8,990
Bentonite	"	15,600
Caolino Ornose	"	329,500
" Zettlitzer	"	564.-
" Borgotaro	"	5,900
" C.I.B.	"	27,400
" Sardo P.P.	"	172,575
" Giglio A.	"	31,600
Calcare di Mondovì	"	22,300
Ciottoli del Ticino	"	1,900
" del Belgio	"	10,600
Feldspato Finlandese	"	13,500
" Piona	"	---
" Sondalo	"	5,400
Ghianetto Sardo	"	251,500
Marmo di Carrara	"	9,500
Kreide	"	13,250
Pasta Francese V.F.	"	143,400
Pegmatite Bauscher	"	261,300
Quarzo Cristallino di Norvegia	"	101.-
" di S.Cristoforo	"	84,100
" Devoli	"	81,900
Quarzite di Monzone	"	8,200
Rivestimenti per Dorotee	"	62,400
Sabbia Diomiri	"	11,600
Talco di Val Chisone	"	11.-
Vernice Francese E.V.4	"	31,500
" Waldershoff	"	2,540
Petrulla Tenera	"	15.-
Totale	Tonn.	2.650,035

583 ./.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETÀ CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

N° _____

Materie Refrattarie

Argilla Blauton B.	Tonn.	13,030
" Piano Romano	"	1530.-
" Blaschet Tipo A.	"	48,345
" Blauton M.T.S.	"	104.-
" Ponholz Oberton	"	5.-
" Cibri Ersan	"	1,850
" Spugnoli S.Giovanni	"	164.-
Caolino S.K.I.	"	21,900
Italcorindone Caltarossa	"	10.-
Terra Marcelli	"	46.-
Vitros	"	1,500
Quarzo Fuso	"	13.-
Sabbia Quarzosa grossa	"	3.-
Totale	Tonn.	1.961,685

Teli da presse alti cm. 105	mt.	237.-
" " " " " 80	"	153.-
" " " " " 50	"	101.-
Ossido di Allumina	Tonn.	29,790
Piombo Antimoniale	"	139,065

Combustibili

Carbone fossile estero	Tonn.	25.-
Carbone coke	"	3,100
Legna da ardere	"	11.-
Lignite	"	100.-

* Lo Stabilimento di RIPREDI viene rifornito da DOCCIA a mezzo autocarri.

583

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETA' CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

N°

RELAZIONE SUGLI STABILIMENTI DELLA SOCIETA' CERAMICA RICHARD-GINORI DI SESTO FIORENTINO E DI RIFREDI =

Lo Stabilimento di Doccia (Sesto Fiorentino) fu fondato nel 1735 ed è il terzo in Europa in ordine cronologico delle Fabbriche di Porcellana.

Per questo fatto fu a suo tempo assicurato dalle Autorità Tedesche che questo Stabilimento tradizionale e di importanza storico culturale, non solo non sarebbe mai stato danneggiato, ma anzi protetto da eventuali offese. Il giorno 19 Luglio alle ore 11 il Dirigente Dr. Ing. Francesco Merlini ebbe la visita dell'Ispettore Tedesco Carrow che a nome del Comandante credo Barone Colonnello Von Viebahn, mi disse di preparare le valigie perchè la sera sarebbero venuti a prendermi per portarmi nel Nord con tutta la mia famiglia. A questo invito il suddetto Dirigente si nascose e Firenze con la propria famiglia dicendo però a mezzo lettera diretta al suddetto Comando Tedesco, che egli sarebbe partito per Milano con i propri mezzi. Il Dirigente stesso fu ricercato tre volte e il giorno 27 Luglio il Comando delle S.S. che lo ricercò disse al Capo Fabbrica di Rifredi che sarebbero partiti per Bologna.

Il giorno 1° Agosto alle 8,30 il Dirigente Dr.Ing. Merlini fu avvisato che erano arrivati nello Stabilimento di Doccia dei Tedeschi con automezzi e con l'ordine di fare saltare la fabbrica stessa. Il Dirigente stesso si precipitò a Doccia e si mise alle calcagna dei nefasti devastatori: così facendo e tagliando molte micce nel lasso di tempo intercorso dalle 9 della mattina alle 9,30 di sera, riuscì a salvare parte dei forni, che sono stati però tutti danneggiati, e la maggior parte dei macchinari. Il Dirigente fa presente che buona parte delle macchine più importanti, nonchè le materie prime più preziose, furono nascoste e murate in precedenza, durante un mese e mezzo di assillante e pericolosissimo lavoro di occultamento. La cabina elettrica, i trasformatori della Sala Prove, Materiali per Montaggio Isolatori, ecc. fu tutto salvato attraverso un paziente occultamento reso particolarmente pericoloso dalle continue visite dei tedeschi.

Su un fatturato dal settembre 1943 al giugno 1944 per l'importo di Lit. 20.000.000.= il materiale asportato dai tedeschi ammonta ad un globale di Lit. 600.000.= circa e cioè il 3% del totale.

Con astuzie e per il fatto che il Dirigente parlasse abbastanza bene il tedesco, è stato possibile salvare una quantità di materiale e di macchinario che altrimenti sarebbe stato asportato o distrutto totalmente dai Tedeschi stessi. Abbiamo del materiale pronto anche al Magazzino e per la qual cosa ci siamo messi in contatto con l'Ufficio competente. Crediamo opportuno un sopraluogo delle Autorità Alleate, onde decidere e programmare il futuro, tanto più che ci è nata l'urgentissima necessità di isolatori in porcellana. Facciamo presente che la nostra Società è l'unica che abbia stabilimenti per la produzione di isolatori nell'Italia Liberata. Come referenze facciamo notare che abbiamo fornito i nostri prodotti per l'esportazione nel Canadà, nell'Egitto, nell'America del Sud, U.S.A., ecc., tutte cose che possiamo provare con

58,7

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
573

SOCIETÀ CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

N°

relativi documenti.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETA CERAMICA RICHARD-GINORI
STABILIMENTO DI DOCCIA

Nº _____

SOCIETA' CERAMICA RICHARD-GINORI

2 STABILIMENTI = di cui

1º a SESTO FIORENTINO (Doccia)
2º a RIFREDI (Firenze)

1º STABILIMENTO DI DOCCIA (Fondato nel 1735)

Questo Stabilimento fu minato dai tedeschi il giorno 1º Agosto e furono danneggiati tutti i forni e parte dei materiali.

In 45 giorni si conta di poter camminare con una potenzialità del 50% della normale.

Il Dirigente Dott. Ing. Francesco Merlini, tagliando le miccie con forbici che aveva nascoste in tasca, salvò molto macchinario, e tutta la Cabina Elettrica, i trasformatori ecc.

Per le riparazioni possono essere ripresi circa 120 operai, e per il montaggio e spedizione isolatori altri 45 circa.

Le caratteristiche di costruzioni della Ditta sono:

Isolatori di porcellana di tutti i tipi e per tutte le tensioni
Oggetti per Laboratori scientifici, analisi, e apparecchi per chimica in porcellana speciale
Oggetti di uso domestico per tavola e oggetti d'arte

SCORTE DI MATERIE PRIME ESISTENTI = Si rimette l'elenco delle scorte in base alle quali si prevede un periodo di lavoro di circa 3 mesi, se però ci verrà fornito il carbone fossile necessario per la cottura, e cioè in ragione di tonnellate 600 al mese.

SE LA DITTA POSSIEDE IMPIANTO PROPRIO DI ENERGIA = No

HP INSTALLATI = 1180

QUALI SONO LE FONTI PROVENIENZA DELLE MATERIE PRIME NECESSARIE ALLA LAVORAZIONE =

CAOLINO - Francia o Inghilterra
ARGILLA REFRATTARIA - Francia o Inghilterra
CARBONE - Inghilterra
FELDSPATO - dalla Svezia se non è possibile avere il Feldspato dalla Calabria (Prov. Tropea)
TELE DA PRESSE - Non sapremmo ove rivolgerci, ma ne abbiamo per due mesi.

5839

Facciamo presente che abbiamo salvato i nostri automezzi falsificando fogli di requisizione della Autorità Tedesca e poi nascondendo i mezzi. Sono di tipo antiquato e possono marciare sia a gas di carbone vegetale, sia a benzina.

Declassified E.O. 12356 Section 3.3/NND No. 785019

A 75
S 73

SOCIETA CERAMICA RICHARD GINORI
STABILIMENTO DI DOCCIA

Nº_____

2º STABILIMENTO DI RIFREDI - Via Panciatichi

Questo Stabilimento è rimasto miracolosamente illeso sia dalle offese aeree sia dai minamenti tedeschi.

PERCENTUALE DELLA POTENZIALITA' RIMASTA SALVA IN RAPPORTO A QUELLA PREESISTENTE =

100%

NUMERO MASSIMO DI OPERAI IN UN SOLO TURNO CHE POSSONO ESSERE MESSI AL LAVORO =

Nº 80 circa fino a 130 nel periodo di un mese

QUALI SONO LE COSTRUZIONI CARATTERISTICHE DELLA DITTA =

Isolatori di media e bassa tensione anche per Marina, Ferrovie, Poste e Telegrafi, ecc.

SCORTE DI MATERIE ESISTENTI =

Viene rifornito dallo Stabilimento di Doccia, ma si può calcolare per 3 mesi, sempre se verrà fornito il Carbone fossile necessario per la cottura.

SE LA DITTA POSSIEDE UN IMPIANTO PROPRIO DI ENERGIA ELETTRICA = No

HP. INSTALLATI = 112 su 23 motori

QUALI SONO LE FONTI DI PROVENIENZA DELLE MATERIE PRIME NECESSARIE ALLE LAVORAZIONI =

CAOLINO = Sardegna e poco dalla Francia e Inghilterra
ARGILLA REFRATTARIA = Francia o Inghilterra
CARBONE = Inghilterra
FELDSPATO = Calabria.

LIED MILITARY GOVERNMENT
GOVERNO MILITARE ALLEATO
REGION VIII

Prot. N°729

Form. I & C.S. 1

Confidential
Riservato personale

AVAILABILITY OF INDUSTRY
RAPPORTO DI EFFICENZA INDUSTRIALE

Il presente rapporto deve essere completato da tutte le aziende di manifattura e di produzione che, IN GENNAIO 1943, impiegavano più di 40 operai.
Completarlo in Inglese (od in Italiano) e consegnarne ~~quattro~~ copie entro sette giorni dalla ricezione all'Ufficiale dal quale si è ricevuto. Se tutte le informazioni richieste non sono disponibili, il rapporto deve essere completato al più presto possibile e gli ulteriori dettagli dovranno essere forniti in seguito.

NOTA N. 1 - Il rapporto deve essere completato con macchina da scrivere o con stampa.

NOTA N. 2 - Il rapporto deve essere dato con la massima quantità possibile di dettagli, allo scopo di fornire una chiara visione del Vostro stabilimento. Se necessario, aggiungere altri fogli di carta.

To be completed for all manifacturing or producing businesses which employed more than 40 workers in

JANUARY 1943

Complete in English (or Italian) and deliver 4 copies within 7 days of recepit to the Officier from whom it is received. If all required information is not available, form should be completed as fast as possible and further details reported later.

1. Tipo dell'azienda PORCELLANA - Isolatori Stoviglie, ecc. — 1 - Type of business
2. Nome dell'azienda per esteso SOCIETA' CERAMICA RICHARD-GINORI (Società Anonima) — 2 - Name of business in full
3. Indirizzo per esteso COLONNATA (Firenze) SESTO FIORENTINO (Includendo la Provincia) — 3 - Full address (Including province)
4. Nome ed indirizzo del Presidente o dei Proprietari: Presidente - Ing. NICO CASTELLINI Via Tamburini, 10 - MILANO — 4 - Name & address of President or Proprietors:
5. Nome ed indirizzi dei Direttori o Soci: Dr. Ing. FRANCESCO MERLINI Via di Castello, 21 - SESTO FIORENTINO — 5 - Name & addresses of Directors or Partners
6. Nome ed indirizzi del Direttore Generale e del Segretario della Società: Dr. LINO VOIS - Via Bigli,1 - MILANO Dr. GUIDO ZADRA - Via Bigli,1 - MILANO — 6 - Names & addresses of General Manager & Co. Secretary:
7. Nome ed indirizzo del funzionario più anziano disponibile attualmente: con funzioni di Direttore Generali per i territori liberati: Dr. Ing. FRANCESCO MERLINI - Sesto F.no Cav. CORRADO MAGANI - Via S. Michele agli — 7 - Name & address of Senior Official at present available

Declassified E.O. 12356 Section 3.3/NND No. 785019

ricezione all'Ufficiale dal quale si è ricevuto. Se tutte le informazioni richieste non sono disponibili, il rapporto deve essere completato al più presto possibile e gli ulteriori dettagli dovranno essere forniti in seguito.

NOTA N. 1 - Il rapporto deve essere completato con macchina da scrivere o con stampa.

NOTA N. 2 - Il rapporto deve essere dato con la massima quantità possibile di dettagli, allo scopo di fornire una chiara visione del Vostro stabilimento. Se necessario, aggiungere altri fogli di carta.

1. Tipo dell'azienda PORCELLANA - Isolatori Stoviglie, ecc.
2. Nome dell'azienda per esteso SOCIETA' CERAMICA RICHARD-GINORI (Società Anonima)
3. Indirizzo per esteso COLONNATA (Firenze) (includendo la Provincia) SESTO FIORENTINO
4. Nome ed indirizzo del Presidente o dei Proprietari:
   Presidente - Ing. NICO CASTELLINI
   Via Tamburini, 10 - MILANO
5. Nome ed indirizzi dei Direttori o Soci:
   Dr. Ing. FRANCESCO MERLINI
   Via di Castello, 21 - SESTO FIORENTINO
6. Nome ed indirizzi del Direttore Generale e del Segretario della Società:
   Dr.LINO VOIS - Via Bigli,1 - MILANO
   Dr.GUIDO ZADRA - Via Bigli,1 - MILANO
7. Nome ed indirizzo del funzionario più anziano disponibile attualmente: con funzioni di Direttore Generali per i territori liberati:
   Dr.Ing.FRANCESCO MERLINI - Sesto F.no
   Cav.CORRADO MAGANI - Via S.Michele agli Scalzi - PISA
8. Numero medio degli impiegati nel Gennaio 1943: 75
9. Sono tutti disponibili i lavoratori essenziali? SI
   a) In caso negativo precisare le deficienze distinte per categorie:
   b) In caso di mancanza di disponibilità precisare dove essi possono essere trovati se ciò è conosciuto:

it is received. If all required information is not available, form should be completed as fast as possible and further details reported later.

1 - Type of business
2 - Name of business in full
3 - Full address (Including province)
4 - Name & address of President or Proprietors:
5 - Name & addresses of Directors or Partners
6 - Names & addresses of General Manager & Co. Secretary:
7 - Name & address of Senior Official at present available
8 - Average number of employees during January 1943:
9 - Are key workers all available
   a) If not state deficiencies BY CATEGORIES
   b) If not available state where they can be found, if known

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

BEST COPY POSSIBLE

10 - Normale sorgente di ENERGIA e richieste dopo le riparazioni *

10 - Normal source of POWER and requirements after repairs *

		Normali before damage Normale prima dei danni	Dopo le riparazioni
a)	ELETTRICITÀ	a) ELECTRICITY	
Provvista propria		Own supply	
Provvista della Società S.E.V.		Company's supply	
Numero totale dei Cavalli Vapore usati		Total H. P. used	1200 / 600
Carico massimo		Peak load	700 KW. / 400 KW.
Energia immessa Kw		Input Kw	
Volts	170	Volts	
Frequenza	50	Frequency	
Kilovatts per ora		K. W. H.	Vedi Prospetto n° 1 a parte.
Trasformatori		Transformers	
Energia operante Kw		Working power Kw	
Volts		Volts	
Tipo del generatore:		Type of generator:	
Idraulico		Hydro	—
Motore a combustione interna		I. C. Motor	
Vapore		Steam	
b) VAPORE		b) STEAM	
Numero totale dei Cavalli Vapore		Total H. P.	
Tipo della Caldaia		Type of boiler	
Pressione		Pressure	
Combustibile:		Fuel:	
Tipo		Type	
Quantità (per 24 ore)		Quantity (24 hrs)	
Scorta di acqua		Water supply	
c) MOTORI A COMBUSTIONE INTERNA		c) I. C. MOTORS	
Numero dei Motori		Number of motors	
Numero totale dei Cavalli Vapore		Total H. P.	
Combustibile:		Fuel:	
Tipo		Type	
Quantità (per 24 ore)		Quantity (24 hrs)	
d) ENERGIA IDRAULICA		d) WATER POWER	
Tipo: a ruota di acqua		Type: Water Wheel	
a turbina		Turbine	
Numero totale dei Cavalli Vapore		Total H. P.	

Declassified E.O. 12356 Section 3.3/NND No. 785019

Energia operante Kw	Working power Kw
Volts	Volts
Tipo del generatore:	Type of generator:
Idraulico	Hydro
Motore a combustione interna	I. C. Motor
Vapore	Steam
b) VAPORE	b) STEAM
Numero totale dei Cavalli Vapore	Total H. P.
Tipo della Caldaia	Type of boiler
Pressione	Pressure
Combustibile:	Fuel:
Tipo	Type
Quantità (per 24 ore)	Quantity (24 hrs)
Scorta di acqua	Water supply
c) MOTORI A COMBUSTIONE INTERNA	c) I. C. MOTORS
Numero dei Motori	Number of motors
Numero totale dei Cavalli Vapore	Total H. P.
Combustibile:	Fuel:
Tipo	Type
Quantità (per 24 ore)	Quantity (24 hrs)
d) ENERGIA IDRAULICA	d) WATER POWER
Tipo: a ruota di acqua	Type: Water Wheel
a turbina	Turbine
Numero totale dei Cavalli Vapore	Total H. P.
Ore lavorative	Working Hours
Provvista idraulica: in eccesso	Water supply: In Excess
adeguata	Adequate
in difetto	Short

* Le riparazioni debbono limitarsi al MINIMO richiesto per ottenere produzione economica. Tale produzione dovrebbe essere mostrata nel paragrafo 11.
* The repairs must be the MINIMUN required to obtain economic production. Such production should be shewn in paragraph 11.

Declassified E.O. 12356 Section 3.3/NND No. 785019

11. Prodotti a produzione mensile:

TIPO		Normale	dopo le riparazioni
a	Isolatori	200 Tonn.	140 Tonn.
b	Porcellane domestiche	200 "	60 "
c			
d			
e			
f			
g			
h			
i			
j			

11 - Products with monthly production:

Type		Normal	After repairs
a			
b			
c			
d			
e			
f			
h			
i			
j			

12. Rimanenza in magazzino 12 - Stocks	al 1 Gennaio 1943 at 1 January 43	Attualmente At date	Consumo mensile normale Normal monthy consumption	Consumo mensile dopo le riparazioni Monthy consumption after repairs
a. Combustibile a. Fuel	Vedi allegato n° 3	Vedi allegato n° 4	Vedi allegato n° 2	
b. Materie prime b. Raw Materials	id. c.s.	id. c.s.	id. c.s.	

c. Prodotti finiti (attualmente)

Isolatori Tonn. 250

c. Manufactured products (at date)

13. Originarie fonti delle materie prime:

Inghilterra - Francia - Italia - Germania

13 - Previous sources of raw materials

14. Dove si potrebbero adesso procurare nel caso che le fonti originarie non fossero più disponibili:

Inghilterra - Francia - Italia

14 - Where could raw materials now be obtained if previous sources unavailable

15. Danni:

a. Sono gli edifici e gli impianti danneggiati ed in caso affermativo in quale misura:

15 - Damage

a. Are premises and the plant damaged and if so to what extent:

	Edifici / Building	Impianti / Plant
	%	%
b. Fin quale misura provocata dai bombardamenti: / b. To what extent by Bombing	5%	20%
(1) e da sabotaggio nemico / (1) By enemy sabotage		

Declassified E.O. 12356 Section 3.3/NND No. 785019

	a. Combustibile / a. Fuel	at 1 January 43	At date	Normal monthly consumption	Monthy consumption after repairs
		Vedi allegato nº 3	Vedi allegato nº 4	Vedi allegato nº 2	
	b. Materie prime / b. Raw Materials	id. c.s.	id. c.s.	id. c.s.	

c. Prodotti finiti (attualmente)

Isolatori Tonn. 250

c. Manufactured products (at date)

13. Originarie fonti delle materie prime:

Inghilterra - Francia - Italia - Germania

13 - Previous sources of raw materials

14. Dove si potrebbero adesso procurare nel caso che le fonti originarie non fossero più disponibili:

Inghilterra - Francia - Italia

14 - Where could raw materials now be obtained if previous sources unavailable

15. Danni:

15 - Damage

a. Sono gli edifici e gli impianti danneggiati ed in caso affermativo in quale misura:

a. Are premises and or plants damaged and if so to what extent:

	Edifici / Building	Impianti / Plant
b. Per quale misura provocata dai bombardamenti: / b. To what extent by Bombing	5%	5%
(1) e da sabotaggio nemico / (1) By enemy sabotage	2%	20%

	Totale riparazione	Parziale riparazione
* c. Riparazioni richieste per / * c. Repairs required for Tt. Restoration / Partial Restoration		
* d. Massimo numero di operai richiesto per / * d. Major assemblies required for Tt. Rest. / Partial Restoration		400 già assunti dal 18/9/1944

* Dare brevi dettagli su foglio separato, se necessario.

* Give brief particulars on separate sheet if necessary.

Declassified E.O. 12356 Section 3.3/NND No. 785019

e. Previsione approssimata del tempo necessario per

Totale riparazione	Parziale riparazione
75 giorni	40 giorni

f. Previsione all'ingrosso dei materiali necessari per

Totale riparazione	Parziale riparazione
In corso di calcolazione	

g. È richiesto un aiuto finanziario per

Totale riparazione	Parziale riparazione
No	No

h. In caso affermativo fornire previsioni molto approssimate dell'ammontare richiesto

Totale riparazione	Parziale riparazione

16. Nel caso che lo stabilimento non stia facendo articoli essenziali per i bisogni della popolazione civile, quali cambiamenti, materiali, tempo, etc., sarebbero necessari per fare ciò e quali prodotti possono essere fatti.

I nostri prodotti sono essenziali sia per i bisogni industriali e militari sia per la popolazione civile.

17. Data 19 Settembre 1944

18. Firma e qualifica della persona che dà il rapporto

SOCIETA' [illegible] SIGNORI

[illegible]

Il Dirigente

Nel [illegible]

OSSERVAZIONI

Vedi uniti prospetti e relazioni in italiano ed in inglese.

Non usare questo spazio

e. Rough [illegible] of time to repair

Total restoration	Partial Restoration

f. Very rough estimate of materials required to repair for:

Total Restoration	Partial Restoration

g. Is financial aid required for Tl. Rest. | Partial Restoration

h. If so give very rough estimates of amount required

16 - If plant is not making articles of essential civilian needs, What changes, materials, time and etc. would be necessary to do so and what products can be made.

17 - Date

18 - Signature and appointment of person reporting

REMARKS

5821

Do not use this space

Declassified E.O. 12356 Section 3.3/NND No. 785019

dell' ammontare richiesto

Totale riparazione — Parziale riparazione

16. Nel caso che lo stabilimento non stia facendo articoli essenziali per i bisogni della popolazione civile, quali cambiamenti, materiali, tempo, etc., sarebbero necessari per fare ciò e quali prodotti possono essere fatti.

I nostri prodotti sono essenziali sia per i bisogni industriali e militari sia per la popolazione civile.

h. If so give very rough estimates of amount required

16 - If plant is not making articles of essential civilian needs, What changes, materials, time and etc. would be necessary to do so and what products can be made.

17. Data 19 Settembre 1944

17 - Date

18. Firma e qualifica della persona che dà il rapporto

SOCIETA' [illegible] ONORI

[illegible]

Il Dirigente

18 - Signature and appointment of person reporting

OSSERVAZIONI

REMARKS

Vedi uniti prospetti e relazioni in italiano ed in inglese.

5824

Non usare questo spazio

Do not use this space

Tip. su Combattenti 8/9/44

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ CERAMICA RICHI GINORI
STABILIMENTO DI DOCCIA FIRENZE (Firenze)

A 75
S 73

N°

PROSPETTO N° 1

Riferimento Comma n° 10 a)

ELETTRICITA'

n° 2 Trasformatori Brown-Boveri Trifase Volt. 9000/170 da KVA 70 periodi 50

" 1 " " Ganz-Fiume Volt. 9000/110 da KVA. 7 periodi 50

" 1 " " " Volt. 9000/170 da KVA. 12 periodi 50

PER UN CONSUMO COMPLESSIVO DI KW. 84 PARI A HP. 120

ALLIED MILITARY GOVERNMENT
GOVERNO MILITARE ALLEATO
REGION VIII

Prot. N° 728

Form. I & C 8 . 1

Confidential
Riservato personale

AVAILABILITY OF INDUSTRY
RAPPORTO DI EFFICENZA INDUSTRIALE

Il presente rapporto deve essere completato da tutte le aziende di manifatture e di produzione che, IN GENNAIO 1943, impiegavano più di 40 operai.
Completarlo in Inglese (od in Italiano) e consegnarne ~~quattro~~ cinque copie entro sette giorni dalla ricezione all'Ufficiale dal quale si è ricevuto. Se tutte le informazioni richieste non sono disponibili, il rapporto deve essere completato al più presto possibile e gli ulteriori dettagli dovranno essere forniti in seguito.

To be completed for all manifacturing or producing businesses which employed more than 40 workers in

JANUARY 1943

Complete in English (or Italian) and deliver 4 copies within 7 days of recepit to the Officier from whom it is received. If all required information is not available, form should be completed as fast as possible and further details reported later.

NOTA N. 1 - Il rapporto deve essere completato con macchina da scrivere o con stampa.

NOTA N. 2 - Il rapporto deve essere dato con la massima quantità possibile di dettagli, allo scopo di fornire una chiara visione del Vostro stabilimento. Se necessario, aggiungere altri fogli di carta.

1. Tipo dell'azienda FABBRICA ISOLATORI IN PORCELLANA — 1 - Type of business
2. Nome dell'azienda per esteso SOCIETA' CERAMICA RICHARD-GINORI (Società Anonima) — 2 - Name of business in full
3. Indirizzo per esteso FIRENZE Via Panciatichi 37 (Includendo la Provincia) — 3 - Full address (including province)
4. Nome ed indirizzo del Presidente o dei Proprietari: Presidente: Ing. NICO CASTELLINI Via Tamburini,10 - MILANO — 4 - Name & address of President or Proprietors:
5. Nome ed indirizzi dei Direttori o Soci: Dr. Ing. FRANCESCO MERLINI Via di Castello,21 - SESTO FIORENTINO — 5 - Name & addresses of Directors or Partners
6. Nome ed indirizzi del Direttore Generale e del Segretario della Società: Dr.LINO VOIS - Via Bigli,1 - MILANO Dr.GUIDO ZADRA - Via Bigli,1 - MILANO — 6 - Names & addresses of General Manager & Co, Secretary:
7. Nome ed indirizzo del funzionario più anziano disponibile attualmente: con funzioni di Direttori Generali per i territori liberati: — 7 - Name & address of Senior Official at present available

Declassified E.O. 12356 Section 3.3/NND No. 785019

Completerlo in inglese (od in italiano) e consegnarne ~~quattro~~ cinque copie entro sette giorni dalla ricezione all'Ufficiale dal quale si è ricevuto. Se tutte le informazioni richieste non sono disponibili, il rapporto deve essere completato al più presto possibile e gli ulteriori dettagli dovranno essere forniti in seguito.

Complete in English (or Italian) and deliver 4 copies within 7 days of recepit to the Officier from whom it is received. If all required information is not available, form should be completed as fast as possible and further details reported later.

NOTA N. 1 - Il rapporto deve essere completato con macchine da scrivere o con stampa.

NOTA N. 2 - Il rapporto deve essere dato con la massima quantità possibile di dettagli, allo scopo di fornire una chiara visione del Vostro stabilimento. Se necessario, aggiungere altri fogli di carta.

---

1. Tipo dell'azienda FABBRICA ISOLATORI IN PORCELLANA = 1 - Type of business

2. Nome dell'azienda per esteso SOCIETA' CERAMICA RICHARD-GINORI (Società Anonima) = 2 - Name of business in full

3. Indirizzo per esteso FIRENZE Via Panciatichi 37 (Including the Province) = 3 - Full address (Including province)

4. Nome ed indirizzo del Presidente o dei Proprietari: = 4 - Name & address of President or Proprietors:
Presidente: Ing. NICO CASTELLINI
Via Tamburini,10 - MILANO

5. Nome ed indirizzi dei Direttori o Soci: = 5 - Name & addresses of Directors or Partners
Dr. Ing. FRANCESCO MERLINI
Via di Castello,21 - SESTO FIORENTINO

6. Nome ed indirizzi del Direttore Generale e del Segretario della Società: = 6 - Names & addresses of General Manager & Co. Secretary:
Dr.LINO VOIS - Via Bigli,1 - MILANO
Dr.GUIDO ZADRA - Via Bigli,1 - MILANO

7. Nome ed indirizzo del funzionario più anziano disponibile attualmente: con funzioni di Direttori Generali per i territori liberati: = 7 - Name & address of Senior Official at present available
Dr.Ing.FRANCESCO MERLINI = SESTO F.NO
Cav.CORRADO MAGANI =Via S.Michele agli Scalzi - PISA

8. Numero medio ~~degli impiegati~~ nel Gennaio 1943: 4 = 8 - Average number of employees during January 1943:

9. Sono tutti disponibili i lavoratori essenziali? SI = 9 - Are key workers all available

a) In caso negativo precisare le deficienze distinte per categorie: = a) If not state deficiencies BY CATEGORIES

b) In caso di mancanza di disponibilità precisare dove essi possono essere trovati se ciò è conosciuto: = b) If not available state where they can be found, if known:

Declassified E.O. 12356 Section 3.3/NND No. 785019

10. Fonte normale dell' ENERGIA e richieste dopo le riparazioni *
10 - Normal source of POWER [illegible] requirements after repairs *

		Normal before damage Normale prima dei danni	After repairs Dopo le riparazioni
a) ELETTRICITA'	*a)* ELECTRICITY		
Provvista propria	Own supply	=	=
Provvista della Società S.E.V.	Company's supply		
Numero totale dei Cavalli Vapore usati	Total H. P. used	120	120
Carico massimo	Peak load		
Energia immessa Kw	Input Kw	600/giorno	600/giorno
Volts	Volts	170	170
Frequenza	Frequency	50	50
Kilovatts per ora	K. W. H.	100	100
Trasformatori	Transformers	Vedi prospetto nº 1 a parte	
Energia operante Kw	Working power Kw		
Volts	Volts	170	170
Tipo del generatore:	Type of generator:		
Idraulico	Hydro		
Motore a combustione interna	I. C. Motor		
Vapore	Steam		
b) VAPORE	*b)* STEAM		
Numero totale dei Cavalli Vapore	Total H. P.		
Tipo della Caldaia	Type of boiler		
Pressione	Pressure		
Combustibile:	Fuel:		
Tipo	Type		
Quantità (per 24 ore)	Quantity (24 hrs)		
Scorta di acqua	Water supply		
c) MOTORI A COMBUSTIONE INTERNA	*c)* I. C. MOTORS		
Numero dei Motori	Number of motors		
Numero totale dei Cavalli Vapore	Total H. P.		
Combustibile:	Fuel:		
Tipo	Type		
Quantità (per 24 ore)	Quantity (24 hrs)		
d) ENERGIA IDRAULICA	*d)* WATER POWER		
Tipo: a ruota di acqua	Type: Water Wheel		
a turbina	Turbine		
Numero totale dei Cavalli Vapore	Total H. P.		
Ore lavorative	Working Hours		
Provvista idraulica: in eccesso	Water supply in Excess		

5824

Declassified E.O. 12356 Section 3.3/NND No. 785019

Energia operante Kw	Transformers	100	100
Volts	Working power Kw	Vedi prospetto n° 1 a parte.	
Tipo del generatore:	Volts	170	170
Idraulico	Type of generator:		
Motore a combustione interna	Hydro		
Vapore	I. C. Motor		
	Steam		
b) VAPORE	b) STEAM		
Numero totale dei Cavalli Vapore	Total H. P.		
Tipo della Caldaia	Type of boiler		
Pressione	Pressure		
Combustibile:	Fuel:		
Tipo	Type		
Quantità (per 24 ore)	Quantity (24 hrs)		
Scorta di acqua	Water supply		
c) MOTORI A COMBUSTIONE INTERNA	c) I. C. MOTORS		
Numero dei Motori	Number of motors		
Numero totale dei Cavalli Vapore	Total H. P.		
Combustibile:	Fuel:		
Tipo	Type		
Quantità (per 24 ore)	Quantity (24 hrs)		
d) ENERGIA IDRAULICA	d) WATER POWER	5021	
Tipo: a ruota di acqua	Type: Water Wheel		
a turbina	Turbine		
Numero totale dei Cavalli Vapore	Total H. P.		
Ore lavorative	Working Hours		
Provvista idraulica: in eccesso	Water supply In Excess		
adeguata	Adequate		
in difetto	Short		

* Le riparazioni debbono limitarsi al MINIMO richiesto per ottenere produzione economica. Tale produzione dovrebbe essere mostrata nel paragrafo 11.
* The repairs must be the MINIMUN required to obtain economic production. Such production should be shewn in paragraph 11.

Declassified E.O. 12356 Section 3.3/NND No. 785019

11. Prodotti a produzione mensile

	TIPO	normale	dopo le riparazioni
a	Isolatori di Porcellana	50 Tonn.	50 Tonn.
b			
c			
d			
e			
f			
g			
h			
i			
j			

11 - Products with monthly production:

	TYPE	Normal	After repairs
a			
b			
c			
d			
e			
f			
g			
h			
i			
j			

12. Rimanenza in magazzino — 12 - Stocks

		al 1 Gennaio 1943 at 1 January 43	Attualmente At date	Consumo mensile normale Normal monthy consumption	Consumo mensile dopo le riparazioni Monthy consumption after repairs
a. Combustibile	a. Fuel			150 Tonn.	150 Tonn.
Questo Stabilimento viene rifornito dallo Stabilimento di SESTO FIORENTINO					
b. Materie prime	b. Raw Materials				
id. c.s.					
c. Prodotti finiti (attualmente)	c. Manufactured products (at date)				
Isolatori Tonn. 120					

13. Originarie fonti delle materie prime: Questo Stabilimento lavora con materie prime Italiane Caolino Sardo, Feldspato di Tropea (Calabria), Quarzo Sardo, Argilla Sarda o estera.

13 - Previous sources of raw materials

14. Dove si potrebbero adesso procurare nel caso che le fonti originarie non fossero più disponibili:
dall'Inghilterra o Francia

14 - Where could raw materials now be obtained if previous sources unavailable

15. Danni:

a. Sono gli edifici e gli impianti danneggiati ed in caso affermativo in quale misura:

15 - Damage

a. Are premises and or plants damaged and if so to what extent:

	Edifici / Building	Impianti / Plant
	= 5%	= niente

b. Per quale misura provocata dai bombardamenti: — b. To what extent by Bombing: 3%

Declassified E.O. 12356 Section 3.3/NND No. 785019

12. Rimanenza in magazzino — Stock

	al 1 Gennaio 1943 at 1 January 43	Attualmente At date	Consumo mensile normale Normal monthy consumption	Consumo mensile dopo le riparazioni Monthy consumption after repairs
a. Combustibile — a. Fuel				
Questo Stabilimento viene rifornito dallo Stabilimento di SESTO FIORENTINO				
b. Materie prime — b. Raw Materials			150 Tonn.	150 Tonn.
id. c.s.				

c. Prodotti finiti (attualmente) — c. Manufactured products (at date)

Isolatori Tonn. 120

13. Originarie fonti delle materie prime: Questo Stabilimento lavora con materie prime Italiane Caolino Sardo, Feldspato di Tropea (Calabria), Quarzo Sardo, Argilla Sarda o estera.

13 - Previous sources of raw materials

14. Dove si potrebbero adesso procurare nel caso che le fonti originarie non fossero più disponibili:

dall'Inghilterra o Francia

14 - Where could raw materials now be obtained if previous sources unavailable

15. Danni: — 15 - Damage

	Edifici — Building	Impianti — Plant
a. Sono gli edifici e gli impianti danneggiati ed in caso affermativo in quale misura: — a. Are premises and or plants damaged and if so to what extent:	5 %	%
	=	niente
b. Per quale misura provocata dai bombardamenti: — b. To what extent by Bombing	3%	=
(1) e da sabotaggio nemico — (1) By enemy sabotage	=	niente

	Totale riparazione — Tt. Restoration	Parziale riparazione — Partial Restoration
* c. Riparazioni richieste per — * c. Repairs required for	=	=
* d. Massimo numero di operai richiesto per — * d. Major assemblies required for	20 Operai	=

* Dare brevi dettagli su foglio separato, se necessario.

* Give brief particulars on separate sheet if necessary.

Declassified E.O. 12356 Section 3.3/NND No. 785019

e. Previsione approssim[illegible] del tempo necessario per

Totale riparazione	Parziale riparazione
10 giorni	==

f. Previsione all'ingrosso dei materiali necessari per

Totale riparazione	Parziale riparazione
Qli 10 Cemento	==
" 6 Calce	==

g. È richiesto un aiuto finanziario per

Totale riparazione	Parziale riparazione
No	No

h. In caso affermativo fornire previsioni molto approssimate dell'ammontare richiesto

Totale riparazione	Parziale riparazione
==	==

16. Nel caso che lo stabilimento non stia facendo articoli essenziali per i bisogni della popolazione civile, quali cambiamenti, materiali, tempo, etc., sarebbero necessari per fare ciò e quali prodotti possono essere fatti.

Questo Stabilimento sta facendo articoli essenziali per i bisogni militari e civili, e quindi non è necessario prevedere cambiamenti.

17. Data 19 Settembre 1944

18. Firma e qualifica della persona che dà il rapporto

SOCIETA' [illegible]

Il Direttore

OSSERVAZIONI

e. R[illegible] estimate of time to repair

Total Restoration	Partial Restoration

f Very rough estimate of materials required to repair for:

Total Restoration	Partial Restoration

g. Is financial aid required for Tl. Rest. Partial Restoration

h. If so give very rough estimates of amount required

16 - If plant is not making articles of essential civilian needs, What changes, materials, time and etc, would be necessary to do so and what products can be made

17 - Date

18 - Signature and appointment of person reporting

REMARKS

5820

Declassified E.O. 12356 Section 3.3/NND No. 785019

h. In caso affermativo fornire previsioni molto approssimate dell' ammontare richiesto

Totale riparazione ——— Parziale riparazione ———

16. Nel caso che lo stabilimento non stia facendo articoli essenziali per i bisogni della popolazione civile, quali cambiamenti, materiali, tempo, etc., sarebbero necessari per fare ciò e quali prodotti possono essere fatti.

Questo Stabilimento sta facendo articoli essenziali per i bisogni militari e civili, e quindi non è necessario prevedere cambiamenti.

17. Data 29 Settembre 1944

18. Firma e qualifica della persona che dà il rapporto

SOCIETA' [illegible]

Sig. [illegible]

[illegible]

OSSERVAZIONI

Non usare questo spazio

Dip. ex Confezioni 2/8/44

h. If so give very rough estimates of amount required

16 - If plant is not making articles of essential civilian needs, What changes, materials, time and etc, would be necessary to do so and what products can be made

17 - Date

18 - Signature and appointment of person reporting

REMARKS

5829

Do not use this space

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price's Office
P.W. & U.-Elect. Section

(15)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference : 306/PWU 19/12/44

Subject : ADMINISTRATIVE INSTRUCTION

To : DIRECTOR OF WORKS
HQ AAI MAIN
(Att. Maj. G.H.L. Lyne)

1. Reference your 5/DW dated 15 Dec. 44.

2. Will you please forward a copy of AAI Administrative Instruction No. 52 which deals with exemption from Military service of Italian labour engaged on work of Military importance.

L.G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

531a

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price's Office
P.W. & U. Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 306/PWU

19/12/44

SUBJECT : PORCELAIN INSULATORS

TO : REGIONAL COMMISSIONER
TOSCANA REGION
(ATT. MAJ. A.CROWTHER)

1. We are in receipt of documents regarding insulator manufacturers Richard Ginori and in reply wish to thank you for the information contained therein, but before we can determine the use of the insulators which are listed as stock, it will be necessary for further information to be supplied us.

2. Would it be possible to forward a catalogue of the various types, or sketches and dimensions please ?

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Electr.Division

5814

Declassified E.O. 12356 Section 3.3/NND No. 785019

RESTRICTED

Subject:- Administrative Instructions.

HQ ALLIED ARMIES IN ITALY.

Tel: Filpot 306

5/DW

15 Dec 44

RECEIVED on
P.W. & U. S/C A.C.
17 DEC 1944 137

A.C.C. Headquarters,
Public Works Section
(Electrical Sec),
(For attn. Major C.C. Price, R.E.).

Ref telephone conversation Price - Lyne.

Herewith copy of Administrative Memorandum No. 52 A.F.H.Q. as requested.

C. H. L. LYNE,
Major R.E.,
for Brigadier,
Director of Works.

5817

Declassified E.O. 12356 Section 3.3/NND No. 785019

Anno Domini 2006

Fratelli Fabbrinelli

Società Anonima per l'Industria ed il Commercio dei Legnami

Capitale £ 25.000.000 int. versato

SEDE IN VENEZIA

DIREZIONE GENERALE: MILANO

CASE FILIALI

BOLZANO (TIROLO) - BRESCIA - DESENZANO - LIVORNO - MANTOVA - MESTRE - MILANO
ROMA - SAMPIERDARENA - TRIESTE - VERONA - VILLACH (CARINZIA)

SEGHERIE & DEPOSITI IN:

CADORE - PUSTERIA - TIROLO - CARINTIA - STIRIA - RUMENIA

TELEF. INTERP. 1038 74213 / 74344

- Filiale di Roma 5815
Via Montebello 128

AZIENDA TRAMVIE E AUTOBUS
DEL GOVERNATORATO DI ROMA

SERVIZIO Approvvigionamenti

N. 9539 -9

Cat. 1 Classe 5 Fasc. 10

Risposta al N.

del

Allegati N.

OGGETTO

1 6 DIC. 1944

Mod. 4 (Affari Generali)

Roma, li

VIA VITTORIANO, 65 Telef. 475.251 Ind. Telegrafico ATAC ROMA

(147)

Spettabile
UFFICIO TRASPORTI
DELLA COMMISSIONE ALLEATA
ROMA
Via Veneto

406

Con riferimento al nostro foglio Nº 9455 del 14 corr., vi dichiariamo che quest'Azienda del Comune di Roma - ha comprato dalla S.A. F.lli Feltrinelli, 100 Ton. di legname di noce destinato esclusivamente a quest'Azienda per lavori di riparazione alle nostre vetture autofilotramviarie comprese le vetture che prestano servizio per il Comando Alleato.-

Dette riparazioni sono di pubblica utilità e rivestono carattere di particolare necessità e urgenza .- Si rivolge quindi viva preghiera a codesto On.le Comando di accordar la richiesta fatta col predetto ns/ foglio del 14 corr.-

La stazione di carico è Napoli - smistamento raccordo S.A. Feltrinelli.

La stazione di scarico è Roma Prenestina - raccordato al ns/ Stabilimento di Via Prenestina.

Mittente: S.A. Feltrinelli -
Destinatario: Azienda Tramvie ed Autobus del Comune di Roma.

La lunghezza massima del legname è

Declassified E.O. 12356 Section 3.3/NND No. 785019

Cat. 4 Classe 5 Fasc. 10 Via Veneto

Risposta al N.

del

Allegati N.

OGGETTO

Nella risposta citare: Servizio, Nro e numeri della pratica

Con riferimento al nostro foglio N° 9455 del 14 corr., vi dichiariamo che quest'Azienda del Comune di Roma - ha comprato dalla S.A. F.lli Feltrinelli, 100 Ton. di legname di noce destinato esclusivamente a quest'Azienda per lavori di riparazione alle nostre vetture autofilotramviarie comprese le vetture che prestano servizio per il Comando Alleato.-

Dette riparazioni sono di pubblica utilità e rivestono carattere di particolare necessità e urgenza .- Si rivolge quindi viva preghiera a codesta On.le Comando di accordar la richiesta fatta col predetto ns/ foglio del 14 corr.-

La stazione di carico è Napoli - smistamento raccordo S.A. Feltrinelli.

La stazione di scarico è Roma Prenestina - raccordato al ns/ Stabilimento di Via Prenestina.

Mittente: S.A. Feltrinelli -
Destinatario: Azienda Tramvie ed Autobus del Comune di Roma.

La lunghezza massima del legname è fino a metri 4/5.

Ringraziando con osservanza.

501

AZIENDA TRAMVIE ED AUTOBUS
DEL COMUNE DI ROMA
Il Funzionario Capo Servizio
Approvvigionamenti

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

AZIENDA TRAMVIE E AUTOBUS
DEL GOVERNATORATO DI ROMA

Mod. 4 (Serv. Affari Generali)

SERVIZIO

N. 9453

Cat. 1 Classe 5 Fasc. 10

Risposta al N.

del

Allegati N.

OGGETTO

Roma, li 14 DIC. 1944

VIA VOLTURNO, 65 - Telef. 485.251 - Ind. Telegrafico ATAG-ROMA

Spett. UFFICIO TRASPORTI
della COMMISSIONE ALLEATA

R O M A

Vi preghiamo di voler concedere alla Soc. An. F.lli FELTRINELLI di Napoli l'assegnazione di N. 10 vagoni L necessari per il trasporto urgente a Roma di una partita di tavoloni di noce nostrana da noi da tempo acquistata dalla predetta Società.

Raccomandiamo vivamente di voler accogliere la domanda che per nostro conto Vi presenta la Soc. Feltrinelli poichè il materiale ci è assolutamente indispensabile per poter riprendere le lavorazioni dei nostri stabilimenti fortemente danneggiati a causa della guerra.

Con perfetta osservanza

AZIENDA DELLE TRAMVIE E AUTOBUS
DEL GOVERNATORATO DI ROMA

Nella risposta citare i numeri e sigle della presente.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Trouble train —

We beg to ask you on allotment on behalf of Feltinelli Co. — Nopb. for 10 wagons to transport by Railway a stock of walnut wood - planks, bought by us long time ago from the above Co. Will you please accept our

Declassified E.O. 12356 Section 3.3/NND No. 785019

request presented by Feldwell
to for our account, and wish
you note that the above mate
rial is very urgently need to
repair our docks burnt strongly
damaged by the war.

5817

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

INCOMING MESSAGE
HQ A.C.

Reference FX 68263
Date/Time of origin DEC 132001A

Message Center C/4034
Date/Time Rec'd DEC 132330A

FROM SIGNED CC MTOUSA CITE HAENG, HAGDS

TO CO PENBASE INFO CO PENSOUTH, ALLIED COMM RCME

RESTRICTED

Issue for 120 days on temporary shipping ticket of the following is authorized.

Generator set, portable 5 DW , 110 V, single phase, 60 cycle, AC, SNL 17-5405.500-000 each one to the Allied Commission for use at wheat docks at CASTELLAMARE. For reference purposes requisition file number MTO-ENG-4543 applies.

DIST

ACTION-REQ DIV (2)
INFO. CHIEF COMMISSIONER
ECON
FOOD
FILE
FLOAT

CC. P.W.& U. S/C
15 Dec.44

5817

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj Price's Office
P.W. & D.-Elect. Section

MEMORANDUM

16/12/44

SUBJECT : Request for Tonnage Allocation for Italian Ports -April 1945

Ref.124/PWU

TO : DIRECTOR TRANSPORTATION SUB-COMMISSION

1. Reference your AC/26/90/Tn/S dated 9 Dec. 44.

NIL RETURN

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electr.Division

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LEP/bs

Mid. E...
P.W. & Civilians Section

644

MEMORANDUM

14/12/44

TO: DIRECTOR INDUSTRY SUB COMMISSION
Requisition Division

Ref. 306/PWU

FROM : P.W. & U. S/C
Electr. Sect.

Subject : ELECTRIC MOTOR BRUSHES

1. Further to this office letter even number dated 22/11/44 and Troopers to Freedom cable 74788 E3 dated 7 Sept. 44.

2. To date no report has been received of Electric Motor Brushes having arrived in this theatre, please investigate and advise.

L.G.PRICE

L.G.PRICE,Major RE
For Lieut-Colonel
Chief Electr.Division

5808

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel.317

WEL/ac

M E M O R A N D U M

Reference : 158/FWU
Subject : Photographs

13 Dec. 44

To : Maj.E.J.BARRY
Maj.V.S.RENTON
Maj.F.A.BELL
Maj.L.G.PRICE
Capt.LAUGHLIN
Capt.TROSTERSHAUSEN
Capt.DURAN
Capt.VANNOY
Capt.H.J.HOBSON

Please note that I have arranged with Maj.HOWARD A.C. Liaison officer with P.W.B. tel. 489171 Ext. 203 Room 304 to send a photographer out with our officers to take any pictures (still or film) that we may require. Please let me know when you think any photographic records should be taken.

I think we should try and get at least one picture of each damaged station.

W.E.LAWTER
Lt-Colonel
Chief Elec.Div.

Declassified E.O. 12356 Section 3.3/NND No. 785019

SUBJECT:- Supply of Tar.

RECEIVED OF
P.W. & U. H.Q. A.C.
13 DEC 1944 306

H.Q. ALLIED ARMIES IN ITALY
REF: MILPOT: 302
1247/DW
11 Dec. 44.

H.Q. Allied Commission. A.P.O.394.
Rubber Works & Utilities Sub Commission
Electrical Section.

Reference your 306/P.W.U. dated 9 Dec.

It is not quite clear what it is that you require.

Tar is not controlled by this Directorate.

Presumably application should be made to the A.F.Local Resources Board for your requirements.

P. HARD MAJOR. RE.
for Brigadier
Director of Works.

5807

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOUTHERN REGION
ALLIED CONTROL COMMISSION
BARI PROVINCE

No. 3515	28.IX.44

Ref. BZ/PU/2/12
26. September 1944

Subject: CEMENT

To : GIUSEPPE LASORSA, BARI

The 30 Tons of Cement promised you by Lt. Butcher has been applied for and release is expected in October.

LT. RE
for P.U. Engineer
Southern Region

Declassified E.O. 12356 Section 3.3/NND No. 785019

Giuseppe Lasorsa
Officine Elettromeccaniche
BARI
Via Mario Rossani N. 61

COPIA

OGGETTO: Officina Lasorsa - N.51 Via Rossani.

1. L'Esercito Inglese e Americano richiedono a pari termini l'uso dell'officina proporzionandolo alla importanza ed al volume del lavoro da eseguirsi,non eccettuato quello per Enti Civili.

2. La produzione e le condizioni generali di questa officina non soddisfano pienamente e pertanto è necessario stabilire una certa sorveglianze per migliorarle.

3. Questa sorveglianza deve essere affidata alla XV A'SO che impiegherà personale adatto per:

(I) Controllare la produzione dell'officina.
(II) Controllare il lavoro secondo la precedenza.
(III) Controllare e certificare i prezzi esposti.
(IV) Controllare e dare benestare alle paghe ed ai fogli paga.
(V) Controllare la esistenza di materiale a magazzino.

4. Ogni lavoro per le Forze Americane deve essere accettato,e data precedenza,dall'Ufficiale di Manutenzione del XV A.F.S.C.

5. Ogni lavoro per le Forze Inglesi deve essere accettato,e data precedenza dall'Ingegnere Capo del 2 Distretto.

6. Ogni lavoro per Enti Civili deve essere accettato e data precedenza dall'Ingegnere Capo,2 Distretto.

7. A dette precedenze sarà dato uguale peso.

8. Saranno concesse alla Ditta Lasorsa facilitazioni per allargare la sua officina e specialmente per mettere in funzione una macchina per pezzi di getto a pressione richiesta per lavori alla Società Elettrica.

9. Una traduzione di questo accordo sarà rimessa alla Ditta Lasorsa,a cui sarà fatto noto che,per richieste di lavoro per enti civili,essa dovrà prima rivolgersi per l'autorizzazione al CE,2 Distretto.

10. Questi accordi potranno essere modificati secondo le esigenze.

P. Brigadier
Chief Engineer
firmato
Maj.Lawrence

7 Febbraio 1944

5800

Declassified E.O. 12356 Section 3.3/NND No. 785019

(X) HEADQUARTERS
ALLIED CONTROL COMMISSION
INDUSTRY SUB-COMMISSION
Building Materials Division
APO 394

AGE/RDG/hh

Tel. : 432 14 October 1944

Ref. : ACC/5619/IND

SUBJECT : Sardinian Coal for cement works Guidonia

TO : Regional Commissioner
"Lazio-Umbria" Region
(attn.:Industry Section)

1. Our ACC/5619/IND. dated 12 Oct.1944 refers.

2. 1500 Tons of Sardinian Sulcis coal would be required per month in order to work with one rotating furnace.

3. Will you please submit demands for this quantity through the usual channels.

For the Acting Chief Commissioner

W.S.VAUGHAN
Director,
Industry Sub-Commission

Copy to:
Economic Section
File 5569

5804

Declassified E.O. 12356 Section 3.3/NND No. 785019

306

HEADQUARTERS
ALLIED CONTROL COMMISSION
Industry Sub-Commission
Building Materials Division
AIC 294

RCG/hh

Encl. : 432

13 October 1944

Ref. : ACC/5619/IND

SUBJECT : Lignite for cement works

TO : H.Q. "Lazio-Umbria" region
(Attn.:Industry Section - Maj.Wilson)

1. Cementerie Italiane di Guidonia (Rome), cement factory, was visited a week ago by this S/C. The plant is in perfectly good order and it is one of the factories which is going to be turned over for production to Italian Government under ACC Supervision.

2. We hope to be able to restart production as soon as more transportation will become available for the Sardinian coal required. Meanwhile steps should be undertaken by you to submit through the usual channels demands for the required lignite, 150 + 200 tons/month - Lignite must be silicid - Apparently was coming from S.Angelo di Borgnano (Spoleto).

3. We attach copy of report or visit made and information collected.

R.C.VAUGHAN
Director,
Industry Sub-Commission

Copy to:
Economic Section
Coal Division
File 5589

1 Encl.:
Ref.ACC/5589/IND of 5 Oct.44,
Visit to cement works of Cementerie Italiane di Guidonia

5804

Declassified E.O. 12356 Section 3.3/NND No. 785019

Ref.ACC/5589/IND

5 October 1944

- VISIT TO CEMENT WORKS OF CEMENTERIE ITALIANE DI GUIDONIA -

Manager: Sig. Felice Massa - Tel. 2
Rome office: S. Basilio 19 - Tel. 43745

Plant belonging to group of CEMENTI MARCHINO, FIAT and other shareholders.
Cap. with one Kiln: 7.200 tons clinker monthly.
2nd Kiln and plant relating could be ready in 4 months, thus doubling capacity.

Raw materials at hand:

2.000 tons clinker
21 " german coal
unlimited limestone -
25 tons lignite (xiloid) S.Angelo di Morgnano (Spoleto)
70 tons pozzolana (own quarries)
unlimited clay -
chalk - none - Was coming previously by railway from Torre dei Passeri(Pescara) - Could come, in the future, from Società Romana Gessi - Civitavecchia.
steel balls - sufficient.-
sacks - 5.000 valve type.-

Pozzolana was coming from neighbouring quarries 8-15 Km. away by railway and by truck.

No sidings within the premises. Railway Station of Guidonia 1 Km. distance. Management still capable of handing raw materials between railhead and factory at previous rate.

Grinding present stocks of 2.000 tons of clinker would require:

800 KW over 8 hours (at night) - 6.400 KWh in 12 days the stocks would be worked out (1) - Sacks would be required (some 40.000) - of the valve type, sewn.

5803

Declassified E.O. 12356 Section 3.3/NND No. 785019

(1) Mill capacity: 20 tons per hour.

Program of work with one rotating kiln -

Capacity would be as previously stated:

7.200 tons of clinker per month, working 24 hours.

Raw materials required monthly:

Coal - Sardinian(Sulcis): 1.500 tons
(previously working on 700 tons foreign coal and 500 tons Sardinian coal).

Lignite:	150-200 tons/month.	
Limestone (from nearly quarry)	7.600	tons -
Clay:	1.900	" -
Pozzolana:	1.800	" -
Sacks (valve type, sewn)	150.000	

Power consumption working 24 hours day:

611.000 KWh in a month
1.400 - 1.500 KW installed.

250 workers (40 key workers present): could get the balance easily.

RDG/ei

ENG. RICCARDO DE GRENET

5802

Declassified E.O. 12356 Section 3.3/NND No. 785019

Mail Room
W. & U.-Elec. Section

(139)

Telephone 478805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 306/PWU 10/12/44

Subject : Electricity Supply

To : RAAC
Electricity Control Board
(Att. Major Hughes)

1. Herewith letter DPR/21/Q dated 8 Dec. 44 for your attention and action if necessary.

L.G. PRICE

L.G. PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

1 Encl.

5807

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P Y

KCB/jdr

HQ. A.C.
DISPLACED PERSONS AND REPATRIATION S/C

Tel. 489081 Ext. 414

8 Dec. 44

DPR/21/Q

Subject : Electricity Supply

To : P.W. U.
Att.Major Price

1. Reference telephone conversation Major Brown - Major Price of today.

2. Four British Red Cross personnel attached to this Sub-Commission are billeted in flat No. 2, 14 Via Ticino, and it is requested that arrangements be made with Societa Romana di Elettricita for a reasonable unlimited supply of electricity of alternatively the installation of a separate meter in the flat.
3. At present the meter serves the two separate divisions of the flat one division being occupied by the owner.

4. It will be appreciated if this matter can receive your early attention. For your information the flat is located in an area where there is a continous supply of electricity.

For the Director

K.C. BROWN
Major
O.i/c ADM

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 470805
LGP/bs

306

Maj. Price 's Office
P.W. & U.-Elect.Section

138

Headquarters Allied Commission
Apo 394
Public Works & Utilities Sub Commission
Electrical Section

Reference:101/PWU

9/12/44

Subject : Aid to Local Authorities

To : Regional Commissioner
Lazio - Umbria Region

1. Herewith copy of letter 362/2/36 dated 4 Dec. together with copy of letter written by AC 362 Works Section RE to Ufficio di Nettezza Urbana Rome.

2. The above quoted letters are forwarded you for action and with a strong recommendation that the request be granted from your next allotment of tyres.

L.C. PRICE

L.C.PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

2 Encl.

5734

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478605
LGP/be

Maj. Price 's Office
P.W. & U.-Elect. Section

(137)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 306/PWU

9/12/44

Subject : Supply of Tar

To : Director of Works
HQ AAI (Main)

1. Herewith letter C&I/P.e.b. dated 7 Dec. 44, in respect of the supply of Tar.

2. This request, apparently, was submitted to OC 1215 Section RE, who suggested that it required A.C. endorsement, but it is the opinion of this Sub-Commission that the endorsement for release should be entered by you.

3. Please reply to this Section P.W. & U. Sub-Commission HQ A.C.

CE 3 District
Naples Section

L. G. PRICE

L.G.PRICE, Major RE
For Lieut-Colonel
Chief Electr. Division

1 Encl.

AFHQ
681582

5792

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj Price's Office
P.W. & U. Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

14/12/44

Reference: 306/PWU

Subject : BITUMEN

To. : CE 3 DISTRICT
(Att. Major Lewin)

1. The Military Railway Service are in urgent need of

1 Ton of Bituminous Tar

to cover the roofs of huts which have been constructed.

2. It is understood that a large quantity of Bituminous Tar is located in the dump of 1215 Section RE at Vairano.

3. Will you please release the above quantity and forward the authority to this office.

4. D of W HQ AAI have been contacted and no objection is raised by that office.

L. G. PRICE

L.G.PRICE, MAJOR RE
for Lieut-Colonel
Chief Electr. Division

5797

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Maj. Price 's Office
P.W. & U.-Elect. Section

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference 306/PWU

8/12/44

Subject : Supply of Tar for Contractor I.C.E.M.

To : Ministero Industria Commercio e Lavoro
Via Flavia Roma
(Att. Dott. Pellegrini)

1. Will you please authorise the release of

2 Tons.

of tar by endorsing the attached letter.

2. This quantity is available but your authorisation is necessary before issue.

L.C. PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

1. Encl.

5794

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/tm

Maj. Price's Office
P.W. & U.-Elect. Section

134

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 306/PWU

6/12/44

SUBJECT : Porcelain Insulators

TO : Regional Commissioner Toscana Region
(Attention Engineer Officer)

1. It is reported that there exists, in the stores of Societa Ceramica Richard Ginori, Colonnata Sesto Fiorentino, Firenze, a number of finished insulators of different types and voltages.

2. Will you please liason with Major Drake Industry and Commerce Officer your Region, to compile a detailed list of the stock of insulators, in order that this Section may determine their use.

3. There is a great demand for porcelain transformer bushings of all types and voltages, and in your report we shall be glad if you will say, at an early date, what facilities exist for the manufacture of these bushings.

L. G. PRICE

L.G. PRICE, Major RE
for Lieut-Colonel
Chief Electr. Division

5795

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGF/bs

Maj. Price 's Office
P.W. & U.-Elect. Section

WET/bs

(130)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

4/12/44

Reference: 306/PWU

SUBJECT : CALCIUM CARBIDE FOR INSPECTION TRIP

TO : SUPPLY OFFICER A.C. 675 Regt.

Request 2 kilos Calcium carbide be given to Capt. W.E.Trurenhausen for an inspection of the 4 Km. Gallery of the Mandela Hydro Plant. This work has a high priority and the use of the material is essential.

L. G. PRICE

L.G.PRICE, Major RE
for Lieut-Colonel
Chief Elec'tr. Division

579

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/hs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

2/12/44

Reference: 306/PWU

SUBJECT: TRANSPORTATION

TO : DIRECTOR TRANSPORTATION SUB COMMISSION
(Att. Lieut. Webb)

1. Herewith TEC/3 dated 2 Dec. 44 duly completed in respect of rail transportation Civitavecchia - Rome

2. Will you please arrange transportation at Civitavecchia before 15 Dec. 44 so that the cement can be collected because the release note ceases to be valid after the above date.

L. G. PRICE

L.G. PRICE. Major RE
for Lieut-Colonel
Chief Electr. Division

1 Encl.

50 Tons cement
Società Italiana per l
for. 3 wagons provided

11/12

5792

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel.489081

FILE

LWL/ac

M E M O R A N D U M

1 Dec. 44

Reference : 120 /PWU
Subject : Print Paper

To : Capt.A.E.FREEDY
From : P.W. & U. Sub-Commission - Electrical Division

1) - Would you please place an order for ten rolls of paper called "Carta Sviluppo all'Ammoniaco - fondo bianco" for the purpose of making prints of tracings.

2) - This paper is developed by the use of ammonia and supplies have been available in the past at the B.ROSSI Co. - Via del Porto Fluviale 9-A and at 43 Via del Pozzo - telephone 61205.

3) - We require about ten rolls of this paper per month assuming that each roll contains 50 yards.

4) - This Sub-Commission has been handling printing of other Sub-Commissions such as : Food S.C., Agriculture S.C., Industry S.C., as well as Economic Section. A vast number of regional maps are furnished by this Sub-Commission to the Map Section totaling as many as 250 per month. In addition many prints are furnished to A.A.I., P.B.S. and A.F.H.Q. on electric rehabilitation matters in connection with the work of the Electrical Reconstruction Committee.

5) - We have located an establishment, which will develope prints, at a price of 20 lire per square meter which includes pick-up and delivery service, but it does not have the necessary paper and ammonia. We will be able to arrange for ammonia supply providing that the paper can be obtained. This firm is known as the MAMO & BORTOLOTTI at 22 Via Pierluigi da Palestrina.

6) - In the past the printing service has been kindly furnished to us by the Engineers Section of R.A.A.C. but this arrangement will have to be discontinued.

W.M.LAPPER
Lt-Colonel
Chief Elec.Div.

5797

cc : SECURITY PRINTING SECTION A.C.
(Attention Lt.Bongarzone)

cc : Major L.G.Price

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 470805
LGP/bs

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

Reference: 060 /PWU 28/11/44

SUBJECT : ALLOTMENT OF POWER

TO : R.A.a.C.
(Electricity Control Board)

1. Herewith application from
PIA SOCIETA SAN PAOLO
Via Crottaperfetta 58
Roma.
for an increased allotment of electricity forwarded to you for action.

W.M.LAPPIN, Lt.Col
Chief Electr.Division

1 Encl.

5791

Declassified E.O. 12356 Section 3.3/NND No. 785019

(129)

OFFICINA F. FERRARI

COSTRUZIONI MECCANICHE - GRUPPI FRIGORIFERI "UNIVERSAL"

C. F. C. DI ROMA 5507

306 Decr. to PBS Via Rasella 22 Via Veneto

ROMA, 20 Novembre 1944

VIA VOGHERA, 9 - TELEFONO 71-851

Spett. IV^ ZONA COMANDO ALLEATO

Corso d' Italia 15

R O M A

e per coscenza :

SOTTO COMMISSIONE ENERGIA

Via Veneto

R O M A

Il sottoscritto F. FERRARI ,con Officina meccanica in ROMA , Via VOGHERA 9 è stato incaricato dalla Soc. Produzione Acetilene Disciolto ,con Sede in Roma Via Portonaccio 2 ,il cui Stabilimento è stato completamente requisito dall' A.D.O.S.Roma ALLIED AREA COMMAND e dal P.B.S. ENGINEER SERVICE ,di eseguire tutti i lavori necessari per mantenere in piena efficienza i macchinari dello Stabilimento in oggetto adibito alla produzione dell' acetilene disciolto

Per essere in grado di soddisfare alle richieste della suddetta Società ,il sottoscritto richiede che l' energia elettrica gli venga fornita giornalmente nella quantità di kw. 30 (trenta)

Con perfetta osservanza .

F. Ferrari

5791

C O P I A

S.P.A.D.

(1299)

SOCIETA PRODUZIONE ACETILENE DISCIOLTO

Anonima Capitale versato Lire 750.000

SEDE IN ROMA

Via di Portonaccio 2 Tlef. 490164

C.P.C. 61198 Roma

D i c h i a r a z i o n e

L' intestata Società ,che lavora esclusivamente per le Forze Armate Alleate avendo la produzione dello Stabilimento di Roma completamente requisita dall' A.D.C.S. Rome Allied Command e dal P.B.S. Engineer Services ,dichiara che la Ditte F? FERRARI esegue lavori che riguardano l'efficienza dei macchinari per la produzione dell' Acetilene disciolto .

fto Societa Produzione Acetilene Disciolto
Il Direttore
Giulio Aquelli

The above mentioned Firm carries out all repairs to this factory

fto Firma Leggibile

i/c S.P.A.D. ROME

94 CGD - SAEC

57 89

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY - Orig.Letter in Gen. Office File 093

Tel.447 Folio

FILE 108

Ref. AC/5666/IND 27 Nov.44

SUBJECT : PORCELAIN INSULATORS

TO : Public Works & Utilities Sub Commission

FROM: Industry Sub Commission

1. Your Reference :Porcelain Insulators 21 Nov. 1944 Refers.

2. The attached letter copy states the situation of the proposal to supply this firm with importedm coal.

3. A request (attached) will be made through the Industry Officer Toscana Region to investigate the possibility of operating this plant on Lignite or other local fuel. You will be notified of the result of this request.

Signed W.S. VAUGHAN
Director
Ind.Sub.Com

Copy to Economic Section

5788

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

COPY

HEADQUARTERS ALLIED COMMISSION
APO 394
INDUSTRY SUB-COMMISSION

DGR/ab

Tel. 447

27 November 1944

Ref. AC/9666/IND

SUBJECT: Porcelain Insulators -
Ginori Company.

TO : Regional Commissioner, Tuscany Region,
(Attn.: Industry & Commerce Officer).

1. Your R VIII/[illegible]/25/10,3 Nov. refers.

2. Is there a chance that this plant (which has been denied the allotment of imported long flame coal; Ref ACC/9100/2/Commerce Sub-Commission 25 Oct. 1944) could be started on the production of porcelain insulators by the use of lignite, wood or other domestic fuels in the neighborhood?

3. There are working lignite properties of substantial output within 15 miles of Florence to the North and 25 miles to the South. At Castelnuovo there is a substantial quantity of lignite briquettes which probably have a heat value above that of the mine run material. We have no information here on the possibility of the Ginori Company using lignite but it should be investigated. One glass plant near Rome is prepared to start on lignite alone in its gas producer, and it is possible that other plants may be able to do so with minor modifications.

4. You will be safe in assuming that, except in cases of extreme urgency, no long flame coal will be available for the glass or ceramic industry for some time to come.

For the Chief Commissioner:

5787

W.H. VAUGHAN
Director,
Industry Sub-Commission

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P Y

Coal Division

Tel. 478489

RWR/dt

Ref. ACC/IND/CD/46/23

23 Oct 44

SUBJECT: Controlled material - Coal.

TO : Commerce Sub-Commission,
Hq. A.C.C.

1. With reference to the attached application for 600 tons of coal per month for the Società Ceramica Richard Ginori, Colonnata Sesto Fiorentino Firenze (M.R. 11/Q 7676), we regret that the supply is impossible for the following reasons:-

a) At the present moment the nearest port we are able to use is Naples. Arrangements are progressing whereby we might be permitted to use more northerly ports in the near future.

b) The railway into Florence is destroyed. We have discussed this with the Transportation Sub-Commission and find that it is scheduled for repair under priority No. 4, but as the No. 1 priority is not yet completed, it will be some considerable time before this can be put in hand.

2. Would you please arrange to have this demand brought forward again in the new year.

Copy to:
Economic Section.

W. S. VAUGHAN
Director,
Industry Sub-Commission.

5786

Declassified E.O. 12356 Section 3.3/NND No. 785019

Allied Force
MILITARY RAILWAY SERVICE - ITALY
Headquarters 774th Railway Grand Division
Office of the Deputy Director

File 107

CML:jjt

APO 512
27 November 1944

Subject: Supply of Tar for Contractor

To: Region IV Public Works Section, Allied Commission, APO 294, U. S. Army

1. The Bearer Contractor I.C.E.M. Construction & Assembly Company, 53 Via del Tritone, Rome, under contract with the Italian State Railways and under supervision of Military Railway Service, Italy, is in need of one (1) ton of tar to complete the roofs on some huts he has constructed for I.S.R.

2. We understand that tar is not a controlled item and the contractor has been unable to find any on the market.

3. The contractor has been advised that you have a supply at Vairano. We will appreciate it if you will let this contractor have his requirements from Vairano so the huts, which are urgently needed, can be completed.

For the Deputy Director:

C. M. LONG
Capt., TC
Stores Section

Copy- Ry Maintenance of Way Supt.
774th RGD, Sldg.
Attention Major H.C. Stull

Request approved.
28/11/44.

5785

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOCIETÀ ITALIANA PER IL GAS

ANONIMA CAPITALE DI L. 540.000.000 INT. VERS. - SEDE SOCIALE: TORINO

Esercizio Romana Gas

Direzione Generale ed Uffici - Roma - Via Regina Elena, 28

C. P. C. N. 0/3261
TELEFONO 481.251
TELEGRAMMI: "GAS" ROMA

Rif.to MT/ff
(DA CITARE NELLA RISPOSTA)

27/

Roma, li 18 Novembre 1944 /XX

Spett./ COMMISSIONE ALLEATA
Sottocommissione-
Trasporti di

R O M A

Preghiamo codesto On. Sottocommissione di volerci fare assegnazione di 2 carri ferroviari occorrenti al trasporto di 30 Tonn. di cemento da Civitavecchia a Roma.-

Tale materiale ci è stato regolarmente assegnato dalla Sottocommissione Commerciale come risulta da foglio di autorizzazione che vi alleghiamo in copia.

In attesa di vostra cortese conferma, distintamente vi salutiamo.

SOCIETÀ ITALIANA per il Gas
Esercizio Romana Gas

5787

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS

A L L I E D C O N T R O L C O M M I S S I O N

COMMERCE SUB - COMMISSION

APO 394

RELEASE ORDER NO. ACC.1495 20 October 1944 DEMAND NO.ACC.C-339

TO Regional Commissioner Lazio Region HQ

Engineering Division for Società Italiana del Gas

Reference:Your form MAT 10,137/22/9,22 Sept=ES.PBS.R/O R-100 15 October

1. The following items have been released to you by Commerce Subcommission HQ ACC.

ITEM	MATERIAL	QUANTITY	FOR PERIOD
a.	Cement Type 500	30 Tons	
b.			
c.			
d.			

2. The above items will be collected by you from stocks loaded at:

ITALCEMENTI

Civitavecchia

3. Collection should be made by 15 December 1944, failing which this Realase Order ceases to be valid.

4. Remarks

Encl. eform Mat. 10

Copy To:

ES.PBS.

Italcementi - Civitavecchia

W.P. EVANS
Colonel,
Director,
Commerce sub-Commission,

Form ACC-MAT No,11

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 473805
LGP/bs

(125

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference:306/PWU

21/11/44

SUBJECT : COAL-GAETA TO ROME

TO : DIRECTOR INDUSTRY SUB COMMISSION
COAL DIVISION

1. Herewith correspondence relating to coal movements Gaeta-Rome 17 July to 17 September submitted to this Sub-Commission in error.

W.M.LAPPEN. LT.COL.
CHIEF ELECTR. DIVISION

Inclosures:
Ltr/Comune di Rome
Translation
Ltr/Comune di Gaeta
Translation

5787

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805
LGP/bs

Hq Fire 300/Ind

(124)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: PORCELAIN INSULATORS 21/11/44

TO : DIRECTOR INDUSTRY SUB COMMISSION
Building Materials Division

1. Further to your ACC/5666/Ind dated 30 Sept. 44 and our even number dated 3 Oct. 44.

2. Please state the present position regarding the reactivation of the insulator factory Societa Ceramica Richard Ginori-Rifredi.

W.M.LAPPER, LT. COL.
CHIEF ELECT. DIVISION

5780

Declassified E.O. 12356 Section 3.3/NND No. 785019

SOUTHERN REGION
ALLIED COMMISSION
BARI ZONE

FILE 125

Ref : BZ/SUP/1/19

16 Novembre 44.

Oggetto : Asegnazione cemento

Al : Giuseppe Lasorsa
Via Crisanzio 144
Bari

1. Rif.vostra lettera in data 14 Novembre 44.

2. Vi informiamo che a suo tempo fu inviato immediatamente la vostra richiesta di cemento all'Autorità competente.

3. Siamo in atteso del relativo ordine di rilascio che vi permetterà di ritirare il cemento e vi assicuriamo che appena in nostro possesso vi inviteremo a questo Ufficio.

R.L.DE THIERRY M.C.
Major "I" Corps
Zone Econ.& Supply Officer

1. Your letter 14 November
2. We inform you that your application
for cement was sent to Competent
Office.
3. We await the Release Order and as will be received
if by us, this Release will be handed to you.

Declassified E.O. 12356 Section 3.3/NND No. 785019

RIPARAZIONI E MODIFICA CARATTERISTICHE MACCHINARIO ELETTRICO

LAVORAZIONI MECCANICHE IN GENERE

INGRANAGGI DRITTI PER INTERNI ED ESTERNI, ELICOIDALI, DIELICOIDALI, CONICI, ECC.

MOTORIDUTTORI E RIDUTTORI DI VELOCITÀ

IMPIANTI INDUSTRIALI - CABINE DI TRASFORMAZIONE

ELETTROPOMPE PER ACQUA, VINI, ECC.

COMPRA - VENDITA

RAPPRESENTANTE DEPOSITARIO:
TECHOMASIO ITALIANO BROWN BOVERI
MILANO

MACCHINE ELETTRICHE E APPARECCHI ELETTRODOMESTICI

S. I. P. I. E. - MILANO PER STRUMENTI ELETTRICI

Telegr.: OFFICINA LASORSA

C. P. E. BARI N. 5010

OFFICINA PER INDUSTRIE ELETTROMECCANICHE

GIUSEPPE LASORSA

- BARI -

Officina: VIA MARIO ROSSANI, 51 - Telefono 12.657
Casa e Deposito: VIA CRISANZIO, 144 - Telefono 12.098

Bari, 21 Novembre 1944

Onorevole
COMMISSIONE ALLEATA
R O M A

(Alla cortese attenzione del signor Tenente Butcher).

ASSEGNAZIONE CEMENTO.

A seguito dell'autorizzazione del Ministero dell'Industria Commercio e Lavoro, con suo foglio in data 9/2/1944 n°467/I-3, nonchè di quella del Chief Engineer No.2 District in data 7/2/1944, fu iniziata la costruzione di una parte della nuova Officina da erigersi in Bari, alla Via Brigata Bari, e precisamente quella che avrebbe dovuto già alloggiare l'Impianto di Pressofusione. Per tanto, sin dall'Agosto c.a. dalla A.C.C. di Bari ci furono assegnate 30 Tonnellate di Cemento che, però, non ci sono mai state consegnate, onde i lavori furono e sono tuttora sospesi. In questi ultimi giorni siamo riusciti ad ottenere un buono per 10 Tonnellate, a fronte della predetta assegnazione, da prelevarsi presso lo Stabilimento di Modugno, senonchè il Comando, da cui detto Stabilimento dipende (il 93 TBW SATC), non ha voluto effettuare la consegna, assumendo essere validi solo i buoni rilasciati da Roma.

Siamo quindi ad interessare la Vostra cortesia affinchè interveniate presso l'Ufficio competente per far si che l'assegnazione totale abbia il suo immediato corso, mettendoci così in condizioni di riprendere i lavori forzatamente sospesi.

Il nostro Titolare si porta annositamente di persona a Roma allo scopo di ottenere che il buono di prelevamento gli venga consegnato nelle sue mani.

Sicuri del Vostro interessamento, Vi ringraziamo in anticipo e distintamente Vi salutiamo.

5772

Allotment Cement. Following up letter Ministero dell'Industria e Commercio of the 9-2-44 n.467/1-3, and letter Chief Engineer N.2 District of the 7-2-44, we [illegible] in opening masonry of one side of our Workshop in Bari - Via Brigata Bari - precisely that side that must lodging the Casting press Plant. Therefore, since last August the ACC - Bari Zone allotted us 30 Tons, but were never delivered us and so the working be stopped till to day. Last time we had received by the prefect AC a release for 10 Tons of cement - but the

Declassified E.O. 12356 Section 3.3/NND No. 785019

Cement Works of Modugno under control of the 93 EBW SAEC. not delivered us this item because they wanted just a Release from Rome.

We hope now that you will make anything about the above mentioned request (see our application cement) because now we need urgently this items as to re-starting necessary before started.

Our Manager and Titular Mr. Lorusso will come in Rome to arrange this matter with you. We are sure that you will make all your possible to grant us the demand requested.

Thanks —

Declassified E.O. 12356 Section 3.3/NND No. 785019

14 NOV Recd

306 ccs.

File

SUBJECT:- High Tension Jointing Compound.

EW/7435/DEW(S)

TO : H.Q. Allied Control Commission,
P.W. & Utilities Sub-Commission,
Electrical Section,
A.P.O. 394.

FROM: Director of Works, A.F.H.Q., 2 Nov 44.
C. M. F.

1. Ref your ACC/306/PWU dated 16 Oct 44.

2. All Stocks of H.T. Jointing Compound in North Africa have now been set up for shipment to this country.

3. You should therefore make application to D.W., H.Q., A.A.I. in 4 weeks' time when the material should be available here.

D.V.J. BANNING,
Major, R.E.
for Brigadier,
Director of Works,
A.F.H.Q.

Copy to:- D.W., H.Q., A.A.I. - EW/7435/DEW(3) of this date and Voucher E/4356 refer.

DVJB/JR.

5777

Subject :- Staff for Supply of Coal to Power Plants and Gas Works.

To Regional Commissioner
Dazio Umbria Region
(Engineering Division)

25/11/44

1. Reference your R4/ENG/21 dated 21 November 44 regarding the abolition of your Coal Staff after a suitable period of transition has been examined and the opinion of the Coal Division, Industry Sub Commission this H.Q. ~~Branch~~ has been invited since the Coal Division is also interested

2. You suggestion

3. It is agreed that if the trucks are properly consigned and labelled, the Power and/or Gas Companies should be responsible for the records and returns to the H.Q. A.C., it is suggested Therefore, That the Coal export and

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. Your suggestion regarding the ~~abolishing~~ abolition of your Coal Staff after a suitable period of transition has been examined and the opinion of the Coal Division, Industry Sub Commission this H.Q. ~~Branch~~ has been invited since the Coal Division is also interested

3. It is agreed that if the trucks are properly consigned and labelled, the Power and/or Gas Companies should be responsible for the records and returns to the H.Q. A.C, it is suggested therefore, that the Coal expert and typist on your pay roll should be retained until the end of the year at least in view that a representation of the Companies be instructed in their responsibilities, especially in view of the fact that we are about to recieve Sardinian Coal into this theatre via the port of Civitavecchia. Which

5775

Declassified E.O. 12356 Section 3.3/NND No. 785019

procedure will require attention
~~this.~~ until smooth working
is made possible

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Brief Paper
Will leave it
open for results

22 NOV Rec'd

G.de CEF/gb

HEADQUARTERS
ALLIED MILITARY GOVERNMENT
LAZIO UMBRIA REGION
(Engineering Division)
APO 394

21 November 1944

TO : HQ.A.C. (P.U.) ✓

SUBJECT : Staff for Supply of Coal for Power Plant and Gas Works

IN REPLY QUOTE : R4/ENG/21

1. There is at present employed and paid on Regional Engineers pay roll one Coal expert and one typist.

Their job is to meet coal trains, examine contents and quality and see that they are correctly delivered to the Power Plant or the Gas Works. -

This appears to me a relict of the days in June or July when it was a question of finding out dumps of coal about the country and getting it to the Power Plant.

I cannot see that it justifies an expenditure of 9.540 lira per month in wages nor any reason why, if trucks are properly consigned and labelled, why this cannot be done between the Railway Companies concerned and the Companies concerned. -

2. Further the Power Plant receives 750 tons, the Gas Works 150 per day average. The Power Plant being the greater. -

3. Procedure.

You indent for Power Plant Coal we indent for Gas Plant Coal entirely separate, with proper consignment and labeling there should be no need of an allied intermediary. -

If coal is bad quality or under weight it should be responsibility of consignee to report so to you or me respectively when we would take up with supplies. -

4. If you concur I propose to abolish the Coal staff after a suitable period for transition. -

5775

Lt.Col.R.E.
Regional Engineer
Lazio Umbria Region AMG.

Lt Col Draper
Will you pls. look into this.
There may be justification for this complaint.
Pls. advise me.
R.J. 23/11

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 178605

LCE/118

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/306/PWU

13/11/44

SUBJECT: FLASHLIGHTS

TO :

UNES- ACEA - TERNI & LARDERELLO

1. Further to this office letter AC/306/PWU dated 10 Oct.44 the following has been allocated to you:

No. 100 Flashlights complete with bulb. 2 cells and spare bulb in base of Flashlight.
No. 100 spare cells.

2. Please notify this Sub-Commission the date on which you intend to collect so that arrangements can be made.

3. The cost to you will be approximately 95 (ninety five) lire each complete flashlight and you will be invoiced accordingly.

F.J. Emery, Major C.E.
Ast.Chief Elect. Div.

5774

URGENT

ELECTRICITY

Major Pace

HEADQUARTERS ALLIED CONTROL COMMISSION

COMMERCE SUB-COMMISSION

APO 394

Fab

172/11/17

01567

Copy: P.W.&U. S.C.

Electrical Sec.

K-3 NOV Rec'd

093

ab

Date ~~25 October~~ 10 Nov. 1944

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG~~=AGC~~ FORMATION LAZIO=UMBRIA REGION/ Engineering Division

3. COMMODITY DEMANDED CEMENT

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 10 tons (type 500)

(b) Next Month:

(c) Second Month:

(d) Third Month:

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? Stabilimento Colleferro.

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY.

Hydro-electric Power
Station ISOLA DEL LIRI
(Frosinone)

Consignee: Ing. Angelo Viscogliosi

Address: Centrale Idroelettrica
Isola del Liri (Frosinone)

8. It is certified that these supplies and stores are required for (URGENT) ~~(NORMAL) (STOCK PILING)~~ purposes. (Strike out words not applicable).

A. M. G. REGION I
ENGINEERING DIVISION
ELECT. MECH. SECTION

Date ~~26 October~~ 10 Nov. 1944

Signature: [illegible]

Rank, Title, Office

Date

9. REGIONAL APPROVAL: [illegible] Capt AMA Title Lt. Col. R.E. Chief ~~Ele~~ Section

for Regional Engineer

DATE

Declassified E.O. 12356 Section 3.3/NND No. 785019

3. COMMODITY [illegible]

(Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 10 tons (type 500)

(b) Next Month: .....

(c) Second Month: .....

(d) Third Month: .....

.....

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars:

(a) Has Material been located? yes

(b) If locally - Where? .....

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where? Stabilimento Colleferro.

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

.....

7. ADDRESS FOR DELIVERY:

Hydro-electric Power
Station ISOLA DEL LIRI
(Frosinone)

Consignee: Ing. Angelo Viscogliosi

Address: Centrale Idroelettrice

~~Isola del Liri (Frosinone)~~

A. M. G. REGION I
ENGINEERING DIVISION
ACT. MECH. SECTION
Lt. WADE BROWN

8. It is certified that these supplies and stores are required for (URGENT) ~~(NORMAL)~~ ~~(STOCK-PILING)~~ purposes. (Strike out words not applicable).

Date: ~~26 October~~ 10 Nov. 1944 Signature: .....

NAMES Rank, Title, Office

Date ..... DATE

9. REGIONAL APPROVAL: J. W. Penny Capt EMP Title Lt.Col.R.E. Chief E&M Section

for Regional Engineer

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission)

AFLR(I)B Release Order No. ..... Our Release Order No. .....

Date: ..... Date: .....

REMARKS: .....

.....

.....

Form ACC-MAT No. 10
Incl. No. 2 Appendix « B »

Declassified E.O. 12356 Section 3.3/NND No. 785019

5) JUSTIFICATION

Material urgently needed for the reconstruction of the hydro-electric Power Station "Villa Correa" (Isola del Liri - Prov.Frosinone) damaged by war events.

The required 10 tons are only half of the quantity demanded and the reduction is made to enable the owner to start the works in a near future with a minimum quantity to be alotted as soon as possible.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

(-) 10 R NT CY

(-) Maj Price:

Request authority for go- works to release for purchase by Soc. An. Cartiera di Tarquinia Molina S.p.A. for purpose of repairing an hydro-electric plant at Tarquinia:

1 Plt Tar

OSD
Pwfu S/c Electric

Declassified E.O. 12356 Section 3.3/NND No. 785019

SUBJECT:- Insulators.

306/15

13 NOV Read [illegible] Allied Armies in Italy

Maj Barry

Tel: GHLFOT 302.

12217/Da

H.Q. Allied Commission
Public Works & Utilities Sub Com.
Electric Section, A.P.O. 394.

8 Nov 44.

Reference your letter AC/306/PWU dated 5 Nov.

The following ET Insulators are available in the S.E.D.'s indicated and can be issued on demand.

Insulators 'Locke' 4" Base w/screw socket

	3672	No. Cribbisi.
do. 7" Base	5760	No. "
Insulators Porcelain Corax shackles	68	Gross Bari.
Insulators Heavy Cable.	11	" "
Insulators ET Fixed 11000v & 23000 V	516	No. "
Pin type Insulators 15 KV	37	No. Cancello
do. 22 KV	70	No. Aversa
Insulators Shackle L.T.	1160	No. Caiazzai.

G.D. KING,
Capt., R.E.
for Brigadier,
Director of Works.

5779

Declassified E.O. 12356 Section 3.3/NND No. 785019

LGP/bs 114

Telephone 478805

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub Commission
Electrical Section

10/11/44

Reference: AC/306/PWU

SUBJECT: RATIONS

TO : O i/c DID

1. Will you please issue to the bearer Sgt. Nicolls SAEC, Rations for 4 men for 6 days, i.e. Sgt Nicolls and 3 ORs who are detailed to convey important electrical equipment Rome- Civivocchia and return.

2. Men and vehicle have been held up " on route" due to the condition of the roads.

L.G. PRICE
Major RE
Elect.Sec.
P.W. & U.Sub.Comm.

5769

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/hs (13)

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/306/PWU 10/11/44

SUBJECT : APPLICATION FOR ELECTRICITY

TO : ROME ALLIED AREA COMMAND
Electricity Control Board
(Att. Major Hughes)

1. We have received a verbal request from Mr. Orazio Cimini for a supply of electricity for his chemist's shop in Via dei Mille 21.

2. We are informed that Mr. Orazio Cimini has made four application concerning the above.

3. Will you please note that all other shops and buildings have electricity in Via dei Mille and it should be not difficult to make this connection.

4. This appears be a genuine request, and it is understood that it is a public necessity. Will you please investigate and if possible assist.

E.J.HARDY
MAJOR C.E.
Act.Chief Elect.Div.

5768

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

112

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AB/306/PWU

9/11/44

SUBJECT : LETE POWER STATION

TO : REGIONAL COMMISSIONER
Southern Region

1. Herewith letter from CE 3 Dis ref.CE 6004/4/3 dated 7 Nov. 44 relating to fuse and detonators, forwarded to this HQ in error.

E.J. BAILEY
MAJOR C.E.
ACT.CHIEF ELECT.DIV.

ENCL. Letter 3 District CMF

5767

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LE/bb

HEADQUARTERS ALLIED COMMISSION
A.P.O. 394
Public Works & Utilities Sub-Commission
Electrical Section

Reference: AC/306/PWU

3/11/44

SUBJECT :- INSULATORS

TO :- DIRECTOR OF WORKS
HQ AAI CMF

1. The Societa Meridionale di Elettricita, Naples, require a large quantity of insulators as follows :-

a) Pin type insulators 11KV and 22KV complete with pins.
b) Suspension insulators 11KV and 22KV.
c) Post type insulators 11KV and 22 KV (for sub station mounting)

2. Will you please state if you have any of the above available, if so, state quantities, and method of purchase.

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

5766

Declassified E.O. 12356 Section 3.3/NND No. 785019

No 2 Priority

Copy

HEADQUARTERS ALLIED COMMISSION
COMMERCE SUBCOMMISSION
APO 394

Release Order No. AC 1669 2 November 1944 Demand No. AC M - 86

TO : Public Works & Utilities Sub-Commission HQ AC
Attn.Electrical Section for Jutificio di Terni

Reference : Your form MAT 10,24 October

1. The following items have been released to you by :
Commerce Subcommission HQ AC

Item	Material	Quantity	For Period
a.	Leather Belting		
b.	300 mm.width	24 Mts.	
c.			
d.			

2. The above items will be collected by you from stocks located at:
DITTA MAGALDI
Buccino (Salerno)

3. Collection should be made by 1944, failing which this Release Order ceases to be valid.

4. Remarks:

Encl. 1 Form MAT 10

3 Copies to:
Southern Region Commerce Sub-Section

For Col. P. EVANS
Colonel
Director
Commerce Subcommission

Form AC/-MAT No. 11

5765

Declassified E.O. 12356 Section 3.3/NND No. 785019

Dupl

H. Q. Priority

HEADQUARTERS ALLIED COMMISSION
COMMERCE SUBCOMMISSION
APO 394

Release Order No. AC 1669-2 November 1944 Demand No. AC M-86

TO : Public Works & Utilities Sub-Commission HQ AC

Attn. Electrical Section for Juridicial Terr

Reference : Your form MAT 10, 24 October

1. The following items have been released to you by Commerce Subcommission HQ AC:

Item	Material	Quantity	For Period
a.	Leather Belting		
b.	300 m.m. width	24 lbs.	
c.			
d.			

2. The above items will be collected by you from stocks located at:

DITTA MADDI

Buccino (Salerno)

3. Collection should be made by 1944, failing which this Release Order ceases to be valid.

4. Remarks:

Encl. 1 Form MAT 10

2 Copies to:

Southern Region Commerce Sub-Section

L. P. EVANS
Colonel
Director
Commerce Subcommission

Form AC/MAT No. 11

5767

Declassified E.O. 12356 Section 3.3/NND No. 785019

C O P Y

(U.S. SECRET EQUALS BRITISH MOST SECRET)

AP 759

TJE/fb

SECRET

ALLIED FORCE HEADQUARTERS
APO 512

:::::::::::::::::::
: S E C R E T :
: Auth: CinC, AF :
: Initials: M E :
: 11 March 1944 :
:::::::::::::::::::

11 March 1944

AG 400-1 (ANCOT) MGS-AGH

SUBJECT: Requisitions.

TO : Headquarters Allied Control Commission, NAPLES.

1. Letter, this headquarters, subject and file as above, dated 30 January 1944, and Appendix I thereto, dated 30 January 1944, are rescinded and the following substituted therefor.

2. The following instructions are issued as a guide for all officers concerned in writing requisitions for civilians supplies.

3. All supplies (Medical, Engineer, Ordnance, Quartermaster, and miscellaneous) that are required by ACC/AMG must be obtained by requisition.

4. Mechanics of requisition.

a. Copies: Original and five (5) copies to Military Government Section, this headquarters. Additional copies optional.

b. Numbered: Requisitions will be numbered consecutively, in series, according to supply service on which rendered. A new series will be initiated with each new fiscal year (July 1 to June 30). A requisition number will consist of the following elements:

(1) An individual requisition number according to series.

(2) A letter or group of letters indicating supply service on which drawn; e.g., "Eng", "QMC", "Ord", etc.

(3) Region for which supplies are intended.

(4) A number comprising the last two digits of the fiscal year.

For example, a requisition for engineer materials intended for Region VI, which is the first requisition in the series of the present fiscal year, would be No. 1-Eng-Reg.VI-44

5782

No single requisition should contain requests for items of more than one branch of service. An engineer requisition should contain only items which are an Engineer responsibility; a requisition marked as being for quartermaster supplies should include only items which are furnished by the Quartermaster Corps. This applies to all branches of the service and to all items

Declassified E.O. 12356 Section 3.3/NND No. 785019

requisitioned. On a requisition which contains requests for materials on more than one branch of the service, processing of one part of the requisition is delayed while the requisition goes through the supply office handling the other supplies listed.

c. Destination: Order for direct shipment to Mainland, Sicily or Sardinia, indicating port.

d. Initiated by. Any officer.

e. Approved by: Commanding Generals and Commanding Officers of Allied Control Commission or their duly authorised deputies. (A list of all officers authorized to approve requisitions will be compiled and furnished to Military Government Section, this headquarters.)

f. Amounts: Specify by numbers of items, length or weight, using standard nomenclature where possible.

g. Changes: Must be initialed by officer altering the original wording.

h. Justification: Every requisition should contain information which gives well-grounded reasons for requesting the particular supplies listed on the requisition. This information should not be placed on a separate covering letter, but should appear on the requisition form itself.

It is understood that ordinarily the basis will differ for each individual requisition submitted. The following general notes, however, indicate data which should appear in almost every case:

(1) Nature of work to be accomplished or use for which materials are intended. If possible, include also a statement as to what may transpire if materials are not delivered.

(2) Scope of work or operation, including, whenever applicable, time period of operation. Time should be expressed in six-month periods.

(3) Location of operations.

(4) Desired date of arrival of supplies at port of debarkation.

5762

i. Period: On all ACC requisitions for civilian supplies in space indicated by "PERIOD" place the word, "Special", which indicates clearly to the processing or reviewing agency that this particular requisition is for items not covered by an authorized table of allowance. Requests for initial allotment of organizational equipment or replacement parts to bring organizational equipment to approved supply levels are covered by "Initial" and "Replacement" requisitions.

Approval or disapproval of "Initial" and "Replacement" requisitions is based on tables of allowances and standards of allowable replacements.

Declassified E.O. 12356 Section 3.3/NND No. 785019

Approval or disapproval of "Special" requisitions is based on the ability of the requisitioning agency to justify its requests in the basis of the requisition.

Inasmuch as all ACC civilian supply requisitions are for non-organizational equipment, then all ACC requests for such equipment will be covered by "Special" requisitions, no marked and period of Requirement should be stated, and approval or disapproval of these requisitions will depend upon ACC's ability to justify their need.

j. Stock Number: Under the columheaded "STOCK NUMBER" indicate the Federal Stock Number of each item requisitioned as listed in the Federal Stock Catalogue or in the Standard Nomenclature List. If the stock number is not known, indicate that fact by the proper notation within the space.

In the event that spare parts are being ordered for American or British equipment which are non-standard military items, indicate clearly at the beginning of the requisition the nationality of the trade name of the equipment for which parts are desired, the name of the manufacturer, model number, and serial number, then change the heading "STOCK NUMBER" to "MANUFACTURER'S NUMBER" and insert in the columnunder the hegding the stock number as given in the manufacturer's catalogue and state wiether or not the trade name and number are specifically desired or are used to indicate similarity to desired item.

k. Rating: The "approving officer" should affix the rating I, II, III, or IV, as specified in CAL Airgram Number 5, November 1943 (copies sent to all ACC/AMG headquarters, 16 December 1943).

5. Emergency requisitions may be sent direct to Military Government Section by cable from Headquarters Allied Control Commission. Include only data in paragraph 3 b, c, e, f, h, (summarized), i, j, and k. Full confirming information will be sent in regular manner.

6. All requisitions will be submitted by Regions to Headquarters Allied Control Commission for review, coordination and consolidation and by Headquarters Allied Control Commission to Military Government Section, this headquarters.

By command of General WILSON:

/s/ H.V. Roberts,
H.V. ROBERTS,
Colonel, AGD
Adjutant General.

DISTRIBUTION:

5 - Addressee
5 - Hq AMG, Region 1, Palermo
5 - Hq AMG, Region 2 Matera
5 - Hq AMG, Region 3, Naples
5 - Hq AMG, Region 4, Naples
5 - Regional Allied Commissioner, Sardinia
50 - Military Government Section, AFHQ
2 - AG Records, AF

5787

Declassified E.O. 12356 Section 3.3/NND No. 785019

HEADQUARTERS ALLIED COMMISSION
APO 394
Public Safety Sub-Commission

1 Nov. 1944

ACC/14601/8/1/PS

SUBJECT : Release of Flashlights and Batteries

TO : Commanding Officer P.B.S.
(Signal Corps Stock Control)

The bearer, No. 6457697 Cpl. Clarke H. Royal Fusiliers, attached Allied Commission, is authorised to collect the 3600 flashlights and 10800 batteries, as quoted in Release order No R-1444 dated 4 October. 1944.

JOHN W. CHAPMAN
Colonel, J.A.G.D.
Director Public Safety
Sub-Commission

In case of any difficulty contact Capt. TOMS, R.P.S.O. Office Southern Reg. HQ Provincie Building.

Sgt Hall. Despatch Office 57296

5760

Declassified E.O. 12356 Section 3.3/NND No. 785019

R E S T R I C T E D

HEADQUARTERS
ALLIED COMMISSION
APO 394

(SPECIAL ORDERS)
NUMBER 274)

1 November 1944

E X T R A C T

* * *

49. Cpl H. Clarke, 6457697, R. Rus, (E), Public Wks & Util Sub-Com, this Hq, accompanied by Tec 5 Angelo (NMI) Pusateri, 36015460, (A), HQ Co, 2675th Regt, ACC, NF Naples, Italy, o/a 5 Nov 44 on temp dy for a period of approximately two (2) days in connection with AC activities and upon completion thereof will ret to proper sta. Rat will be provided for t for two (2) men for two (2) days. Travel by govt MT is atzd.

* * *

By command of Commodore STONE:

NICHOLAS PIOMBINO
CWO, USA
Asst Adjutant

OFFICIAL:

Nicholas Piombino

NICHOLAS PIOMBINO
CWO, USA
Asst Adjutant

DISTRIBUTION:
2 - EM concd
1 - Dispatch (MTO)
1 - Hq Supply
1 - File

5754

R E S T R I C T E D

Declassified E.O. 12356 Section 3.3/NND No. 785019

Tel.473200

AEP/ca

MEMORANDUM

REFERENCE: ACC/126/PWU. 1 Nov.44
SUBJECT : Standard forms of Correspondence.
TO : Chiefs of Divisions.
FROM : A/Director. P.W. & U. Sub-Commission.

In order that memoranda within these Headquarters and correspondence to the Regions may be standardised it is requested that this form of heading for a Memorandum be used and the following for Regions etc:-

HEADQUARTERS ALLIED COMMISSION.
A.P.O. 394
Public Works & Utilities Sub-Commission.

When writing to Regional Engineers your letter should be addressed as follows:-

TO: Regional Commissioner. (name of Region)
(att. Regional Engineer)

In all cases, the above telephone number should appear in the top lefthand corner of the letter.

GER

G.E. RHODES,
Lieut-Colonel, R.E.,
Acting Director.

5752

RGENT

Capt Elliott

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB-COMMISSION
APO 394

Date: 31 October 1944

1. DEMAND FOR CONTROLLED MATERIALS.

2. AMG/ACC FORMATION PUBLIC WORKS & UTILITIES SUB COMMISSION

3. COMMODITY DEMANDED CEMENT (Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 50 TONS.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5. JUSTIFICATION: (Detail this information on back of Form).

6. SOURCES OF SUPPLY (if known). Give particulars: CEMENTERIA PUGLIESE

(a) Has Material been located? MODUGNO

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc.:

7. ADDRESS FOR DELIVERY:

Consignee: GIUSEPPE LABORIA

Address Via M. Rossani, 51

BARI

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: Signature: H. Pinei Major AC. Technical Section. Public Works & Utilities Sub Comm.

9. REGIONAL APPROVAL Title 1/11/44 Date:

Declassified E.O. 12356 Section 3.3/NND No. 785019

2. AMG/ACC FORMATION PUBLIC WORKS & UTILITIES SUB COMMISSION

3. COMMODITY DEMANDED CEMENT (Give particulars of specification on back of Form)

4. QUANTITY REQUIRED: (In metric tons or other suitable unit)

(a) Single lot demand: 50 TONS.

(b) Next Month //

(c) Second Month //

(d) Third Month //

5 JUSTIFICATION: (Detail this information on back of Form).

6 SOURCES OF SUPPLY (if known). Give particulars: CEMENTERIA PUGLIESE

(a) Has Material been located? MODUGNO

(b) If locally - Where?

(c) If anywhere in Liberated Italy (including Sicily & Sardinia) - Where?

(d) If blocked, give names of establishment and Military Unit concerned, quantities available, etc:

7. ADDRESS FOR DELIVERY:

Consignee GIUSEPPE LASORSA

Address Via M. Rossani, 51

BARI

8. It is certified that these supplies ande stores are required for (URGENT), (NORMAL), (STOCK PILING) purposes. (Strike out words not applicable).

Date: Signature: H. C. Pinci Major C.E. Executive Section.

9. REGIONAL APPROVAL Title 1/11/44 Date: Public Works & Utilities Sub Commission.

FOR USE OF LOCAL RESOURCES SECTION (Commerce Sub-Commission).

AFLR(I)B Release Order No. Our Release Order No.

Date: Date:

REMARKS:

Form ACC-MAT No. 10.

Declassified E.O. 12356 Section 3.3/NND No. 785019

URGENTLY NEEDED FOR THE CONSTRUCTION OF SHED AND CONVERSION

OF COPPER SCRAP.

(THE Hq 2 DISTRICT GAVE PERMIT FOR THIS CONSTRUCTION
7 March 1944 - N. 1422)

Declassified E.O. 12356 Section 3.3/NND No. 785019

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478305

IGP/bs

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub.Commission
Electrical Section
APO 394

ACC/306/PWU

30 October 1944

SUBJECT :- FORNITURE COMPANY SOUTHERN REGION.

TO :- EW Hq. AAI

1. Herewith correspondence from Societa Meridionale di Elettricita concerning the above mentioned Company.

2. Will you please take up this matter with the necessary formation so that the situation can be regularized.

L.J. BARRY
MAJOR G.E.
ACT.CHIEF ELECT.DIV.

3 EXCL.

575
see EME file
300

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/bs

MEMORANDUM

ACC/306/P&U

26/10/44

SUBJECT :-PARAFFIN WAX- RELEASE

TO :- COMMERCE SUB COMMISSION
(Att. Major Brereton)

FROM : PUBLIC WORKS & UTILITIES SUB COMMISSION
Electrical Section

1. Reference your letter ACC/5083/Commerce POL/7 dated 24 Oct. 44.

2. The request of Tramvie Provinciale-Napoli for:-

20 Kgs. Paraffin Wax

is considered reasonable and the release for this amount is authorised.

E.J.BARRY
Major C.E.
Act.Chief Elect.Div.

575

Declassified E.O. 12356 Section 3.3/NND No. 785019

25 OCT Recd

HEADQUARTERS
ALLIED CONTROL COMMISSION
COMMERCE SUB=COMMISSION
APO 394

ASB/ha

Ref. ACC/5083/Commerce/ POL. 7 24 October 1944

SUBJECT : Paraffine wax . Tramwie Provinciali = Naples .

TO : Public Works Utilities Sub/Commission .
(Attn. Maj. Price)

I. Attached is a copy of CIF's memo N. 31 of 19 October 1944 .

2. This is the second recent request for paraffine wax by this concern within a month.

3. Their previous request for 100 Kg for preparing a pitch-wax-sand filling for underground cable conducts was rejected by you as unnecessary.

4. Will you please say if you approve release of the quantity now requested for the purpose now specified.

I. Encl. copy CIF's memo N. 31

W.P. EVANS
Colonel
Director
Commerce Sub-Commission

5754

Declassified E.O. 12356 Section 3.3/NND No. 785019

COMITATO ITALIANO PETROLI
C. I. P.

CIP

DIREZIONE

Telegrammi: CIPETROLI
Telef. 66551 - 66641

Roma, Oct. 19th, 1944
Via del Tritone, 181

Memorandum No. 31

Subject : Paraffin wax
Tramvie Provinciali - Napoli.

To : Hq. A.C.C. Commerce Sub-Commission

1. Tramvie Provinciali - Naples have submitted the following request :

20 Kgs. Paraffin wax .

2. This product is needed for preparing an insulating mixture to be used before fixing electric cables in electric power plant sub-stations and on locomotives.

3. Furthermore it is used for preparing and fixing the winding's sectors of traction motor inductions.

Please let us know your advice on the matter.

COMITATO ITALIANO PETROLI C.I.P.
The President

A. de Graan

Lub/IMV/bu

575

Declassified E.O. 12356 Section 3.3/NND No. 785019

Telephone 478805

LGP/ba

HEADQUARTERS
ALLIED CONTROL COMMISSION
Public Works & Utilities Sub-Commission
Electrical Section
AFO 394

ACC/306/PWU

26/10/44

SUBJECT:- TRANSFORMER OIL - S.A. TRAMVIE PROVINCIALI DI NAPOLI

TO :- AFHQ Petroleum Section PAAC

1. Your letter PET 30/C/4 dated 11 Oct. 44 has been passed to this Sub-Commission for action.

2. We have investigated the necessity of this reques for:-

6000 Kgs Transformer Oil

and have ascertained that this quantity is required for the first filling of

2 No. transformers of 1500 KVA
2 No. " " 100 KVA

3. Release therefore is authorized.

E.J. BARRY
Major C.E.
Act.Chief Elect.Div.

Copy to Commerce Sub Commission
(Att. Major Brereton)

5752

Declassified E.O. 12356 Section 3.3/NND No. 785019

24 OCT Rec'd C/EL (100)

HEADQUARTERS
SOUTHERN REGION ALLIED CONTROL COMMISSION
APO 394, U.S. Army

23 October, 1944

CU-1395

SUBJECT: Transformer Oil

TO : Headquarters Allied Control Commission
Public Works & Utilities Sub-Commission
(Electrical Section).

1. In answer to your communication dated 17/10/44, ACC/306/PWU. regarding the release of 6000 kgs. of transformer oil the following information is submitted to you as requested in para. 2:

a. One sub-station, Capodichino.

b. Two transformers, 9000/660, 1500 KVA each; two transformers (aux.uses), 9000/220, 100 KVA each.

c. for both transformers and circuit breakers.

d. for first filling.

Lester J. Hensley
LESTER J. HENSLEY
Lt. Col. C.E.
Regional Engr.Officer
Southern Region.

LJH/pc.

5751

MINISTERO DELLE CORPORAZIONI

DIREZIONE GENERALE DELL'INDUSTRIA

UFFICIO STUDI E RICERCHE

BOLLETTINO SETTIMANALE

DEI PREZZI E DEI CAMBI

Roma, _____

(30

Declassified E.O. 12356 Section 3.3/NND No. 785019

BOLLETTINO SETTIMANALE

DEI PREZZI E DEI CAMBI

Roma, _____

G. SACCONE - ROMA

Declassified E.O. 12356 Section 3.3/NND No. 785019

2210